

The study listed may include approved and non-approved uses, formulations or treatment regimens. The results reported in any single study may not reflect the overall results obtained on studies of a product. Before prescribing any product mentioned in this Register, healthcare professionals should consult prescribing information for the product approved in their country.

Study No.: 106372 (Flu NG-006 PRI)
Title: Observer-blind superior efficacy trial with GlaxoSmithKline Biologicals' influenza vaccine GSK2186877A in elderly subjects. GSK2186877A (Flu 1): GlaxoSmithKline (GSK) Biologicals' new generation influenza vaccine
Rationale: This study investigated the efficacy of Flu 1 vaccine compared to <i>Fluarix</i> TM in the prevention of laboratory confirmed influenza A and/or B in adults aged 65 years and above. It also aimed to assess lot-to-lot consistency of Flu 1 vaccine. It further compared the incidence of potentially influenza related complications during the influenza peak season between Flu 1 vaccine and <i>Fluarix</i> TM . Last, the safety and immunogenicity of the Flu 1 vaccine were also assessed. <i>Fluarix</i> TM (Flu 2): GSK Biologicals' licensed influenza vaccine. Note: After the analyses for this study were completed, questions arose regarding the integrity of study data from a single study site in Romania, which enrolled 102 subjects in the trial. Because evaluation of data from this site did not reveal irregularities when compared with overall study data and because GSK has no current plans to use the data from the study in support of any regulatory filings, they were not excluded from the analyses reflected in this results summary.
Phase: III
Study Period: 15 September 2008 to 9 December 2010
Study Design: Multi-center, randomized, observer-blind, active-controlled study with 2 parallel groups (1 group was further divided into 3 sub-groups)
Centers: 301 centers (21 in Belgium, 12 in Canada, 8 in Czech Republic, 8 in Estonia, 35 in France, 82 in Germany, 5 in Mexico, 9 in Norway, 18 in Poland, 14 in Romania, 11 in Russia, 2 in Taiwan-ROC, 5 in The Netherlands, 4 in the UK and 67 in the US).
Indication: Immunization against influenza in male and female subjects aged ≥ 65 years
Treatment: The study groups were as follows: <ul style="list-style-type: none"> Flu 1 Group: subjects received 2 doses (1 dose per season) of Flu 1 vaccine during the Northern Hemisphere (NH) vaccination periods of Year 1 and Year 2. For lot-to-lot consistency analyses after Dose 1 at Year 1, this group was divided in the following sub-groups: <ul style="list-style-type: none"> Flu 1 Lot 1 Group: subjects received 1 dose of Flu 1 vaccine Lot 1 during Year 1, Flu 1 Lot 2 Group: subjects received 1 dose of Flu 1 vaccine Lot 2 during Year 1, Flu 1 Lot 3 Group: subjects received 1 dose of Flu 1 vaccine Lot 3 during Year 1. They all received a second dose during year 2, again from 3 different lots. Flu 2 Group: subjects received 2 doses (1 dose per season) of Flu 2 vaccine during the NH vaccination periods of Year 1 and Year 2
Both vaccines were administered intramuscularly in the non-dominant deltoid.
Objectives: <i>Efficacy:</i> <ul style="list-style-type: none"> To assess in adults aged 65 years and above, the superior efficacy of the Flu 1 vaccine after the first dose, in the prevention of Polymerase Chain Reaction (PCR)-confirmed influenza A and /or B, due to any matching or drift influenza strain relative to the vaccine strains (i.e. not emerging novel human influenza strain like H1N1v), during the corresponding surveillance period, when compared to Flu 2 vaccine <i>Criterion to demonstrate superiority:</i> <i>Superiority of the Flu 1 vaccine was demonstrated if the lower limit of the two-sided 95% confidence interval (CI) for vaccine efficacy increase between the Flu 1 Group and the Flu 2 Group was above 0%.</i> <i>Lot-to-lot consistency (in the lot-to-lot subset of subjects)</i> <ul style="list-style-type: none"> To assess the lot-to-lot consistency of 3 lots of the Flu 1 vaccine in terms of immunogenicity (as measured by Geometric Mean Titer (GMT), 21 days after vaccination during the first year of the study. <i>Criterion to demonstrate the lot-to-lot consistency:</i> <i>The lot-to-lot consistency was demonstrated if, for each vaccine strain (H1N1, H3N2, B), the two-sided 95% CIs for each GMT ratio (Flu 1 Lot 1 Group versus Flu 1 Lot 2 Group; Flu 1 Lot 2 Group versus Flu 1 Lot 3 Group; Flu 1 Lot 1 Group versus Flu 1 Lot 3 Group) were within [0.67, 1.5].</i>
Primary Outcome/Efficacy Variable:

<p>Efficacy</p> <ul style="list-style-type: none"> First occurrence of PCR-confirmed influenza A and/or B infection, due to any matching or drift influenza strain relative to the vaccine strains (i.e. not emerging novel human influenza strain like H1N1v) after the first dose during the corresponding surveillance period. <p><i>Lot-to-lot consistency (in the lot-to-lot subset of subjects)</i></p> <ul style="list-style-type: none"> At Days 0 and 21 of the first year of the study, serum hemagglutination-inhibition (HI) antibody titer, against each of the three vaccine strains, in the Flu 1 groups (GMTs)
<p>Secondary Outcome/Efficacy Variable(s): <i>Efficacy (in all subjects)</i></p> <ul style="list-style-type: none"> First occurrence of PCR-confirmed influenza A and/or B infection due to any matching or drift influenza strain relative to the vaccine strains (i.e. not emerging novel human influenza strain like H1N1v), during the whole surveillance period. First occurrence of culture-confirmed influenza A and/or B infection due to any matching or drift influenza strain relative to the vaccine strains (i.e. not emerging novel human influenza strain like H1N1v), during the whole surveillance period. First occurrence of pneumonia or clinical influenza after the first dose of vaccine during the influenza peak season within the first surveillance period. Occurrence of all-cause death after the first dose of vaccine during the influenza peak season within the first surveillance period. First occurrence of hospitalization due to respiratory diseases after the first dose of vaccine during the influenza peak season within the first surveillance period. <p><i>Safety (in all subjects)</i></p> <ul style="list-style-type: none"> Occurrence and relationship to vaccination of serious adverse events (SAEs) and occurrence, intensity and relationship to vaccination of adverse events (AEs) of specific interest including autoimmune disease (AID) during the entire study period in all subjects (and during 12 months after each vaccination in all subjects). <p><i>Safety (in the safety subset of subjects)</i></p> <ul style="list-style-type: none"> Occurrence, intensity, duration and relationship to vaccination of solicited local and general AEs during a 7-day follow-up period (i.e. day of vaccination and 6 subsequent days) after each vaccination. Occurrence, intensity and relationship to vaccination of unsolicited AEs during a 21-day follow-up period (i.e. day of vaccination and 20 subsequent days) after each vaccination. Occurrence, intensity and relationship to vaccination of AEs with medically attended visit during a 180-day follow-up period (i.e. day of vaccination and 179 subsequent days) after each vaccination. <p><i>Immunogenicity (in the immunogenicity subset of subjects)</i></p> <ul style="list-style-type: none"> At Days 0 and 21 of each year: serum HI antibody titer, against each of the 3 vaccine influenza strains in all groups At Day 180 of each year: serum HI antibody titer, against each of the 3 vaccine influenza strains in all groups (for 600 subjects in the persistence subset only) <p><i>Immunogenicity (in the lot-to-lot subset of subjects)</i></p> <ul style="list-style-type: none"> At Days 0 and 21 of the first year of the study, serum HI antibody titer, against each of the three vaccine strains, in the Flu 1 groups (Seroconversion rates*(SCR)) <p>*SCR is defined as the proportion of subjects with pre-vaccination HI titer (Day 0) < 1:10 and post-vaccination titer (Day 21) ≥ 1:40 or a pre-vaccination HI titer (Day 0) ≥ 1:10 and fold-increase (post/pre) ≥ 4.</p>
<p>Statistical Methods:</p> <p>The analyses were performed on the Total Vaccinated cohort, the One-Dose Total Vaccinated cohort, the Two-Dose Total Vaccinated cohort, the One-Dose Total Vaccinated cohort for the safety subset, the Two-Dose Total Vaccinated cohort for the safety subset, the According-To-Protocol (ATP) cohort for efficacy, the One-Dose ATP cohort for efficacy, the One-Dose ATP cohort for efficacy for peak season, the One-Dose ATP cohort for immunogenicity, the Two-Dose ATP cohort for immunogenicity, the One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset, the One-Dose ATP cohort for persistence and the Two-Dose ATP cohort for persistence:</p> <ul style="list-style-type: none"> The Total Vaccinated cohort included all subjects with at least one vaccine administration documented. The One-Dose Total Vaccinated cohort included all subjects with one vaccine administration documented during the first year of the study. The Two-Dose Total Vaccinated cohort included all subjects with one vaccine administration documented in each year of the study The One-Dose Total Vaccinated cohort for the safety subset included all subjects with at least one vaccine

administration documented during the first year of the study and included in the safety subset.

- The Two-Dose Total Vaccinated cohort for the safety subset included all subjects with at least one vaccine administration documented in each year of the study and included in the safety subset.
- The ATP cohort for efficacy included all eligible subjects from the Total Vaccinated cohort (e.g. who complied with the protocol, with no elimination criteria assigned during the study), who had started their first surveillance period, who had not received a seasonal influenza vaccine not foreseen in the protocol.
- The One-Dose ATP cohort for efficacy included all eligible subjects from the One-Dose Total Vaccinated cohort (e.g. who complied with the protocol, with no elimination criteria assigned during the study), who had started their first surveillance period, who had not received a seasonal influenza vaccine not foreseen in the protocol.
- The One-Dose ATP cohort for efficacy for peak season included all subjects from the One-Dose ATP cohort for efficacy who did not drop out from the study before the start of their first influenza peak season.
- The One-Dose ATP cohort for immunogenicity included all evaluable subjects (e.g. who complied with the protocol, with no elimination criteria until Day 21 of the first year of the study) for whom data concerning immunogenicity outcome measures were available in terms of antibodies against at least one study vaccine antigen component at Day 21 of the first year of the study.
- The Two-Dose ATP cohort for immunogenicity included all evaluable subjects (e.g., who complied with the protocol, with no elimination criteria until Day 21 of the second year of the study) for whom data concerning immunogenicity outcome measures were available in terms of antibodies against at least one study vaccine antigen component at Day 21 of the second year of the study.
- The One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset included all subjects from the One-Dose ATP cohort for immunogenicity included in the lot-to-lot subset.
- The One-Dose ATP cohort for persistence included all evaluable subjects (e.g., who complied with the protocol, with no elimination criteria until Day 180 of the first year of the study) for whom data concerning immunogenicity outcome measures were available in terms of antibodies against at least one study vaccine antigen component at Day 180 of the first year of the study.
- The Two-Dose ATP cohort for persistence included all evaluable subjects (e.g., who complied with the protocol, with no elimination criteria until Day 180 of the second year of the study) for whom data concerning immunogenicity outcome measures were available in terms of antibodies against at least one study vaccine antigen component at Day 180 of the second year of the study.

Analysis of Efficacy:

The analyses of efficacy were performed on the ATP cohort for efficacy and the One-Dose ATP cohort for efficacy.

The Attack Rates and Vaccine Efficacy Increase (VEI) against PCR-confirmed influenza A and/or B infection were tabulated with 95% CIs for the primary outcome measures during the first surveillance period. The objective was to demonstrate the superiority of the Flu 1 vaccine if the lower limit of the two-sided 95% CI for vaccine efficacy increase between the Flu 1 and the Flu 2 groups was above 0. The Attack Rates and VEI against PCR-confirmed influenza A and/or B infection were tabulated with 99% CIs for the secondary outcome measures during the whole surveillance period.

Attack rates and VEI against culture-confirmed influenza A and/or B infection, due to any matching or drift influenza strain relative to vaccine strains during the whole surveillance period were tabulated with 99% CIs. The percentage of subjects reporting pneumonia or clinical influenza, reporting all-cause death and reporting hospitalizations due to respiratory disease after one dose were calculated separately for each vaccine group and during the influenza peak season within the first surveillance period, with 99% CIs.

The time-to-event methodology was used for all statistical analyses to evaluate the efficacy.

Analysis of immunogenicity:

The analyses of immunogenicity were performed on the One and Two-Dose ATP cohorts for immunogenicity, the One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset and the One and Two-Dose ATP cohorts for persistence.

Inferential analysis

For each vaccine strain (H1N1, H3N2, B), the two-sided 95% CIs of the group GMT ratios (Flu 1 Lot 1 vs Flu 1 Lot 2; Flu 1 Lot 2 vs Flu 1 Lot 3; Flu 1 Lot 1 vs Flu 1 Lot 3) were computed using an ANCOVA model on the logarithm10 transformation of the titers. The lot-to-lot consistency was demonstrated if, for each vaccine strain (H1N1, H3N2, B), the two-sided 95% CI of the GMT ratios between each pair was within [0.67; 1.5].

Descriptive analyses

For the immunogenicity subset of subjects, for each vaccine group (Flu 1 and Flu 2), for each vaccine strain and during the first year and second year, the following parameters (with 95% CI) were calculated:

- GMTs and seropositivity rates on Days 0 and 21

For the persistence subset of subjects, for each vaccine group (Flu 1 and Flu 2), for each vaccine strain and during the first year, the following parameters (with 95% CI) were calculated:

- GMTs and seropositivity rates on Days 0, 21 and 180

For the lot-to-lot consistency subset of subjects, for each FLU 1 lot, for each vaccine strain and for the first year, the following parameters (with 95% CI) were calculated:

- GMTs and seropositivity rates on Days 0 and 21
- SCR on Day 21

Analysis of safety:

The analyses of safety were performed on the Total Vaccinated cohort, the One and Two-Dose Total Vaccinated cohorts and the One and Two-Dose Total Vaccinated cohorts for the safety subset.

In the safety subset: For each solicited symptom, the percentage of subjects with the symptom during the 7-day (Day 0-6) solicited follow-up period and its exact 95% CI was summarized by vaccine group, and after each dose. The same tabulation was performed for grade 3 solicited symptoms and for general solicited symptoms assessed by the investigators as causally related to the study vaccination. The number of days for each solicited local and general adverse event during the 7-day (Day 0-6) solicited follow-up period after each dose were also tabulated. The number of subjects reporting at least one unsolicited AE within 21 days (Day 0-20) after each vaccination was summarized by vaccine group according to Medical Dictionary for Regulatory Activities (MedDRA) preferred terms. The same tabulation was performed for grade 3 unsolicited AEs and for unsolicited AEs assessed by the investigator as causally related to the study vaccination. The number of subjects reporting at least one unsolicited AE with medically-attended visit within the 180 days (Day 0-179) after each vaccination was summarized by vaccine group according to MedDRA preferred terms. The same tabulation was performed for grade 3 unsolicited AEs with medically-attended visit and for unsolicited AEs assessed by the investigator as causally related to the study vaccination. In all subjects: The percentage of subjects with at least one report of an AE of specific interest (clearly autoimmune diseases and also other inflammatory and/or neurologic disorders which may or may not have an autoimmune etiology) within 365 days after each vaccination and during the entire study period in all subjects were summarized per vaccine group by MedDRA preferred terms. The same tabulation was performed for grade 3 AEs of specific interest and for AEs of specific interest, assessed by the investigator as causally related to the study vaccination. SAEs were tabulated per vaccine group by MedDRA preferred terms from Day 0-364 after each vaccination and during the entire study period in all subjects

Study Population: Male or female subjects aged 65 years or older at the time of the first vaccination whose residence status allowed free mixing with the general community, who were not suffering from an acute disease, were not bedridden, had not received previous vaccination against influenza since February 2008 and had not received a previous vaccination in the last 3 years with an investigational adjuvanted candidate seasonal or pandemic influenza vaccine. Written informed consent was obtained from the subjects prior to study entry.

Number of Subjects		Flu 1 Group	Flu 2 Group
Planned, N		21807	21807
Randomized, N (Total Vaccinated cohort)		21893	21802
Completed, n (%)		16911 (77.2)	16895 (77.5)
Number Subjects Withdrawn, n (%)		4982 (22.8)	4907 (22.5)
Withdrawn due to Adverse Events, n (%)		878 (4.0)	869 (4.0)
Withdrawn due to Lack of Efficacy, n (%)		Not applicable	Not applicable
Withdrawn for other reasons, n (%)		4104 (18.7)	4038 (18.5)
Demographics		Flu 1 Group	Flu 2 Group
N (Total Vaccinated cohort)		21893	21802
Females: Males		12549:9344	12422:9380
Mean Age, years (SD)		73.5 (6.09)	73.5 (6.16)
White – Caucasian / European heritage, n (%)		18770 (85.7)	18690 (85.7)

Primary Efficacy Results: Attack rates and vaccine efficacy increase against PCR-confirmed influenza A and/or B infection, due to any matching or drift influenza strain relative to vaccine strains after one dose during the first surveillance period (One-Dose ATP cohort for efficacy)

				AR					VEI			
					95% CI					95% CI		
Event Type	Group	N	n	%	LL	UL	T(month)	T/N	%	LL	UL	p-value
Any	Flu 1	21573	274	1.27	1.12	1.43	116485.9	5.4	12.11	-3.40	25.29	0.120
	Flu 2	21482	310	1.44	1.29	1.61	115934.3	5.4	-	-	-	.

N = number of subjects included in each group

n = number of subjects reporting at least one event in each group AR = attack rate = n/N (%) = percentage of subjects reporting at least one event T(month) = sum of follow-up periods expressed in months in each group T/N = mean follow-up period in each group VEI (%) = Vaccine efficacy increase (Cox regression model adjusted for covariate(s) age/region) 95% CI = 95% confidence interval, LL = Lower Limit, UL = Upper Limit P-value from Cox regression model adjusted for covariate(s) age/region to test $H_0 = \{VEI=0\%$ <i>Criterion to demonstrate superiority:</i> The lower limit of the two-sided 95% confidence interval (CI) for vaccine efficacy increase between the Flu 1 Group and the Flu 2 Group > 0%.							
Primary Efficacy Results: Adjusted GMT ratios of HI antibody at Day 21 the first year between Flu 1 Lot 1 Group and Flu 1 Lot 2 Group (One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset)							
				Adjusted GMT ratio (Flu 1 Lot 1 Group / Flu 1 Lot 2 Group)			
	Flu 1 Lot 1 Group		Flu 1 Lot 2 Group			95% CI	
Antibody	N	Adjusted GMT	N	Adjusted GMT	Value	LL	UL
A/Brisbane	539	82.6	536	83.8	0.99	0.87	1.12
A/Uruguay	539	271.9	536	287.5	0.95	0.82	1.09
B/Brisbane	539	649.0	536	600.8	1.08	0.97	1.20
Adjusted GMT = geometric mean antibody titer adjusted for baseline titer N = Number of subjects with both pre- and post-vaccination results available 95% CI = 95% confidence interval for the adjusted GMT ratio (ANCOVA model: adjustment for baseline titer - pooled variance); LL = lower limit, UL = upper limit <i>Criterion to demonstrate the lot-to-lot consistency:</i> For each vaccine strain (H1N1, H3N2, B), the two-sided 95% confidence intervals for each Geometric Mean Titer (GMT) ratio within [0.67, 1.5].							
Primary Efficacy Results: Adjusted GMT ratios of HI antibody at Day 21 the first year between Flu 1 Lot 2 Group and Flu 1 Lot 3 Group (One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset)							
				Adjusted GMT ratio (Flu 1 Lot 2 Group / Flu 1 Lot 3 Group)			
	Flu 1 Lot 2 Group		Flu 1 Lot 3 Group			95% CI	
Antibody	N	Adjusted GMT	N	Adjusted GMT	Value	LL	UL
A/Brisbane	536	83.7	532	93.6	0.89	0.78	1.02
A/Uruguay	536	283.7	532	271.8	1.04	0.90	1.21
B/Brisbane	536	594.4	532	605.6	0.98	0.88	1.09
Adjusted GMT = geometric mean antibody titer adjusted for baseline titer N = Number of subjects with both pre- and post-vaccination results available 95% CI = 95% confidence interval for the adjusted GMT ratio (ANCOVA model: adjustment for baseline titer - pooled variance); LL = lower limit, UL = upper limit <i>Criterion to demonstrate the lot-to-lot consistency:</i> For each vaccine strain (H1N1, H3N2, B), the two-sided 95% confidence intervals for each Geometric Mean Titer (GMT) ratio within [0.67, 1.5].							
Primary Efficacy Results: Adjusted GMT ratios of HI antibody at Day 21 the first year between Flu 1 Lot 1 Group and Flu 1 Lot 3 Group (One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset)							
				Adjusted GMT ratio (Flu 1 Lot 1 Group / Flu 1 Lot 3 Group)			
	Flu 1 Lot 1 Group		Flu 1 Lot 3 Group			95% CI	
Antibody	N	Adjusted GMT	N	Adjusted GMT	Value	LL	UL
A/Brisbane	539	82.6	532	93.6	0.88	0.78	1.00
A/Uruguay	539	269.8	532	273.4	0.99	0.85	1.14
B/Brisbane	539	646.2	532	609.9	1.06	0.95	1.18
Adjusted GMT = geometric mean antibody titer adjusted for baseline titer N = Number of subjects with both pre- and post-vaccination results available 95% CI = 95% confidence interval for the adjusted GMT ratio (Ancova model: adjustment for baseline titer - pooled variance); LL = lower limit, UL = upper limit <i>Criterion to demonstrate the lot-to-lot consistency:</i>							

For each vaccine strain (H1N1, H3N2, B), the two-sided 95% confidence intervals for each Geometric Mean Titer (GMT) ratio within [0.67, 1.5].

Primary Efficacy Results: Seropositivity rates and GMTs for HI antibodies against A/Brisbane, A/Uruguay and B/Brisbane at Day 0 and 21 the first year (One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset)

				≥ 1:10				GMT*		
								95% CI		
Strain	Group	Timing	N	n	%	LL	UL	value	LL	UL
A/Brisbane	Flu 1 Lot 1	PRE	539	387	71.8	67.8	75.6	15.9	14.6	17.3
		PI(D21Y1)	540	531	98.3	96.9	99.2	82.3	75.0	90.2
	Flu 1 Lot 2	PRE	536	372	69.4	65.3	73.3	15.8	14.5	17.2
		PI(D21Y1)	538	529	98.3	96.8	99.2	83.6	76.0	92.0
	Flu 1 Lot 3	PRE	532	381	71.6	67.6	75.4	15.8	14.5	17.2
		PI(D21Y1)	534	526	98.5	97.1	99.4	93.4	84.6	103.1
A/Uruguay	Flu 1 Lot 1	PRE	539	365	67.7	63.6	71.7	18.2	16.5	20.2
		PI(D21Y1)	540	531	98.3	96.9	99.2	272.5	243.0	305.6
	Flu 1 Lot 2	PRE	536	348	64.9	60.7	69.0	17.8	16.0	19.9
		PI(D21Y1)	538	531	98.7	97.3	99.5	287.5	256.2	322.7
	Flu 1 Lot 3	PRE	532	346	65.0	60.8	69.1	17.3	15.6	19.2
		PI(D21Y1)	534	528	98.9	97.6	99.6	269.9	239.9	303.6
B/Brisbane	Flu 1 Lot 1	PRE	539	516	95.7	93.7	97.3	94.2	84.8	104.7
		PI(D21Y1)	540	540	100	99.3	100	652.4	602.0	707.1
	Flu 1 Lot 2	PRE	536	508	94.8	92.5	96.5	89.9	80.6	100.3
		PI(D21Y1)	538	538	100	99.3	100	596.9	552.2	645.3
	Flu 1 Lot 3	PRE	532	507	95.3	93.1	96.9	87.1	78.3	96.7
		PI(D21Y1)	534	534	100	99.3	100	601.7	555.0	652.4

GMT = geometric mean antibody titer calculated on all subjects

N = number of subjects with available results

n/% = number/percentage of subjects with titer within the specified range

95% CI = 95% confidence interval; LL = Lower Limit, UL = Upper Limit

PRE = Pre-vaccination dose 1 (Day 0)

PI(D21Y1)= Post-vaccination dose 1 (Day 21)

* Primary Outcome Measure

Secondary Outcome Variable(s): Attack rates and vaccine efficacy increase against PCR-confirmed influenza A and/or B infection, due to any matching or drift influenza strain relative to vaccine strains during the whole surveillance period (ATP cohort for efficacy)

				AR					VEI		
					99% CI					99% CI	
Event Type	Group	N	n	%	LL	UL	T(month)	T/N	%	LL	UL
Any	Flu 1	20579	262	1.27	1.08	1.49	199107.2	9.7	12.34	-9.07	29.54
	Flu 2	20458	296	1.45	1.24	1.68	198322.7	9.7	-	-	-

N = number of subjects included in each group

n = number of subjects reporting at least one event in each group

AR = attack rate = n/N (%) = percentage of subjects reporting at least one event

T(month) = sum of follow-up periods expressed in months in each group

T/N = mean follow-up period in each group

VEI (%) = Vaccine efficacy increase (Cox regression model adjusted for covariate(s) age/region1/region2/season)

99% CI = 99% confidence interval, LL = Lower Limit, UL = Upper Limit

Secondary Outcome Variable(s): Attack rates and vaccine efficacy increase against culture-confirmed influenza A and/or B infection, due to any matching or drift influenza strain relative to vaccine strains during the whole surveillance period (ATP cohort for efficacy)

				AR					VEI		
					99% CI					99% CI	
Event Type	Group	N	n	%	LL	UL	T(month)	T/N	%	LL	UL
Any	Flu 1	20579	144	0.70	0.56	0.86	199956.0	9.7	1.37	-33.54	27.16

	Flu 2	20458	145	0.71	0.57	0.87	199388.6	9.7	-	-	-
N = number of subjects included in each group n = number of subjects reporting at least one event in each group AR = attack rate = n/N (%) = percentage of subjects reporting at least one event T(month) = sum of follow-up periods expressed in months in each group T/N = mean follow-up period in each group VEI (%) = Vaccine efficacy increase (Cox regression model adjusted for covariate(s) age/region1/region2/season) 99% CI = 99% confidence interval, LL = Lower Limit, UL = Upper Limit											
Secondary Outcome Variable(s): Percentage of subjects reporting pneumonia or clinical influenza after one dose during the influenza peak season within the first surveillance period and vaccine efficacy increase of Flu 1 in the overall prevention of these events when compared to Flu 2 (One-Dose ATP cohort for efficacy for peak season)											
				n/N					VEI		
				99% CI					99% CI		
Event Type	Group	N	n	%	LL	UL	T(month)	T/N	%	LL	UL
Pneumonia or clinical influenza	Flu 1	21394	202	0.94	0.78	1.13	41391.5	1.9	10.70	-14.63	30.43
	Flu 2	21337	225	1.05	0.88	1.25	41215.8	1.9	-	-	-
N = number of subjects included in each group n = number of subjects reporting at least one event in each group n/N (%) = percentage of subjects reporting at least one event T(month) = sum of follow-up periods expressed in months in each group T/N = mean follow-up period in each group VEI (%) = Vaccine efficacy increase (Cox regression model adjusted for covariate(s) age/region) 99% CI = 99% confidence interval, LL = Lower Limit, UL = Upper Limit											
Secondary Outcome Variable(s): Percentage of all-cause death after one dose during the influenza peak season within the first surveillance period and vaccine efficacy increase of Flu 1 in the overall prevention of all-cause mortality when compared to Flu 2 (One-Dose ATP cohort for efficacy for peak season)											
				n/N					VEI		
				99% CI					99% CI		
Event Type	Group	N	n	%	LL	UL	T(month)	T/N	%	LL	UL
All-cause death	Flu 1	21394	63	0.29	0.21	0.40	41580.5	1.9	28.59	-9.23	53.32
	Flu 2	21337	88	0.41	0.31	0.54	41425.2	1.9	-	-	-
N = number of subjects included in each group n = number of subjects for who at least one event was reported in each group n/N (%) = percentage of subjects reporting at least one event T(month) = sum of follow-up periods expressed in months in each group T/N = mean follow-up period in each group VEI (%) = Vaccine efficacy increase (Cox regression model adjusted for covariate(s) age/region) 99% CI = 99% confidence interval, LL = Lower Limit, UL = Upper Limit											
Secondary Outcome Variable(s): Percentage of subjects reporting hospitalization due to respiratory diseases after one dose during the influenza peak season within the first surveillance period and vaccine efficacy increase of Flu 1 in the overall prevention of these hospitalizations when compared to Flu 2 (One-Dose ATP cohort for efficacy for peak season)											
				n/N					VEI		
				99% CI					99% CI		
Event Type	Group	N	n	%	LL	UL	T(month)	T/N	%	LL	UL
Hospitalization due to respiratory diseases	Flu 1	21394	84	0.39	0.29	0.52	41518.8	1.9	5.95	-39.17	36.44
	Flu 2	21337	89	0.42	0.31	0.54	41357.7	1.9	-	-	-
N = number of subjects included in each group n = number of subjects reporting at least one event in each group n/N (%) = percentage of subjects reporting at least one event T(month) = sum of follow-up periods expressed in months in each group T/N = mean follow-up period in each group VEI (%) = Vaccine efficacy increase (Cox regression model adjusted for covariate(s) age/region) 99% CI = 99% confidence interval, LL = Lower Limit, UL = Upper Limit											
Secondary Outcome Variable(s): Number (%) of subjects with adverse events of specific interest including AID within 365 days after the first dose (One-Dose Total Vaccinated cohort)											
Most frequent adverse events (occurring within Day 0-364 following first							Flu 1 Group		Flu 2 Group		

vaccination)	N = 21893	N = 21802
Subjects with any AE(s), n (%)	70 (0.3)	60 (0.3)
Subjects with grade 3 AE(s), n (%)	13 (0.1)	8 (0.0)
Subjects with related AE(s), n (%)	11 (0.1)	7 (0.0)
Polymyalgia rheumatica	14 (0.1)	15 (0.1)
Rheumatoid arthritis	9 (0.0)	10 (0.0)
Psoriasis	5 (0.0)	1 (0.0)
Colitis ulcerative	3 (0.0)	2 (0.0)
Viith nerve paralysis	3 (0.0)	1 (0.0)
Autoimmune thyroiditis	-	3 (0.0)
Herpes zoster	2 (0.0)	1 (0.0)
Hypothyroidism	2 (0.0)	1 (0.0)
Psoriatic arthropathy	-	3 (0.0)
Ankylosing spondylitis	2 (0.0)	-
Basedow's disease	-	2 (0.0)
Cutaneous lupus erythematosus	2 (0.0)	-
Sjogren's syndrome	-	2 (0.0)
Systemic lupus erythematosus	2 (0.0)	-
Temporal arteritis	2 (0.0)	-
Urticaria	-	2 (0.0)
Autoimmune hepatitis	-	1 (0.0)
Biliary cirrhosis primary	-	1 (0.0)
Cold type haemolytic anaemia	-	1 (0.0)
Crohn's disease	-	1 (0.0)
Dyspnoea	-	1 (0.0)
Guillain-barre syndrome	-	1 (0.0)
Herpes zoster ophthalmic	-	1 (0.0)
Leukocytoclastic vasculitis	-	1 (0.0)
Multiple sclerosis	-	1 (0.0)
Muscular weakness	-	1 (0.0)
Polyneuropathy	-	1 (0.0)
Radiculitis brachial	-	1 (0.0)
Sarcoidosis	-	1 (0.0)
Scleritis	-	1 (0.0)
Stevens-johnson syndrome	-	1 (0.0)
Thrombocytopenia	-	1 (0.0)
Type 1 diabetes mellitus	-	1 (0.0)
Uveitis	-	1 (0.0)
Vith nerve paralysis	-	1 (0.0)
<p>- : Adverse event absent or not meeting the selected rule: more than 30 subjects per treatment group and ≤ 3 groups: only the most frequent 10 events are to be listed.</p> <p>Grade 3= event that prevented normal, everyday activities</p> <p>Related = event assessed by the investigator as causally related to the study vaccination</p>		
Secondary Outcome Variable(s): Number (%) of subjects with adverse events of specific interest including AID within 365 days after the second dose (Two-Dose Total Vaccinated cohort)		
Adverse events (occurring within Day 0-364 following second vaccination)	Flu 1 Group N = 17070	Flu 2 Group N = 17071
Subjects with any AE(s), n (%)	35 (0.2)	40 (0.2)
Subjects with grade 3 AE(s), n (%)	9 (0.1)	6 (0.0)
Subjects with related AE(s), n (%)	2 (0.0)	0 (0.0)
Polymyalgia rheumatic	7 (0.0)	10 (0.1)
Rheumatoid arthritis	6 (0.0)	3 (0.0)
Viith nerve paralysis	1 (0.0)	3 (0.0)
Crohn's disease	2 (0.0)	1 (0.0)
Autoimmune thyroiditis	-	2 (0.0)
Basedow's disease	-	2 (0.0)

Biliary cirrhosis primary	1 (0.0)	1 (0.0)
Colitis ulcerative	-	2 (0.0)
Herpes zoster	1 (0.0)	1 (0.0)
Myasthenia gravis	2 (0.0)	-
Neuritis	1 (0.0)	1 (0.0)
Temporal arteritis	1 (0.0)	1 (0.0)
Autoimmune thrombocytopenia	-	1 (0.0)
Cutaneous lupus erythematosus	-	1 (0.0)
Drug eruption	1 (0.0)	-
Encephalitis	1 (0.0)	-
Facial paresis	-	1 (0.0)
Guillain-barre syndrome	-	1 (0.0)
Haemolytic anaemia	-	1 (0.0)
Herpes zoster ophthalmic	1 (0.0)	-
Idiopathic thrombocytopenic purpura	1 (0.0)	-
Leukocytoclastic Vasculitis	-	1 (0.0)
Miller fisher syndrome	1 (0.0)	-
Motor neurone disease	1 (0.0)	-
Multiple sclerosis relapse	-	1 (0.0)
Optic neuritis	-	1 (0.0)
Pemphigoid	-	1 (0.0)
Pemphigus	-	1 (0.0)
Polyarthritis	1 (0.0)	-
Psoriasis	-	1 (0.0)
Psoriatic arthropathy	1 (0.0)	-
Radiculopathy	1 (0.0)	-
Raynaud's phenomenon	-	1 (0.0)
Sarcoidosis	1 (0.0)	-
Sicca syndrome	-	1 (0.0)
Systemic lupus erythematosus	1 (0.0)	-
Tubulointerstitial nephritis	1 (0.0)	-
Wegener's granulomatosis	1 (0.0)	-
- : Adverse event absent		
Grade 3= event that prevented normal, everyday activities		
Related = event assessed by the investigator as causally related to the study vaccination		
Secondary Outcome Variable(s): Number (%) of subjects with adverse events of specific interest including AID during the entire study period) (Total Vaccinated cohort)		
Most frequent adverse events (occurring within Day 0-364 following each vaccination)	Flu 1 Group N = 21893	Flu 2 Group N = 21802
Subjects with any AE(s), n (%)	103 (0.5)	99 (0.5)
Subjects with grade 3 AE(s), n (%)	22 (0.1)	14 (0.1)
Subjects with related AE(s), n (%)	13 (0.1)	7 (0.0)
Ankylosing spondylitis	2 (0.0)	-
Autoimmune thyroiditis	-	5 (0.0)
Basedow's disease	-	4 (0.0)
Biliary cirrhosis primary	2 (0.0)	2 (0.0)
Colitis ulcerative	3 (0.0)	4 (0.0)
Crohn's disease	2 (0.0)	2 (0.0)
Cutaneous lupus erythematosus	2 (0.0)	-
Guillain-barre syndrome	-	2 (0.0)
Herpes zoster	3 (0.0)	2 (0.0)
Hypothyroidism	2 (0.0)	-
Leukocytoclastic vasculitis	-	2 (0.0)
Myasthenia gravis	3 (0.0)	-

Neuritis	2 (0.0)	-
Polymyalgia rheumatica	21 (0.1)	25 (0.1)
Psoriasis	5 (0.0)	2 (0.0)
Psoriatic arthropathy	-	3 (0.0)
Rheumatoid arthritis	15 (0.1)	13 (0.1)
Sjogren's syndrome	-	2 (0.0)
Systemic lupus erythematosus	3 (0.0)	-
Temporal arteritis	3 (0.0)	-
Urticaria	-	2 (0.0)
Viith nerve paralysis	4 (0.0)	4 (0.0)
Wegener's granulomatosis	2 (0.0)	-

- : Adverse event absent or not meeting the selected rule: more than 30 subjects per treatment group and ≤ 3 groups: only the most frequent 10 events are to be listed.

Grade 3= event that prevented normal, everyday activities

Related = event assessed by the investigator as causally related to the study vaccination

Secondary Outcome Variable(s): Number/percentage of subjects reporting solicited local symptoms reported during the 7-day (Days 0-6) post-vaccination period the first year (One-Dose Total Vaccinated cohort for the safety subset)

		Flu 1 Group					Flu 2 Group				
					95 % CI					95 % CI	
Symptom	Intensity	N	n	%	LL	UL	N	n	%	LL	UL
Ecchymosis	Any	2988	40	1.3	1.0	1.8	2968	18	0.6	0.4	1.0
	>100 mm	2988	0	0.0	0.0	0.1	2968	0	0.0	0.0	0.1
Pain	Any	2988	1225	41.0	39.2	42.8	2968	477	16.1	14.8	17.4
	Grade 3	2988	4	0.1	0.0	0.3	2968	3	0.1	0.0	0.3
Redness	Any	2988	240	8.0	7.1	9.1	2968	66	2.2	1.7	2.8
	>100 mm	2988	6	0.2	0.1	0.4	2968	3	0.1	0.0	0.3
Swelling	Any	2988	189	6.3	5.5	7.3	2968	40	1.3	1.0	1.8
	>100 mm	2988	4	0.1	0.0	0.3	2968	0	0.0	0.0	0.1

N = number of subjects with the documented dose

n/% = number/percentage of subjects reporting at least once the symptom

Any = incidence of a particular symptom regardless of intensity grade

Grade 3 pain = considerable pain at rest that prevented normal everyday activities

Secondary Outcome Variable(s): Number of days with any grade of local symptoms during the 7-day post-vaccination period the first year (One-Dose Total Vaccinated cohort for the safety subset)

Symptom	Group	N	Mean	Median
Ecchymosis	Flu 1	39	3.6	3.0
	Flu 2	18	4.0	4.0
Pain	Flu 1	1221	2.5	2.0
	Flu 2	476	2.1	2.0
Redness	Flu 1	237	2.9	3.0
	Flu 2	63	2.5	2.0
Swelling	Flu 1	186	2.9	2.5
	Flu 2	40	2.0	2.0

N = Number of subjects with the symptom

Secondary Outcome Variable(s): Number/percentage of subjects reporting solicited local symptoms reported during the 7-day (Days 0-6) post-vaccination period the second year (Two-Dose Total Vaccinated cohort for the safety subset)

		Flu 1 Group					Flu 2 Group				
					95 % CI					95 % CI	
Symptom	Intensity	N	n	%	LL	UL	N	N	%	LL	UL
Ecchymosis	Any	2441	39	1.6	1.1	2.2	2488	31	1.2	0.8	1.8
	>100 mm	2441	1	0.0	0.0	0.2	2488	0	0.0	0.0	0.1
Pain	Any	2441	998	40.9	38.9	42.9	2488	440	17.7	16.2	19.2
	Grade 3	2441	13	0.5	0.3	0.9	2488	7	0.3	0.1	0.6
Redness	Any	2441	212	8.7	7.6	9.9	2488	54	2.2	1.6	2.8

	>100 mm	2441	4	0.2	0.0	0.4	2488	2	0.1	0.0	0.3
Swelling	Any	2441	173	7.1	6.1	8.2	2488	38	1.5	1.1	2.1
	>100 mm	2441	3	0.1	0.0	0.4	2488	0	0.0	0.0	0.1

N = number of subjects with the documented dose

n/% = number/percentage of subjects reporting at least once the symptom

Any = incidence of a particular symptom regardless of intensity grade

Grade 3 pain = considerable pain at rest that prevented normal everyday activities

Secondary Outcome Variable(s): Number of days with any grade of local symptoms during the 7-day post-vaccination period the second year (Two-Dose Total Vaccinated cohort for the safety subset)

Symptom	Group	N	Mean	Median
Ecchymosis	Flu 1	28	2.8	2.0
	Flu 2	22	3.6	3.5
Pain	Flu 1	995	2.5	2.0
	Flu 2	431	2.0	2.0
Redness	Flu 1	202	2.8	2.0
	Flu 2	46	2.6	2.0
Swelling	Flu 1	162	2.5	2.0
	Flu 2	25	2.7	2.0

N = Number of subjects with the symptom

Secondary Outcome Variable(s): Number/percentage of subjects reporting solicited general symptoms reported during the 7-day (Days 0-6) post-vaccination period the first year (One-Dose Total Vaccinated cohort for the safety subset)

		Flu 1 Group					Flu 2 Group				
					95 % CI					95 % CI	
Symptom	Intensity/ Relationship	N	n	%	LL	UL	N	n	%	LL	UL
Arthralgia	Any	2986	391	13.1	11.9	14.4	2968	239	8.1	7.1	9.1
	Grade 3	2986	11	0.4	0.2	0.7	2968	5	0.2	0.1	0.4
	Related	2986	285	9.5	8.5	10.7	2968	163	5.5	4.7	6.4
Fatigue	Any	2986	646	21.6	20.2	23.2	2968	417	14.0	12.8	15.4
	Grade 3	2986	20	0.7	0.4	1.0	2968	15	0.5	0.3	0.8
	Related	2986	494	16.5	15.2	17.9	2968	295	9.9	8.9	11.1
Gastrointestinal	Any	2986	197	6.6	5.7	7.5	2968	165	5.6	4.8	6.4
	Grade 3	2986	6	0.2	0.1	0.4	2968	4	0.1	0.0	0.3
	Related	2986	132	4.4	3.7	5.2	2968	82	2.8	2.2	3.4
Headache	Any	2986	474	15.9	14.6	17.2	2968	333	11.2	10.1	12.4
	Grade 3	2986	8	0.3	0.1	0.5	2968	4	0.1	0.0	0.3
	Related	2986	341	11.4	10.3	12.6	2968	213	7.2	6.3	8.2
Myalgia	Any	2986	547	18.3	16.9	19.8	2968	302	10.2	9.1	11.3
	Grade 3	2986	14	0.5	0.3	0.8	2968	11	0.4	0.2	0.7
	Related	2986	412	13.8	12.6	15.1	2968	203	6.8	6.0	7.8
Shivering	Any	2986	245	8.2	7.2	9.2	2968	80	2.7	2.1	3.3
	Grade 3	2986	12	0.4	0.2	0.7	2968	2	0.1	0.0	0.2
	Related	2986	185	6.2	5.4	7.1	2968	49	1.7	1.2	2.2
Temperature/(Oral)	≥ 38°C	2986	72	2.4	1.9	3.0	2968	20	0.7	0.4	1.0
	≥ 39.0°C - ≤40.0°C	2986	5	0.2	0.1	0.4	2968	2	0.1	0.0	0.2
	Related	2986	51	1.7	1.3	2.2	2968	14	0.5	0.3	0.8

N = number of subjects with the documented dose

n/% = number/percentage of subjects reporting at least once the symptom

Any = incidence of a particular symptom regardless of intensity grade or relationship to vaccination

Grade 3 = general symptom which prevented normal everyday activities

Related = general symptom assessed by the investigator as causally related to the study vaccination

Secondary Outcome Variable(s): Number of days with any grade of general symptoms during the 7-day post-vaccination period the first year (One-Dose Total Vaccinated cohort for the safety subset)

Symptom	Group	N	Mean	Median
Arthralgia	Flu 1	388	2.8	2.0

	Flu 2	239	2.9	2.0
Fatigue	Flu 1	642	2.5	2.0
	Flu 2	417	2.7	2.0
Gastrointestinal	Flu 1	195	2.2	2.0
	Flu 2	164	2.2	2.0
Headache	Flu 1	472	2.2	2.0
	Flu 2	332	2.3	2.0
Myalgia	Flu 1	544	2.3	2.0
	Flu 2	301	2.3	2.0
Shivering	Flu 1	244	1.6	1.0
	Flu 2	80	2.1	1.0
Temperature	Flu 1	59	1.4	1.0
	Flu 2	16	1.3	1.0

N = Number of subjects with the symptom

Secondary Outcome Variable(s): Number/percentage of subjects reporting solicited general symptoms reported during the 7-day (Days 0-6) post-vaccination period the second year (Two-Dose Total Vaccinated cohort for the safety subset)

		Flu 1 Group					Flu 2 Group				
					95 % CI					95 % CI	
Symptom	Intensity/ Relationship	N	n	%	LL	UL	N	n	%	LL	UL
Arthralgia	Any	2436	258	10.6	9.4	11.9	2489	176	7.1	6.1	8.1
	Grade 3	2436	10	0.4	0.2	0.8	2489	4	0.2	0.0	0.4
	Related	2436	169	6.9	6.0	8.0	2489	90	3.6	2.9	4.4
Fatigue	Any	2436	457	18.8	17.2	20.4	2489	318	12.8	11.5	14.2
	Grade 3	2436	8	0.3	0.1	0.6	2489	6	0.2	0.1	0.5
	Related	2436	307	12.6	11.3	14.0	2489	169	6.8	5.8	7.9
Gastrointestinal	Any	2436	137	5.6	4.7	6.6	2489	124	5.0	4.2	5.9
	Grade 3	2436	5	0.2	0.1	0.5	2489	8	0.3	0.1	0.6
	Related	2436	71	2.9	2.3	3.7	2489	46	1.8	1.4	2.5
Headache	Any	2436	342	14.0	12.7	15.5	2489	237	9.5	8.4	10.7
	Grade 3	2436	10	0.4	0.2	0.8	2489	4	0.2	0.0	0.4
	Related	2436	219	9.0	7.9	10.2	2489	119	4.8	4.0	5.7
Myalgia	Any	2436	380	15.6	14.2	17.1	2489	209	8.4	7.3	9.6
	Grade 3	2436	11	0.5	0.2	0.8	2489	6	0.2	0.1	0.5
	Related	2436	261	10.7	9.5	12.0	2489	117	4.7	3.9	5.6
Shivering	Any	2436	189	7.8	6.7	8.9	2489	88	3.5	2.8	4.3
	Grade 3	2436	11	0.5	0.2	0.8	2489	6	0.2	0.1	0.5
	Related	2436	127	5.2	4.4	6.2	2489	44	1.8	1.3	2.4
Temperature/(Oral)	≥ 38°C	2436	52	2.1	1.6	2.8	2489	25	1.0	0.7	1.5
	≥ 39.0°C - ≤40.0°C	2436	5	0.2	0.1	0.5	2489	2	0.1	0.0	0.3
	Related	2436	33	1.4	0.9	1.9	2489	7	0.3	0.1	0.6

N = number of subjects with the documented dose

n/% = number/percentage of subjects reporting at least once the symptom

Any = incidence of a particular symptom regardless of intensity grade or relationship to vaccination

Grade 3 = general symptom which prevented normal everyday activities

Related = general symptom assessed by the investigator as causally related to the study vaccination

Secondary Outcome Variable(s): Number of days with any grade of general symptoms during the 7-day post-vaccination period the second year (Two-Dose Total Vaccinated cohort for the safety subset)

Symptom	Group	N	Mean	Median
Arthralgia	Flu 1	247	2.7	2.0
	Flu 2	169	3.0	2.0
Fatigue	Flu 1	446	2.6	2.0
	Flu 2	313	2.7	2.0
Gastrointestinal	Flu 1	125	2.3	2.0

	Flu 2	115	2.6	2.0
Headache	Flu 1	331	2.2	2.0
	Flu 2	229	2.4	2.0
Myalgia	Flu 1	370	2.4	2.0
	Flu 2	200	2.6	2.0
Shivering	Flu 1	177	1.6	1.0
	Flu 2	80	2.3	1.0
Temperature	Flu 1	38	1.2	1.0
	Flu 2	13	1.5	1.0
N = Number of subjects with the symptom				
Secondary Outcome Variable(s): Number (%) of subjects with unsolicited adverse events with medically attended visit within 180 days after the first dose (One-Dose Total Vaccinated cohort for the safety subset)				
Most frequent adverse events (occurring within Day 0-179 following vaccination)		Flu 1 Group N = 3015	Flu 2 Group N = 3002	
Subjects with any AE(s), n (%)		1018 (33.8)	996 (33.2)	
Subjects with grade 3 AE(s), n (%)		223 (7.4)	211 (7.0)	
Subjects with related AE(s), n (%)		16 (0.5)	7 (0.2)	
Upper respiratory tract infection		64 (2.1)	65 (2.2)	
Bronchitis		71 (2.4)	55 (1.8)	
Back pain		42 (1.4)	34 (1.1)	
Cough		41 (1.4)	35 (1.2)	
Hypertension		31 (1.0)	45 (1.5)	
Urinary tract infection		42 (1.4)	33 (1.1)	
Cystitis		31 (1.0)	29 (1.0)	
Sinusitis		28 (0.9)	23 (0.8)	
Osteoarthritis		27 (0.9)	22 (0.7)	
Arthralgia		24 (0.8)	-	
Nasopharyngitis		-	21 (0.7)	
- : Adverse event absent or not meeting the selected rule: more than 30 subjects per treatment group and ≤ 3 groups: only the most frequent 10 events are to be listed.				
Grade 3= event that prevented normal, everyday activities				
Related = event assessed by the investigator as causally related to the study vaccination				
Secondary Outcome Variable(s): Number (%) of subjects with unsolicited adverse events with medically attended visit within 180 days after the second dose (Two-Dose Total Vaccinated cohort for the safety subset)				
Most frequent adverse events (occurring within Day 0-179 following vaccination)		Flu 1 Group N = 2462	Flu 2 Group N = 2520	
Subjects with any AE(s), n (%)		849 (34.5)	864 (34.3)	
Subjects with grade 3 AE(s), n (%)		158 (6.4)	154 (6.1)	
Subjects with related AE(s), n (%)		7 (0.3)	5 (0.2)	
Bronchitis		44 (1.8)	58 (2.3)	
Urinary tract infection		54 (2.2)	45 (1.8)	
Hypertension		37 (1.5)	54 (2.1)	
Upper respiratory tract infection		48 (1.9)	40 (1.6)	
Back pain		43 (1.7)	39 (1.5)	
Cough		38 (1.5)	35 (1.4)	
Arthralgia		20 (0.8)	23 (0.9)	
Osteoarthritis		23 (0.9)	19 (0.8)	
Pharyngitis		18 (0.7)	16 (0.6)	
Nasopharyngitis		-	18 (0.7)	
Chest pain		16 (0.6)	-	
Cystitis		-	16 (0.6)	
- : Adverse event absent or not meeting the selected rule(s): more than 30 subjects per treatment group and ≤ 3 groups: only the most frequent 10 events are to be listed.				
Grade 3= event that prevented normal, everyday activities				
Related = event assessed by the investigator as causally related to the study vaccination				

Secondary Outcome Variable(s): Seropositivity rates and GMTs for HI antibodies against A/Brisbane, A/Uruguay and B/Brisbane at Day 0 and 21 the first year (One-Dose ATP cohort for immunogenicity)

			≥ 1:10					GMT		
						95% CI			95% CI	
Strain	Group	Timing	N	n	%	LL	UL	value	LL	UL
A/Brisbane	Flu 1	PRE	2417	1676	69.3	67.5	71.2	15.5	14.9	16.1
		PI(D21Y1)	2422	2382	98.3	97.8	98.8	89.1	85.2	93.2
	Flu 2	PRE	2397	1629	68.0	66.0	69.8	15.3	14.7	16.0
		PI(D21Y1)	2408	2329	96.7	95.9	97.4	69.9	66.5	73.4
A/Uruguay	Flu 1	PRE	2417	1565	64.7	62.8	66.7	17.4	16.6	18.3
		PI(D21Y1)	2422	2396	98.9	98.4	99.3	285.6	270.6	301.4
	Flu 2	PRE	2397	1558	65.0	63.1	66.9	17.4	16.5	18.2
		PI(D21Y1)	2408	2348	97.5	96.8	98.1	172.3	162.7	182.5
B/Brisbane	Flu 1	PRE	2416	2295	95.0	94.0	95.8	85.3	81.2	89.7
		PI(D21Y1)	2422	2421	100	99.8	100	633.5	609.9	658.0
	Flu 2	PRE	2397	2259	94.2	93.2	95.1	82.4	78.3	86.7
		PI(D21Y1)	2408	2406	99.9	99.7	100	484.8	465.1	505.4

GMT = geometric mean antibody titer calculated on all subjects

N = number of subjects with available results

n/% = number/percentage of subjects with titer within the specified range

95% CI = 95% confidence interval; LL = Lower Limit, UL = Upper Limit

PRE = Pre-vaccination dose 1 (Day 0)

PI(D21Y1)= Post-vaccination dose 1 (Day 21)

Secondary Outcome Variable(s): Seropositivity rates and GMTs for HI antibodies against A/Brisbane, A/Uruguay and B/Brisbane at Day 0 and 21 the second year (Two-Dose ATP cohort for immunogenicity)

			≥ 1:10					GMT		
						95% CI			95% CI	
Strain	Group	Timing	N	n	%	LL	UL	value	LL	UL
A/Brisbane	Flu 1	PI(D0Y2)	1932	1649	85.4	83.7	86.9	23.9	22.9	25.0
		PII(D21Y2)	1936	1909	98.6	98.0	99.1	76.9	73.6	80.4
	Flu 2	PI(D0Y2)	1942	1625	83.7	82.0	85.3	24.3	23.2	25.5
		PII(D21Y2)	1952	1914	98.1	97.3	98.6	70.5	67.1	74.0
A/Uruguay	Flu 1	PI(D0Y2)	1932	1775	91.9	90.6	93.1	57.8	54.5	61.3
		PII(D21Y2)	1937	1930	99.6	99.3	99.9	256.8	245.3	268.9
	Flu 2	PI(D0Y2)	1942	1731	89.1	87.7	90.5	46.5	43.9	49.4
		PII(D21Y2)	1953	1938	99.2	98.7	99.6	162.0	153.9	170.4
B/Brisbane	Flu 1	PI(D0Y2)	1933	1788	92.5	91.2	93.6	58.6	55.6	61.8
		PII(D21Y2)	1938	1931	99.6	99.3	99.9	199.2	190.8	207.9
	Flu 2	PI(D0Y2)	1942	1779	91.6	90.3	92.8	56.6	53.6	59.7
		PII(D21Y2)	1953	1944	99.5	99.1	99.8	171.3	163.6	179.4

GMT = geometric mean antibody titer calculated on all subjects

N = number of subjects with available results

n/% = number/percentage of subjects with titer within the specified range

95% CI = 95% confidence interval; LL = Lower Limit, UL = Upper Limit

PI(D0Y2) = Pre-vaccination dose 2 (Day 0)

PII(D21Y2) = Post-vaccination dose 2 (Day 21)

Secondary Outcome Variable(s): Seropositivity rates and GMTs for HI antibodies against A/Brisbane, A/Uruguay and B/Brisbane at Day 0, 21 and 180 the first year (One-Dose ATP cohort for persistence)

			≥ 1:10					GMT		
						95% CI			95% CI	
Strain	Group	Timing	N	n	%	LL	UL	value	LL	UL
A/Brisbane	Flu 1	PRE	268	184	68.7	62.7	74.2	15.4	13.7	17.4
		PI(D21Y1)	268	263	98.1	95.7	99.4	75.4	66.3	85.9
		PI(D180Y1)	268	243	90.7	86.5	93.9	30.4	26.8	34.4
	Flu 2	PRE	265	176	66.4	60.4	72.1	13.9	12.4	15.6

A/Uruguay	Flu 1	PI(D21Y1)	267	257	96.3	93.2	98.2	64.5	55.7	74.7
		PI(D180Y1)	267	234	87.6	83.1	91.3	28.1	24.8	31.8
		PRE	268	177	66.0	60.0	71.7	19.3	16.5	22.6
	Flu 2	PI(D21Y1)	268	265	98.9	96.8	99.8	275.0	233.1	324.5
		PI(D180Y1)	268	258	96.3	93.2	98.2	97.7	82.3	116.0
		PRE	265	176	66.4	60.4	72.1	17.8	15.3	20.7
		PI(D21Y1)	267	261	97.8	95.2	99.2	165.0	139.0	195.9
		PI(D180Y1)	267	242	90.6	86.5	93.8	64.0	53.7	76.3
	Flu 1	PRE	268	256	95.5	92.3	97.7	89.3	76.6	104.2
		PI(D21Y1)	268	268	100	98.6	100	573.4	517.5	635.3
		PI(D180Y1)	268	268	100	98.6	100	274.6	246.5	305.9
B/Brisbane	Flu 2	PRE	265	254	95.8	92.7	97.9	83.8	72.3	97.1
		PI(D21Y1)	267	267	100	98.6	100	478.5	422.4	541.9
		PI(D180Y1)	267	267	100	98.6	100	262.3	234.7	293.1

GMT = geometric mean antibody titer calculated on all subjects

N = number of subjects with available results

n/% = number/percentage of subjects with titer within the specified range

95% CI = 95% confidence interval; LL = Lower Limit, UL = Upper Limit

PRE = Pre-vaccination dose 1 (Day 0)

PI(D21Y1) = Post-vaccination dose 1 (Day 21)

PI(D180Y1) = Post-vaccination dose 1 (Day 180)

Secondary Outcome Variable(s): Seropositivity rates and GMTs for HI antibodies against A/Brisbane, A/Uruguay and B/Brisbane at Day 0, 21 and 180 the second year (Two-Dose ATP cohort for persistence)

				≥ 1:10				GMT		
						95% CI			95% CI	
Strain	Group	Timing	N	n	%	LL	UL	value	LL	UL
A/Brisbane	Flu 1	PI(D0Y2)	188	159	84.6	78.6	89.4	23.4	20.3	27.1
		PII(D21Y2)	188	185	98.4	95.4	99.7	80.0	69.4	92.2
		PII(D180Y2)	189	172	91.0	86.0	94.7	28.5	24.7	32.8
	Flu 2	PI(D0Y2)	177	148	83.6	77.3	88.7	25.0	21.3	29.3
		PII(D21Y2)	176	172	97.7	94.3	99.4	75.0	63.4	88.6
		PII(D180Y2)	177	157	88.7	83.1	93.0	27.3	23.5	31.7
A/Uruguay	Flu 1	PI(D0Y2)	188	175	93.1	88.5	96.3	68.9	56.2	84.5
		PII(D21Y2)	188	186	98.9	96.2	99.9	300.6	254.0	355.7
		PII(D180Y2)	189	180	95.2	91.2	97.8	105.7	87.9	127.2
	Flu 2	PI(D0Y2)	177	163	92.1	87.1	95.6	54.2	44.1	66.5
		PII(D21Y2)	176	175	99.4	96.9	100	195.6	165.5	231.2
		PII(D180Y2)	177	165	93.2	88.5	96.4	63.6	53.0	76.3
B/Brisbane	Flu 1	PI(D0Y2)	189	171	90.5	85.4	94.3	58.5	48.8	70.1
		PII(D21Y2)	189	188	99.5	97.1	100	225.1	195.5	259.1
		PII(D180Y2)	189	186	98.4	95.4	99.7	122.9	106.5	141.7
	Flu 2	PI(D0Y2)	177	161	91.0	85.7	94.7	56.1	47.0	67.0
		PII(D21Y2)	176	175	99.4	96.9	100	191.0	161.3	226.3
		PII(D180Y2)	177	176	99.4	96.9	100	111.6	95.8	130.0

GMT = geometric mean antibody titer calculated on all subjects

N = number of subjects with available results

n/% = number/percentage of subjects with titer within the specified range

95% CI = 95% confidence interval; LL = Lower Limit, UL = Upper Limit

PI(D0Y2) = Pre-vaccination dose 2 (Day 0)

PII(D21Y2) = Post-vaccination dose 2 (Day 21)

PII(D180Y2) = Post-vaccination dose 2 (Day 180)

Secondary Outcome Variable(s): SCR for HI antibodies against A/Brisbane, A/Uruguay and B/Brisbane at Day 21 the first year (One-Dose ATP immunogenicity cohort for the lot-to-lot consistency subset)

				SCR		
				95% CI		

Strain	Group	N	n	%	LL	UL
A/Brisbane	Flu 1 Lot 1	539	307	57.0	52.7	61.2
	Flu 1 Lot 2	536	298	55.6	51.3	59.9
	Flu 1 Lot 3	532	310	58.3	54.0	62.5
A/Uruguay	Flu 1 Lot 1	539	471	87.4	84.3	90.1
	Flu 1 Lot 2	536	461	86.0	82.8	88.8
	Flu 1 Lot 3	532	455	85.5	82.2	88.4
B/Brisbane	Flu 1 Lot 1	539	389	72.2	68.2	75.9
	Flu 1 Lot 2	536	350	65.3	61.1	69.3
	Flu 1 Lot 3	532	363	68.2	64.1	72.2

Seroconversion defined as:

For initially seronegative subjects, antibody titer $\geq 1:40$ after vaccination

For initially seropositive subjects, antibody titer after vaccination ≥ 4 fold the pre-vaccination antibody titer

N = Number of subjects with pre- and post-vaccination results available

n/% = number/percentage of seroconverted subjects

95% CI = 95% confidence interval, LL = Lower Limit, UL = Upper Limit

Safety results: Number (%) of subjects with unsolicited adverse events within 21 days after the first dose (One-Dose Total Vaccinated cohort for the safety subset)

Most frequent adverse events - On-Therapy (occurring within Day 0-20 following vaccination)	Flu 1 Group N = 3015	Flu 2 Group N = 3002
Subjects with any AE(s), n (%)	428 (14.2)	427 (14.2)
Subjects with grade 3 AE(s), n (%)	48 (1.6)	52 (1.7)
Subjects with related AE(s), n (%)	83 (2.8)	58 (1.9)
Nasopharyngitis	33 (1.1)	33 (1.1)
Cough	31 (1.0)	26 (0.9)
Upper respiratory tract infection	29 (1.0)	28 (0.9)
Headache	14 (0.5)	22 (0.7)
Oropharyngeal pain	14 (0.5)	22 (0.7)
Rhinitis	14 (0.5)	22 (0.7)
Diarrhoea	14 (0.5)	20 (0.7)
Back pain	-	23 (0.8)
Influenza like illness	15 (0.5)	-
Pruritus	14 (0.5)	-
Arthralgia	13 (0.4)	-
Pharyngitis	-	13 (0.4)
Hypertension	-	11 (0.4)

- : Adverse event absent or not meeting the selected rule: more than 30 subjects per treatment group and ≤ 3 groups: only the most frequent 10 events are to be listed.

Grade 3 = event that prevented normal, everyday activities

Related = event assessed by the investigator as causally related to the study vaccination

Safety results: Number (%) of subjects with unsolicited adverse events within 21 days after the second dose (Two-Dose Total Vaccinated cohort for the safety subset)

Most frequent adverse events - On-Therapy (occurring within Day 0-20 following vaccination)	Flu 1 Group N = 2462	Flu 2 Group N = 2520
Subjects with any AE(s), n (%)	320 (13.0)	306 (12.1)
Subjects with grade 3 AE(s), n (%)	36 (1.5)	26 (1.0)
Subjects with related AE(s), n (%)	42 (1.7)	20 (0.8)
Upper respiratory tract infection	24 (1.0)	32 (1.3)
Cough	17 (0.7)	27 (1.1)
Nasopharyngitis	15 (0.6)	14 (0.6)
Bronchitis	14 (0.6)	9 (0.4)
Oropharyngeal pain	12 (0.5)	11 (0.4)
Headache	9 (0.4)	10 (0.4)
Back pain	12 (0.5)	-
Arthralgia	11 (0.4)	-

Rhinitis	-	10 (0.4)
Diarrhoea	-	9 (0.4)
Influenza like illness	-	9 (0.4)
Rhinorrhoea	-	9 (0.4)
Urinary tract infection	9 (0.4)	-
Insomnia	8 (0.3)	-
Pain in extremity	8 (0.3)	-
Pruritus	8 (0.3)	-
- : Adverse event absent or not meeting the selected rule: more than 30 subjects per treatment group and ≤ 3 groups: only the most frequent 10 events are to be listed.		
Grade 3 = event that prevented normal, everyday activities		
Related = event assessed by the investigator as causally related to the study vaccination		
Safety results: Number (%) of subjects with serious adverse events within 365 days after the first dose (One-Dose Total Vaccinated cohort)		
Serious adverse event, n (%) [n considered by the investigator to be related to study medication]		
All SAEs	Flu 1 Group N = 21893	Flu 2 Group N = 21802
Subjects with any SAE(s), n (%) [n assessed by the investigator as related]	2505 (11.4) [7]	2551 (11.7) [5]
Pneumonia	127 (0.6) [0]	132 (0.6) [0]
Atrial fibrillation	122 (0.6) [0]	112 (0.5) [0]
Cerebrovascular accident	110 (0.5) [0]	105 (0.5) [0]
Myocardial infarction	101 (0.5) [0]	95 (0.4) [0]
Cardiac failure congestive	91 (0.4) [0]	96 (0.4) [0]
Chronic obstructive pulmonary disease	97 (0.4) [0]	85 (0.4) [0]
Osteoarthritis	49 (0.2) [0]	72 (0.3) [0]
Urinary tract infection	65 (0.3) [0]	52 (0.2) [0]
Hypertension	52 (0.2) [0]	57 (0.3) [0]
Cardiac failure	47 (0.2) [0]	48 (0.2) [0]
Angina pectoris	46 (0.2) [0]	43 (0.2) [1]
Coronary artery disease	53 (0.2) [0]	35 (0.2) [0]
Prostate cancer	38 (0.2) [0]	41 (0.2) [0]
Myocardial ischaemia	39 (0.2) [0]	33 (0.2) [0]
Anaemia	32 (0.1) [0]	38 (0.2) [0]
Transient ischaemic attack	36 (0.2) [0]	32 (0.1) [0]
Bronchitis	39 (0.2) [0]	28 (0.1) [0]
Breast cancer	27 (0.1) [0]	30 (0.1) [0]
Cholelithiasis	27 (0.1) [0]	26 (0.1) [0]
Pulmonary embolism	20 (0.1) [0]	33 (0.2) [0]
Renal failure acute	28 (0.1) [0]	23 (0.1) [0]
Syncope	32 (0.1) [0]	19 (0.1) [0]
Acute myocardial infarction	19 (0.1) [0]	30 (0.1) [0]
Colon cancer	26 (0.1) [0]	22 (0.1) [0]
Gastroenteritis	18 (0.1) [0]	30 (0.1) [0]
Chest pain	20 (0.1) [0]	27 (0.1) [0]
Cholecystitis	25 (0.1) [0]	21 (0.1) [0]
Arrhythmia	25 (0.1) [0]	16 (0.1) [0]
Femoral neck fracture	13 (0.1) [0]	26 (0.1) [0]
Femur fracture	17 (0.1) [0]	22 (0.1) [0]
Respiratory failure	18 (0.1) [0]	20 (0.1) [0]
Cellulitis	18 (0.1) [0]	19 (0.1) [0]
Sepsis	19 (0.1) [0]	18 (0.1) [0]
Benign prostatic hyperplasia	17 (0.1) [0]	19 (0.1) [0]
Death	17 (0.1) [0]	18 (0.1) [0]
Lung neoplasm malignant	15 (0.1) [0]	20 (0.1) [0]
Renal failure	16 (0.1) [0]	19 (0.1) [0]
Asthma	22 (0.1) [0]	12 (0.1) [0]

Ischaemic stroke	13 (0.1) [0]	21 (0.1) [0]
Gastrointestinal haemorrhage	10 (0.0) [0]	23 (0.1) [0]
Inguinal hernia	21 (0.1) [0]	12 (0.1) [0]
Erysipelas	19 (0.1) [0]	13 (0.1) [0]
Renal failure chronic	17 (0.1) [0]	15 (0.1) [0]
Diverticulitis	15 (0.1) [0]	16 (0.1) [0]
Depression	16 (0.1) [0]	14 (0.1) [0]
Cardiac arrest	12 (0.1) [0]	17 (0.1) [0]
Cholecystitis acute	14 (0.1) [0]	14 (0.1) [0]
Humerus fracture	8 (0.0) [0]	20 (0.1) [0]
Sudden death	19 (0.1) [0]	9 (0.0) [0]
Angina unstable	13 (0.1) [0]	14 (0.1) [0]
Dehydration	14 (0.1) [0]	12 (0.1) [0]
Diabetes mellitus	14 (0.1) [0]	12 (0.1) [0]
Intervertebral disc protrusion	9 (0.0) [0]	17 (0.1) [0]
Cerebrovascular disorder	12 (0.1) [0]	13 (0.1) [0]
Arteriosclerosis	10 (0.0) [0]	14 (0.1) [0]
Gastritis	14 (0.1) [0]	10 (0.0) [0]
Hypoglycaemia	15 (0.1) [0]	9 (0.0) [0]
Pleural effusion	8 (0.0) [0]	16 (0.1) [0]
Pyelonephritis	14 (0.1) [0]	10 (0.0) [0]
Acute respiratory failure	11 (0.1) [0]	12 (0.1) [0]
Diabetes mellitus inadequate control	12 (0.1) [0]	11 (0.1) [0]
Circulatory collapse	12 (0.1) [0]	10 (0.0) [0]
Deep vein thrombosis	8 (0.0) [0]	14 (0.1) [0]
Hip fracture	8 (0.0) [0]	14 (0.1) [0]
Lobar pneumonia	9 (0.0) [0]	13 (0.1) [0]
Pancreatitis acute	12 (0.1) [0]	10 (0.0) [0]
Back pain	10 (0.0) [0]	11 (0.1) [0]
Bladder cancer	11 (0.1) [0]	10 (0.0) [0]
Bronchitis chronic	10 (0.0) [0]	11 (0.1) [0]
Bronchopneumonia	11 (0.1) [0]	10 (0.0) [0]
Intestinal obstruction	9 (0.0) [0]	12 (0.1) [0]
Pulmonary oedema	12 (0.1) [0]	9 (0.0) [0]
Spinal column stenosis	12 (0.1) [0]	9 (0.0) [0]
Basal cell carcinoma	5 (0.0) [0]	15 (0.1) [0]
Upper respiratory tract infection	10 (0.0) [0]	10 (0.0) [0]
Bradycardia	8 (0.0) [0]	11 (0.1) [0]
Appendicitis	9 (0.0) [0]	9 (0.0) [0]
Bile duct stone	11 (0.1) [0]	7 (0.0) [0]
Cataract	9 (0.0) [0]	9 (0.0) [0]
Gastric ulcer	7 (0.0) [0]	11 (0.1) [0]
Hypertensive crisis	11 (0.1) [0]	7 (0.0) [0]
Toxicity to various agents	8 (0.0) [0]	10 (0.0) [0]
Type 2 diabetes mellitus	9 (0.0) [0]	9 (0.0) [0]
Acute coronary syndrome	5 (0.0) [0]	12 (0.1) [0]
Atrial flutter	8 (0.0) [0]	9 (0.0) [0]
Bladder neoplasm	11 (0.1) [0]	6 (0.0) [0]
Gastric cancer	10 (0.0) [0]	7 (0.0) [0]
Haematoma	11 (0.1) [0]	6 (0.0) [0]
Upper limb fracture	5 (0.0) [0]	12 (0.1) [0]
Vertigo	6 (0.0) [0]	11 (0.1) [0]
Contusion	9 (0.0) [0]	7 (0.0) [0]
Pelvic fracture	6 (0.0) [0]	10 (0.0) [0]
Rib fracture	8 (0.0) [0]	8 (0.0) [0]
Ankle fracture	9 (0.0) [0]	6 (0.0) [0]

Cerebral infarction	10 (0.0) [0]	5 (0.0) [0]
Hepatic cirrhosis	9 (0.0) [0]	6 (0.0) [0]
Hypotension	8 (0.0) [0]	7 (0.0) [0]
Pancreatitis	11 (0.1) [0]	4 (0.0) [0]
Peripheral arterial occlusive disease	8 (0.0) [0]	7 (0.0) [0]
Wrist fracture	7 (0.0) [0]	8 (0.0) [0]
Abdominal pain	9 (0.0) [0]	5 (0.0) [0]
Concussion	6 (0.0) [0]	8 (0.0) [0]
Ileus	9 (0.0) [0]	5 (0.0) [0]
Multi-organ failure	5 (0.0) [0]	9 (0.0) [0]
Pneumonia aspiration	7 (0.0) [0]	7 (0.0) [0]
Small intestinal obstruction	5 (0.0) [0]	9 (0.0) [0]
Colitis	4 (0.0) [0]	9 (0.0) [0]
Epilepsy	9 (0.0) [0]	4 (0.0) [0]
Hypokalaemia	5 (0.0) [0]	8 (0.0) [0]
Hyponatraemia	4 (0.0) [0]	9 (0.0) [0]
Rheumatoid arthritis	6 (0.0) [2]	7 (0.0) [1]
Septic shock	4 (0.0) [0]	9 (0.0) [0]
Sick sinus syndrome	5 (0.0) [0]	8 (0.0) [0]
Spinal compression fracture	7 (0.0) [0]	6 (0.0) [0]
Squamous cell carcinoma	6 (0.0) [0]	7 (0.0) [0]
Upper gastrointestinal haemorrhage	6 (0.0) [0]	7 (0.0) [0]
Aortic aneurysm	6 (0.0) [0]	6 (0.0) [0]
Atrioventricular block complete	4 (0.0) [0]	8 (0.0) [0]
Diarrhoea	6 (0.0) [0]	6 (0.0) [0]
Duodenal ulcer	6 (0.0) [0]	6 (0.0) [0]
Dyspnoea	5 (0.0) [0]	7 (0.0) [0]
Epistaxis	9 (0.0) [0]	3 (0.0) [0]
Radius fracture	2 (0.0) [0]	10 (0.0) [0]
Road traffic accident	4 (0.0) [0]	8 (0.0) [0]
Rotator cuff syndrome	6 (0.0) [0]	6 (0.0) [0]
Supraventricular tachycardia	4 (0.0) [0]	8 (0.0) [0]
Urinary retention	6 (0.0) [0]	6 (0.0) [0]
Calculus ureteric	9 (0.0) [0]	2 (0.0) [0]
Carotid artery stenosis	8 (0.0) [0]	3 (0.0) [0]
Cerebral ischaemia	7 (0.0) [0]	4 (0.0) [0]
Colonic polyp	6 (0.0) [0]	5 (0.0) [0]
Gastroesophageal reflux disease	3 (0.0) [0]	8 (0.0) [0]
Head injury	5 (0.0) [0]	6 (0.0) [0]
Joint dislocation	4 (0.0) [0]	7 (0.0) [0]
Laceration	7 (0.0) [0]	4 (0.0) [0]
Nephrolithiasis	6 (0.0) [0]	5 (0.0) [0]
Non-cardiac chest pain	5 (0.0) [0]	6 (0.0) [0]
Pancreatic carcinoma	7 (0.0) [0]	4 (0.0) [0]
Spinal osteoarthritis	6 (0.0) [0]	5 (0.0) [0]
Vascular dementia	6 (0.0) [0]	5 (0.0) [0]
Ventricular fibrillation	6 (0.0) [0]	5 (0.0) [0]
Cystitis	3 (0.0) [0]	7 (0.0) [0]
Diverticulum	2 (0.0) [0]	8 (0.0) [0]
Facial bones fracture	6 (0.0) [0]	4 (0.0) [0]
Gangrene	5 (0.0) [0]	5 (0.0) [0]
Gastric ulcer haemorrhage	5 (0.0) [0]	5 (0.0) [0]
Herpes zoster	3 (0.0) [0]	7 (0.0) [0]
Lumbar spinal stenosis	4 (0.0) [0]	6 (0.0) [0]
Polymyalgia rheumatica	7 (0.0) [0]	3 (0.0) [1]
Rectal cancer	3 (0.0) [0]	7 (0.0) [0]

Respiratory tract infection	4 (0.0) [0]	6 (0.0) [0]
Sinusitis	3 (0.0) [0]	7 (0.0) [0]
Subdural haematoma	3 (0.0) [0]	7 (0.0) [0]
Completed suicide	5 (0.0) [0]	4 (0.0) [0]
Constipation	4 (0.0) [0]	5 (0.0) [0]
Gastritis erosive	6 (0.0) [0]	3 (0.0) [0]
Hypersensitivity	6 (0.0) [0]	3 (0.0) [0]
Lung neoplasm	3 (0.0) [0]	6 (0.0) [0]
Lymphoma	6 (0.0) [0]	3 (0.0) [1]
Parkinson's disease	6 (0.0) [0]	3 (0.0) [0]
Peripheral vascular disorder	4 (0.0) [0]	5 (0.0) [0]
Renal cancer	6 (0.0) [0]	3 (0.0) [0]
Urethral stenosis	3 (0.0) [0]	6 (0.0) [0]
Vertebrobasilar insufficiency	4 (0.0) [0]	5 (0.0) [0]
Wound infection	3 (0.0) [0]	6 (0.0) [0]
Aortic valve stenosis	5 (0.0) [0]	3 (0.0) [0]
Arrhythmia supraventricular	5 (0.0) [0]	3 (0.0) [0]
Arthralgia	3 (0.0) [0]	5 (0.0) [0]
Atrioventricular block	4 (0.0) [0]	4 (0.0) [0]
Atrioventricular block second degree	7 (0.0) [0]	1 (0.0) [0]
Cardiac failure chronic	4 (0.0) [0]	4 (0.0) [0]
Coronary artery stenosis	4 (0.0) [0]	4 (0.0) [0]
Decubitus ulcer	3 (0.0) [0]	5 (0.0) [0]
Dementia alzheimer's type	5 (0.0) [0]	3 (0.0) [0]
Dizziness	2 (0.0) [0]	6 (0.0) [0]
Glaucoma	2 (0.0) [0]	6 (0.0) [0]
Grand mal convulsion	1 (0.0) [0]	7 (0.0) [0]
Haematuria	4 (0.0) [0]	4 (0.0) [0]
Hepatic neoplasm malignant	5 (0.0) [0]	3 (0.0) [0]
Large intestine perforation	5 (0.0) [0]	3 (0.0) [0]
Malignant melanoma	6 (0.0) [0]	2 (0.0) [0]
Metastases to liver	5 (0.0) [0]	3 (0.0) [0]
Neoplasm malignant	4 (0.0) [0]	4 (0.0) [0]
Prostatic adenoma	5 (0.0) [0]	3 (0.0) [0]
Rectal haemorrhage	3 (0.0) [0]	5 (0.0) [0]
Staphylococcal infection	7 (0.0) [0]	1 (0.0) [0]
Tachyarrhythmia	3 (0.0) [0]	5 (0.0) [0]
Thyroid cancer	4 (0.0) [0]	4 (0.0) [0]
Uterine cancer	4 (0.0) [0]	4 (0.0) [0]
Abdominal hernia	5 (0.0) [0]	2 (0.0) [0]
Arteriosclerosis coronary artery	3 (0.0) [0]	4 (0.0) [0]
Cardiovascular insufficiency	4 (0.0) [0]	3 (0.0) [0]
Cerebral haemorrhage	5 (0.0) [0]	2 (0.0) [0]
Cholangitis	4 (0.0) [0]	3 (0.0) [0]
Convulsion	3 (0.0) [0]	4 (0.0) [0]
Dysphagia	2 (0.0) [0]	5 (0.0) [0]
Hand fracture	4 (0.0) [0]	3 (0.0) [0]
Intervertebral disc degeneration	3 (0.0) [0]	4 (0.0) [0]
Left ventricular failure	5 (0.0) [0]	2 (0.0) [0]
Lower limb fracture	3 (0.0) [0]	4 (0.0) [0]
Lung adenocarcinoma	3 (0.0) [0]	4 (0.0) [0]
Oesophagitis	4 (0.0) [0]	3 (0.0) [0]
Pancreatic carcinoma metastatic	2 (0.0) [0]	5 (0.0) [0]
Peritonitis	5 (0.0) [0]	2 (0.0) [0]
Spinal fracture	2 (0.0) [0]	5 (0.0) [0]
Subarachnoid haemorrhage	4 (0.0) [0]	3 (0.0) [0]

Tibia fracture	2 (0.0) [0]	5 (0.0) [0]
Traumatic brain injury	2 (0.0) [0]	5 (0.0) [0]
Umbilical hernia	4 (0.0) [0]	3 (0.0) [0]
Adenocarcinoma	4 (0.0) [0]	2 (0.0) [0]
Aortic stenosis	4 (0.0) [0]	2 (0.0) [0]
Brain stem infarction	3 (0.0) [0]	3 (0.0) [0]
Calculus urinary	2 (0.0) [0]	4 (0.0) [0]
Candidiasis	5 (0.0) [0]	1 (0.0) [0]
Cardiac death	3 (0.0) [0]	3 (0.0) [0]
Cardiopulmonary failure	4 (0.0) [0]	2 (0.0) [0]
Clostridial infection	2 (0.0) [0]	4 (0.0) [0]
Colitis ischaemic	1 (0.0) [0]	5 (0.0) [0]
Colon cancer metastatic	2 (0.0) [0]	4 (0.0) [0]
Confusional state	3 (0.0) [0]	3 (0.0) [0]
Coronary artery insufficiency	2 (0.0) [0]	4 (0.0) [0]
Coronary artery occlusion	3 (0.0) [0]	3 (0.0) [0]
Delirium	4 (0.0) [0]	2 (0.0) [0]
Dementia	3 (0.0) [0]	3 (0.0) [0]
Device dislocation	2 (0.0) [0]	4 (0.0) [0]
Diabetic foot	1 (0.0) [0]	5 (0.0) [0]
Diverticulum intestinal	5 (0.0) [0]	1 (0.0) [0]
Dyspepsia	2 (0.0) [0]	4 (0.0) [0]
Fall	2 (0.0) [0]	4 (0.0) [0]
Fibula fracture	4 (0.0) [0]	2 (0.0) [0]
Gastroenteritis viral	3 (0.0) [0]	3 (0.0) [0]
Goitre	3 (0.0) [0]	3 (0.0) [0]
Haemorrhagic stroke	3 (0.0) [0]	3 (0.0) [0]
Haemorrhoids	2 (0.0) [0]	4 (0.0) [0]
Hiatus hernia	1 (0.0) [0]	5 (0.0) [0]
Hypercholesterolaemia	3 (0.0) [0]	3 (0.0) [0]
Hypothyroidism	1 (0.0) [0]	5 (0.0) [0]
Mitral valve incompetence	3 (0.0) [0]	3 (0.0) [0]
Non-hodgkin's lymphoma	5 (0.0) [0]	1 (0.0) [0]
Pancreatitis chronic	4 (0.0) [0]	2 (0.0) [0]
Thrombophlebitis	6 (0.0) [0]	0 (0.0) [0]
Thrombosis	2 (0.0) [0]	4 (0.0) [0]
Ventricular extrasystoles	2 (0.0) [0]	4 (0.0) [0]
Vertigo positional	2 (0.0) [0]	4 (0.0) [0]
Vestibular disorder	2 (0.0) [0]	4 (0.0) [0]
Acute pulmonary oedema	1 (0.0) [0]	4 (0.0) [0]
Anaphylactic reaction	3 (0.0) [0]	2 (0.0) [1]
Angioedema	3 (0.0) [0]	2 (0.0) [0]
Arterial thrombosis limb	1 (0.0) [0]	4 (0.0) [0]
Biliary colic	2 (0.0) [0]	3 (0.0) [0]
Brain oedema	1 (0.0) [0]	4 (0.0) [0]
Breast cancer recurrent	3 (0.0) [0]	2 (0.0) [0]
Cervical vertebral fracture	3 (0.0) [0]	2 (0.0) [0]
Cholecystitis chronic	4 (0.0) [0]	1 (0.0) [0]
Cystitis haemorrhagic	2 (0.0) [0]	3 (0.0) [0]
Encephalopathy	4 (0.0) [0]	1 (0.0) [0]
Faecaloma	1 (0.0) [0]	4 (0.0) [0]
Gastric haemorrhage	3 (0.0) [0]	2 (0.0) [0]
Gastrointestinal angiodysplasia	3 (0.0) [0]	2 (0.0) [0]
Gout	5 (0.0) [0]	0 (0.0) [0]
Haemorrhagic anaemia	4 (0.0) [0]	1 (0.0) [0]
Hyperglycaemia	4 (0.0) [0]	1 (0.0) [0]

Hyperthyroidism	0 (0.0) [0]	5 (0.0) [0]
Intermittent claudication	2 (0.0) [0]	3 (0.0) [0]
Intervertebral disc disorder	4 (0.0) [0]	1 (0.0) [0]
Iron deficiency anaemia	2 (0.0) [0]	3 (0.0) [0]
Localised infection	3 (0.0) [0]	2 (0.0) [0]
Lower respiratory tract infection	2 (0.0) [0]	3 (0.0) [0]
Lumbar vertebral fracture	2 (0.0) [0]	3 (0.0) [0]
Mallory-weiss syndrome	2 (0.0) [0]	3 (0.0) [0]
Metastatic neoplasm	3 (0.0) [0]	2 (0.0) [0]
Musculoskeletal pain	5 (0.0) [0]	0 (0.0) [0]
Oesophageal carcinoma	4 (0.0) [0]	1 (0.0) [0]
Osteomyelitis	2 (0.0) [0]	3 (0.0) [0]
Peptic ulcer	2 (0.0) [0]	3 (0.0) [0]
Pericarditis	2 (0.0) [0]	3 (0.0) [0]
Peripheral ischaemia	2 (0.0) [0]	3 (0.0) [0]
Pneumothorax	3 (0.0) [0]	2 (0.0) [0]
Presyncope	2 (0.0) [0]	3 (0.0) [0]
Pyelonephritis acute	4 (0.0) [0]	1 (0.0) [0]
Reflux oesophagitis	1 (0.0) [0]	4 (0.0) [0]
Renal neoplasm	4 (0.0) [0]	1 (0.0) [0]
Retinal detachment	2 (0.0) [0]	3 (0.0) [0]
Sciatica	4 (0.0) [0]	1 (0.0) [0]
Skin ulcer	4 (0.0) [0]	1 (0.0) [0]
Spondylolisthesis	1 (0.0) [0]	4 (0.0) [0]
Sudden cardiac death	4 (0.0) [0]	1 (0.0) [0]
Tendon rupture	4 (0.0) [0]	1 (0.0) [0]
Transitional cell carcinoma	3 (0.0) [0]	2 (0.0) [0]
Urosepsis	3 (0.0) [0]	2 (0.0) [0]
Vascular encephalopathy	2 (0.0) [0]	3 (0.0) [0]
Ventricular tachycardia	2 (0.0) [0]	3 (0.0) [0]
Vomiting	4 (0.0) [0]	1 (0.0) [0]
Abdominal pain upper	2 (0.0) [0]	2 (0.0) [0]
Abscess	2 (0.0) [0]	2 (0.0) [0]
Acute myeloid leukaemia	0 (0.0) [0]	4 (0.0) [1]
Alcohol poisoning	2 (0.0) [0]	2 (0.0) [0]
Aneurysm	3 (0.0) [0]	1 (0.0) [0]
Aortic valve incompetence	1 (0.0) [0]	3 (0.0) [0]
Arthropathy	2 (0.0) [0]	2 (0.0) [0]
Asthenia	3 (0.0) [0]	1 (0.0) [0]
Bladder neck obstruction	1 (0.0) [0]	3 (0.0) [0]
Bladder transitional cell carcinoma	2 (0.0) [0]	2 (0.0) [0]
Brain contusion	2 (0.0) [0]	2 (0.0) [0]
Brain neoplasm	2 (0.0) [0]	2 (0.0) [0]
Breast cancer metastatic	1 (0.0) [0]	3 (0.0) [0]
Cachexia	2 (0.0) [0]	2 (0.0) [0]
Calculus bladder	2 (0.0) [0]	2 (0.0) [0]
Cardiac valve disease	2 (0.0) [0]	2 (0.0) [0]
Carpal tunnel syndrome	1 (0.0) [0]	3 (0.0) [0]
Cerebral arteriosclerosis	4 (0.0) [0]	0 (0.0) [0]
Chronic lymphocytic leukaemia	1 (0.0) [0]	3 (0.0) [0]
Clostridium difficile colitis	3 (0.0) [0]	1 (0.0) [0]
Colon neoplasm	2 (0.0) [0]	2 (0.0) [0]
Duodenal ulcer haemorrhage	3 (0.0) [0]	1 (0.0) [0]
Embolism	4 (0.0) [0]	0 (0.0) [0]
Emphysema	2 (0.0) [0]	2 (0.0) [0]
Endometrial cancer	2 (0.0) [0]	2 (0.0) [0]

Enterocolitis	2 (0.0) [0]	2 (0.0) [0]
Foot deformity	2 (0.0) [0]	2 (0.0) [0]
Foot fracture	3 (0.0) [0]	1 (0.0) [0]
Gallbladder cancer	1 (0.0) [0]	3 (0.0) [0]
Gastric cancer stage iv	1 (0.0) [0]	3 (0.0) [0]
Haematochezia	2 (0.0) [0]	2 (0.0) [0]
Haemorrhage	3 (0.0) [0]	1 (0.0) [0]
Hydronephrosis	3 (0.0) [0]	1 (0.0) [0]
Hypovolaemic shock	2 (0.0) [0]	2 (0.0) [0]
Ileus paralytic	4 (0.0) [0]	0 (0.0) [0]
Infected skin ulcer	2 (0.0) [0]	2 (0.0) [0]
Infection	1 (0.0) [0]	3 (0.0) [0]
Intestinal polyp	3 (0.0) [0]	1 (0.0) [0]
Irritable bowel syndrome	1 (0.0) [0]	3 (0.0) [0]
Jaundice cholestatic	1 (0.0) [0]	3 (0.0) [0]
Lower gastrointestinal haemorrhage	1 (0.0) [0]	3 (0.0) [0]
Lung cancer metastatic	2 (0.0) [0]	2 (0.0) [0]
Lymphoedema	3 (0.0) [0]	1 (0.0) [0]
Major depression	2 (0.0) [0]	2 (0.0) [0]
Metastases to lung	0 (0.0) [0]	4 (0.0) [0]
Metastatic malignant melanoma	2 (0.0) [0]	2 (0.0) [0]
Multiple injuries	2 (0.0) [0]	2 (0.0) [0]
Multiple myeloma	1 (0.0) [0]	3 (0.0) [0]
Musculoskeletal chest pain	1 (0.0) [0]	3 (0.0) [0]
Non-small cell lung cancer	4 (0.0) [0]	0 (0.0) [0]
Osteonecrosis	2 (0.0) [0]	2 (0.0) [0]
Ovarian cyst	2 (0.0) [0]	2 (0.0) [0]
Parkinsonism	3 (0.0) [0]	1 (0.0) [0]
Pathological fracture	0 (0.0) [0]	4 (0.0) [0]
Pleurisy	3 (0.0) [0]	1 (0.0) [0]
Post procedural complication	2 (0.0) [0]	2 (0.0) [0]
Postoperative wound infection	0 (0.0) [0]	4 (0.0) [0]
Pseudomembranous colitis	3 (0.0) [0]	1 (0.0) [0]
Pulmonary fibrosis	0 (0.0) [0]	4 (0.0) [0]
Pyelonephritis chronic	2 (0.0) [0]	2 (0.0) [0]
Renal cancer metastatic	1 (0.0) [0]	3 (0.0) [0]
Sinus bradycardia	3 (0.0) [0]	1 (0.0) [0]
Synovial cyst	4 (0.0) [0]	0 (0.0) [0]
Tachycardia	2 (0.0) [0]	2 (0.0) [0]
Tonsillitis	4 (0.0) [0]	0 (0.0) [0]
Ulna fracture	1 (0.0) [0]	3 (0.0) [0]
Urinary bladder polyp	1 (0.0) [0]	3 (0.0) [0]
Uterine polyp	2 (0.0) [0]	2 (0.0) [0]
Uterine prolapse	3 (0.0) [0]	1 (0.0) [0]
Varicose vein	4 (0.0) [0]	0 (0.0) [0]
Venous thrombosis	2 (0.0) [0]	2 (0.0) [0]
Venous thrombosis limb	2 (0.0) [0]	2 (0.0) [0]
Abdominal discomfort	2 (0.0) [0]	1 (0.0) [0]
Abscess limb	2 (0.0) [0]	1 (0.0) [0]
Adenoma benign	2 (0.0) [0]	1 (0.0) [0]
Aortic aneurysm rupture	2 (0.0) [0]	1 (0.0) [0]
Arterial occlusive disease	0 (0.0) [0]	3 (0.0) [0]
Arthritis bacterial	2 (0.0) [0]	1 (0.0) [0]
Arthritis infective	0 (0.0) [0]	3 (0.0) [0]
Aspiration bronchial	2 (0.0) [0]	1 (0.0) [0]
Asthmatic crisis	3 (0.0) [0]	0 (0.0) [0]

Ataxia	1 (0.0) [0]	2 (0.0) [0]
B-cell lymphoma	1 (0.0) [0]	2 (0.0) [0]
Benign breast neoplasm	3 (0.0) [0]	0 (0.0) [0]
Bile duct cancer	2 (0.0) [0]	1 (0.0) [0]
Bladder transitional cell carcinoma recurrent	2 (0.0) [0]	1 (0.0) [0]
Bradycardia	0 (0.0) [0]	3 (0.0) [0]
Bronchial carcinoma	2 (0.0) [0]	1 (0.0) [0]
Cardiac failure acute	1 (0.0) [0]	2 (0.0) [0]
Cardio-respiratory arrest	2 (0.0) [0]	1 (0.0) [0]
Cardiogenic shock	3 (0.0) [0]	0 (0.0) [0]
Cardiovascular disorder	0 (0.0) [0]	3 (0.0) [0]
Carotid arteriosclerosis	3 (0.0) [0]	0 (0.0) [0]
Cerebral circulatory failure	2 (0.0) [0]	1 (0.0) [0]
Cerebrovascular insufficiency	1 (0.0) [0]	2 (0.0) [0]
Cervix carcinoma	1 (0.0) [0]	2 (0.0) [0]
Cholecystitis infective	2 (0.0) [0]	1 (0.0) [0]
Colitis ulcerative	1 (0.0) [0]	2 (0.0) [0]
Colon cancer recurrent	1 (0.0) [0]	2 (0.0) [0]
Device related infection	1 (0.0) [0]	2 (0.0) [0]
Diabetic ketoacidosis	2 (0.0) [0]	1 (0.0) [0]
Duodenal ulcer perforation	2 (0.0) [0]	1 (0.0) [0]
Electrolyte imbalance	1 (0.0) [0]	2 (0.0) [0]
Escherichia urinary tract infection	3 (0.0) [0]	0 (0.0) [0]
Food poisoning	2 (0.0) [0]	1 (0.0) [0]
Forearm fracture	2 (0.0) [0]	1 (0.0) [0]
Gastroduodenitis	1 (0.0) [0]	2 (0.0) [0]
Glioblastoma	2 (0.0) [0]	1 (0.0) [0]
Glioblastoma multiforme	1 (0.0) [0]	2 (0.0) [0]
Haemoptysis	1 (0.0) [0]	2 (0.0) [0]
Haemorrhoidal haemorrhage	1 (0.0) [0]	2 (0.0) [0]
Haemothorax	1 (0.0) [0]	2 (0.0) [0]
Helicobacter gastritis	2 (0.0) [0]	1 (0.0) [0]
Hepatic failure	2 (0.0) [0]	1 (0.0) [0]
Hepatic steatosis	1 (0.0) [0]	2 (0.0) [0]
Hepatitis	1 (0.0) [0]	2 (0.0) [0]
Hernia	2 (0.0) [0]	1 (0.0) [0]
Hypercalcaemia	1 (0.0) [0]	2 (0.0) [0]
Hypertensive heart disease	2 (0.0) [0]	1 (0.0) [0]
Hypocalcaemia	1 (0.0) [0]	2 (0.0) [0]
Hypomagnesaemia	0 (0.0) [0]	3 (0.0) [0]
Hypoxia	1 (0.0) [0]	2 (0.0) [0]
Infective exacerbation of chronic obstructive airways disease	1 (0.0) [0]	2 (0.0) [0]
Injury	2 (0.0) [0]	1 (0.0) [0]
Interstitial lung disease	0 (0.0) [0]	3 (0.0) [0]
Intracranial aneurysm	3 (0.0) [0]	0 (0.0) [0]
Lip and/or oral cavity cancer	2 (0.0) [0]	1 (0.0) [0]
Lung abscess	0 (0.0) [0]	3 (0.0) [0]
Lung disorder	0 (0.0) [0]	3 (0.0) [0]
Malaise	2 (0.0) [0]	1 (0.0) [0]
Medical device complication	0 (0.0) [0]	3 (0.0) [0]
Meningioma	2 (0.0) [0]	1 (0.0) [0]
Meningitis	1 (0.0) [0]	2 (0.0) [0]
Metabolic encephalopathy	2 (0.0) [0]	1 (0.0) [0]
Metastases to bone	1 (0.0) [0]	2 (0.0) [0]
Metastatic carcinoma of the bladder	1 (0.0) [0]	2 (0.0) [0]
Metastatic squamous cell carcinoma	3 (0.0) [0]	0 (0.0) [0]

Muscle rupture	0 (0.0) [0]	3 (0.0) [0]
Muscle strain	1 (0.0) [0]	2 (0.0) [0]
Myalgia	2 (0.0) [0]	1 (0.0) [0]
Myelodysplastic syndrome	0 (0.0) [0]	3 (0.0) [0]
Nausea	2 (0.0) [0]	1 (0.0) [0]
Neoplasm	1 (0.0) [0]	2 (0.0) [0]
Nerve compression	1 (0.0) [0]	2 (0.0) [0]
Non-small cell lung cancer metastatic	1 (0.0) [0]	2 (0.0) [0]
Oedema peripheral	1 (0.0) [1]	2 (0.0) [0]
Osteochondrosis	0 (0.0) [0]	3 (0.0) [0]
Otitis media	2 (0.0) [0]	1 (0.0) [0]
Ovarian neoplasm	2 (0.0) [0]	1 (0.0) [0]
Overdose	2 (0.0) [0]	1 (0.0) [0]
Pain in extremity	2 (0.0) [0]	1 (0.0) [0]
Periproctitis	2 (0.0) [0]	1 (0.0) [0]
Pneumonia bacterial	2 (0.0) [0]	1 (0.0) [0]
Polyneuropathy	2 (0.0) [0]	1 (0.0) [0]
Prostate cancer metastatic	1 (0.0) [0]	2 (0.0) [0]
Prostatomegaly	1 (0.0) [0]	2 (0.0) [0]
Pubis fracture	0 (0.0) [0]	3 (0.0) [0]
Pulmonary hypertension	3 (0.0) [0]	0 (0.0) [0]
Pulmonary tuberculosis	2 (0.0) [0]	1 (0.0) [0]
Rash	1 (0.0) [0]	2 (0.0) [0]
Rectal polyp	2 (0.0) [0]	1 (0.0) [0]
Renal artery stenosis	3 (0.0) [0]	0 (0.0) [0]
Renal cell carcinoma	0 (0.0) [0]	3 (0.0) [0]
Renal colic	2 (0.0) [0]	1 (0.0) [0]
Skin cancer	1 (0.0) [0]	2 (0.0) [0]
Sleep apnoea syndrome	1 (0.0) [0]	2 (0.0) [0]
Small intestinal haemorrhage	2 (0.0) [0]	1 (0.0) [0]
Stress cardiomyopathy	3 (0.0) [0]	0 (0.0) [0]
Subileus	2 (0.0) [0]	1 (0.0) [0]
Tachycardia paroxysmal	2 (0.0) [0]	1 (0.0) [0]
Thrombocytopenia	1 (0.0) [0]	2 (0.0) [0]
Thrombophlebitis superficial	2 (0.0) [0]	1 (0.0) [0]
Tuberculosis	3 (0.0) [0]	0 (0.0) [0]
Ventricular arrhythmia	2 (0.0) [0]	1 (0.0) [0]
Wound	2 (0.0) [0]	1 (0.0) [0]
Abdominal distension	0 (0.0) [0]	2 (0.0) [0]
Abdominal neoplasm	0 (0.0) [0]	2 (0.0) [0]
Abdominal pain lower	0 (0.0) [0]	2 (0.0) [0]
Abnormal behaviour	0 (0.0) [0]	2 (0.0) [0]
Acute leukaemia	1 (0.0) [0]	1 (0.0) [0]
Acute sinusitis	0 (0.0) [0]	2 (0.0) [0]
Adams-stokes syndrome	1 (0.0) [0]	1 (0.0) [0]
Adverse drug reaction	0 (0.0) [0]	2 (0.0) [0]
Alcohol abuse	2 (0.0) [0]	0 (0.0) [0]
Alcoholism	1 (0.0) [0]	1 (0.0) [0]
Amyotrophic lateral sclerosis	2 (0.0) [0]	0 (0.0) [0]
Anal fissure	0 (0.0) [0]	2 (0.0) [0]
Aneurysm ruptured	1 (0.0) [0]	1 (0.0) [0]
Anxiety	1 (0.0) [0]	1 (0.0) [0]
Aortic valve disease	1 (0.0) [0]	1 (0.0) [0]
Appendicitis perforated	0 (0.0) [0]	2 (0.0) [0]
Arterial stenosis	1 (0.0) [0]	1 (0.0) [0]
Arthritis	1 (0.0) [0]	1 (0.0) [0]

Atrial septal defect	2 (0.0) [0]	0 (0.0) [0]
Atrioventricular block first degree	2 (0.0) [0]	0 (0.0) [0]
Azotaemia	2 (0.0) [0]	0 (0.0) [0]
Bacteraemia	2 (0.0) [0]	0 (0.0) [0]
Basal ganglia infarction	0 (0.0) [0]	2 (0.0) [0]
Basedow's disease	1 (0.0) [1]	1 (0.0) [0]
Biliary cirrhosis primary	1 (0.0) [0]	1 (0.0) [0]
Bladder cancer recurrent	1 (0.0) [0]	1 (0.0) [0]
Bladder disorder	2 (0.0) [0]	0 (0.0) [0]
Bone neoplasm malignant	0 (0.0) [0]	2 (0.0) [0]
Breast cancer female	0 (0.0) [0]	2 (0.0) [0]
Breast cancer in situ	0 (0.0) [0]	2 (0.0) [0]
Breast neoplasm	1 (0.0) [0]	1 (0.0) [0]
Bronchiectasis	2 (0.0) [0]	0 (0.0) [0]
Cardiomegaly	0 (0.0) [0]	2 (0.0) [0]
Cardiomyopathy	1 (0.0) [0]	1 (0.0) [0]
Carotid artery occlusion	2 (0.0) [0]	0 (0.0) [0]
Cauda equina syndrome	1 (0.0) [0]	1 (0.0) [0]
Cervical dysplasia	2 (0.0) [0]	0 (0.0) [0]
Cervical myelopathy	0 (0.0) [0]	2 (0.0) [0]
Cervicobrachial syndrome	0 (0.0) [0]	2 (0.0) [0]
Chemical poisoning	0 (0.0) [0]	2 (0.0) [0]
Chest injury	1 (0.0) [0]	1 (0.0) [0]
Cholangitis acute	2 (0.0) [0]	0 (0.0) [0]
Chondropathy	0 (0.0) [0]	2 (0.0) [0]
Chronic myeloid leukaemia	1 (0.0) [0]	1 (0.0) [0]
Chronic sinusitis	2 (0.0) [0]	0 (0.0) [0]
Clavicle fracture	2 (0.0) [0]	0 (0.0) [0]
Cognitive disorder	2 (0.0) [0]	0 (0.0) [0]
Colon adenoma	1 (0.0) [0]	1 (0.0) [0]
Cor pulmonale	0 (0.0) [0]	2 (0.0) [0]
Crohn's disease	1 (0.0) [0]	1 (0.0) [0]
Deafness unilateral	1 (0.0) [0]	1 (0.0) [0]
Decreased appetite	1 (0.0) [0]	1 (0.0) [0]
Dermatitis allergic	1 (0.0) [0]	1 (0.0) [0]
Device malfunction	1 (0.0) [0]	1 (0.0) [0]
Diabetic gangrene	2 (0.0) [0]	0 (0.0) [0]
Diabetic neuropathy	2 (0.0) [0]	0 (0.0) [0]
Diverticular perforation	0 (0.0) [0]	2 (0.0) [0]
Drowning	1 (0.0) [0]	1 (0.0) [0]
Duodenitis	1 (0.0) [0]	1 (0.0) [0]
Dupuytren's contracture	1 (0.0) [0]	1 (0.0) [0]
Dysarthria	1 (0.0) [0]	1 (0.0) [0]
Dyspnoea exertional	2 (0.0) [0]	0 (0.0) [0]
Dysuria	0 (0.0) [0]	2 (0.0) [0]
Eczema	2 (0.0) [0]	0 (0.0) [0]
Embolic stroke	0 (0.0) [0]	2 (0.0) [0]
Encephalitis viral	1 (0.0) [0]	1 (0.0) [0]
Endophthalmitis	1 (0.0) [0]	1 (0.0) [0]
Enteritis infectious	1 (0.0) [0]	1 (0.0) [0]
Enterocolitis infectious	1 (0.0) [0]	1 (0.0) [0]
Epididymitis	2 (0.0) [0]	0 (0.0) [0]
Escherichia sepsis	2 (0.0) [0]	0 (0.0) [0]
Extradural abscess	1 (0.0) [0]	1 (0.0) [0]
Face injury	1 (0.0) [0]	1 (0.0) [0]
Failure to thrive	1 (0.0) [0]	1 (0.0) [0]

Femoral artery occlusion	2 (0.0) [0]	0 (0.0) [0]
Foreign body	2 (0.0) [0]	0 (0.0) [0]
Gallbladder empyema	1 (0.0) [0]	1 (0.0) [0]
Gastritis haemorrhagic	1 (0.0) [0]	1 (0.0) [0]
Gastroduodenal ulcer	1 (0.0) [0]	1 (0.0) [0]
Gastroenteritis clostridial	1 (0.0) [0]	1 (0.0) [0]
Gastrointestinal disorder	1 (0.0) [0]	1 (0.0) [0]
Glucose tolerance impaired	2 (0.0) [0]	0 (0.0) [0]
Gouty arthritis	2 (0.0) [0]	0 (0.0) [0]
Guillain-barre syndrome	1 (0.0) [1]	1 (0.0) [0]
Haemorrhage intracranial	2 (0.0) [0]	0 (0.0) [0]
Headache	2 (0.0) [0]	0 (0.0) [0]
Helicobacter infection	1 (0.0) [0]	1 (0.0) [0]
Helicobacter test positive	0 (0.0) [0]	2 (0.0) [0]
Hemiparesis	1 (0.0) [0]	1 (0.0) [0]
Hepatic encephalopathy	0 (0.0) [0]	2 (0.0) [0]
Hepatic function abnormal	1 (0.0) [0]	1 (0.0) [0]
Hepatic haematoma	0 (0.0) [0]	2 (0.0) [0]
Hepatic neoplasm	2 (0.0) [0]	0 (0.0) [0]
Hepatorenal syndrome	1 (0.0) [0]	1 (0.0) [0]
Hernia obstructive	2 (0.0) [0]	0 (0.0) [0]
Hydrocele	1 (0.0) [0]	1 (0.0) [0]
Hyperkalaemia	1 (0.0) [0]	1 (0.0) [0]
Hyperlipidaemia	1 (0.0) [0]	1 (0.0) [0]
Hyperparathyroidism	1 (0.0) [0]	1 (0.0) [0]
Hypertensive emergency	1 (0.0) [0]	1 (0.0) [0]
Hypoglycaemic coma	0 (0.0) [0]	2 (0.0) [0]
In-stent coronary artery restenosis	2 (0.0) [0]	0 (0.0) [0]
Incisional hernia	2 (0.0) [0]	0 (0.0) [0]
Infected cyst	1 (0.0) [0]	1 (0.0) [0]
Intentional overdose	1 (0.0) [0]	1 (0.0) [0]
Intervertebral disc compression	1 (0.0) [0]	1 (0.0) [0]
Ischaemic cardiomyopathy	1 (0.0) [0]	1 (0.0) [0]
Jaw fracture	2 (0.0) [0]	0 (0.0) [0]
Joint injury	1 (0.0) [0]	1 (0.0) [0]
Joint sprain	1 (0.0) [0]	1 (0.0) [0]
Ketoacidosis	1 (0.0) [0]	1 (0.0) [0]
Large cell carcinoma of the respiratory tract stage unspecified	0 (0.0) [0]	2 (0.0) [0]
Laryngeal cancer	2 (0.0) [0]	0 (0.0) [0]
Leukaemia	0 (0.0) [0]	2 (0.0) [0]
Limb injury	0 (0.0) [0]	2 (0.0) [0]
Lip neoplasm malignant stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Liposarcoma metastatic	1 (0.0) [0]	1 (0.0) [0]
Loss of consciousness	1 (0.0) [0]	1 (0.0) [0]
Lung carcinoma cell type unspecified recurrent	1 (0.0) [0]	1 (0.0) [0]
Lung carcinoma cell type unspecified stage iv	1 (0.0) [0]	1 (0.0) [0]
Lung infection	0 (0.0) [0]	2 (0.0) [0]
Lung infiltration	2 (0.0) [0]	0 (0.0) [0]
Lung squamous cell carcinoma stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Lymphocele	1 (0.0) [0]	1 (0.0) [0]
Meniscus lesion	0 (0.0) [0]	2 (0.0) [0]
Mental disorder	2 (0.0) [0]	0 (0.0) [0]
Metabolic acidosis	1 (0.0) [0]	1 (0.0) [0]
Metastases to pleura	2 (0.0) [0]	0 (0.0) [0]
Metastasis	0 (0.0) [0]	2 (0.0) [0]
Microcytic anaemia	1 (0.0) [0]	1 (0.0) [0]

Mitral valve stenosis	0 (0.0) [0]	2 (0.0) [0]
Multiple fractures	1 (0.0) [0]	1 (0.0) [0]
Neck pain	1 (0.0) [0]	1 (0.0) [0]
Necrosis ischaemic	1 (0.0) [0]	1 (0.0) [0]
Neuralgia	1 (0.0) [0]	1 (0.0) [0]
Neurilemmoma	0 (0.0) [0]	2 (0.0) [0]
Oesophageal adenocarcinoma	0 (0.0) [0]	2 (0.0) [0]
Oesophageal candidiasis	1 (0.0) [0]	1 (0.0) [0]
Oesophageal perforation	2 (0.0) [0]	0 (0.0) [0]
Oesophageal stenosis	1 (0.0) [0]	1 (0.0) [0]
Oesophageal ulcer	1 (0.0) [0]	1 (0.0) [0]
Oesophageal varices haemorrhage	0 (0.0) [0]	2 (0.0) [0]
Organising pneumonia	2 (0.0) [0]	0 (0.0) [0]
Orthostatic hypotension	2 (0.0) [0]	0 (0.0) [0]
Osteoporosis	1 (0.0) [0]	1 (0.0) [0]
Osteoporotic fracture	1 (0.0) [0]	1 (0.0) [0]
Ovarian cancer	1 (0.0) [0]	1 (0.0) [0]
Ovarian cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Pain	1 (0.0) [0]	1 (0.0) [0]
Pancytopenia	1 (0.0) [0]	1 (0.0) [0]
Panic attack	1 (0.0) [0]	1 (0.0) [0]
Parotitis	1 (0.0) [0]	1 (0.0) [0]
Peptic ulcer perforation	1 (0.0) [0]	1 (0.0) [0]
Periarthritis	1 (0.0) [0]	1 (0.0) [0]
Pericardial effusion	2 (0.0) [0]	0 (0.0) [0]
Peripheral sensory neuropathy	1 (0.0) [0]	1 (0.0) [0]
Peritonitis bacterial	1 (0.0) [0]	1 (0.0) [0]
Pharyngeal cancer stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Pharyngitis	0 (0.0) [0]	2 (0.0) [0]
Plasmacytoma	0 (0.0) [0]	2 (0.0) [0]
Pleural fibrosis	1 (0.0) [0]	1 (0.0) [0]
Pneumonia staphylococcal	0 (0.0) [0]	2 (0.0) [0]
Pneumonia viral	2 (0.0) [0]	0 (0.0) [0]
Pneumonitis	0 (0.0) [0]	2 (0.0) [0]
Polyarthritis	0 (0.0) [0]	2 (0.0) [0]
Polycythaemia	1 (0.0) [0]	1 (0.0) [0]
Post procedural fistula	2 (0.0) [0]	0 (0.0) [0]
Post procedural infection	0 (0.0) [0]	2 (0.0) [0]
Post-traumatic pain	0 (0.0) [0]	2 (0.0) [0]
Postoperative hernia	2 (0.0) [0]	0 (0.0) [0]
Prostate cancer recurrent	1 (0.0) [0]	1 (0.0) [0]
Psychotic disorder	1 (0.0) [0]	1 (0.0) [0]
Pulmonary arterial hypertension	0 (0.0) [0]	2 (0.0) [0]
Pyloric stenosis	1 (0.0) [0]	1 (0.0) [0]
Pyrexia	1 (0.0) [0]	1 (0.0) [0]
Radicular syndrome	1 (0.0) [0]	1 (0.0) [0]
Renal impairment	1 (0.0) [0]	1 (0.0) [0]
Respiratory arrest	0 (0.0) [0]	2 (0.0) [0]
Respiratory disorder	1 (0.0) [0]	1 (0.0) [0]
Retinal artery occlusion	1 (0.0) [0]	1 (0.0) [0]
Retinal haemorrhage	1 (0.0) [0]	1 (0.0) [0]
Retroperitoneal haematoma	1 (0.0) [0]	1 (0.0) [0]
Retroperitoneal haemorrhage	2 (0.0) [0]	0 (0.0) [0]
Reversible ischaemic neurological deficit	2 (0.0) [0]	0 (0.0) [0]
Rhabdomyolysis	1 (0.0) [0]	1 (0.0) [0]
Salivary gland neoplasm	2 (0.0) [0]	0 (0.0) [0]

Schizophrenia, paranoid type	1 (0.0) [0]	1 (0.0) [0]
Senile dementia	0 (0.0) [0]	2 (0.0) [0]
Shock haemorrhagic	0 (0.0) [0]	2 (0.0) [0]
Sinus arrhythmia	1 (0.0) [0]	1 (0.0) [0]
Skeletal injury	1 (0.0) [0]	1 (0.0) [0]
Small cell lung cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Spigelian hernia	0 (0.0) [0]	2 (0.0) [0]
Spinal disorder	1 (0.0) [0]	1 (0.0) [0]
Splenic rupture	0 (0.0) [0]	2 (0.0) [0]
Squamous cell carcinoma of skin	0 (0.0) [0]	2 (0.0) [0]
Stasis dermatitis	0 (0.0) [0]	2 (0.0) [0]
Subcutaneous abscess	2 (0.0) [0]	0 (0.0) [0]
Thoracic vertebral fracture	2 (0.0) [0]	0 (0.0) [0]
Thyroid neoplasm	0 (0.0) [0]	2 (0.0) [0]
Toxic encephalopathy	2 (0.0) [0]	0 (0.0) [0]
Transient global amnesia	1 (0.0) [0]	1 (0.0) [0]
Trigeminal neuralgia	1 (0.0) [0]	1 (0.0) [0]
Ulcerative keratitis	0 (0.0) [0]	2 (0.0) [0]
Urinary bladder haemorrhage	2 (0.0) [0]	0 (0.0) [0]
Viith nerve paralysis	1 (0.0) [0]	1 (0.0) [0]
Vith nerve paralysis	1 (0.0) [0]	1 (0.0) [0]
Vascular pseudoaneurysm	1 (0.0) [0]	1 (0.0) [0]
Viral infection	2 (0.0) [0]	0 (0.0) [0]
Volvulus	1 (0.0) [0]	1 (0.0) [0]
Abdominal abscess	1 (0.0) [0]	0 (0.0) [0]
Abdominal adhesions	1 (0.0) [0]	0 (0.0) [0]
Abdominal infection	1 (0.0) [0]	0 (0.0) [0]
Abdominal wall haematoma	1 (0.0) [0]	0 (0.0) [0]
Abscess jaw	0 (0.0) [0]	1 (0.0) [0]
Acarodermatitis	1 (0.0) [0]	0 (0.0) [0]
Acral lentiginous melanoma stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Acute abdomen	1 (0.0) [0]	0 (0.0) [0]
Acute biphenotypic leukaemia	0 (0.0) [0]	1 (0.0) [0]
Acute prerenal failure	0 (0.0) [0]	1 (0.0) [0]
Acute respiratory distress syndrome	0 (0.0) [0]	1 (0.0) [0]
Adenomyosis	1 (0.0) [0]	0 (0.0) [0]
Adenovirus infection	0 (0.0) [0]	1 (0.0) [0]
Affective disorder	1 (0.0) [0]	0 (0.0) [0]
Age-related macular degeneration	0 (0.0) [0]	1 (0.0) [0]
Altered state of consciousness	0 (0.0) [0]	1 (0.0) [0]
Amnesia	1 (0.0) [0]	0 (0.0) [0]
Amoebic dysentery	0 (0.0) [0]	1 (0.0) [0]
Anaemia macrocytic	1 (0.0) [0]	0 (0.0) [0]
Anaemia vitamin b12 deficiency	0 (0.0) [0]	1 (0.0) [0]
Anaesthetic complication	0 (0.0) [0]	1 (0.0) [0]
Anal abscess	0 (0.0) [0]	1 (0.0) [0]
Angiodysplasia	0 (0.0) [0]	1 (0.0) [0]
Angiosarcoma	1 (0.0) [0]	0 (0.0) [0]
Animal bite	0 (0.0) [0]	1 (0.0) [0]
Anorectal disorder	1 (0.0) [0]	0 (0.0) [0]
Anuria	0 (0.0) [0]	1 (0.0) [0]
Anxiety disorder	0 (0.0) [0]	1 (0.0) [0]
Aortic disorder	0 (0.0) [0]	1 (0.0) [0]
Aortic dissection	1 (0.0) [0]	0 (0.0) [0]
Aortic valve calcification	0 (0.0) [0]	1 (0.0) [0]
Appendiceal abscess	0 (0.0) [0]	1 (0.0) [0]

Arachnoid cyst	1 (0.0) [0]	0 (0.0) [0]
Arterial bypass operation	1 (0.0) [0]	0 (0.0) [0]
Arterial disorder	0 (0.0) [0]	1 (0.0) [0]
Arteriovenous fistula occlusion	1 (0.0) [0]	0 (0.0) [0]
Ascites	0 (0.0) [0]	1 (0.0) [0]
Aspiration	0 (0.0) [0]	1 (0.0) [0]
Atelectasis	0 (0.0) [0]	1 (0.0) [0]
Autoimmune hepatitis	0 (0.0) [0]	1 (0.0) [0]
Autoimmune thrombocytopenia	1 (0.0) [0]	0 (0.0) [0]
Axonal neuropathy	1 (0.0) [1]	0 (0.0) [0]
B-cell small lymphocytic lymphoma	0 (0.0) [0]	1 (0.0) [0]
Bacterial infection	1 (0.0) [0]	0 (0.0) [0]
Bacteriuria	0 (0.0) [0]	1 (0.0) [0]
Balance disorder	0 (0.0) [0]	1 (0.0) [0]
Barrett's oesophagus	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm of prostate	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm of skin	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm of thyroid gland	0 (0.0) [0]	1 (0.0) [0]
Bile duct stenosis	0 (0.0) [0]	1 (0.0) [0]
Bipolar i disorder	1 (0.0) [0]	0 (0.0) [0]
Bipolar disorder	0 (0.0) [0]	1 (0.0) [0]
Bladder cyst	0 (0.0) [0]	1 (0.0) [0]
Bladder diverticulum	0 (0.0) [0]	1 (0.0) [0]
Bladder dysfunction	1 (0.0) [0]	0 (0.0) [0]
Bladder papilloma	0 (0.0) [0]	1 (0.0) [0]
Bladder perforation	1 (0.0) [0]	0 (0.0) [0]
Bladder prolapse	0 (0.0) [0]	1 (0.0) [0]
Bladder spasm	0 (0.0) [0]	1 (0.0) [0]
Bladder transitional cell carcinoma stage i	0 (0.0) [0]	1 (0.0) [0]
Blood electrolytes abnormal	0 (0.0) [0]	1 (0.0) [0]
Blood glucose increased	1 (0.0) [0]	0 (0.0) [0]
Blood pressure increased	0 (0.0) [0]	1 (0.0) [0]
Blood urea increased	1 (0.0) [0]	0 (0.0) [0]
Blood urine present	1 (0.0) [0]	0 (0.0) [0]
Body temperature increased	0 (0.0) [0]	1 (0.0) [0]
Bone cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Bone neoplasm	1 (0.0) [0]	0 (0.0) [0]
Bone sarcoma	1 (0.0) [0]	0 (0.0) [0]
Bowen's disease	0 (0.0) [0]	1 (0.0) [0]
Brain neoplasm benign	1 (0.0) [0]	0 (0.0) [0]
Brain stem stroke	0 (0.0) [0]	1 (0.0) [0]
Breast cancer stage i	1 (0.0) [0]	0 (0.0) [0]
Breast haematoma	1 (0.0) [0]	0 (0.0) [0]
Breast mass	1 (0.0) [0]	0 (0.0) [0]
Bronchial neoplasm	0 (0.0) [0]	1 (0.0) [0]
Bronchitis bacterial	1 (0.0) [0]	0 (0.0) [0]
Bronchitis fungal	1 (0.0) [0]	0 (0.0) [0]
Bronchitis viral	0 (0.0) [0]	1 (0.0) [0]
Bronchopulmonary aspergillosis	1 (0.0) [0]	0 (0.0) [0]
Bulbar palsy	1 (0.0) [0]	0 (0.0) [0]
Bullous lung disease	0 (0.0) [0]	1 (0.0) [0]
Bundle branch block left	0 (0.0) [0]	1 (0.0) [0]
Bundle branch block right	0 (0.0) [0]	1 (0.0) [0]
Burning sensation	1 (0.0) [0]	0 (0.0) [0]
Burns third degree	1 (0.0) [0]	0 (0.0) [0]

Bursitis	1 (0.0) [0]	0 (0.0) [0]
Calculus urethral	0 (0.0) [0]	1 (0.0) [0]
Carbon monoxide poisoning	0 (0.0) [0]	1 (0.0) [0]
Carcinoid tumour pulmonary	0 (0.0) [0]	1 (0.0) [0]
Carcinoma in situ	0 (0.0) [0]	1 (0.0) [0]
Cardiac aneurysm	1 (0.0) [0]	0 (0.0) [0]
Cardiac asthma	1 (0.0) [0]	0 (0.0) [0]
Cardiac disorder	0 (0.0) [0]	1 (0.0) [0]
Cardiac fibrillation	0 (0.0) [0]	1 (0.0) [0]
Cardiac myxoma	1 (0.0) [0]	0 (0.0) [0]
Carotid artery disease	1 (0.0) [0]	0 (0.0) [0]
Cartilage injury	0 (0.0) [0]	1 (0.0) [0]
Castleman's disease	0 (0.0) [0]	1 (0.0) [0]
Cataract cortical	1 (0.0) [0]	0 (0.0) [0]
Cerebellar infarction	0 (0.0) [0]	1 (0.0) [0]
Cerebellar syndrome	0 (0.0) [0]	1 (0.0) [0]
Cerebral artery embolism	1 (0.0) [0]	0 (0.0) [0]
Cerebral atrophy	1 (0.0) [0]	0 (0.0) [0]
Cervical polyp	1 (0.0) [0]	0 (0.0) [0]
Cervical spinal stenosis	0 (0.0) [0]	1 (0.0) [0]
Cervix neoplasm	1 (0.0) [0]	0 (0.0) [0]
Chest discomfort	0 (0.0) [0]	1 (0.0) [0]
Chest wall operation	0 (0.0) [0]	1 (0.0) [0]
Chloroma	0 (0.0) [0]	1 (0.0) [0]
Choking	1 (0.0) [0]	0 (0.0) [0]
Cholangiolitis	0 (0.0) [0]	1 (0.0) [0]
Cholangitis suppurative	1 (0.0) [0]	0 (0.0) [0]
Cholecystocholangitis	1 (0.0) [0]	0 (0.0) [0]
Chondrosarcoma	0 (0.0) [0]	1 (0.0) [0]
Chronic hepatic failure	0 (0.0) [0]	1 (0.0) [0]
Chronic leukaemia	0 (0.0) [0]	1 (0.0) [0]
Chronic respiratory failure	0 (0.0) [0]	1 (0.0) [0]
Cirrhosis alcoholic	1 (0.0) [0]	0 (0.0) [0]
Coagulopathy	0 (0.0) [0]	1 (0.0) [0]
Coccidioidomycosis	1 (0.0) [0]	0 (0.0) [0]
Coeliac disease	1 (0.0) [0]	0 (0.0) [0]
Cold type haemolytic anaemia	0 (0.0) [0]	1 (0.0) [0]
Colon cancer stage i	0 (0.0) [0]	1 (0.0) [0]
Colon cancer stage ii	1 (0.0) [0]	0 (0.0) [0]
Colonic fistula	1 (0.0) [0]	0 (0.0) [0]
Colorectal cancer	1 (0.0) [0]	0 (0.0) [0]
Coma	1 (0.0) [0]	0 (0.0) [0]
Complex partial seizures	1 (0.0) [0]	0 (0.0) [0]
Condition aggravated	0 (0.0) [0]	1 (0.0) [0]
Congenital megacolon	0 (0.0) [0]	1 (0.0) [0]
Congestive cardiomyopathy	0 (0.0) [0]	1 (0.0) [0]
Conjunctivitis	1 (0.0) [0]	0 (0.0) [0]
Corneal neovascularisation	0 (0.0) [0]	1 (0.0) [0]
Coronary artery reocclusion	0 (0.0) [0]	1 (0.0) [0]
Crystal arthropathy	1 (0.0) [0]	0 (0.0) [0]
Cutaneous lupus erythematosus	1 (0.0) [0]	0 (0.0) [0]
Cyclitis	1 (0.0) [0]	0 (0.0) [0]
Cyst	1 (0.0) [0]	0 (0.0) [0]
Cystic lymphangioma	1 (0.0) [0]	0 (0.0) [0]
Cystitis noninfective	0 (0.0) [0]	1 (0.0) [0]
Cystocele	1 (0.0) [0]	0 (0.0) [0]

Dacryostenosis acquired	1 (0.0) [0]	0 (0.0) [0]
Deafness	0 (0.0) [0]	1 (0.0) [0]
Deafness neurosensory	1 (0.0) [0]	0 (0.0) [0]
Delayed recovery from anaesthesia	0 (0.0) [0]	1 (0.0) [0]
Dengue fever	1 (0.0) [0]	0 (0.0) [0]
Dermal cyst	0 (0.0) [0]	1 (0.0) [0]
Dermatitis	0 (0.0) [0]	1 (0.0) [0]
Dermatitis contact	0 (0.0) [0]	1 (0.0) [0]
Device failure	0 (0.0) [0]	1 (0.0) [0]
Diabetic autonomic neuropathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic bullosis	0 (0.0) [0]	1 (0.0) [0]
Diabetic complication	0 (0.0) [0]	1 (0.0) [0]
Diabetic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic foot infection	1 (0.0) [0]	0 (0.0) [0]
Diabetic gastroparesis	0 (0.0) [0]	1 (0.0) [0]
Diabetic macroangiopathy	1 (0.0) [0]	0 (0.0) [0]
Dieulafoy's vascular malformation	0 (0.0) [0]	1 (0.0) [0]
Discomfort	0 (0.0) [0]	1 (0.0) [0]
Disseminated intravascular coagulation	0 (0.0) [0]	1 (0.0) [0]
Diverticulitis meckel's	0 (0.0) [0]	1 (0.0) [0]
Diverticulitis intestinal haemorrhagic	1 (0.0) [0]	0 (0.0) [0]
Diverticulum intestinal haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Dizziness postural	0 (0.0) [0]	1 (0.0) [0]
Drug eruption	1 (0.0) [0]	0 (0.0) [0]
Drug rash with eosinophilia and systemic symptoms	0 (0.0) [0]	1 (0.0) [0]
Duodenal perforation	0 (0.0) [0]	1 (0.0) [0]
Ear infection	1 (0.0) [0]	0 (0.0) [0]
Echography abnormal	0 (0.0) [0]	1 (0.0) [0]
Electrocardiogram abnormal	0 (0.0) [0]	1 (0.0) [0]
Endocarditis	1 (0.0) [0]	0 (0.0) [0]
Endometritis	1 (0.0) [0]	0 (0.0) [0]
Enteritis	0 (0.0) [0]	1 (0.0) [0]
Enterocutaneous fistula	1 (0.0) [0]	0 (0.0) [0]
Erosive oesophagitis	0 (0.0) [0]	1 (0.0) [0]
Erythema	1 (0.0) [0]	0 (0.0) [0]
Essential hypertension	1 (0.0) [0]	0 (0.0) [0]
External ear cellulitis	0 (0.0) [0]	1 (0.0) [0]
Extrapyramidal disorder	1 (0.0) [0]	0 (0.0) [0]
Extremity necrosis	0 (0.0) [0]	1 (0.0) [0]
Eye haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Eyelid ptosis	0 (0.0) [0]	1 (0.0) [0]
Facial pain	0 (0.0) [0]	1 (0.0) [0]
Facial paresis	1 (0.0) [0]	0 (0.0) [0]
Faecal incontinence	1 (0.0) [0]	0 (0.0) [0]
Fasciitis	1 (0.0) [0]	0 (0.0) [0]
Fatigue	1 (0.0) [0]	0 (0.0) [0]
Febrile infection	1 (0.0) [0]	0 (0.0) [0]
Female genital tract fistula	0 (0.0) [0]	1 (0.0) [0]
Femoral arterial stenosis	1 (0.0) [0]	0 (0.0) [0]
Femoral hernia	0 (0.0) [0]	1 (0.0) [0]
Finger amputation	0 (0.0) [0]	1 (0.0) [0]
Fistula	1 (0.0) [0]	0 (0.0) [0]
Flatulence	0 (0.0) [0]	1 (0.0) [0]
Fluid retention	0 (0.0) [0]	1 (0.0) [0]
Food allergy	0 (0.0) [0]	1 (0.0) [0]
Fracture	1 (0.0) [0]	0 (0.0) [0]

Gallbladder perforation	1 (0.0) [0]	0 (0.0) [0]
Gastric cancer recurrent	1 (0.0) [0]	0 (0.0) [0]
Gastric neoplasm	0 (0.0) [0]	1 (0.0) [0]
Gastric ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Gastritis atrophic	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal arteriovenous malformation	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal carcinoma	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal inflammation	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal injury	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal necrosis	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal obstruction	1 (0.0) [0]	0 (0.0) [0]
Genital herpes	1 (0.0) [0]	0 (0.0) [0]
Gilbert's syndrome	0 (0.0) [0]	1 (0.0) [0]
Gingival bleeding	1 (0.0) [0]	0 (0.0) [0]
Haemangioblastoma	0 (0.0) [0]	1 (0.0) [0]
Haemangioma	0 (0.0) [0]	1 (0.0) [0]
Haemangioma of spleen	1 (0.0) [0]	0 (0.0) [0]
Haematemesis	1 (0.0) [0]	0 (0.0) [0]
Haemorrhage subcutaneous	0 (0.0) [0]	1 (0.0) [0]
Haemorrhagic arteriovenous malformation	1 (0.0) [0]	0 (0.0) [0]
Hairy cell leukaemia	0 (0.0) [0]	1 (0.0) [0]
Hallucination	1 (0.0) [0]	0 (0.0) [0]
Head and neck cancer	1 (0.0) [0]	0 (0.0) [0]
Heart injury	0 (0.0) [0]	1 (0.0) [0]
Heerfordt's syndrome	1 (0.0) [0]	0 (0.0) [0]
Hepatic haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Hepatitis c	1 (0.0) [0]	0 (0.0) [0]
Hepatitis c antibody positive	0 (0.0) [0]	1 (0.0) [0]
Hepatitis chronic active	1 (0.0) [0]	0 (0.0) [0]
Hepatitis toxic	0 (0.0) [0]	1 (0.0) [0]
Hepatorenal failure	1 (0.0) [0]	0 (0.0) [0]
Herpes zoster ophthalmic	0 (0.0) [0]	1 (0.0) [0]
Hodgkin's disease	0 (0.0) [0]	1 (0.0) [0]
Human ehrlichiosis	0 (0.0) [0]	1 (0.0) [0]
Hydrocephalus	1 (0.0) [0]	0 (0.0) [0]
Hypercapnia	1 (0.0) [0]	0 (0.0) [0]
Hypernatraemia	0 (0.0) [0]	1 (0.0) [0]
Hyperosmolar state	0 (0.0) [0]	1 (0.0) [0]
Hyperplasia	1 (0.0) [0]	0 (0.0) [0]
Hypertensive encephalopathy	0 (0.0) [0]	1 (0.0) [0]
Hypertriglyceridaemia	1 (0.0) [0]	0 (0.0) [0]
Hyperuricaemia	0 (0.0) [0]	1 (0.0) [0]
Hypoacusis	0 (0.0) [0]	1 (0.0) [0]
Hypoaesthesia	0 (0.0) [0]	1 (0.0) [0]
Hypochromic anaemia	0 (0.0) [0]	1 (0.0) [0]
Hypopharyngeal cancer	0 (0.0) [0]	1 (0.0) [0]
Hypopituitarism	0 (0.0) [0]	1 (0.0) [0]
Hypoxic-ischaemic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Ivth nerve paralysis	1 (0.0) [0]	0 (0.0) [0]
Ileal fistula	0 (0.0) [0]	1 (0.0) [0]
Ileitis	0 (0.0) [0]	1 (0.0) [0]
Iliac artery stenosis	0 (0.0) [0]	1 (0.0) [0]
Ilium fracture	0 (0.0) [0]	1 (0.0) [0]
III-defined disorder	0 (0.0) [0]	1 (0.0) [0]
Impaired gastric emptying	0 (0.0) [0]	1 (0.0) [0]
Implant site haemorrhage	1 (0.0) [0]	0 (0.0) [0]

Implant site infection	1 (0.0) [0]	0 (0.0) [0]
Incision site haematoma	0 (0.0) [0]	1 (0.0) [0]
Infection masked	0 (0.0) [0]	1 (0.0) [0]
Influenza	1 (0.0) [0]	0 (0.0) [0]
Influenza like illness	0 (0.0) [0]	1 (0.0) [0]
Inguinal hernia strangulated	1 (0.0) [0]	0 (0.0) [0]
Inner ear disorder	1 (0.0) [0]	0 (0.0) [0]
Insomnia	1 (0.0) [0]	0 (0.0) [0]
Intercostal neuralgia	0 (0.0) [0]	1 (0.0) [0]
Internal injury	1 (0.0) [0]	0 (0.0) [0]
International normalised ratio increased	1 (0.0) [0]	0 (0.0) [0]
Intestinal congestion	1 (0.0) [0]	0 (0.0) [0]
Intestinal gangrene	1 (0.0) [0]	0 (0.0) [0]
Intestinal ischaemia	0 (0.0) [0]	1 (0.0) [0]
Intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Intraductal papilloma of breast	1 (0.0) [0]	0 (0.0) [0]
Ischaemia	0 (0.0) [0]	1 (0.0) [0]
Ischaemic cerebral infarction	1 (0.0) [0]	0 (0.0) [0]
Jaundice	0 (0.0) [0]	1 (0.0) [0]
Jaundice hepatocellular	1 (0.0) [0]	0 (0.0) [0]
Keratitis	0 (0.0) [0]	1 (0.0) [0]
Kidney infection	0 (0.0) [0]	1 (0.0) [0]
Klebsiella bacteraemia	1 (0.0) [0]	0 (0.0) [0]
Knee arthroplasty	1 (0.0) [0]	0 (0.0) [0]
Labyrinthitis	0 (0.0) [0]	1 (0.0) [0]
Lacrimal sac cellulitis	0 (0.0) [0]	1 (0.0) [0]
Lactose intolerance	0 (0.0) [0]	1 (0.0) [0]
Lacunar infarction	1 (0.0) [0]	0 (0.0) [0]
Large intestinal obstruction	1 (0.0) [0]	0 (0.0) [0]
Large intestinal ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Laryngeal oedema	0 (0.0) [0]	1 (0.0) [0]
Left ventricular dysfunction	1 (0.0) [0]	0 (0.0) [0]
Legionella infection	0 (0.0) [0]	1 (0.0) [0]
Leiomyosarcoma	0 (0.0) [0]	1 (0.0) [0]
Lentigo maligna stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Leriche syndrome	0 (0.0) [0]	1 (0.0) [0]
Leukocytoclastic vasculitis	0 (0.0) [0]	1 (0.0) [0]
Ligament rupture	1 (0.0) [0]	0 (0.0) [0]
Lipoedema	1 (0.0) [0]	0 (0.0) [0]
Liposarcoma	0 (0.0) [0]	1 (0.0) [0]
Liver abscess	0 (0.0) [0]	1 (0.0) [0]
Liver function test abnormal	1 (0.0) [0]	0 (0.0) [0]
Lung adenocarcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Lung infiltration malignant	1 (0.0) [0]	0 (0.0) [0]
Lymphadenopathy	1 (0.0) [0]	0 (0.0) [0]
Lymphangitis	0 (0.0) [0]	1 (0.0) [0]
Lymphoproliferative disorder	0 (0.0) [0]	1 (0.0) [0]
Maculopathy	0 (0.0) [0]	1 (0.0) [0]
Malignant neoplasm of ampulla of vater	1 (0.0) [0]	0 (0.0) [0]
Malignant ovarian cyst	0 (0.0) [0]	1 (0.0) [0]
Malnutrition	1 (0.0) [0]	0 (0.0) [0]
Mania	1 (0.0) [0]	0 (0.0) [0]
Mantle cell lymphoma	0 (0.0) [0]	1 (0.0) [0]
Mechanical ileus	0 (0.0) [0]	1 (0.0) [0]
Mediastinitis	0 (0.0) [0]	1 (0.0) [0]
Melanocytic naevus	0 (0.0) [0]	1 (0.0) [0]

Meniere's disease	0 (0.0) [0]	1 (0.0) [0]
Meningioma benign	1 (0.0) [0]	0 (0.0) [0]
Meningitis viral	0 (0.0) [0]	1 (0.0) [0]
Meniscal degeneration	0 (0.0) [0]	1 (0.0) [0]
Mental disorder due to a general medical condition	1 (0.0) [0]	0 (0.0) [0]
Mental status changes	1 (0.0) [0]	0 (0.0) [0]
Mesenteric artery embolism	0 (0.0) [0]	1 (0.0) [0]
Mesenteric fibrosis	1 (0.0) [0]	0 (0.0) [0]
Mesothelioma	1 (0.0) [0]	0 (0.0) [0]
Metastases to central nervous system	1 (0.0) [0]	0 (0.0) [0]
Metastases to meninges	1 (0.0) [0]	0 (0.0) [0]
Metastases to ovary	0 (0.0) [0]	1 (0.0) [0]
Metastatic bronchial carcinoma	0 (0.0) [0]	1 (0.0) [0]
Metastatic gastric cancer	1 (0.0) [0]	0 (0.0) [0]
Metastatic salivary gland cancer	0 (0.0) [0]	1 (0.0) [0]
Metastatic uterine cancer	0 (0.0) [0]	1 (0.0) [0]
Metrorrhagia	1 (0.0) [0]	0 (0.0) [0]
Migraine with aura	1 (0.0) [0]	0 (0.0) [0]
Mitral valve disease	1 (0.0) [0]	0 (0.0) [0]
Mitral valve prolapse	0 (0.0) [0]	1 (0.0) [0]
Monoparesis	0 (0.0) [0]	1 (0.0) [0]
Mueller's mixed tumour	1 (0.0) [0]	0 (0.0) [0]
Multiple sclerosis relapse	1 (0.0) [0]	0 (0.0) [0]
Muscle disorder	1 (0.0) [0]	0 (0.0) [0]
Muscle haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Muscle necrosis	0 (0.0) [0]	1 (0.0) [0]
Muscular weakness	1 (0.0) [0]	0 (0.0) [0]
Myasthenia gravis	1 (0.0) [0]	0 (0.0) [0]
Myeloid leukaemia	0 (0.0) [0]	1 (0.0) [0]
Myelopathy	1 (0.0) [0]	0 (0.0) [0]
Myocardial fibrosis	1 (0.0) [0]	0 (0.0) [0]
Myoclonus	1 (0.0) [0]	0 (0.0) [0]
Myopathy	1 (0.0) [0]	0 (0.0) [0]
Myotonia	1 (0.0) [1]	0 (0.0) [0]
Nasal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Nasal polyps	1 (0.0) [0]	0 (0.0) [0]
Nasal septum deviation	1 (0.0) [0]	0 (0.0) [0]
Nephropathy toxic	0 (0.0) [0]	1 (0.0) [0]
Nephrotic syndrome	0 (0.0) [0]	1 (0.0) [0]
Nerve root compression	1 (0.0) [0]	0 (0.0) [0]
Neuralgic amyotrophy	1 (0.0) [0]	0 (0.0) [0]
Neuritis	1 (0.0) [0]	0 (0.0) [0]
Neurodermatitis	0 (0.0) [0]	1 (0.0) [0]
Neuropathy peripheral	1 (0.0) [0]	0 (0.0) [0]
Neurosis	0 (0.0) [0]	1 (0.0) [0]
Nodule	0 (0.0) [0]	1 (0.0) [0]
Non-small cell lung cancer stage iii	1 (0.0) [0]	0 (0.0) [0]
Normal pressure hydrocephalus	0 (0.0) [0]	1 (0.0) [0]
Normochromic normocytic anaemia	1 (0.0) [0]	0 (0.0) [0]
Obesity	1 (0.0) [0]	0 (0.0) [0]
Ocular hypertension	1 (0.0) [0]	0 (0.0) [0]
Oesophageal achalasia	0 (0.0) [0]	1 (0.0) [0]
Oesophageal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Oliguria	1 (0.0) [0]	0 (0.0) [0]
Open wound	0 (0.0) [0]	1 (0.0) [0]
Optic ischaemic neuropathy	0 (0.0) [0]	1 (0.0) [0]

Oral cavity cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Organ failure	0 (0.0) [0]	1 (0.0) [0]
Oropharyngeal cancer stage unspecified	1 (0.0) [0]	0 (0.0) [0]
Oropharyngeal pain	0 (0.0) [0]	1 (0.0) [0]
Oropharyngitis fungal	1 (0.0) [0]	0 (0.0) [0]
Osteitis	0 (0.0) [0]	1 (0.0) [0]
Osteochondroma	1 (0.0) [0]	0 (0.0) [0]
Ovarian fibroma	0 (0.0) [0]	1 (0.0) [0]
Paget's disease of the vulva	1 (0.0) [0]	0 (0.0) [0]
Pancreatic carcinoma stage iv	0 (0.0) [0]	1 (0.0) [0]
Pancreatic duct obstruction	0 (0.0) [0]	1 (0.0) [0]
Pancreatic duct stenosis	1 (0.0) [0]	0 (0.0) [0]
Pancreatic neoplasm	0 (0.0) [0]	1 (0.0) [0]
Papilla of Vater stenosis	0 (0.0) [0]	1 (0.0) [0]
Paresis	1 (0.0) [0]	0 (0.0) [0]
Paronychia	0 (0.0) [0]	1 (0.0) [0]
Paroxysmal arrhythmia	0 (0.0) [0]	1 (0.0) [0]
Patella fracture	1 (0.0) [0]	0 (0.0) [0]
Patellofemoral pain syndrome	0 (0.0) [0]	1 (0.0) [0]
Pelvic adhesions	1 (0.0) [0]	0 (0.0) [0]
Pelvic haematoma	0 (0.0) [0]	1 (0.0) [0]
Perineal abscess	0 (0.0) [0]	1 (0.0) [0]
Periorbital haematoma	0 (0.0) [0]	1 (0.0) [0]
Peripheral embolism	1 (0.0) [0]	0 (0.0) [0]
Peroneal nerve injury	0 (0.0) [0]	1 (0.0) [0]
Peroneal nerve palsy	1 (0.0) [0]	0 (0.0) [0]
Pertussis	0 (0.0) [0]	1 (0.0) [0]
Phaeochromocytoma	0 (0.0) [0]	1 (0.0) [0]
Pharyngeal cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Phlebitis	1 (0.0) [0]	0 (0.0) [0]
Pituitary tumour benign	1 (0.0) [0]	0 (0.0) [0]
Plantar fasciitis	1 (0.0) [0]	0 (0.0) [0]
Pleura carcinoma	0 (0.0) [0]	1 (0.0) [0]
Pleural mesothelioma	0 (0.0) [0]	1 (0.0) [0]
Pleuritic pain	1 (0.0) [0]	0 (0.0) [0]
Pneumococcal infection	1 (0.0) [0]	0 (0.0) [0]
Pneumonia streptococcal	0 (0.0) [0]	1 (0.0) [0]
Pneumoperitoneum	1 (0.0) [0]	0 (0.0) [0]
Pneumothorax traumatic	0 (0.0) [0]	1 (0.0) [0]
Pollakiuria	0 (0.0) [0]	1 (0.0) [0]
Polyneuropathy alcoholic	0 (0.0) [0]	1 (0.0) [0]
Poor peripheral circulation	0 (0.0) [0]	1 (0.0) [0]
Portal hypertensive gastropathy	1 (0.0) [0]	0 (0.0) [0]
Portal vein thrombosis	1 (0.0) [0]	0 (0.0) [0]
Post procedural haematoma	1 (0.0) [0]	0 (0.0) [0]
Post procedural haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Post procedural pneumonia	1 (0.0) [0]	0 (0.0) [0]
Post thrombotic syndrome	1 (0.0) [0]	0 (0.0) [0]
Postinfarction angina	0 (0.0) [0]	1 (0.0) [0]
Postmenopausal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Postoperative thoracic procedure complication	0 (0.0) [0]	1 (0.0) [0]
Postoperative wound complication	0 (0.0) [0]	1 (0.0) [0]
Procedural pain	0 (0.0) [0]	1 (0.0) [0]
Proctocolitis	0 (0.0) [0]	1 (0.0) [0]
Prostate cancer stage 0	0 (0.0) [0]	1 (0.0) [0]
Prostate cancer stage iii	1 (0.0) [0]	0 (0.0) [0]

Prostate cancer stage iv	1 (0.0) [0]	0 (0.0) [0]
Prostate infection	1 (0.0) [0]	0 (0.0) [0]
Prostatic disorder	1 (0.0) [0]	0 (0.0) [0]
Prostatism	1 (0.0) [0]	0 (0.0) [0]
Pseudoradicular syndrome	1 (0.0) [0]	0 (0.0) [0]
Psoriasis	1 (0.0) [0]	0 (0.0) [0]
Pulmonary alveolar haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Pulmonary congestion	0 (0.0) [0]	1 (0.0) [0]
Pulmonary mass	0 (0.0) [0]	1 (0.0) [0]
Pulmonary sepsis	1 (0.0) [0]	0 (0.0) [0]
Pyonephrosis	0 (0.0) [0]	1 (0.0) [0]
Radiculitis brachial	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Rectal prolapse	1 (0.0) [0]	0 (0.0) [0]
Rectal ulcer haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Rectocele	1 (0.0) [0]	0 (0.0) [0]
Refractory anaemia with an excess of blasts	0 (0.0) [0]	1 (0.0) [0]
Renal abscess	0 (0.0) [0]	1 (0.0) [0]
Renal cyst	0 (0.0) [0]	1 (0.0) [0]
Renal disorder	0 (0.0) [0]	1 (0.0) [0]
Renal function test abnormal	0 (0.0) [0]	1 (0.0) [0]
Renal mass	0 (0.0) [0]	1 (0.0) [0]
Renal pain	1 (0.0) [0]	0 (0.0) [0]
Respiratory acidosis	0 (0.0) [0]	1 (0.0) [0]
Retinopathy	1 (0.0) [0]	0 (0.0) [0]
Retroperitoneal abscess	0 (0.0) [0]	1 (0.0) [0]
Retroperitoneum cyst	1 (0.0) [0]	0 (0.0) [0]
Rhinitis	0 (0.0) [0]	1 (0.0) [0]
Right ventricular failure	0 (0.0) [0]	1 (0.0) [0]
Rotavirus infection	0 (0.0) [0]	1 (0.0) [0]
Salivary duct inflammation	0 (0.0) [0]	1 (0.0) [0]
Salivary gland adenoma	1 (0.0) [0]	0 (0.0) [0]
Salivary gland cancer	0 (0.0) [0]	1 (0.0) [0]
Salivary gland fistula	0 (0.0) [0]	1 (0.0) [0]
Salmonellosis	0 (0.0) [0]	1 (0.0) [0]
Scapula fracture	0 (0.0) [0]	1 (0.0) [0]
Scar	0 (0.0) [0]	1 (0.0) [0]
Schizophrenia	0 (0.0) [0]	1 (0.0) [0]
Scrotal gangrene	0 (0.0) [0]	1 (0.0) [0]
Secondary hypertension	1 (0.0) [0]	0 (0.0) [0]
Sepsis syndrome	0 (0.0) [0]	1 (0.0) [0]
Serratia sepsis	1 (0.0) [0]	0 (0.0) [0]
Sialoadenitis	1 (0.0) [0]	0 (0.0) [0]
Sinoatrial block	1 (0.0) [0]	0 (0.0) [0]
Sinus arrest	1 (0.0) [0]	0 (0.0) [0]
Skin infection	1 (0.0) [0]	0 (0.0) [0]
Skin injury	1 (0.0) [0]	0 (0.0) [0]
Skin lesion	1 (0.0) [0]	0 (0.0) [0]
Skin ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Skull fractured base	0 (0.0) [0]	1 (0.0) [0]
Small intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Small intestinal stenosis	1 (0.0) [0]	0 (0.0) [0]
Small intestine carcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Soft tissue infection	0 (0.0) [0]	1 (0.0) [0]
Spastic paraplegia	1 (0.0) [0]	0 (0.0) [0]

Spinal claudication	1 (0.0) [0]	0 (0.0) [0]
Spinal column injury	1 (0.0) [0]	0 (0.0) [0]
Spinal cord compression	1 (0.0) [0]	0 (0.0) [0]
Spinal cord disorder	0 (0.0) [0]	1 (0.0) [0]
Spinal cord injury cervical	1 (0.0) [0]	0 (0.0) [0]
Spinal cord neoplasm	1 (0.0) [0]	0 (0.0) [0]
Spindle cell sarcoma	0 (0.0) [0]	1 (0.0) [0]
Splenic infarction	0 (0.0) [0]	1 (0.0) [0]
Spondyloarthropathy	0 (0.0) [0]	1 (0.0) [0]
Staphylococcal osteomyelitis	0 (0.0) [0]	1 (0.0) [0]
Staphylococcal sepsis	1 (0.0) [0]	0 (0.0) [0]
Stent placement	1 (0.0) [0]	0 (0.0) [0]
Sternal fracture	1 (0.0) [0]	0 (0.0) [0]
Stevens-johnson syndrome	0 (0.0) [0]	1 (0.0) [0]
Stress urinary incontinence	0 (0.0) [0]	1 (0.0) [0]
Subclavian steal syndrome	1 (0.0) [0]	0 (0.0) [0]
Subcutaneous haematoma	0 (0.0) [0]	1 (0.0) [0]
Subdural haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Suicide attempt	0 (0.0) [0]	1 (0.0) [0]
Supraventricular extrasystoles	0 (0.0) [0]	1 (0.0) [0]
Swelling	0 (0.0) [0]	1 (0.0) [0]
Symphysiolysis	0 (0.0) [0]	1 (0.0) [0]
Systemic inflammatory response syndrome	0 (0.0) [0]	1 (0.0) [0]
Systemic lupus erythematosus	1 (0.0) [0]	0 (0.0) [0]
Temporal arteritis	1 (0.0) [0]	0 (0.0) [0]
Tendon disorder	1 (0.0) [0]	0 (0.0) [0]
Tension headache	1 (0.0) [0]	0 (0.0) [0]
Thalamic infarction	0 (0.0) [0]	1 (0.0) [0]
Thermal burn	1 (0.0) [0]	0 (0.0) [0]
Throat cancer	1 (0.0) [0]	0 (0.0) [0]
Thyroglossal cyst	0 (0.0) [0]	1 (0.0) [0]
Thyroglossal cyst infection	0 (0.0) [0]	1 (0.0) [0]
Thyroid adenoma	1 (0.0) [0]	0 (0.0) [0]
Thyroid cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Tinnitus	0 (0.0) [0]	1 (0.0) [0]
Tongue neoplasm benign	0 (0.0) [0]	1 (0.0) [0]
Tongue neoplasm malignant stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Tongue ulceration	0 (0.0) [0]	1 (0.0) [0]
Tooth disorder	1 (0.0) [0]	0 (0.0) [0]
Toxic nodular goitre	1 (0.0) [0]	0 (0.0) [0]
Tracheal papilloma	1 (0.0) [0]	0 (0.0) [0]
Tracheobronchitis	0 (0.0) [0]	1 (0.0) [0]
Transaminases increased	0 (0.0) [0]	1 (0.0) [0]
Tremor	1 (0.0) [0]	0 (0.0) [0]
Tricuspid valve incompetence	1 (0.0) [0]	0 (0.0) [0]
Trifascicular block	0 (0.0) [0]	1 (0.0) [0]
Trigger finger	0 (0.0) [0]	1 (0.0) [0]
Tubulointerstitial nephritis	1 (0.0) [0]	0 (0.0) [0]
Tympanic membrane perforation	1 (0.0) [0]	0 (0.0) [0]
Tympanosclerosis	0 (0.0) [0]	1 (0.0) [0]
Type 1 diabetes mellitus	0 (0.0) [0]	1 (0.0) [0]
Ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Ureteric stenosis	1 (0.0) [0]	0 (0.0) [0]
Urethral haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Urinary incontinence	1 (0.0) [0]	0 (0.0) [0]
Urinary tract obstruction	0 (0.0) [0]	1 (0.0) [0]

Urinoma	1 (0.0) [0]	0 (0.0) [0]
Urticaria	0 (0.0) [0]	1 (0.0) [0]
Uterine cervix stenosis	0 (0.0) [0]	1 (0.0) [0]
Uterine neoplasm	1 (0.0) [0]	0 (0.0) [0]
Uveitis	0 (0.0) [0]	1 (0.0) [0]
Vaginal cancer	0 (0.0) [0]	1 (0.0) [0]
Vaginal haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Vaginal prolapse	0 (0.0) [0]	1 (0.0) [0]
Vagus nerve disorder	0 (0.0) [0]	1 (0.0) [0]
Varices oesophageal	1 (0.0) [0]	0 (0.0) [0]
Varicose ulceration	1 (0.0) [0]	0 (0.0) [0]
Vascular graft occlusion	1 (0.0) [0]	0 (0.0) [0]
Vascular insufficiency	0 (0.0) [0]	1 (0.0) [0]
Vascular occlusion	0 (0.0) [0]	1 (0.0) [0]
Venous insufficiency	1 (0.0) [0]	0 (0.0) [0]
Venous occlusion	1 (0.0) [0]	0 (0.0) [0]
Ventricle rupture	0 (0.0) [0]	1 (0.0) [0]
Ventricular flutter	1 (0.0) [0]	0 (0.0) [0]
Vesical fistula	1 (0.0) [0]	0 (0.0) [0]
Vitamin d deficiency	1 (0.0) [0]	0 (0.0) [0]
Vocal cord cyst	0 (0.0) [0]	1 (0.0) [0]
Vulvovaginitis	0 (0.0) [0]	1 (0.0) [0]
Waldenstrom's macroglobulinaemia	1 (0.0) [0]	0 (0.0) [0]
Wegener's granulomatosis	1 (0.0) [0]	0 (0.0) [0]
Weight decreased	0 (0.0) [0]	1 (0.0) [0]
Whiplash injury	1 (0.0) [0]	0 (0.0) [0]
Wolff-parkinson-white syndrome	0 (0.0) [0]	1 (0.0) [0]
Wound dehiscence	1 (0.0) [0]	0 (0.0) [0]
Wound infection staphylococcal	0 (0.0) [0]	1 (0.0) [0]
Wound sepsis	0 (0.0) [0]	1 (0.0) [0]
Fatal SAEs	Flu 1 Group N = 21893	Flu 2 Group N = 21802
Subjects with fatal SAE(s), n (%) [n assessed by the investigator as related]	409 (1.9) [0]	440 (2.0) [0]
Cerebrovascular accident	34 (0.2) [0]	31 (0.1) [0]
Myocardial infarction	29 (0.1) [0]	26 (0.1) [0]
Pneumonia	24 (0.1) [0]	19 (0.1) [0]
Cardiac failure congestive	17 (0.1) [0]	22 (0.1) [0]
Death	17 (0.1) [0]	18 (0.1) [0]
Cardiac failure	15 (0.1) [0]	14 (0.1) [0]
Sudden death	19 (0.1) [0]	9 (0.0) [0]
Myocardial ischaemia	14 (0.1) [0]	12 (0.1) [0]
Cardiac arrest	10 (0.0) [0]	15 (0.1) [0]
Acute myocardial infarction	8 (0.0) [0]	12 (0.1) [0]
Pulmonary embolism	5 (0.0) [0]	14 (0.1) [0]
Lung neoplasm malignant	6 (0.0) [0]	12 (0.1) [0]
Atrial fibrillation	8 (0.0) [0]	8 (0.0) [0]
Sepsis	10 (0.0) [0]	6 (0.0) [0]
Chronic obstructive pulmonary disease	3 (0.0) [0]	11 (0.1) [0]
Respiratory failure	7 (0.0) [0]	7 (0.0) [0]
Multi-organ failure	4 (0.0) [0]	9 (0.0) [0]
Acute respiratory failure	6 (0.0) [0]	5 (0.0) [0]
Bronchopneumonia	7 (0.0) [0]	4 (0.0) [0]
Cerebrovascular disorder	7 (0.0) [0]	4 (0.0) [0]
Arteriosclerosis	4 (0.0) [0]	6 (0.0) [0]
Colon cancer	6 (0.0) [0]	4 (0.0) [0]
Pulmonary oedema	5 (0.0) [0]	5 (0.0) [0]

Completed suicide	5 (0.0) [0]	4 (0.0) [0]
Gastric cancer	3 (0.0) [0]	6 (0.0) [0]
Ischaemic stroke	3 (0.0) [0]	6 (0.0) [0]
Renal failure acute	6 (0.0) [0]	3 (0.0) [0]
Septic shock	4 (0.0) [0]	4 (0.0) [0]
Urinary tract infection	5 (0.0) [0]	3 (0.0) [0]
Cerebral haemorrhage	5 (0.0) [0]	2 (0.0) [0]
Decubitus ulcer	2 (0.0) [0]	5 (0.0) [0]
Hepatic neoplasm malignant	5 (0.0) [0]	2 (0.0) [0]
Pancreatic carcinoma	3 (0.0) [0]	4 (0.0) [0]
Pancreatic carcinoma metastatic	2 (0.0) [0]	5 (0.0) [0]
Cardiac death	3 (0.0) [0]	3 (0.0) [0]
Colon cancer metastatic	2 (0.0) [0]	4 (0.0) [0]
Prostate cancer	3 (0.0) [0]	3 (0.0) [0]
Bladder cancer	4 (0.0) [0]	1 (0.0) [0]
Brain oedema	1 (0.0) [0]	4 (0.0) [0]
Cardiopulmonary failure	4 (0.0) [0]	1 (0.0) [0]
Cardiovascular insufficiency	3 (0.0) [0]	2 (0.0) [0]
Diabetes mellitus inadequate control	2 (0.0) [0]	3 (0.0) [0]
Hepatic cirrhosis	3 (0.0) [0]	2 (0.0) [0]
Metastases to liver	3 (0.0) [0]	2 (0.0) [0]
Pneumonia aspiration	3 (0.0) [0]	2 (0.0) [0]
Renal failure chronic	2 (0.0) [0]	3 (0.0) [0]
Road traffic accident	2 (0.0) [0]	3 (0.0) [0]
Sudden cardiac death	4 (0.0) [0]	1 (0.0) [0]
Arrhythmia	3 (0.0) [0]	1 (0.0) [0]
Bronchitis	1 (0.0) [0]	3 (0.0) [0]
Cerebral infarction	2 (0.0) [0]	2 (0.0) [0]
Circulatory collapse	1 (0.0) [0]	3 (0.0) [0]
Diabetes mellitus	3 (0.0) [0]	1 (0.0) [0]
Femoral neck fracture	0 (0.0) [0]	4 (0.0) [0]
Femur fracture	1 (0.0) [0]	3 (0.0) [0]
Gastrointestinal haemorrhage	2 (0.0) [0]	2 (0.0) [0]
Metastatic malignant melanoma	2 (0.0) [0]	2 (0.0) [0]
Metastatic neoplasm	3 (0.0) [0]	1 (0.0) [0]
Pancreatitis acute	2 (0.0) [0]	2 (0.0) [0]
Ventricular fibrillation	2 (0.0) [0]	2 (0.0) [0]
Acute myeloid leukaemia	0 (0.0) [0]	3 (0.0) [0]
Breast cancer	1 (0.0) [0]	2 (0.0) [0]
Cardio-respiratory arrest	2 (0.0) [0]	1 (0.0) [0]
Cerebral arteriosclerosis	3 (0.0) [0]	0 (0.0) [0]
Gastric cancer stage iv	1 (0.0) [0]	2 (0.0) [0]
Gastroenteritis	1 (0.0) [0]	2 (0.0) [0]
Glioblastoma	2 (0.0) [0]	1 (0.0) [0]
Haemorrhagic stroke	2 (0.0) [0]	1 (0.0) [0]
Head injury	1 (0.0) [0]	2 (0.0) [0]
Hip fracture	1 (0.0) [0]	2 (0.0) [0]
Hypertension	0 (0.0) [0]	3 (0.0) [0]
Ileus	1 (0.0) [0]	2 (0.0) [0]
Lung cancer metastatic	2 (0.0) [0]	1 (0.0) [0]
Metastatic carcinoma of the bladder	1 (0.0) [0]	2 (0.0) [0]
Neoplasm malignant	1 (0.0) [0]	2 (0.0) [0]
Non-small cell lung cancer metastatic	1 (0.0) [0]	2 (0.0) [0]
Peritonitis	2 (0.0) [0]	1 (0.0) [0]
Renal cancer	1 (0.0) [0]	2 (0.0) [0]
Renal failure	2 (0.0) [0]	1 (0.0) [0]

Acute coronary syndrome	0 (0.0) [0]	2 (0.0) [0]
Acute leukaemia	1 (0.0) [0]	1 (0.0) [0]
Acute pulmonary oedema	1 (0.0) [0]	1 (0.0) [0]
Anaemia	1 (0.0) [0]	1 (0.0) [0]
Aspiration bronchial	2 (0.0) [0]	0 (0.0) [0]
Atrioventricular block	2 (0.0) [0]	0 (0.0) [0]
Bone neoplasm malignant	0 (0.0) [0]	2 (0.0) [0]
Bronchial carcinoma	1 (0.0) [0]	1 (0.0) [0]
Cachexia	0 (0.0) [0]	2 (0.0) [0]
Cerebrovascular insufficiency	0 (0.0) [0]	2 (0.0) [0]
Colon cancer recurrent	1 (0.0) [0]	1 (0.0) [0]
Contusion	1 (0.0) [0]	1 (0.0) [0]
Coronary artery insufficiency	1 (0.0) [0]	1 (0.0) [0]
Deep vein thrombosis	1 (0.0) [0]	1 (0.0) [0]
Dehydration	0 (0.0) [0]	2 (0.0) [0]
Drowning	1 (0.0) [0]	1 (0.0) [0]
Epilepsy	2 (0.0) [0]	0 (0.0) [0]
Gallbladder cancer	1 (0.0) [0]	1 (0.0) [0]
Glioblastoma multiforme	0 (0.0) [0]	2 (0.0) [0]
Hepatic failure	2 (0.0) [0]	0 (0.0) [0]
Hepatorenal syndrome	1 (0.0) [0]	1 (0.0) [0]
Hypotension	1 (0.0) [0]	1 (0.0) [0]
Hypovolaemic shock	1 (0.0) [0]	1 (0.0) [0]
Injury	2 (0.0) [0]	0 (0.0) [0]
Lobar pneumonia	0 (0.0) [0]	2 (0.0) [0]
Lung adenocarcinoma	1 (0.0) [0]	1 (0.0) [0]
Lymphoma	2 (0.0) [0]	0 (0.0) [0]
Metabolic acidosis	1 (0.0) [0]	1 (0.0) [0]
Metabolic encephalopathy	1 (0.0) [0]	1 (0.0) [0]
Myelodysplastic syndrome	0 (0.0) [0]	2 (0.0) [0]
Peritonitis bacterial	1 (0.0) [0]	1 (0.0) [0]
Pleural effusion	1 (0.0) [0]	1 (0.0) [0]
Prostate cancer metastatic	0 (0.0) [0]	2 (0.0) [0]
Rectal cancer	1 (0.0) [0]	1 (0.0) [0]
Renal cancer metastatic	0 (0.0) [0]	2 (0.0) [0]
Respiratory arrest	0 (0.0) [0]	2 (0.0) [0]
Small cell lung cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Traumatic brain injury	0 (0.0) [0]	2 (0.0) [0]
Upper gastrointestinal haemorrhage	0 (0.0) [0]	2 (0.0) [0]
Upper respiratory tract infection	1 (0.0) [0]	1 (0.0) [0]
Uterine cancer	1 (0.0) [0]	1 (0.0) [0]
Abdominal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Acute biphenotypic leukaemia	0 (0.0) [0]	1 (0.0) [0]
Acute respiratory distress syndrome	0 (0.0) [0]	1 (0.0) [0]
Amyotrophic lateral sclerosis	1 (0.0) [0]	0 (0.0) [0]
Anaesthetic complication	0 (0.0) [0]	1 (0.0) [0]
Aneurysm ruptured	0 (0.0) [0]	1 (0.0) [0]
Angiosarcoma	1 (0.0) [0]	0 (0.0) [0]
Aortic aneurysm	1 (0.0) [0]	0 (0.0) [0]
Aortic aneurysm rupture	1 (0.0) [0]	0 (0.0) [0]
Aortic dissection	1 (0.0) [0]	0 (0.0) [0]
Appendicitis	0 (0.0) [0]	1 (0.0) [0]
Arthralgia	0 (0.0) [0]	1 (0.0) [0]
Aspiration	0 (0.0) [0]	1 (0.0) [0]
Asthmatic crisis	1 (0.0) [0]	0 (0.0) [0]
Atelectasis	0 (0.0) [0]	1 (0.0) [0]

B-cell lymphoma	0 (0.0) [0]	1 (0.0) [0]
Bile duct cancer	1 (0.0) [0]	0 (0.0) [0]
Bile duct stone	1 (0.0) [0]	0 (0.0) [0]
Bone cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Bone neoplasm	1 (0.0) [0]	0 (0.0) [0]
Bradycardia	1 (0.0) [0]	0 (0.0) [0]
Brain neoplasm	1 (0.0) [0]	0 (0.0) [0]
Brain stem infarction	1 (0.0) [0]	0 (0.0) [0]
Breast cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Bronchial neoplasm	0 (0.0) [0]	1 (0.0) [0]
Carbon monoxide poisoning	0 (0.0) [0]	1 (0.0) [0]
Cardiac failure acute	1 (0.0) [0]	0 (0.0) [0]
Cardiac failure chronic	0 (0.0) [0]	1 (0.0) [0]
Cardiac valve disease	1 (0.0) [0]	0 (0.0) [0]
Cardiogenic shock	1 (0.0) [0]	0 (0.0) [0]
Cardiovascular disorder	0 (0.0) [0]	1 (0.0) [0]
Cerebral artery embolism	1 (0.0) [0]	0 (0.0) [0]
Cerebral ischaemia	0 (0.0) [0]	1 (0.0) [0]
Cervical vertebral fracture	1 (0.0) [0]	0 (0.0) [0]
Cervix carcinoma	0 (0.0) [0]	1 (0.0) [0]
Chloroma	0 (0.0) [0]	1 (0.0) [0]
Cholecystitis	0 (0.0) [0]	1 (0.0) [0]
Cholelithiasis	1 (0.0) [0]	0 (0.0) [0]
Chronic hepatic failure	0 (0.0) [0]	1 (0.0) [0]
Chronic lymphocytic leukaemia	1 (0.0) [0]	0 (0.0) [0]
Chronic myeloid leukaemia	0 (0.0) [0]	1 (0.0) [0]
Cirrhosis alcoholic	1 (0.0) [0]	0 (0.0) [0]
Colon adenoma	0 (0.0) [0]	1 (0.0) [0]
Colon neoplasm	1 (0.0) [0]	0 (0.0) [0]
Colonic polyp	1 (0.0) [0]	0 (0.0) [0]
Coma	1 (0.0) [0]	0 (0.0) [0]
Decreased appetite	0 (0.0) [0]	1 (0.0) [0]
Dementia alzheimer's type	1 (0.0) [0]	0 (0.0) [0]
Diabetic complication	0 (0.0) [0]	1 (0.0) [0]
Disseminated intravascular coagulation	0 (0.0) [0]	1 (0.0) [0]
Duodenal ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Duodenal ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Electrolyte imbalance	0 (0.0) [0]	1 (0.0) [0]
Embolic stroke	0 (0.0) [0]	1 (0.0) [0]
Embolism	1 (0.0) [0]	0 (0.0) [0]
Encephalopathy	0 (0.0) [0]	1 (0.0) [0]
Enteritis	0 (0.0) [0]	1 (0.0) [0]
Facial bones fracture	1 (0.0) [0]	0 (0.0) [0]
Failure to thrive	1 (0.0) [0]	0 (0.0) [0]
Gallbladder perforation	1 (0.0) [0]	0 (0.0) [0]
Gangrene	1 (0.0) [0]	0 (0.0) [0]
Gastric ulcer haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Haematoma	1 (0.0) [0]	0 (0.0) [0]
Haematuria	0 (0.0) [0]	1 (0.0) [0]
Haemoptysis	0 (0.0) [0]	1 (0.0) [0]
Haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Hepatic neoplasm	1 (0.0) [0]	0 (0.0) [0]
Hepatorenal failure	1 (0.0) [0]	0 (0.0) [0]
Hiatus hernia	0 (0.0) [0]	1 (0.0) [0]
Hodgkin's disease	0 (0.0) [0]	1 (0.0) [0]
Humerus fracture	0 (0.0) [0]	1 (0.0) [0]

Hypercapnia	1 (0.0) [0]	0 (0.0) [0]
Hypernatraemia	0 (0.0) [0]	1 (0.0) [0]
Hypertensive crisis	0 (0.0) [0]	1 (0.0) [0]
Hypertensive heart disease	0 (0.0) [0]	1 (0.0) [0]
Hypoglycaemic coma	0 (0.0) [0]	1 (0.0) [0]
Ileus paralytic	1 (0.0) [0]	0 (0.0) [0]
Infection	0 (0.0) [0]	1 (0.0) [0]
Infection masked	0 (0.0) [0]	1 (0.0) [0]
Influenza like illness	0 (0.0) [0]	1 (0.0) [0]
Intentional overdose	1 (0.0) [0]	0 (0.0) [0]
Intestinal obstruction	0 (0.0) [0]	1 (0.0) [0]
Intracranial aneurysm	1 (0.0) [0]	0 (0.0) [0]
Ischaemic cerebral infarction	1 (0.0) [0]	0 (0.0) [0]
Ketoacidosis	0 (0.0) [0]	1 (0.0) [0]
Large cell carcinoma of the respiratory tract stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Large intestine perforation	1 (0.0) [0]	0 (0.0) [0]
Left ventricular failure	0 (0.0) [0]	1 (0.0) [0]
Legionella infection	0 (0.0) [0]	1 (0.0) [0]
Liposarcoma metastatic	1 (0.0) [0]	0 (0.0) [0]
Lung carcinoma cell type unspecified recurrent	0 (0.0) [0]	1 (0.0) [0]
Lung disorder	0 (0.0) [0]	1 (0.0) [0]
Lung infection	0 (0.0) [0]	1 (0.0) [0]
Lung infiltration	1 (0.0) [0]	0 (0.0) [0]
Lung infiltration malignant	1 (0.0) [0]	0 (0.0) [0]
Lung neoplasm	1 (0.0) [0]	0 (0.0) [0]
Malignant melanoma	1 (0.0) [0]	0 (0.0) [0]
Mallory-weiss syndrome	0 (0.0) [0]	1 (0.0) [0]
Meningitis	0 (0.0) [0]	1 (0.0) [0]
Mesenteric artery embolism	0 (0.0) [0]	1 (0.0) [0]
Mesothelioma	1 (0.0) [0]	0 (0.0) [0]
Metastases to bone	1 (0.0) [0]	0 (0.0) [0]
Metastases to central nervous system	1 (0.0) [0]	0 (0.0) [0]
Metastases to lung	0 (0.0) [0]	1 (0.0) [0]
Metastases to meninges	1 (0.0) [0]	0 (0.0) [0]
Metastases to pleura	1 (0.0) [0]	0 (0.0) [0]
Metastatic bronchial carcinoma	0 (0.0) [0]	1 (0.0) [0]
Metastatic gastric cancer	1 (0.0) [0]	0 (0.0) [0]
Metastatic salivary gland cancer	0 (0.0) [0]	1 (0.0) [0]
Metastatic squamous cell carcinoma	1 (0.0) [0]	0 (0.0) [0]
Metastatic uterine cancer	0 (0.0) [0]	1 (0.0) [0]
Mitral valve prolapse	0 (0.0) [0]	1 (0.0) [0]
Multiple injuries	0 (0.0) [0]	1 (0.0) [0]
Myasthenia gravis	1 (0.0) [0]	0 (0.0) [0]
Myocardial fibrosis	1 (0.0) [0]	0 (0.0) [0]
Myopathy	1 (0.0) [0]	0 (0.0) [0]
Neoplasm	0 (0.0) [0]	1 (0.0) [0]
Nephrotic syndrome	0 (0.0) [0]	1 (0.0) [0]
Non-hodgkin's lymphoma	0 (0.0) [0]	1 (0.0) [0]
Non-small cell lung cancer	1 (0.0) [0]	0 (0.0) [0]
Non-small cell lung cancer stage iii	1 (0.0) [0]	0 (0.0) [0]
Oesophageal carcinoma	1 (0.0) [0]	0 (0.0) [0]
Oesophageal varices haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Oliguria	1 (0.0) [0]	0 (0.0) [0]
Oral cavity cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Osteoarthritis	1 (0.0) [0]	0 (0.0) [0]
Ovarian cancer	0 (0.0) [0]	1 (0.0) [0]

Ovarian cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Pancreatic neoplasm	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis	0 (0.0) [0]	1 (0.0) [0]
Pancytopenia	0 (0.0) [0]	1 (0.0) [0]
Parkinsonism	0 (0.0) [0]	1 (0.0) [0]
Peripheral vascular disorder	1 (0.0) [0]	0 (0.0) [0]
Pharyngeal cancer stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Plasmacytoma	0 (0.0) [0]	1 (0.0) [0]
Pleural mesothelioma	0 (0.0) [0]	1 (0.0) [0]
Pleurisy	0 (0.0) [0]	1 (0.0) [0]
Pneumonitis	0 (0.0) [0]	1 (0.0) [0]
Pneumothorax	1 (0.0) [0]	0 (0.0) [0]
Post procedural pneumonia	1 (0.0) [0]	0 (0.0) [0]
Pulmonary fibrosis	0 (0.0) [0]	1 (0.0) [0]
Pulmonary sepsis	1 (0.0) [0]	0 (0.0) [0]
Pyloric stenosis	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Rectal prolapse	1 (0.0) [0]	0 (0.0) [0]
Reflux oesophagitis	0 (0.0) [0]	1 (0.0) [0]
Refractory anaemia with an excess of blasts	0 (0.0) [0]	1 (0.0) [0]
Respiratory acidosis	0 (0.0) [0]	1 (0.0) [0]
Respiratory disorder	1 (0.0) [0]	0 (0.0) [0]
Respiratory tract infection	1 (0.0) [0]	0 (0.0) [0]
Salivary gland fistula	0 (0.0) [0]	1 (0.0) [0]
Skin ulcer	1 (0.0) [0]	0 (0.0) [0]
Skin ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Small intestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Small intestinal obstruction	0 (0.0) [0]	1 (0.0) [0]
Small intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Spindle cell sarcoma	0 (0.0) [0]	1 (0.0) [0]
Squamous cell carcinoma	1 (0.0) [0]	0 (0.0) [0]
Subarachnoid haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Subdural haematoma	0 (0.0) [0]	1 (0.0) [0]
Subileus	0 (0.0) [0]	1 (0.0) [0]
Supraventricular tachycardia	0 (0.0) [0]	1 (0.0) [0]
Thermal burn	1 (0.0) [0]	0 (0.0) [0]
Thrombophlebitis	1 (0.0) [0]	0 (0.0) [0]
Tongue neoplasm malignant stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Urinary bladder haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Urinary retention	1 (0.0) [0]	0 (0.0) [0]
Uterine neoplasm	1 (0.0) [0]	0 (0.0) [0]
Vascular dementia	1 (0.0) [0]	0 (0.0) [0]
Venous thrombosis	1 (0.0) [0]	0 (0.0) [0]
Ventricle rupture	0 (0.0) [0]	1 (0.0) [0]
Ventricular flutter	1 (0.0) [0]	0 (0.0) [0]
Wound sepsis	0 (0.0) [0]	1 (0.0) [0]
Safety results: Number (%) of subjects with serious adverse events within 365 days after the second dose (Two-Dose Total Vaccinated cohort)		
Serious adverse event, n (%) [n considered by the investigator to be related to study medication]		
All SAEs	Flu 1 Group N = 17070	Flu 2 Group N = 17071
Subjects with any SAE(s), n (%) [n assessed by the investigator as related]	1977 (11.6) [2]	1892 (11.1) [1]
Pneumonia	105 (0.6) [0]	98 (0.6) [0]
Cerebrovascular accident	92 (0.5) [0]	76 (0.4) [0]
Atrial fibrillation	93 (0.5) [0]	68 (0.4) [0]
Myocardial infarction	69 (0.4) [0]	74 (0.4) [0]

Urinary tract infection	68 (0.4) [0]	62 (0.4) [0]
Cardiac failure congestive	64 (0.4) [0]	59 (0.3) [0]
Cardiac failure	54 (0.3) [0]	57 (0.3) [0]
Chronic obstructive pulmonary disease	52 (0.3) [0]	50 (0.3) [0]
Coronary artery disease	39 (0.2) [0]	41 (0.2) [0]
Osteoarthritis	39 (0.2) [0]	36 (0.2) [0]
Angina pectoris	33 (0.2) [0]	34 (0.2) [0]
Transient ischaemic attack	35 (0.2) [0]	26 (0.2) [0]
Hypertension	32 (0.2) [0]	26 (0.2) [0]
Pulmonary embolism	27 (0.2) [0]	28 (0.2) [0]
Myocardial ischaemia	25 (0.1) [0]	29 (0.2) [0]
Renal failure acute	32 (0.2) [0]	22 (0.1) [0]
Sepsis	23 (0.1) [0]	27 (0.2) [0]
Femoral neck fracture	22 (0.1) [0]	27 (0.2) [0]
Acute myocardial infarction	19 (0.1) [0]	29 (0.2) [0]
Syncope	23 (0.1) [0]	24 (0.1) [0]
Anaemia	17 (0.1) [0]	28 (0.2) [0]
Chest pain	24 (0.1) [0]	19 (0.1) [0]
Femur fracture	17 (0.1) [0]	23 (0.1) [0]
Bronchitis	24 (0.1) [0]	15 (0.1) [0]
Prostate cancer	19 (0.1) [0]	19 (0.1) [0]
Breast cancer	21 (0.1) [0]	16 (0.1) [0]
Bronchopneumonia	16 (0.1) [0]	21 (0.1) [0]
Cholecystitis	15 (0.1) [0]	22 (0.1) [0]
Cholelithiasis	17 (0.1) [0]	19 (0.1) [0]
Diverticulitis	17 (0.1) [0]	18 (0.1) [0]
Hip fracture	15 (0.1) [0]	20 (0.1) [0]
Gastroenteritis	17 (0.1) [0]	17 (0.1) [0]
Cardiac arrest	21 (0.1) [0]	11 (0.1) [0]
Respiratory failure	15 (0.1) [0]	17 (0.1) [0]
Colon cancer	18 (0.1) [0]	13 (0.1) [0]
Inguinal hernia	16 (0.1) [0]	14 (0.1) [0]
Arteriosclerosis	12 (0.1) [0]	17 (0.1) [0]
Hypertensive crisis	15 (0.1) [0]	14 (0.1) [0]
Lung neoplasm malignant	9 (0.1) [0]	18 (0.1) [0]
Renal failure chronic	11 (0.1) [0]	16 (0.1) [0]
Humerus fracture	11 (0.1) [0]	15 (0.1) [0]
Cellulitis	15 (0.1) [0]	9 (0.1) [0]
Sudden death	15 (0.1) [0]	9 (0.1) [0]
Benign prostatic hyperplasia	10 (0.1) [0]	13 (0.1) [0]
Dehydration	10 (0.1) [0]	13 (0.1) [0]
Nephrolithiasis	8 (0.0) [0]	15 (0.1) [0]
Pulmonary oedema	7 (0.0) [0]	15 (0.1) [0]
Radius fracture	11 (0.1) [0]	10 (0.1) [0]
Arrhythmia	10 (0.1) [0]	10 (0.1) [0]
Cerebral infarction	13 (0.1) [0]	7 (0.0) [0]
Cerebrovascular disorder	12 (0.1) [0]	8 (0.0) [0]
Death	11 (0.1) [0]	9 (0.1) [0]
Diabetes mellitus inadequate control	10 (0.1) [0]	10 (0.1) [0]
Gastritis	7 (0.0) [0]	13 (0.1) [0]
Atrioventricular block	7 (0.0) [0]	12 (0.1) [0]
Bradycardia	10 (0.1) [0]	9 (0.1) [0]
Cataract	8 (0.0) [0]	11 (0.1) [0]
Circulatory collapse	11 (0.1) [0]	8 (0.0) [0]

Erysipelas	10 (0.1) [0]	9 (0.1) [0]
Intervertebral disc protrusion	10 (0.1) [0]	9 (0.1) [0]
Rib fracture	13 (0.1) [0]	6 (0.0) [0]
Bladder cancer	9 (0.1) [0]	9 (0.1) [0]
Mitral valve incompetence	11 (0.1) [0]	7 (0.0) [0]
Renal failure	10 (0.1) [0]	8 (0.0) [0]
Hypoglycaemia	8 (0.0) [0]	9 (0.1) [0]
Iron deficiency anaemia	5 (0.0) [0]	12 (0.1) [0]
Peripheral arterial occlusive disease	11 (0.1) [0]	6 (0.0) [0]
Toxicity to various agents	9 (0.1) [0]	8 (0.0) [0]
Aortic aneurysm	7 (0.0) [0]	9 (0.1) [0]
Asthma	11 (0.1) [0]	5 (0.0) [0]
Contusion	11 (0.1) [0]	5 (0.0) [0]
Depression	9 (0.1) [0]	7 (0.0) [0]
Gastric ulcer	9 (0.1) [0]	7 (0.0) [0]
Pancreatic carcinoma	8 (0.0) [0]	8 (0.0) [0]
Peritonitis	7 (0.0) [0]	9 (0.1) [0]
Urinary retention	7 (0.0) [0]	9 (0.1) [0]
Vertigo	8 (0.0) [0]	8 (0.0) [0]
Acute respiratory failure	12 (0.1) [0]	3 (0.0) [0]
Constipation	7 (0.0) [0]	8 (0.0) [0]
Deep vein thrombosis	5 (0.0) [0]	10 (0.1) [0]
Gastrointestinal haemorrhage	9 (0.1) [0]	6 (0.0) [0]
Lumbar vertebral fracture	7 (0.0) [0]	8 (0.0) [0]
Ankle fracture	5 (0.0) [0]	9 (0.1) [0]
Appendicitis	6 (0.0) [0]	8 (0.0) [0]
Back pain	5 (0.0) [0]	9 (0.1) [0]
Pancreatitis	7 (0.0) [0]	7 (0.0) [0]
Pancreatitis acute	6 (0.0) [0]	8 (0.0) [0]
Peripheral vascular disorder	8 (0.0) [0]	6 (0.0) [0]
Spinal compression fracture	9 (0.1) [0]	5 (0.0) [0]
Sudden cardiac death	8 (0.0) [0]	6 (0.0) [0]
Aortic valve stenosis	8 (0.0) [0]	5 (0.0) [0]
Atrial flutter	6 (0.0) [0]	7 (0.0) [0]
Basal cell carcinoma	7 (0.0) [0]	6 (0.0) [0]
Cardiac death	8 (0.0) [0]	5 (0.0) [0]
Intestinal obstruction	6 (0.0) [0]	7 (0.0) [0]
Lobar pneumonia	7 (0.0) [0]	6 (0.0) [0]
Rectal cancer	7 (0.0) [0]	6 (0.0) [0]
Venous thrombosis	7 (0.0) [0]	6 (0.0) [0]
Aortic stenosis	7 (0.0) [0]	5 (0.0) [0]
Carotid artery stenosis	5 (0.0) [0]	7 (0.0) [0]
Cholecystitis acute	9 (0.1) [0]	3 (0.0) [0]
Concussion	4 (0.0) [0]	8 (0.0) [0]
Epilepsy	5 (0.0) [1]	7 (0.0) [0]
Hypotension	6 (0.0) [0]	6 (0.0) [0]
Spinal column stenosis	7 (0.0) [0]	5 (0.0) [0]
Diabetes mellitus	4 (0.0) [0]	7 (0.0) [0]
Duodenal ulcer	9 (0.1) [0]	2 (0.0) [0]
Dyspnoea	8 (0.0) [0]	3 (0.0) [0]
Epistaxis	5 (0.0) [0]	6 (0.0) [0]
Gangrene	5 (0.0) [0]	6 (0.0) [0]
Gastric cancer	5 (0.0) [0]	6 (0.0) [0]
Ileus	5 (0.0) [0]	6 (0.0) [0]

Ischaemic stroke	4 (0.0) [0]	7 (0.0) [0]
Pleural effusion	7 (0.0) [0]	4 (0.0) [0]
Septic shock	2 (0.0) [0]	9 (0.1) [0]
Small intestinal obstruction	8 (0.0) [0]	3 (0.0) [0]
Arthralgia	3 (0.0) [0]	7 (0.0) [0]
Hiatus hernia	4 (0.0) [0]	6 (0.0) [0]
Left ventricular failure	4 (0.0) [0]	6 (0.0) [0]
Multi-organ failure	4 (0.0) [0]	6 (0.0) [0]
Pneumonia aspiration	3 (0.0) [0]	7 (0.0) [0]
Pyelonephritis	7 (0.0) [0]	3 (0.0) [0]
Subdural haematoma	2 (0.0) [0]	8 (0.0) [0]
Type 2 diabetes mellitus	7 (0.0) [0]	3 (0.0) [0]
Upper respiratory tract infection	3 (0.0) [0]	7 (0.0) [0]
Wrist fracture	8 (0.0) [0]	2 (0.0) [0]
Angina unstable	5 (0.0) [0]	4 (0.0) [0]
Cardio-respiratory arrest	3 (0.0) [0]	6 (0.0) [0]
Colitis	4 (0.0) [0]	5 (0.0) [0]
Colonic polyp	5 (0.0) [0]	4 (0.0) [0]
Intervertebral disc degeneration	3 (0.0) [0]	6 (0.0) [0]
Orthostatic hypotension	3 (0.0) [0]	6 (0.0) [0]
Tachyarrhythmia	6 (0.0) [0]	3 (0.0) [0]
Upper limb fracture	4 (0.0) [0]	5 (0.0) [0]
Atrioventricular block complete	5 (0.0) [0]	3 (0.0) [0]
Bronchitis chronic	4 (0.0) [0]	4 (0.0) [0]
Cardiac failure acute	5 (0.0) [0]	3 (0.0) [0]
Colitis ischaemic	2 (0.0) [0]	6 (0.0) [0]
Coronary artery stenosis	3 (0.0) [0]	5 (0.0) [0]
Gastritis erosive	3 (0.0) [0]	5 (0.0) [0]
Haematuria	4 (0.0) [0]	4 (0.0) [0]
Hepatic neoplasm malignant	3 (0.0) [0]	5 (0.0) [0]
Malignant melanoma	3 (0.0) [0]	5 (0.0) [0]
Pancreatic carcinoma metastatic	5 (0.0) [0]	3 (0.0) [0]
Presyncope	7 (0.0) [0]	1 (0.0) [0]
Rotator cuff syndrome	2 (0.0) [0]	6 (0.0) [0]
Sick sinus syndrome	5 (0.0) [0]	3 (0.0) [0]
Spinal fracture	4 (0.0) [0]	4 (0.0) [0]
Supraventricular tachycardia	3 (0.0) [0]	5 (0.0) [0]
Tendon rupture	6 (0.0) [0]	2 (0.0) [0]
Upper gastrointestinal haemorrhage	6 (0.0) [0]	2 (0.0) [0]
Vascular dementia	6 (0.0) [0]	2 (0.0) [0]
Acute coronary syndrome	1 (0.0) [0]	6 (0.0) [0]
Arrhythmia supraventricular	6 (0.0) [0]	1 (0.0) [0]
Arterial occlusive disease	4 (0.0) [0]	3 (0.0) [0]
Arthritis	4 (0.0) [0]	3 (0.0) [0]
Bone pain	5 (0.0) [0]	2 (0.0) [0]
Calculus bladder	4 (0.0) [0]	3 (0.0) [0]
Cardiopulmonary failure	3 (0.0) [0]	4 (0.0) [0]
Cerebral arteriosclerosis	3 (0.0) [0]	4 (0.0) [0]
Cerebral ischaemia	2 (0.0) [0]	5 (0.0) [0]
Cystitis	2 (0.0) [0]	5 (0.0) [0]
Dementia	1 (0.0) [0]	6 (0.0) [0]
Diabetic foot	4 (0.0) [0]	3 (0.0) [0]
Facial bones fracture	3 (0.0) [0]	4 (0.0) [0]
Fall	2 (0.0) [0]	5 (0.0) [0]

Gastroenteritis norovirus	3 (0.0) [0]	4 (0.0) [0]
Hepatic cirrhosis	3 (0.0) [0]	4 (0.0) [0]
Hydronephrosis	5 (0.0) [0]	2 (0.0) [0]
Hyponatraemia	5 (0.0) [0]	2 (0.0) [0]
Lower limb fracture	5 (0.0) [0]	2 (0.0) [0]
Lung adenocarcinoma	4 (0.0) [0]	3 (0.0) [0]
Meniscus lesion	1 (0.0) [0]	6 (0.0) [0]
Polymyalgia rheumatica	5 (0.0) [0]	2 (0.0) [0]
Prostatitis	3 (0.0) [0]	4 (0.0) [0]
Reflux oesophagitis	2 (0.0) [0]	5 (0.0) [0]
Renal cancer	4 (0.0) [0]	3 (0.0) [0]
Sciatica	3 (0.0) [0]	4 (0.0) [0]
Urosepsis	5 (0.0) [0]	2 (0.0) [0]
Vestibular disorder	3 (0.0) [0]	4 (0.0) [1]
Abdominal pain	4 (0.0) [0]	2 (0.0) [0]
Bile duct stone	4 (0.0) [0]	2 (0.0) [0]
Brain neoplasm	3 (0.0) [0]	3 (0.0) [0]
Bronchial carcinoma	2 (0.0) [0]	4 (0.0) [0]
Cerebral haemorrhage	4 (0.0) [0]	2 (0.0) [0]
Coronary artery occlusion	3 (0.0) [0]	3 (0.0) [0]
Diverticular perforation	2 (0.0) [0]	4 (0.0) [0]
Diverticulum	5 (0.0) [0]	1 (0.0) [0]
Dyspepsia	2 (0.0) [0]	4 (0.0) [0]
Gastric ulcer haemorrhage	2 (0.0) [0]	4 (0.0) [0]
Gastrooesophageal reflux disease	4 (0.0) [0]	2 (0.0) [0]
Haematoma	4 (0.0) [0]	2 (0.0) [0]
Haemorrhoids	5 (0.0) [0]	1 (0.0) [0]
Head injury	4 (0.0) [0]	2 (0.0) [0]
Herpes zoster	4 (0.0) [0]	2 (0.0) [0]
Hyperkalaemia	2 (0.0) [0]	4 (0.0) [0]
Lower gastrointestinal haemorrhage	1 (0.0) [0]	5 (0.0) [0]
Lumbar spinal stenosis	3 (0.0) [0]	3 (0.0) [0]
Neoplasm malignant	5 (0.0) [0]	1 (0.0) [0]
Non-cardiac chest pain	4 (0.0) [0]	2 (0.0) [0]
Pneumothorax	4 (0.0) [0]	2 (0.0) [0]
Pyrexia	2 (0.0) [0]	4 (0.0) [0]
Respiratory tract infection	3 (0.0) [0]	3 (0.0) [0]
Road traffic accident	5 (0.0) [0]	1 (0.0) [0]
Skin ulcer	1 (0.0) [0]	5 (0.0) [0]
Spinal osteoarthritis	2 (0.0) [0]	4 (0.0) [0]
Thrombophlebitis	1 (0.0) [0]	5 (0.0) [0]
Thrombosis	2 (0.0) [0]	4 (0.0) [0]
Uterine prolapse	4 (0.0) [0]	2 (0.0) [0]
Wound infection	5 (0.0) [0]	1 (0.0) [0]
Acute pulmonary oedema	1 (0.0) [0]	4 (0.0) [0]
Aortic valve incompetence	2 (0.0) [0]	3 (0.0) [0]
Arteriosclerosis coronary artery	3 (0.0) [0]	2 (0.0) [0]
Bladder neoplasm	2 (0.0) [0]	3 (0.0) [0]
Brain oedema	2 (0.0) [0]	3 (0.0) [0]
Cardiogenic shock	3 (0.0) [0]	2 (0.0) [0]
Cardiovascular insufficiency	2 (0.0) [0]	3 (0.0) [0]
Colon adenoma	1 (0.0) [0]	4 (0.0) [0]
Colon cancer metastatic	4 (0.0) [0]	1 (0.0) [0]
Decubitus ulcer	3 (0.0) [0]	2 (0.0) [0]

Dementia alzheimer's type	4 (0.0) [0]	1 (0.0) [0]
Diarrhoea	2 (0.0) [0]	3 (0.0) [0]
Dizziness	3 (0.0) [0]	2 (0.0) [0]
Duodenitis	2 (0.0) [0]	3 (0.0) [0]
Emphysema	0 (0.0) [0]	5 (0.0) [0]
Faecaloma	3 (0.0) [0]	2 (0.0) [0]
Fibula fracture	3 (0.0) [0]	2 (0.0) [0]
Forearm fracture	5 (0.0) [0]	0 (0.0) [0]
Hepatic neoplasm	3 (0.0) [0]	2 (0.0) [0]
Hyperthyroidism	1 (0.0) [0]	4 (0.0) [0]
Hypothyroidism	3 (0.0) [0]	2 (0.0) [0]
Infection	2 (0.0) [0]	3 (0.0) [0]
Intermittent claudication	2 (0.0) [0]	3 (0.0) [0]
Joint dislocation	1 (0.0) [0]	4 (0.0) [0]
Large intestine perforation	3 (0.0) [0]	2 (0.0) [0]
Oesophageal stenosis	2 (0.0) [0]	3 (0.0) [0]
Ovarian cyst	2 (0.0) [0]	3 (0.0) [0]
Pleurisy	3 (0.0) [0]	2 (0.0) [0]
Post procedural haemorrhage	1 (0.0) [0]	4 (0.0) [0]
Prostatic adenoma	2 (0.0) [0]	3 (0.0) [0]
Respiratory distress	3 (0.0) [0]	2 (0.0) [0]
Sleep apnoea syndrome	2 (0.0) [0]	3 (0.0) [0]
Staphylococcal infection	1 (0.0) [0]	4 (0.0) [0]
Thoracic vertebral fracture	1 (0.0) [0]	4 (0.0) [0]
Thyroid cancer	4 (0.0) [0]	1 (0.0) [0]
Transitional cell carcinoma	3 (0.0) [0]	2 (0.0) [0]
Urinary bladder polyp	2 (0.0) [0]	3 (0.0) [0]
Ventricular tachycardia	2 (0.0) [0]	3 (0.0) [0]
Angioedema	1 (0.0) [0]	3 (0.0) [0]
Ascites	2 (0.0) [0]	2 (0.0) [0]
Asthenia	2 (0.0) [0]	2 (0.0) [0]
Breast cancer metastatic	3 (0.0) [0]	1 (0.0) [0]
Bronchiectasis	3 (0.0) [0]	1 (0.0) [0]
Cardiac failure chronic	3 (0.0) [0]	1 (0.0) [0]
Cervical vertebral fracture	2 (0.0) [0]	2 (0.0) [0]
Cholecystitis infective	2 (0.0) [0]	2 (0.0) [0]
Chronic lymphocytic leukaemia	2 (0.0) [0]	2 (0.0) [0]
Clostridium difficile colitis	2 (0.0) [0]	2 (0.0) [0]
Colon neoplasm	1 (0.0) [0]	3 (0.0) [0]
Delirium	2 (0.0) [0]	2 (0.0) [0]
Embolic stroke	3 (0.0) [0]	1 (0.0) [0]
Endocarditis	1 (0.0) [0]	3 (0.0) [0]
Foot fracture	2 (0.0) [0]	2 (0.0) [0]
Gastroduodenal ulcer	3 (0.0) [0]	1 (0.0) [0]
Grand mal convulsion	3 (0.0) [0]	1 (0.0) [0]
Haematemesis	2 (0.0) [0]	2 (0.0) [0]
Hypertensive heart disease	1 (0.0) [0]	3 (0.0) [0]
Hypokalaemia	3 (0.0) [0]	1 (0.0) [0]
Hypoxic-ischaemic encephalopathy	2 (0.0) [0]	2 (0.0) [0]
Lung cancer metastatic	2 (0.0) [0]	2 (0.0) [0]
Lung infection	1 (0.0) [0]	3 (0.0) [0]
Lymphoma	3 (0.0) [0]	1 (0.0) [0]
Mental status changes	3 (0.0) [0]	1 (0.0) [0]
Metastases to liver	1 (0.0) [0]	3 (0.0) [0]

Multiple fractures	1 (0.0) [0]	3 (0.0) [0]
Nausea	3 (0.0) [0]	1 (0.0) [0]
Oedema peripheral	3 (0.0) [0]	1 (0.0) [0]
Oesophageal varices haemorrhage	2 (0.0) [0]	2 (0.0) [0]
Osteomyelitis	0 (0.0) [0]	4 (0.0) [0]
Overdose	1 (0.0) [0]	3 (0.0) [0]
Pain	1 (0.0) [0]	3 (0.0) [0]
Pancreatitis chronic	3 (0.0) [0]	1 (0.0) [0]
Parkinson's disease	2 (0.0) [0]	2 (0.0) [0]
Pelvic fracture	3 (0.0) [0]	1 (0.0) [0]
Peptic ulcer haemorrhage	4 (0.0) [0]	0 (0.0) [0]
Peripheral ischaemia	3 (0.0) [0]	1 (0.0) [0]
Pharyngitis	2 (0.0) [0]	2 (0.0) [0]
Prostate cancer metastatic	0 (0.0) [0]	4 (0.0) [0]
Pubis fracture	1 (0.0) [0]	3 (0.0) [0]
Pulmonary fibrosis	2 (0.0) [0]	2 (0.0) [0]
Pulmonary hypertension	1 (0.0) [0]	3 (0.0) [0]
Rectal haemorrhage	2 (0.0) [0]	2 (0.0) [0]
Respiratory arrest	3 (0.0) [0]	1 (0.0) [0]
Squamous cell carcinoma	2 (0.0) [0]	2 (0.0) [0]
Subarachnoid haemorrhage	3 (0.0) [0]	1 (0.0) [0]
Tachycardia	1 (0.0) [0]	3 (0.0) [0]
Tibia fracture	1 (0.0) [0]	3 (0.0) [0]
Urethral stenosis	0 (0.0) [0]	4 (0.0) [0]
Ventricular fibrillation	2 (0.0) [0]	2 (0.0) [0]
Vertigo positional	0 (0.0) [0]	4 (0.0) [0]
Acute abdomen	2 (0.0) [0]	1 (0.0) [0]
Acute myeloid leukaemia	2 (0.0) [0]	1 (0.0) [0]
Acute respiratory distress syndrome	1 (0.0) [0]	2 (0.0) [0]
Arterial thrombosis limb	3 (0.0) [0]	0 (0.0) [0]
Azotaemia	2 (0.0) [0]	1 (0.0) [0]
Brain contusion	0 (0.0) [0]	3 (0.0) [0]
Bundle branch block left	1 (0.0) [0]	2 (0.0) [0]
Calculus ureteric	1 (0.0) [0]	2 (0.0) [0]
Cardiac disorder	2 (0.0) [0]	1 (0.0) [0]
Cardiomyopathy	2 (0.0) [0]	1 (0.0) [0]
Chest discomfort	2 (0.0) [0]	1 (0.0) [0]
Cholangitis	1 (0.0) [0]	2 (0.0) [0]
Completed suicide	0 (0.0) [0]	3 (0.0) [0]
Congestive cardiomyopathy	0 (0.0) [0]	3 (0.0) [0]
Conjunctivitis	2 (0.0) [0]	1 (0.0) [0]
Cor pulmonale chronic	2 (0.0) [0]	1 (0.0) [0]
Crohn's disease	2 (0.0) [0]	1 (0.0) [0]
Cystitis haemorrhagic	3 (0.0) [0]	0 (0.0) [0]
Cystitis klebsiella	1 (0.0) [0]	2 (0.0) [0]
Diabetic gangrene	0 (0.0) [0]	3 (0.0) [0]
Drug hypersensitivity	2 (0.0) [0]	1 (0.0) [0]
Dysphagia	1 (0.0) [0]	2 (0.0) [0]
Electrolyte imbalance	2 (0.0) [0]	1 (0.0) [0]
Encephalopathy	2 (0.0) [0]	1 (0.0) [0]
Endometrial cancer	2 (0.0) [0]	1 (0.0) [0]
Escherichia urinary tract infection	3 (0.0) [0]	0 (0.0) [0]
Extremity necrosis	2 (0.0) [0]	1 (0.0) [0]
Fracture	3 (0.0) [0]	0 (0.0) [0]

Glaucoma	1 (0.0) [0]	2 (0.0) [0]
Gouty arthritis	1 (0.0) [0]	2 (0.0) [0]
H1n1 influenza	2 (0.0) [0]	1 (0.0) [0]
Haematoma infection	2 (0.0) [0]	1 (0.0) [0]
Haemorrhagic stroke	2 (0.0) [0]	1 (0.0) [0]
Hypersensitivity	1 (0.0) [0]	2 (0.0) [0]
Hypomagnesaemia	1 (0.0) [0]	2 (0.0) [0]
Hypovolaemic shock	3 (0.0) [0]	0 (0.0) [0]
Impaired healing	0 (0.0) [0]	3 (0.0) [0]
Infective exacerbation of chronic obstructive airways disease	2 (0.0) [0]	1 (0.0) [0]
Inflammation	1 (0.0) [0]	2 (0.0) [0]
Injury	1 (0.0) [0]	2 (0.0) [0]
Interstitial lung disease	3 (0.0) [0]	0 (0.0) [0]
Laceration	1 (0.0) [0]	2 (0.0) [0]
Leukaemia	1 (0.0) [0]	2 (0.0) [0]
Liver abscess	2 (0.0) [0]	1 (0.0) [0]
Lymphadenitis	1 (0.0) [0]	2 (0.0) [0]
Meningioma	0 (0.0) [0]	3 (0.0) [0]
Metastases to central nervous system	1 (0.0) [0]	2 (0.0) [0]
Metastatic malignant melanoma	2 (0.0) [0]	1 (0.0) [0]
Multiple injuries	1 (0.0) [0]	2 (0.0) [0]
Multiple myeloma	2 (0.0) [0]	1 (0.0) [0]
Neuropathy peripheral	3 (0.0) [0]	0 (0.0) [0]
Non-hodgkin's lymphoma	1 (0.0) [0]	2 (0.0) [0]
Oesophageal carcinoma	1 (0.0) [0]	2 (0.0) [0]
Osteonecrosis	2 (0.0) [0]	1 (0.0) [0]
Ovarian cancer	1 (0.0) [0]	2 (0.0) [0]
Ovarian neoplasm	1 (0.0) [0]	2 (0.0) [0]
Pain in extremity	2 (0.0) [0]	1 (0.0) [0]
Parkinsonism	3 (0.0) [0]	0 (0.0) [0]
Peptic ulcer	3 (0.0) [0]	0 (0.0) [0]
Periprosthetic fracture	3 (0.0) [0]	0 (0.0) [0]
Phlebitis	1 (0.0) [0]	2 (0.0) [0]
Post procedural infection	2 (0.0) [0]	1 (0.0) [0]
Postmenopausal haemorrhage	1 (0.0) [0]	2 (0.0) [0]
Prostate cancer recurrent	2 (0.0) [0]	1 (0.0) [0]
Renal cancer metastatic	0 (0.0) [0]	3 (0.0) [0]
Renal cell carcinoma	1 (0.0) [0]	2 (0.0) [0]
Renal mass	1 (0.0) [0]	2 (0.0) [0]
Renal neoplasm	2 (0.0) [0]	1 (0.0) [0]
Retinal detachment	0 (0.0) [0]	3 (0.0) [0]
Rheumatoid arthritis	2 (0.0) [0]	1 (0.0) [0]
Shock	2 (0.0) [0]	1 (0.0) [0]
Suicide attempt	2 (0.0) [0]	1 (0.0) [0]
Thrombocytopenia	3 (0.0) [0]	0 (0.0) [0]
Tracheobronchitis	2 (0.0) [0]	1 (0.0) [0]
Traumatic brain injury	3 (0.0) [0]	0 (0.0) [0]
Tricuspid valve incompetence	1 (0.0) [0]	2 (0.0) [0]
Tubulointerstitial nephritis	2 (0.0) [0]	1 (0.0) [0]
Ulna fracture	2 (0.0) [0]	1 (0.0) [0]
Uterine polyp	2 (0.0) [0]	1 (0.0) [0]
Vaginal prolapse	1 (0.0) [0]	2 (0.0) [0]
Varicose vein	2 (0.0) [0]	1 (0.0) [0]
Vomiting	1 (0.0) [0]	2 (0.0) [0]

Wound	2 (0.0) [0]	1 (0.0) [0]
Abdominal adhesions	0 (0.0) [0]	2 (0.0) [0]
Abdominal hernia	1 (0.0) [0]	1 (0.0) [0]
Acetabulum fracture	0 (0.0) [0]	2 (0.0) [0]
Amyloidosis	2 (0.0) [0]	0 (0.0) [0]
Anaemia postoperative	0 (0.0) [0]	2 (0.0) [0]
Anaphylactic reaction	1 (0.0) [0]	1 (0.0) [0]
Aortic aneurysm rupture	1 (0.0) [0]	1 (0.0) [0]
Aortic arteriosclerosis	2 (0.0) [0]	0 (0.0) [0]
Aortic dissection	2 (0.0) [0]	0 (0.0) [0]
Appendicitis perforated	0 (0.0) [0]	2 (0.0) [0]
Arterial disorder	0 (0.0) [0]	2 (0.0) [0]
Arthritis bacterial	1 (0.0) [0]	1 (0.0) [0]
Arthropod bite	2 (0.0) [0]	0 (0.0) [0]
Ataxia	1 (0.0) [0]	1 (0.0) [0]
Atrial septal defect	1 (0.0) [0]	1 (0.0) [0]
Atrioventricular block second degree	1 (0.0) [0]	1 (0.0) [0]
Biliary cirrhosis primary	1 (0.0) [0]	1 (0.0) [0]
Bipolar i disorder	2 (0.0) [0]	0 (0.0) [0]
Bipolar disorder	0 (0.0) [0]	2 (0.0) [0]
Bladder cancer stage iv	0 (0.0) [0]	2 (0.0) [0]
Bladder neck obstruction	0 (0.0) [0]	2 (0.0) [0]
Bleeding varicose vein	1 (0.0) [0]	1 (0.0) [0]
Blood pressure increased	2 (0.0) [0]	0 (0.0) [0]
Bradycardia	1 (0.0) [0]	1 (0.0) [0]
Breast neoplasm	1 (0.0) [0]	1 (0.0) [0]
Bursitis	1 (0.0) [0]	1 (0.0) [0]
Cachexia	1 (0.0) [0]	1 (0.0) [0]
Calculus urinary	0 (0.0) [0]	2 (0.0) [0]
Cardiovascular disorder	1 (0.0) [0]	1 (0.0) [0]
Carotid artery occlusion	1 (0.0) [0]	1 (0.0) [0]
Cerebral circulatory failure	1 (0.0) [0]	1 (0.0) [0]
Clostridial infection	0 (0.0) [0]	2 (0.0) [0]
Coagulopathy	2 (0.0) [0]	0 (0.0) [0]
Confusional state	1 (0.0) [0]	1 (0.0) [0]
Cor pulmonale	0 (0.0) [0]	2 (0.0) [0]
Cystocele	2 (0.0) [0]	0 (0.0) [0]
Decreased appetite	1 (0.0) [0]	1 (0.0) [0]
Dermatitis	1 (0.0) [0]	1 (0.0) [0]
Device malfunction	0 (0.0) [0]	2 (0.0) [0]
Disseminated intravascular coagulation	1 (0.0) [0]	1 (0.0) [0]
Diverticulum intestinal	1 (0.0) [0]	1 (0.0) [0]
Dry gangrene	2 (0.0) [0]	0 (0.0) [0]
Dupuytren's contracture	2 (0.0) [0]	0 (0.0) [0]
Embolic cerebral infarction	1 (0.0) [0]	1 (0.0) [0]
Embolism venous	1 (0.0) [0]	1 (0.0) [0]
Empyema	2 (0.0) [0]	0 (0.0) [0]
Essential thrombocythaemia	1 (0.0) [0]	1 (0.0) [0]
Eyelid ptosis	2 (0.0) [0]	0 (0.0) [0]
Foot deformity	0 (0.0) [0]	2 (0.0) [0]
Gastric haemorrhage	2 (0.0) [0]	0 (0.0) [0]
Gastric neoplasm	1 (0.0) [0]	1 (0.0) [0]
Gastrointestinal angiodysplasia haemorrhagic	1 (0.0) [0]	1 (0.0) [0]
Gastrointestinal carcinoma	1 (0.0) [0]	1 (0.0) [0]

Gastrointestinal inflammation	0 (0.0) [0]	2 (0.0) [0]
Goitre	2 (0.0) [0]	0 (0.0) [0]
Haematochezia	0 (0.0) [0]	2 (0.0) [0]
Haemorrhage intracranial	0 (0.0) [0]	2 (0.0) [0]
Haemorrhagic anaemia	0 (0.0) [0]	2 (0.0) [0]
Hairy cell leukaemia	1 (0.0) [0]	1 (0.0) [0]
Hand fracture	0 (0.0) [0]	2 (0.0) [0]
Helicobacter gastritis	0 (0.0) [0]	2 (0.0) [0]
Hepatic failure	0 (0.0) [0]	2 (0.0) [0]
Hepatic steatosis	1 (0.0) [0]	1 (0.0) [0]
Hip arthroplasty	2 (0.0) [0]	0 (0.0) [0]
Hydrocephalus	1 (0.0) [0]	1 (0.0) [0]
Hyperglycaemia	1 (0.0) [0]	1 (0.0) [0]
Hypertrophic cardiomyopathy	1 (0.0) [0]	1 (0.0) [0]
Hypovolaemia	2 (0.0) [0]	0 (0.0) [0]
Ileus paralytic	1 (0.0) [0]	1 (0.0) [0]
Impaired gastric emptying	1 (0.0) [0]	1 (0.0) [0]
Incisional hernia	2 (0.0) [0]	0 (0.0) [0]
Infected skin ulcer	0 (0.0) [0]	2 (0.0) [0]
Inflammatory bowel disease	1 (0.0) [0]	1 (0.0) [0]
Influenza	2 (0.0) [0]	0 (0.0) [0]
International normalised ratio increased	1 (0.0) [0]	1 (0.0) [0]
Intervertebral discitis	0 (0.0) [0]	2 (0.0) [0]
Intestinal ischaemia	1 (0.0) [0]	1 (0.0) [0]
Intestinal polyp	2 (0.0) [0]	0 (0.0) [0]
Intracranial aneurysm	1 (0.0) [0]	1 (0.0) [0]
Ischaemic cardiomyopathy	1 (0.0) [0]	1 (0.0) [0]
Labyrinthitis	0 (0.0) [0]	2 (0.0) [0]
Laryngeal cancer	2 (0.0) [0]	0 (0.0) [0]
Ligament rupture	0 (0.0) [0]	2 (0.0) [0]
Lung carcinoma cell type unspecified stage iv	1 (0.0) [0]	1 (0.0) [0]
Lymphocytic leukaemia	1 (0.0) [0]	1 (0.0) [0]
Malaise	2 (0.0) [0]	0 (0.0) [0]
Malignant hypertension	1 (0.0) [0]	1 (0.0) [0]
Malignant pleural effusion	0 (0.0) [0]	2 (0.0) [0]
Meningitis	0 (0.0) [0]	2 (0.0) [0]
Metabolic encephalopathy	1 (0.0) [0]	1 (0.0) [0]
Metastases to bone	1 (0.0) [0]	1 (0.0) [0]
Metastases to lung	1 (0.0) [0]	1 (0.0) [0]
Metastases to peritoneum	1 (0.0) [0]	1 (0.0) [0]
Metastatic bronchial carcinoma	1 (0.0) [0]	1 (0.0) [0]
Metastatic gastric cancer	2 (0.0) [0]	0 (0.0) [0]
Metastatic neoplasm	0 (0.0) [0]	2 (0.0) [0]
Muscle rupture	0 (0.0) [0]	2 (0.0) [0]
Myelodysplastic syndrome	2 (0.0) [0]	0 (0.0) [0]
Myocarditis	1 (0.0) [0]	1 (0.0) [0]
Necrosis	1 (0.0) [0]	1 (0.0) [0]
Neoplasm	2 (0.0) [0]	0 (0.0) [0]
Non-small cell lung cancer metastatic	2 (0.0) [0]	0 (0.0) [0]
Obstructive airways disorder	1 (0.0) [0]	1 (0.0) [0]
Oesophageal adenocarcinoma metastatic	0 (0.0) [0]	2 (0.0) [0]
Oesophageal candidiasis	1 (0.0) [0]	1 (0.0) [0]
Oesophagitis	1 (0.0) [0]	1 (0.0) [0]
Open fracture	0 (0.0) [0]	2 (0.0) [0]

Otitis externa	1 (0.0) [0]	1 (0.0) [0]
Pancreatic neoplasm	2 (0.0) [0]	0 (0.0) [0]
Panic attack	0 (0.0) [0]	2 (0.0) [0]
Parathyroid tumour benign	1 (0.0) [0]	1 (0.0) [0]
Patella fracture	0 (0.0) [0]	2 (0.0) [0]
Peptic ulcer perforation	1 (0.0) [0]	1 (0.0) [0]
Pericardial effusion	0 (0.0) [0]	2 (0.0) [0]
Pericarditis	0 (0.0) [0]	2 (0.0) [0]
Perirectal abscess	0 (0.0) [0]	2 (0.0) [0]
Pneumonia pneumococcal	2 (0.0) [0]	0 (0.0) [0]
Polyneuropathy	1 (0.0) [0]	1 (0.0) [0]
Postoperative wound infection	2 (0.0) [0]	0 (0.0) [0]
Procedural pain	2 (0.0) [0]	0 (0.0) [0]
Prostatic disorder	1 (0.0) [0]	1 (0.0) [0]
Psoriatic arthropathy	1 (0.0) [0]	1 (0.0) [0]
Pulmonary congestion	2 (0.0) [0]	0 (0.0) [0]
Pulmonary thrombosis	0 (0.0) [0]	2 (0.0) [0]
Radiculopathy	1 (0.0) [0]	1 (0.0) [0]
Rash	0 (0.0) [0]	2 (0.0) [0]
Renal cyst	2 (0.0) [0]	0 (0.0) [0]
Renal tubular disorder	1 (0.0) [0]	1 (0.0) [0]
Retinal tear	2 (0.0) [0]	0 (0.0) [0]
Ruptured cerebral aneurysm	1 (0.0) [0]	1 (0.0) [0]
Senile dementia	2 (0.0) [0]	0 (0.0) [0]
Sigmoiditis	1 (0.0) [0]	1 (0.0) [0]
Skeletal injury	1 (0.0) [0]	1 (0.0) [0]
Small cell lung cancer stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Spinal column injury	1 (0.0) [0]	1 (0.0) [0]
Sternal fracture	2 (0.0) [0]	0 (0.0) [0]
Thyroid adenoma	1 (0.0) [0]	1 (0.0) [0]
Tonsil cancer	0 (0.0) [0]	2 (0.0) [0]
Transient global amnesia	2 (0.0) [0]	0 (0.0) [0]
Traumatic haematoma	1 (0.0) [0]	1 (0.0) [0]
Umbilical hernia	0 (0.0) [0]	2 (0.0) [0]
Umbilical hernia, obstructive	1 (0.0) [0]	1 (0.0) [0]
Uterine cancer	2 (0.0) [0]	0 (0.0) [0]
Uterovaginal prolapse	0 (0.0) [0]	2 (0.0) [0]
Venous thrombosis limb	1 (0.0) [0]	1 (0.0) [0]
Ventricular arrhythmia	1 (0.0) [0]	1 (0.0) [0]
Ventricular extrasystoles	2 (0.0) [0]	0 (0.0) [0]
Vitreous haemorrhage	1 (0.0) [0]	1 (0.0) [0]
Volvulus	1 (0.0) [0]	1 (0.0) [0]
Weight decreased	1 (0.0) [0]	1 (0.0) [0]
Abasia	0 (0.0) [0]	1 (0.0) [0]
Abdominal abscess	1 (0.0) [0]	0 (0.0) [0]
Abdominal discomfort	0 (0.0) [0]	1 (0.0) [0]
Abdominal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Abdominal pain lower	1 (0.0) [0]	0 (0.0) [0]
Abdominal pain upper	1 (0.0) [0]	0 (0.0) [0]
Abdominal sepsis	1 (0.0) [0]	0 (0.0) [0]
Abdominal wall abscess	1 (0.0) [0]	0 (0.0) [0]
Abnormal behaviour	0 (0.0) [0]	1 (0.0) [0]
Abscess	1 (0.0) [0]	0 (0.0) [0]
Abscess neck	1 (0.0) [0]	0 (0.0) [0]

Accelerated hypertension	1 (0.0) [0]	0 (0.0) [0]
Accident	0 (0.0) [0]	1 (0.0) [0]
Accidental death	0 (0.0) [0]	1 (0.0) [0]
Acute febrile neutrophilic dermatosis	1 (0.0) [0]	0 (0.0) [0]
Acute prerenal failure	1 (0.0) [0]	0 (0.0) [0]
Addison's disease	1 (0.0) [0]	0 (0.0) [0]
Adenocarcinoma	0 (0.0) [0]	1 (0.0) [0]
Adenoma benign	1 (0.0) [0]	0 (0.0) [0]
Adverse drug reaction	1 (0.0) [0]	0 (0.0) [0]
Agranulocytosis	0 (0.0) [0]	1 (0.0) [0]
Alcohol abuse	0 (0.0) [0]	1 (0.0) [0]
Alcohol poisoning	1 (0.0) [0]	0 (0.0) [0]
Alcohol withdrawal syndrome	0 (0.0) [0]	1 (0.0) [0]
Anaemia vitamin b12 deficiency	1 (0.0) [0]	0 (0.0) [0]
Anaesthetic complication	0 (0.0) [0]	1 (0.0) [0]
Anal abscess	1 (0.0) [0]	0 (0.0) [0]
Anal fissure	0 (0.0) [0]	1 (0.0) [0]
Anal polyp	0 (0.0) [0]	1 (0.0) [0]
Anal skin tags	0 (0.0) [0]	1 (0.0) [0]
Anastomotic stenosis	1 (0.0) [0]	0 (0.0) [0]
Aneurysm	0 (0.0) [0]	1 (0.0) [0]
Angiocentric lymphoma	0 (0.0) [0]	1 (0.0) [0]
Angiodysplasia	1 (0.0) [0]	0 (0.0) [0]
Angiopathy	1 (0.0) [0]	0 (0.0) [0]
Animal bite	0 (0.0) [0]	1 (0.0) [0]
Anorectal varices	0 (0.0) [0]	1 (0.0) [0]
Anxiety	1 (0.0) [0]	0 (0.0) [0]
Aphasia	0 (0.0) [0]	1 (0.0) [0]
Arteriosclerosis obliterans	0 (0.0) [0]	1 (0.0) [0]
Arteriospasm coronary	0 (0.0) [0]	1 (0.0) [0]
Arteriovenous fistula site infection	1 (0.0) [0]	0 (0.0) [0]
Arteritis	0 (0.0) [0]	1 (0.0) [0]
Arthritis infective	0 (0.0) [0]	1 (0.0) [0]
Arthropathy	1 (0.0) [0]	0 (0.0) [0]
Aspiration	1 (0.0) [0]	0 (0.0) [0]
Atelectasis	1 (0.0) [0]	0 (0.0) [0]
Atrial thrombosis	1 (0.0) [0]	0 (0.0) [0]
Atrioventricular block first degree	1 (0.0) [0]	0 (0.0) [0]
Autoimmune thrombocytopenia	0 (0.0) [0]	1 (0.0) [0]
Autoimmune thyroiditis	0 (0.0) [0]	1 (0.0) [0]
B-cell lymphoma	1 (0.0) [0]	0 (0.0) [0]
Bacteraemia	0 (0.0) [0]	1 (0.0) [0]
Bacterial sepsis	1 (0.0) [0]	0 (0.0) [0]
Balance disorder	1 (0.0) [0]	0 (0.0) [0]
Balanitis	0 (0.0) [0]	1 (0.0) [0]
Barrett's oesophagus	1 (0.0) [0]	0 (0.0) [0]
Basal ganglia infarction	0 (0.0) [0]	1 (0.0) [0]
Basedow's disease	0 (0.0) [0]	1 (0.0) [0]
Basosquamous carcinoma	0 (0.0) [0]	1 (0.0) [0]
Benign breast neoplasm	1 (0.0) [0]	0 (0.0) [0]
Bile duct obstruction	0 (0.0) [0]	1 (0.0) [0]
Biliary colic	1 (0.0) [0]	0 (0.0) [0]
Bladder cancer recurrent	1 (0.0) [0]	0 (0.0) [0]
Bladder disorder	1 (0.0) [0]	0 (0.0) [0]

Bladder injury	1 (0.0) [0]	0 (0.0) [0]
Bladder neck sclerosis	0 (0.0) [0]	1 (0.0) [0]
Bladder perforation	1 (0.0) [0]	0 (0.0) [0]
Bladder prolapse	0 (0.0) [0]	1 (0.0) [0]
Bladder transitional cell carcinoma recurrent	1 (0.0) [0]	0 (0.0) [0]
Blood potassium increased	1 (0.0) [0]	0 (0.0) [0]
Bone marrow failure	1 (0.0) [0]	0 (0.0) [0]
Bone neoplasm	1 (0.0) [0]	0 (0.0) [0]
Bone neoplasm malignant	1 (0.0) [0]	0 (0.0) [0]
Brain abscess	1 (0.0) [0]	0 (0.0) [0]
Brain cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Brain injury	1 (0.0) [0]	0 (0.0) [0]
Brain mass	1 (0.0) [0]	0 (0.0) [0]
Brain natriuretic peptide increased	1 (0.0) [0]	0 (0.0) [0]
Brain neoplasm malignant	0 (0.0) [0]	1 (0.0) [0]
Breast cancer female	0 (0.0) [0]	1 (0.0) [0]
Breast cancer recurrent	1 (0.0) [0]	0 (0.0) [0]
Bronchiolitis	0 (0.0) [0]	1 (0.0) [0]
Bronchitis bacterial	0 (0.0) [0]	1 (0.0) [0]
Bronchopneumopathy	1 (0.0) [0]	0 (0.0) [0]
Bundle branch block right	1 (0.0) [0]	0 (0.0) [0]
Burkitt's lymphoma	0 (0.0) [0]	1 (0.0) [0]
Bursitis infective	0 (0.0) [0]	1 (0.0) [0]
Campylobacter gastroenteritis	0 (0.0) [0]	1 (0.0) [0]
Candidiasis	0 (0.0) [0]	1 (0.0) [0]
Carbon monoxide poisoning	0 (0.0) [0]	1 (0.0) [0]
Carbuncle	1 (0.0) [0]	0 (0.0) [0]
Carcinoma in situ of skin	1 (0.0) [0]	0 (0.0) [0]
Cardiac ablation	0 (0.0) [0]	1 (0.0) [0]
Cardiac enzymes increased	1 (0.0) [0]	0 (0.0) [0]
Cardiac flutter	1 (0.0) [0]	0 (0.0) [0]
Cardiac hypertrophy	0 (0.0) [0]	1 (0.0) [0]
Cardiac tamponade	1 (0.0) [0]	0 (0.0) [0]
Cardiac valve disease	0 (0.0) [0]	1 (0.0) [0]
Carotid arteriosclerosis	0 (0.0) [0]	1 (0.0) [0]
Carotid artery disease	0 (0.0) [0]	1 (0.0) [0]
Carpal tunnel syndrome	1 (0.0) [0]	0 (0.0) [0]
Cellulitis gangrenous	0 (0.0) [0]	1 (0.0) [0]
Cerebellar infarction	1 (0.0) [0]	0 (0.0) [0]
Cerebral artery embolism	0 (0.0) [0]	1 (0.0) [0]
Cerebral atrophy	0 (0.0) [0]	1 (0.0) [0]
Cerebral thrombosis	1 (0.0) [0]	0 (0.0) [0]
Cerebrovascular insufficiency	0 (0.0) [0]	1 (0.0) [0]
Cervical spinal stenosis	0 (0.0) [0]	1 (0.0) [0]
Cervix carcinoma	1 (0.0) [0]	0 (0.0) [0]
Chalazion	1 (0.0) [0]	0 (0.0) [0]
Chest injury	0 (0.0) [0]	1 (0.0) [0]
Choking	0 (0.0) [0]	1 (0.0) [0]
Cholangiolitis	1 (0.0) [0]	0 (0.0) [0]
Cholelithiasis migration	1 (0.0) [0]	0 (0.0) [0]
Cholesteatoma	1 (0.0) [0]	0 (0.0) [0]
Chordoma	1 (0.0) [0]	0 (0.0) [0]
Chronic myelomonocytic leukaemia	1 (0.0) [0]	0 (0.0) [0]
Cirrhosis alcoholic	1 (0.0) [0]	0 (0.0) [0]

Clavicle fracture	1 (0.0) [0]	0 (0.0) [0]
Coagulation time prolonged	0 (0.0) [0]	1 (0.0) [0]
Coccidioidomycosis	0 (0.0) [0]	1 (0.0) [0]
Colitis ulcerative	0 (0.0) [0]	1 (0.0) [0]
Collapse of lung	0 (0.0) [0]	1 (0.0) [0]
Colon cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Colon cancer stage ii	0 (0.0) [0]	1 (0.0) [0]
Colon cancer stage iv	1 (0.0) [0]	0 (0.0) [0]
Colonic fistula	1 (0.0) [0]	0 (0.0) [0]
Colonic obstruction	1 (0.0) [0]	0 (0.0) [0]
Colonic pseudo-obstruction	0 (0.0) [0]	1 (0.0) [0]
Colonic stenosis	0 (0.0) [0]	1 (0.0) [0]
Colorectal cancer	1 (0.0) [0]	0 (0.0) [0]
Comminuted fracture	0 (0.0) [0]	1 (0.0) [0]
Conduction disorder	1 (0.0) [0]	0 (0.0) [0]
Contrast media reaction	1 (0.0) [0]	0 (0.0) [0]
Convulsion	0 (0.0) [0]	1 (0.0) [0]
Corneal disorder	1 (0.0) [0]	0 (0.0) [0]
Coronary artery insufficiency	0 (0.0) [0]	1 (0.0) [0]
Cutaneous lupus erythematosus	0 (0.0) [0]	1 (0.0) [0]
Cyst	1 (0.0) [0]	0 (0.0) [0]
Cystitis noninfective	1 (0.0) [0]	0 (0.0) [0]
Dacryostenosis acquired	0 (0.0) [0]	1 (0.0) [0]
Deafness	0 (0.0) [0]	1 (0.0) [0]
Deafness neurosensory	1 (0.0) [0]	0 (0.0) [0]
Dementia of the alzheimer's type, uncomplicated	1 (0.0) [0]	0 (0.0) [0]
Dengue fever	1 (0.0) [0]	0 (0.0) [0]
Depressed level of consciousness	0 (0.0) [0]	1 (0.0) [0]
Dermal cyst	1 (0.0) [0]	0 (0.0) [0]
Dermatitis allergic	0 (0.0) [0]	1 (0.0) [0]
Device dislocation	0 (0.0) [0]	1 (0.0) [0]
Device related infection	0 (0.0) [0]	1 (0.0) [0]
Diabetic coma	1 (0.0) [0]	0 (0.0) [0]
Diabetic eye disease	1 (0.0) [0]	0 (0.0) [0]
Diabetic foot infection	1 (0.0) [0]	0 (0.0) [0]
Diabetic hyperglycaemic coma	1 (0.0) [0]	0 (0.0) [0]
Diabetic ketoacidosis	1 (0.0) [0]	0 (0.0) [0]
Diabetic nephropathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic retinopathy	1 (0.0) [0]	0 (0.0) [0]
Diarrhoea infectious	0 (0.0) [0]	1 (0.0) [0]
Diplopia	0 (0.0) [0]	1 (0.0) [0]
Diverticulitis intestinal haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Drug abuse	1 (0.0) [0]	0 (0.0) [0]
Duodenal ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Dysarthria	1 (0.0) [0]	0 (0.0) [0]
Dyslipidaemia	0 (0.0) [0]	1 (0.0) [0]
Dysuria	1 (0.0) [0]	0 (0.0) [0]
Ecchymosis	1 (0.0) [0]	0 (0.0) [0]
Echinococcosis	1 (0.0) [0]	0 (0.0) [0]
Effusion	1 (0.0) [0]	0 (0.0) [0]
Embolism	0 (0.0) [0]	1 (0.0) [0]
Encephalitis	1 (0.0) [0]	0 (0.0) [0]
Endocarditis bacterial	1 (0.0) [0]	0 (0.0) [0]
Endometrial atrophy	0 (0.0) [0]	1 (0.0) [0]

Endometrial cancer recurrent	1 (0.0) [0]	0 (0.0) [0]
Endometrial hyperplasia	1 (0.0) [0]	0 (0.0) [0]
Enteritis	0 (0.0) [0]	1 (0.0) [0]
Enterocoele	1 (0.0) [0]	0 (0.0) [0]
Enterococcal infection	1 (0.0) [0]	0 (0.0) [0]
Enterocolitis	0 (0.0) [0]	1 (0.0) [0]
Enterocolitis infectious	0 (0.0) [0]	1 (0.0) [0]
Enterocutaneous fistula	1 (0.0) [0]	0 (0.0) [0]
Epididymitis	1 (0.0) [0]	0 (0.0) [0]
Escherichia sepsis	1 (0.0) [0]	0 (0.0) [0]
Exostosis	0 (0.0) [0]	1 (0.0) [0]
Extremity contracture	1 (0.0) [0]	0 (0.0) [0]
Eye haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Eye injury	0 (0.0) [0]	1 (0.0) [0]
Eyeball rupture	0 (0.0) [0]	1 (0.0) [0]
Facial paresis	0 (0.0) [0]	1 (0.0) [0]
Fasciitis	1 (0.0) [0]	0 (0.0) [0]
Febrile infection	0 (0.0) [0]	1 (0.0) [0]
Febrile neutropenia	1 (0.0) [0]	0 (0.0) [0]
Female genital tract fistula	1 (0.0) [0]	0 (0.0) [0]
Flail chest	1 (0.0) [0]	0 (0.0) [0]
Fractured coccyx	1 (0.0) [0]	0 (0.0) [0]
Fractured sacrum	0 (0.0) [0]	1 (0.0) [0]
Fungal infection	1 (0.0) [0]	0 (0.0) [0]
Gait disturbance	0 (0.0) [0]	1 (0.0) [0]
Gallbladder abscess	1 (0.0) [0]	0 (0.0) [0]
Gallbladder cancer	1 (0.0) [0]	0 (0.0) [0]
Gallbladder disorder	0 (0.0) [0]	1 (0.0) [0]
Gallbladder oedema	1 (0.0) [0]	0 (0.0) [0]
Gastric cancer recurrent	1 (0.0) [0]	0 (0.0) [0]
Gastric cancer stage iv	0 (0.0) [0]	1 (0.0) [0]
Gastric disorder	0 (0.0) [0]	1 (0.0) [0]
Gastric polyps	1 (0.0) [0]	0 (0.0) [0]
Gastric ulcer helicobacter	1 (0.0) [0]	0 (0.0) [0]
Gastric ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Gastritis haemorrhagic	1 (0.0) [0]	0 (0.0) [0]
Gastroduodenitis	1 (0.0) [0]	0 (0.0) [0]
Gastroenteritis clostridial	1 (0.0) [0]	0 (0.0) [0]
Gastroenteritis viral	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal angiodysplasia	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal dysplasia	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal injury	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal necrosis	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal obstruction	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal tract adenoma	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Glioblastoma multiforme	0 (0.0) [0]	1 (0.0) [0]
Gout	1 (0.0) [0]	0 (0.0) [0]
Guillain-barre syndrome	0 (0.0) [0]	1 (0.0) [0]
Haemangioma	1 (0.0) [0]	0 (0.0) [0]
Haemarthrosis	0 (0.0) [0]	1 (0.0) [0]
Haemolytic anaemia	0 (0.0) [0]	1 (0.0) [0]
Haemoptysis	0 (0.0) [0]	1 (0.0) [0]
Haemorrhage	0 (0.0) [0]	1 (0.0) [0]

Haemorrhage urinary tract	0 (0.0) [0]	1 (0.0) [0]
Haemorrhagic disorder	1 (0.0) [0]	0 (0.0) [0]
Haemorrhoidal haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Haemothorax	1 (0.0) [0]	0 (0.0) [0]
Heart rate irregular	0 (0.0) [0]	1 (0.0) [0]
Heart valve incompetence	1 (0.0) [0]	0 (0.0) [0]
Heat exhaustion	1 (0.0) [0]	0 (0.0) [0]
Heat stroke	1 (0.0) [0]	0 (0.0) [0]
Helicobacter infection	1 (0.0) [0]	0 (0.0) [0]
Hemiparesis	0 (0.0) [0]	1 (0.0) [0]
Hepatic congestion	0 (0.0) [0]	1 (0.0) [0]
Hepatic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Hepatic fibrosis	0 (0.0) [0]	1 (0.0) [0]
Hepatitis	0 (0.0) [0]	1 (0.0) [0]
Hepatitis b	1 (0.0) [0]	0 (0.0) [0]
Hepatitis chronic active	0 (0.0) [0]	1 (0.0) [0]
Hepatitis toxic	0 (0.0) [0]	1 (0.0) [0]
Hepatorenal syndrome	0 (0.0) [0]	1 (0.0) [0]
Hernia	0 (0.0) [0]	1 (0.0) [0]
Herpes simplex	0 (0.0) [0]	1 (0.0) [0]
Herpes zoster oticus	1 (0.0) [0]	0 (0.0) [0]
Hiatus hernia, obstructive	0 (0.0) [0]	1 (0.0) [0]
Hydrocele	0 (0.0) [0]	1 (0.0) [0]
Hyperaldosteronism	0 (0.0) [0]	1 (0.0) [0]
Hypercholesterolaemia	0 (0.0) [0]	1 (0.0) [0]
Hyperchromic anaemia	1 (0.0) [0]	0 (0.0) [0]
Hyperkeratosis	1 (0.0) [0]	0 (0.0) [0]
Hyperlipidaemia	1 (0.0) [0]	0 (0.0) [0]
Hyperparathyroidism	0 (0.0) [0]	1 (0.0) [0]
Hypertriglyceridaemia	0 (0.0) [0]	1 (0.0) [0]
Hypoacusis	1 (0.0) [0]	0 (0.0) [0]
Hypoalbuminaemia	1 (0.0) [0]	0 (0.0) [0]
Hypochromic anaemia	1 (0.0) [0]	0 (0.0) [0]
Hypoglycaemic coma	1 (0.0) [0]	0 (0.0) [0]
Hypoxia	0 (0.0) [0]	1 (0.0) [0]
Idiopathic pulmonary fibrosis	1 (0.0) [0]	0 (0.0) [0]
Idiopathic thrombocytopenic purpura	1 (0.0) [0]	0 (0.0) [0]
Ileitis	1 (0.0) [0]	0 (0.0) [0]
Iliac artery occlusion	1 (0.0) [0]	0 (0.0) [0]
Impaired fasting glucose	0 (0.0) [0]	1 (0.0) [0]
Inappropriate antidiuretic hormone secretion	0 (0.0) [0]	1 (0.0) [0]
Incision site haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Incontinence	1 (0.0) [0]	0 (0.0) [0]
Infarction	1 (0.0) [0]	0 (0.0) [0]
Infected bunion	1 (0.0) [0]	0 (0.0) [0]
Infected neoplasm	1 (0.0) [0]	0 (0.0) [0]
Influenza like illness	1 (0.0) [0]	0 (0.0) [0]
Inguinal hernia, obstructive	0 (0.0) [0]	1 (0.0) [0]
Inner ear disorder	1 (0.0) [0]	0 (0.0) [0]
Intermediate uveitis	1 (0.0) [0]	0 (0.0) [0]
Internal injury	1 (0.0) [0]	0 (0.0) [0]
Intervertebral disc disorder	0 (0.0) [0]	1 (0.0) [0]
Intestinal anastomosis complication	1 (0.0) [0]	0 (0.0) [0]
Intestinal haemorrhage	1 (0.0) [0]	0 (0.0) [0]

Intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Intra-abdominal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Intraspinal abscess	1 (0.0) [0]	0 (0.0) [0]
Intravascular papillary endothelial hyperplasia	1 (0.0) [0]	0 (0.0) [0]
Intraventricular haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Ischaemia	0 (0.0) [0]	1 (0.0) [0]
Ischaemic cerebral infarction	1 (0.0) [0]	0 (0.0) [0]
Jaundice cholestatic	0 (0.0) [0]	1 (0.0) [0]
Jaw fracture	0 (0.0) [0]	1 (0.0) [0]
Joint injury	0 (0.0) [0]	1 (0.0) [0]
Joint range of motion decreased	0 (0.0) [0]	1 (0.0) [0]
Joint swelling	0 (0.0) [0]	1 (0.0) [0]
Jugular vein thrombosis	1 (0.0) [0]	0 (0.0) [0]
Keratoacanthoma	0 (0.0) [0]	1 (0.0) [0]
Kidney infection	1 (0.0) [0]	0 (0.0) [0]
Lacunar infarction	1 (0.0) [0]	0 (0.0) [0]
Large intestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Large intestinal ulcer	1 (0.0) [0]	0 (0.0) [0]
Laryngeal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Left atrial dilatation	1 (0.0) [0]	0 (0.0) [0]
Left ventricular dysfunction	0 (0.0) [0]	1 (0.0) [0]
Leiomyosarcoma	0 (0.0) [0]	1 (0.0) [0]
Lens dislocation	0 (0.0) [0]	1 (0.0) [0]
Leukocytoclastic vasculitis	0 (0.0) [0]	1 (0.0) [0]
Leukopenia	0 (0.0) [0]	1 (0.0) [0]
Leukoplakia	1 (0.0) [0]	0 (0.0) [0]
Lichen planus	1 (0.0) [0]	0 (0.0) [0]
Lip and/or oral cavity cancer	1 (0.0) [0]	0 (0.0) [0]
Lipoma	1 (0.0) [0]	0 (0.0) [0]
Liposarcoma recurrent	0 (0.0) [0]	1 (0.0) [0]
Listeriosis	0 (0.0) [0]	1 (0.0) [0]
Localised infection	0 (0.0) [0]	1 (0.0) [0]
Loss of consciousness	0 (0.0) [0]	1 (0.0) [0]
Lower respiratory tract infection	0 (0.0) [0]	1 (0.0) [0]
Lumbar radiculopathy	1 (0.0) [0]	0 (0.0) [0]
Lung adenocarcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Lung disorder	0 (0.0) [0]	1 (0.0) [0]
Lung infection pseudomonal	0 (0.0) [0]	1 (0.0) [0]
Lung neoplasm	1 (0.0) [0]	0 (0.0) [0]
Lung squamous cell carcinoma stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Lymphangitis	0 (0.0) [0]	1 (0.0) [0]
Lymphoedema	1 (0.0) [0]	0 (0.0) [0]
Lymphoma transformation	1 (0.0) [0]	0 (0.0) [0]
Macular hole	0 (0.0) [0]	1 (0.0) [0]
Malignant mediastinal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Malignant peritoneal neoplasm	1 (0.0) [0]	0 (0.0) [0]
Malnutrition	0 (0.0) [0]	1 (0.0) [0]
Mantle cell lymphoma	1 (0.0) [0]	0 (0.0) [0]
Mantle cell lymphoma stage iv	1 (0.0) [0]	0 (0.0) [0]
Mastocytosis	0 (0.0) [0]	1 (0.0) [0]
Mastoiditis	1 (0.0) [0]	0 (0.0) [0]
Mediastinitis	0 (0.0) [0]	1 (0.0) [0]
Meningitis bacterial	1 (0.0) [0]	0 (0.0) [0]
Mental disorder	1 (0.0) [0]	0 (0.0) [0]

Mental status changes postoperative	1 (0.0) [0]	0 (0.0) [0]
Mesenteric artery stenosis	1 (0.0) [0]	0 (0.0) [0]
Metastases to biliary tract	1 (0.0) [0]	0 (0.0) [0]
Metastases to stomach	0 (0.0) [0]	1 (0.0) [0]
Metastatic renal cell carcinoma	1 (0.0) [0]	0 (0.0) [0]
Metastatic uterine cancer	0 (0.0) [0]	1 (0.0) [0]
Metatarsalgia	1 (0.0) [0]	0 (0.0) [0]
Metrorrhagia	0 (0.0) [0]	1 (0.0) [0]
Microcytic anaemia	0 (0.0) [0]	1 (0.0) [0]
Migraine	0 (0.0) [0]	1 (0.0) [0]
Miller fisher syndrome	1 (0.0) [1]	0 (0.0) [0]
Morton's neuroma	0 (0.0) [0]	1 (0.0) [0]
Motor neurone disease	1 (0.0) [0]	0 (0.0) [0]
Muscle atrophy	1 (0.0) [0]	0 (0.0) [0]
Muscular weakness	0 (0.0) [0]	1 (0.0) [0]
Musculoskeletal pain	1 (0.0) [0]	0 (0.0) [0]
Myasthenia gravis	1 (0.0) [0]	0 (0.0) [0]
Mycosis fungoides	1 (0.0) [0]	0 (0.0) [0]
Myelofibrosis	1 (0.0) [0]	0 (0.0) [0]
Myelopathy	1 (0.0) [0]	0 (0.0) [0]
Myeloproliferative disorder	1 (0.0) [0]	0 (0.0) [0]
Myoclonus	0 (0.0) [0]	1 (0.0) [0]
Myopericarditis	0 (0.0) [0]	1 (0.0) [0]
Myositis	0 (0.0) [0]	1 (0.0) [0]
Myxoedema	0 (0.0) [0]	1 (0.0) [0]
Necrotising fasciitis	1 (0.0) [0]	0 (0.0) [0]
Neoplasm progression	1 (0.0) [0]	0 (0.0) [0]
Neoplasm prostate	1 (0.0) [0]	0 (0.0) [0]
Nephropathy	0 (0.0) [0]	1 (0.0) [0]
Nephrostomy tube removal	1 (0.0) [0]	0 (0.0) [0]
Nerve compression	1 (0.0) [0]	0 (0.0) [0]
Nerve injury	0 (0.0) [0]	1 (0.0) [0]
Neuritis	0 (0.0) [0]	1 (0.0) [0]
Neuroendocrine carcinoma of the skin	1 (0.0) [0]	0 (0.0) [0]
Neurogenic bladder	1 (0.0) [0]	0 (0.0) [0]
Non-hodgkin's lymphoma recurrent	1 (0.0) [0]	0 (0.0) [0]
Non-small cell lung cancer	1 (0.0) [0]	0 (0.0) [0]
Normal pressure hydrocephalus	1 (0.0) [0]	0 (0.0) [0]
Ocular hypertension	1 (0.0) [0]	0 (0.0) [0]
Oedema	0 (0.0) [0]	1 (0.0) [0]
Oesophageal adenocarcinoma	0 (0.0) [0]	1 (0.0) [0]
Oesophageal discomfort	0 (0.0) [0]	1 (0.0) [0]
Oesophageal food impaction	0 (0.0) [0]	1 (0.0) [0]
Oesophageal ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Oesophagitis ulcerative	1 (0.0) [0]	0 (0.0) [0]
Open angle glaucoma	0 (0.0) [0]	1 (0.0) [0]
Open wound	1 (0.0) [0]	0 (0.0) [0]
Optic ischaemic neuropathy	1 (0.0) [0]	0 (0.0) [0]
Optic neuritis	0 (0.0) [0]	1 (0.0) [0]
Oral candidiasis	1 (0.0) [0]	0 (0.0) [0]
Oral cavity cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Orchitis	0 (0.0) [0]	1 (0.0) [0]
Organising pneumonia	0 (0.0) [0]	1 (0.0) [0]
Osteochondrosis	1 (0.0) [0]	0 (0.0) [0]

Osteomyelitis acute	0 (0.0) [0]	1 (0.0) [0]
Osteoporosis	1 (0.0) [0]	0 (0.0) [0]
Osteoporotic fracture	0 (0.0) [0]	1 (0.0) [0]
Otitis media	0 (0.0) [0]	1 (0.0) [0]
Otosclerosis	0 (0.0) [0]	1 (0.0) [0]
Ovarian adenoma	1 (0.0) [0]	0 (0.0) [0]
Ovarian enlargement	0 (0.0) [0]	1 (0.0) [0]
Ovarian epithelial cancer	0 (0.0) [0]	1 (0.0) [0]
Pacemaker generated arrhythmia	1 (0.0) [0]	0 (0.0) [0]
Pancreatic cyst	0 (0.0) [0]	1 (0.0) [0]
Pancreatic disorder	1 (0.0) [0]	0 (0.0) [0]
Pancreatic insufficiency	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis necrotising	0 (0.0) [0]	1 (0.0) [0]
Pancytopenia	0 (0.0) [0]	1 (0.0) [0]
Panic disorder	1 (0.0) [0]	0 (0.0) [0]
Papilla of Vater stenosis	1 (0.0) [0]	0 (0.0) [0]
Papilloma	0 (0.0) [0]	1 (0.0) [0]
Paraesthesia	1 (0.0) [0]	0 (0.0) [0]
Parametritis	1 (0.0) [0]	0 (0.0) [0]
Parotid gland enlargement	1 (0.0) [0]	0 (0.0) [0]
Parotitis	1 (0.0) [0]	0 (0.0) [0]
Parovarian cyst	1 (0.0) [0]	0 (0.0) [0]
Pelvic haematoma	0 (0.0) [0]	1 (0.0) [0]
Pelvic pain	0 (0.0) [0]	1 (0.0) [0]
Pemphigoid	0 (0.0) [0]	1 (0.0) [0]
Pemphigus	0 (0.0) [0]	1 (0.0) [0]
Pericardial haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Peridiverticular abscess	0 (0.0) [0]	1 (0.0) [0]
Peripheral artery aneurysm	0 (0.0) [0]	1 (0.0) [0]
Peritoneal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Personality disorder	0 (0.0) [0]	1 (0.0) [0]
Phrenic nerve paralysis	0 (0.0) [0]	1 (0.0) [0]
Piriformis syndrome	1 (0.0) [0]	0 (0.0) [0]
Pituitary tumour benign	1 (0.0) [0]	0 (0.0) [0]
Pleuritic pain	0 (0.0) [0]	1 (0.0) [0]
Pleuropericarditis	1 (0.0) [0]	0 (0.0) [0]
Pneumocystis jiroveci infection	1 (0.0) [0]	0 (0.0) [0]
Pneumomediastinum	1 (0.0) [0]	0 (0.0) [0]
Pneumonia bacterial	1 (0.0) [0]	0 (0.0) [0]
Pneumonia fungal	1 (0.0) [0]	0 (0.0) [0]
Pneumonia haemophilus	1 (0.0) [0]	0 (0.0) [0]
Pneumonia klebsiella	0 (0.0) [0]	1 (0.0) [0]
Pneumonia legionella	0 (0.0) [0]	1 (0.0) [0]
Pneumonia primary atypical	0 (0.0) [0]	1 (0.0) [0]
Pneumonia viral	1 (0.0) [0]	0 (0.0) [0]
Pneumonitis	0 (0.0) [0]	1 (0.0) [0]
Portal hypertension	0 (0.0) [0]	1 (0.0) [0]
Portal hypertensive gastropathy	1 (0.0) [0]	0 (0.0) [0]
Post procedural haematoma	0 (0.0) [0]	1 (0.0) [0]
Postoperative abscess	0 (0.0) [0]	1 (0.0) [0]
Postoperative wound complication	1 (0.0) [0]	0 (0.0) [0]
Procedural complication	0 (0.0) [0]	1 (0.0) [0]
Proctitis	0 (0.0) [0]	1 (0.0) [0]

Prostate cancer stage i	0 (0.0) [0]	1 (0.0) [0]
Pseudarthrosis	0 (0.0) [0]	1 (0.0) [0]
Pseudomonal sepsis	1 (0.0) [0]	0 (0.0) [0]
Psychogenic pain disorder	1 (0.0) [0]	0 (0.0) [0]
Psychomotor hyperactivity	0 (0.0) [0]	1 (0.0) [0]
Psychotic disorder	0 (0.0) [0]	1 (0.0) [0]
Pulmonary arterial hypertension	0 (0.0) [0]	1 (0.0) [0]
Pulmonary artery thrombosis	1 (0.0) [0]	0 (0.0) [0]
Pulmonary fistula	0 (0.0) [0]	1 (0.0) [0]
Pulmonary haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Pulmonary sepsis	1 (0.0) [0]	0 (0.0) [0]
Pulmonary tuberculosis	1 (0.0) [0]	0 (0.0) [0]
Pulmonary valve disease	0 (0.0) [0]	1 (0.0) [0]
Pulseless electrical activity	1 (0.0) [0]	0 (0.0) [0]
Pyelonephritis acute	0 (0.0) [0]	1 (0.0) [0]
Pyonephrosis	0 (0.0) [0]	1 (0.0) [0]
Radial nerve injury	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer stage ii	1 (0.0) [0]	0 (0.0) [0]
Rectocele	1 (0.0) [0]	0 (0.0) [0]
Renal cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Renal colic	0 (0.0) [0]	1 (0.0) [0]
Renal function test abnormal	1 (0.0) [0]	0 (0.0) [0]
Renal impairment	1 (0.0) [0]	0 (0.0) [0]
Renal infarct	1 (0.0) [0]	0 (0.0) [0]
Renal papillary necrosis	1 (0.0) [0]	0 (0.0) [0]
Respiratory acidosis	1 (0.0) [0]	0 (0.0) [0]
Respiratory alkalosis	0 (0.0) [0]	1 (0.0) [0]
Respiratory moniliasis	0 (0.0) [0]	1 (0.0) [0]
Retinal haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Retinopathy	1 (0.0) [0]	0 (0.0) [0]
Retinopathy hypertensive	0 (0.0) [0]	1 (0.0) [0]
Retroperitoneal haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Rhabdomyolysis	0 (0.0) [0]	1 (0.0) [0]
Rhabdomyosarcoma	1 (0.0) [0]	0 (0.0) [0]
Rhinitis	0 (0.0) [0]	1 (0.0) [0]
Salivary gland adenoma	0 (0.0) [0]	1 (0.0) [0]
Salivary gland calculus	1 (0.0) [0]	0 (0.0) [0]
Salivary gland cancer stage iv	0 (0.0) [0]	1 (0.0) [0]
Salmonellosis	0 (0.0) [0]	1 (0.0) [0]
Sarcoidosis	1 (0.0) [0]	0 (0.0) [0]
Sarcoma	1 (0.0) [0]	0 (0.0) [0]
Schizophrenia	0 (0.0) [0]	1 (0.0) [0]
Scrotal oedema	1 (0.0) [0]	0 (0.0) [0]
Seborrhoeic dermatitis	1 (0.0) [0]	0 (0.0) [0]
Seborrhoeic keratosis	1 (0.0) [0]	0 (0.0) [0]
Shunt occlusion	1 (0.0) [0]	0 (0.0) [0]
Silicosis	1 (0.0) [0]	0 (0.0) [0]
Sinus arrhythmia	1 (0.0) [0]	0 (0.0) [0]
Sinus bradycardia	1 (0.0) [0]	0 (0.0) [0]
Sinus polyp	1 (0.0) [0]	0 (0.0) [0]
Skin cancer	1 (0.0) [0]	0 (0.0) [0]
Skin necrosis	0 (0.0) [0]	1 (0.0) [0]
Skin neoplasm excision	1 (0.0) [0]	0 (0.0) [0]
Skull fractured base	0 (0.0) [0]	1 (0.0) [0]

Small cell lung cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Small intestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Small intestine carcinoma	1 (0.0) [0]	0 (0.0) [0]
Snake bite	0 (0.0) [0]	1 (0.0) [0]
Soft tissue infection	1 (0.0) [0]	0 (0.0) [0]
Somatoform disorder	0 (0.0) [0]	1 (0.0) [0]
Spinal cord compression	1 (0.0) [0]	0 (0.0) [0]
Spinal cord injury	1 (0.0) [0]	0 (0.0) [0]
Spindle cell sarcoma	0 (0.0) [0]	1 (0.0) [0]
Spinocerebellar ataxia	1 (0.0) [0]	0 (0.0) [0]
Splenic rupture	0 (0.0) [0]	1 (0.0) [0]
Spondylolisthesis	1 (0.0) [0]	0 (0.0) [0]
Squamous cell carcinoma of skin	0 (0.0) [0]	1 (0.0) [0]
Stag horn calculus	1 (0.0) [0]	0 (0.0) [0]
Staphylococcal sepsis	0 (0.0) [0]	1 (0.0) [0]
Status asthmaticus	1 (0.0) [0]	0 (0.0) [0]
Stent malfunction	1 (0.0) [0]	0 (0.0) [0]
Stomatitis	0 (0.0) [0]	1 (0.0) [0]
Streptococcal urinary tract infection	0 (0.0) [0]	1 (0.0) [0]
Stress cardiomyopathy	0 (0.0) [0]	1 (0.0) [0]
Subacute endocarditis	1 (0.0) [0]	0 (0.0) [0]
Subclavian artery stenosis	1 (0.0) [0]	0 (0.0) [0]
Subcutaneous abscess	0 (0.0) [0]	1 (0.0) [0]
Subileus	0 (0.0) [0]	1 (0.0) [0]
Suicidal ideation	1 (0.0) [0]	0 (0.0) [0]
Supraventricular extrasystoles	0 (0.0) [0]	1 (0.0) [0]
Synovial cyst	1 (0.0) [0]	0 (0.0) [0]
Temporal arteritis	1 (0.0) [0]	0 (0.0) [0]
Thalamus haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Thermal burn	1 (0.0) [0]	0 (0.0) [0]
Thrombosis in device	0 (0.0) [0]	1 (0.0) [0]
Thymoma malignant	1 (0.0) [0]	0 (0.0) [0]
Thyroid cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Thyroid disorder	1 (0.0) [0]	0 (0.0) [0]
Thyroid neoplasm	1 (0.0) [0]	0 (0.0) [0]
Tinea pedis	1 (0.0) [0]	0 (0.0) [0]
Tinnitus	0 (0.0) [0]	1 (0.0) [0]
Tongue cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Tongue injury	1 (0.0) [0]	0 (0.0) [0]
Tongue neoplasm benign	0 (0.0) [0]	1 (0.0) [0]
Tongue neoplasm malignant stage unspecified	1 (0.0) [0]	0 (0.0) [0]
Toxic nodular goitre	1 (0.0) [0]	0 (0.0) [0]
Toxic shock syndrome	1 (0.0) [0]	0 (0.0) [0]
Toxic skin eruption	0 (0.0) [0]	1 (0.0) [0]
Tracheitis	0 (0.0) [0]	1 (0.0) [0]
Transitional cell cancer of the renal pelvis and ureter	0 (0.0) [0]	1 (0.0) [0]
Traumatic liver injury	0 (0.0) [0]	1 (0.0) [0]
Tuberculosis	0 (0.0) [0]	1 (0.0) [0]
Type 1 diabetes mellitus	1 (0.0) [0]	0 (0.0) [0]
Ulcer haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Ulcerative keratitis	1 (0.0) [0]	0 (0.0) [0]
Upper respiratory tract infection bacterial	1 (0.0) [0]	0 (0.0) [0]
Ureteral polyp	1 (0.0) [0]	0 (0.0) [0]
Ureteric stenosis	0 (0.0) [0]	1 (0.0) [0]

Ureteritis	0 (0.0) [0]	1 (0.0) [0]
Urethral prolapse	0 (0.0) [0]	1 (0.0) [0]
Urethral stricture postoperative	0 (0.0) [0]	1 (0.0) [0]
Urethral stricture traumatic	1 (0.0) [0]	0 (0.0) [0]
Urge incontinence	0 (0.0) [0]	1 (0.0) [0]
Urinary bladder haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Urinary incontinence	0 (0.0) [0]	1 (0.0) [0]
Urinary tract infection bacterial	1 (0.0) [0]	0 (0.0) [0]
Urinary tract infection enterococcal	1 (0.0) [0]	0 (0.0) [0]
Urinary tract obstruction	1 (0.0) [0]	0 (0.0) [0]
Urogenital prolapse	1 (0.0) [0]	0 (0.0) [0]
Uterine leiomyoma	0 (0.0) [0]	1 (0.0) [0]
Uveitis	1 (0.0) [0]	0 (0.0) [0]
Varices oesophageal	1 (0.0) [0]	0 (0.0) [0]
Vascular encephalopathy	0 (0.0) [0]	1 (0.0) [0]
Vascular pseudoaneurysm	1 (0.0) [0]	0 (0.0) [0]
Venous insufficiency	0 (0.0) [0]	1 (0.0) [0]
Ventricular failure	0 (0.0) [0]	1 (0.0) [0]
Vestibular ataxia	1 (0.0) [0]	0 (0.0) [0]
Vestibular neuronitis	1 (0.0) [0]	0 (0.0) [0]
Victim of homicide	1 (0.0) [0]	0 (0.0) [0]
Viral infection	0 (0.0) [0]	1 (0.0) [0]
Viral myocarditis	1 (0.0) [0]	0 (0.0) [0]
Viral upper respiratory tract infection	0 (0.0) [0]	1 (0.0) [0]
Vulvovaginal human papilloma virus infection	1 (0.0) [0]	0 (0.0) [0]
Wound infection staphylococcal	0 (0.0) [0]	1 (0.0) [0]
Wound secretion	0 (0.0) [0]	1 (0.0) [0]
Fatal SAEs	Flu 1 Group N = 17070	Flu 2 Group N = 17071
Subjects with fatal SAE(s), n (%) [n assessed by the investigator as related]	359 (2.1) [0]	341 (2.0) [0]
Cerebrovascular accident	27 (0.2) [0]	33 (0.2) [0]
Myocardial infarction	22 (0.1) [0]	24 (0.1) [0]
Cardiac failure	17 (0.1) [0]	25 (0.1) [0]
Pneumonia	15 (0.1) [0]	19 (0.1) [0]
Cardiac failure congestive	17 (0.1) [0]	10 (0.1) [0]
Sudden death	15 (0.1) [0]	9 (0.1) [0]
Cardiac arrest	14 (0.1) [0]	9 (0.1) [0]
Sepsis	10 (0.1) [0]	11 (0.1) [0]
Acute myocardial infarction	8 (0.0) [0]	12 (0.1) [0]
Death	11 (0.1) [0]	9 (0.1) [0]
Myocardial ischaemia	8 (0.0) [0]	9 (0.1) [0]
Pulmonary embolism	9 (0.1) [0]	8 (0.0) [0]
Arteriosclerosis	6 (0.0) [0]	9 (0.1) [0]
Bronchopneumonia	6 (0.0) [0]	8 (0.0) [0]
Sudden cardiac death	8 (0.0) [0]	6 (0.0) [0]
Cardiac death	8 (0.0) [0]	5 (0.0) [0]
Lung neoplasm malignant	4 (0.0) [0]	9 (0.1) [0]
Respiratory failure	6 (0.0) [0]	7 (0.0) [0]
Chronic obstructive pulmonary disease	6 (0.0) [0]	5 (0.0) [0]
Cardio-respiratory arrest	3 (0.0) [0]	6 (0.0) [0]
Cerebrovascular disorder	5 (0.0) [0]	4 (0.0) [0]
Circulatory collapse	5 (0.0) [0]	4 (0.0) [0]
Pancreatic carcinoma	5 (0.0) [0]	4 (0.0) [0]
Pulmonary oedema	1 (0.0) [0]	8 (0.0) [0]

Renal failure acute	5 (0.0) [0]	3 (0.0) [0]
Renal failure chronic	4 (0.0) [0]	4 (0.0) [0]
Multi-organ failure	3 (0.0) [0]	4 (0.0) [0]
Renal failure	3 (0.0) [0]	4 (0.0) [0]
Cardiopulmonary failure	3 (0.0) [0]	3 (0.0) [0]
Pancreatic carcinoma metastatic	4 (0.0) [0]	2 (0.0) [0]
Septic shock	0 (0.0) [0]	6 (0.0) [0]
Arrhythmia	2 (0.0) [0]	3 (0.0) [0]
Brain oedema	2 (0.0) [0]	3 (0.0) [0]
Gastric cancer	1 (0.0) [0]	4 (0.0) [0]
Urinary tract infection	3 (0.0) [0]	2 (0.0) [0]
Acute respiratory failure	3 (0.0) [0]	1 (0.0) [0]
Brain neoplasm	1 (0.0) [0]	3 (0.0) [0]
Cardiac failure acute	2 (0.0) [0]	2 (0.0) [0]
Cardiovascular insufficiency	2 (0.0) [0]	2 (0.0) [0]
Cerebral arteriosclerosis	2 (0.0) [0]	2 (0.0) [0]
Cerebral haemorrhage	3 (0.0) [0]	1 (0.0) [0]
Colon cancer	3 (0.0) [0]	1 (0.0) [0]
Femoral neck fracture	2 (0.0) [0]	2 (0.0) [0]
Hepatic cirrhosis	3 (0.0) [0]	1 (0.0) [0]
Hepatic neoplasm	2 (0.0) [0]	2 (0.0) [0]
Neoplasm malignant	3 (0.0) [0]	1 (0.0) [0]
Peritonitis	2 (0.0) [0]	2 (0.0) [0]
Pneumonia aspiration	1 (0.0) [0]	3 (0.0) [0]
Acute pulmonary oedema	1 (0.0) [0]	2 (0.0) [0]
Aortic aneurysm	1 (0.0) [0]	2 (0.0) [0]
Bladder cancer	1 (0.0) [0]	2 (0.0) [0]
Bronchitis	1 (0.0) [0]	2 (0.0) [0]
Colon cancer metastatic	2 (0.0) [0]	1 (0.0) [0]
Completed suicide	0 (0.0) [0]	3 (0.0) [0]
Diabetes mellitus inadequate control	3 (0.0) [0]	0 (0.0) [0]
Gastrointestinal haemorrhage	1 (0.0) [0]	2 (0.0) [0]
Head injury	1 (0.0) [0]	2 (0.0) [0]
Hepatic neoplasm malignant	2 (0.0) [0]	1 (0.0) [0]
Hypertension	2 (0.0) [0]	1 (0.0) [0]
Left ventricular failure	1 (0.0) [0]	2 (0.0) [0]
Pleural effusion	2 (0.0) [0]	1 (0.0) [0]
Prostate cancer	3 (0.0) [0]	0 (0.0) [0]
Road traffic accident	3 (0.0) [0]	0 (0.0) [0]
Subdural haematoma	1 (0.0) [0]	2 (0.0) [0]
Acute abdomen	2 (0.0) [0]	0 (0.0) [0]
Acute myeloid leukaemia	2 (0.0) [0]	0 (0.0) [0]
Arteriosclerosis coronary artery	1 (0.0) [0]	1 (0.0) [0]
Atrioventricular block	1 (0.0) [0]	1 (0.0) [0]
Bladder cancer stage iv	0 (0.0) [0]	2 (0.0) [0]
Cachexia	1 (0.0) [0]	1 (0.0) [0]
Cardiac failure chronic	2 (0.0) [0]	0 (0.0) [0]
Cardiogenic shock	2 (0.0) [0]	0 (0.0) [0]
Cerebral infarction	1 (0.0) [0]	1 (0.0) [0]
Cholecystitis acute	1 (0.0) [0]	1 (0.0) [0]
Coronary artery disease	1 (0.0) [0]	1 (0.0) [0]
Disseminated intravascular coagulation	1 (0.0) [0]	1 (0.0) [0]
Gangrene	0 (0.0) [0]	2 (0.0) [0]
Haemorrhage intracranial	0 (0.0) [0]	2 (0.0) [0]

Hepatic failure	0 (0.0) [0]	2 (0.0) [0]
Hypovolaemic shock	2 (0.0) [0]	0 (0.0) [0]
Metastases to liver	0 (0.0) [0]	2 (0.0) [0]
Metastatic bronchial carcinoma	1 (0.0) [0]	1 (0.0) [0]
Metastatic gastric cancer	2 (0.0) [0]	0 (0.0) [0]
Non-hodgkin's lymphoma	0 (0.0) [0]	2 (0.0) [0]
Non-small cell lung cancer metastatic	2 (0.0) [0]	0 (0.0) [0]
Pulmonary fibrosis	1 (0.0) [0]	1 (0.0) [0]
Rectal cancer	1 (0.0) [0]	1 (0.0) [0]
Renal cancer metastatic	0 (0.0) [0]	2 (0.0) [0]
Respiratory arrest	2 (0.0) [0]	0 (0.0) [0]
Respiratory distress	2 (0.0) [0]	0 (0.0) [0]
Shock	2 (0.0) [0]	0 (0.0) [0]
Subarachnoid haemorrhage	1 (0.0) [0]	1 (0.0) [0]
Upper gastrointestinal haemorrhage	2 (0.0) [0]	0 (0.0) [0]
Upper respiratory tract infection	0 (0.0) [0]	2 (0.0) [0]
Urosepsis	1 (0.0) [0]	1 (0.0) [0]
Ventricular fibrillation	2 (0.0) [0]	0 (0.0) [0]
Abdominal sepsis	1 (0.0) [0]	0 (0.0) [0]
Accidental death	0 (0.0) [0]	1 (0.0) [0]
Acute coronary syndrome	0 (0.0) [0]	1 (0.0) [0]
Acute respiratory distress syndrome	0 (0.0) [0]	1 (0.0) [0]
Adenocarcinoma	0 (0.0) [0]	1 (0.0) [0]
Anaemia	1 (0.0) [0]	0 (0.0) [0]
Aortic aneurysm rupture	0 (0.0) [0]	1 (0.0) [0]
Aortic stenosis	1 (0.0) [0]	0 (0.0) [0]
Aortic valve stenosis	1 (0.0) [0]	0 (0.0) [0]
Arteriosclerosis obliterans	0 (0.0) [0]	1 (0.0) [0]
Arteriovenous fistula site infection	1 (0.0) [0]	0 (0.0) [0]
Atrioventricular block complete	0 (0.0) [0]	1 (0.0) [0]
Autoimmune thrombocytopenia	0 (0.0) [0]	1 (0.0) [0]
Azotaemia	0 (0.0) [0]	1 (0.0) [0]
B-cell lymphoma	1 (0.0) [0]	0 (0.0) [0]
Bacterial sepsis	1 (0.0) [0]	0 (0.0) [0]
Biliary cirrhosis primary	1 (0.0) [0]	0 (0.0) [0]
Breast cancer	1 (0.0) [0]	0 (0.0) [0]
Breast cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Bronchial carcinoma	1 (0.0) [0]	0 (0.0) [0]
Bronchitis bacterial	0 (0.0) [0]	1 (0.0) [0]
Cardiac disorder	1 (0.0) [0]	0 (0.0) [0]
Cardiac tamponade	1 (0.0) [0]	0 (0.0) [0]
Cardiovascular disorder	0 (0.0) [0]	1 (0.0) [0]
Cellulitis	1 (0.0) [0]	0 (0.0) [0]
Cerebral ischaemia	0 (0.0) [0]	1 (0.0) [0]
Cerebral thrombosis	1 (0.0) [0]	0 (0.0) [0]
Cervix carcinoma	1 (0.0) [0]	0 (0.0) [0]
Chest pain	0 (0.0) [0]	1 (0.0) [0]
Cholecystitis	0 (0.0) [0]	1 (0.0) [0]
Chronic myelomonocytic leukaemia	1 (0.0) [0]	0 (0.0) [0]
Clostridium difficile colitis	1 (0.0) [0]	0 (0.0) [0]
Coagulopathy	1 (0.0) [0]	0 (0.0) [0]
Colitis ischaemic	0 (0.0) [0]	1 (0.0) [0]
Colon neoplasm	0 (0.0) [0]	1 (0.0) [0]
Cor pulmonale	0 (0.0) [0]	1 (0.0) [0]

Cor pulmonale chronic	1 (0.0) [0]	0 (0.0) [0]
Coronary artery insufficiency	0 (0.0) [0]	1 (0.0) [0]
Coronary artery stenosis	1 (0.0) [0]	0 (0.0) [0]
Decreased appetite	0 (0.0) [0]	1 (0.0) [0]
Dehydration	1 (0.0) [0]	0 (0.0) [0]
Delirium	1 (0.0) [0]	0 (0.0) [0]
Dementia	0 (0.0) [0]	1 (0.0) [0]
Diabetic coma	1 (0.0) [0]	0 (0.0) [0]
Diabetic gangrene	0 (0.0) [0]	1 (0.0) [0]
Electrolyte imbalance	1 (0.0) [0]	0 (0.0) [0]
Encephalopathy	0 (0.0) [0]	1 (0.0) [0]
Endocarditis	0 (0.0) [0]	1 (0.0) [0]
Epistaxis	0 (0.0) [0]	1 (0.0) [0]
Erysipelas	1 (0.0) [0]	0 (0.0) [0]
Femur fracture	0 (0.0) [0]	1 (0.0) [0]
Gastric cancer stage iv	0 (0.0) [0]	1 (0.0) [0]
Gastritis erosive	1 (0.0) [0]	0 (0.0) [0]
Gastroenteritis	0 (0.0) [0]	1 (0.0) [0]
Gastroenteritis norovirus	0 (0.0) [0]	1 (0.0) [0]
Glioblastoma multiforme	0 (0.0) [0]	1 (0.0) [0]
Haematuria	1 (0.0) [0]	0 (0.0) [0]
Haemorrhagic stroke	0 (0.0) [0]	1 (0.0) [0]
Hepatic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Hepatitis b	1 (0.0) [0]	0 (0.0) [0]
Hepatorenal syndrome	0 (0.0) [0]	1 (0.0) [0]
Hip fracture	1 (0.0) [0]	0 (0.0) [0]
Hypertensive crisis	0 (0.0) [0]	1 (0.0) [0]
Hypovolaemia	1 (0.0) [0]	0 (0.0) [0]
Hypoxic-ischaemic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Idiopathic thrombocytopenic purpura	1 (0.0) [0]	0 (0.0) [0]
Infarction	1 (0.0) [0]	0 (0.0) [0]
Infection	0 (0.0) [0]	1 (0.0) [0]
Inguinal hernia, obstructive	0 (0.0) [0]	1 (0.0) [0]
Internal injury	1 (0.0) [0]	0 (0.0) [0]
Intestinal obstruction	1 (0.0) [0]	0 (0.0) [0]
Intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Iron deficiency anaemia	0 (0.0) [0]	1 (0.0) [0]
Ischaemic stroke	1 (0.0) [0]	0 (0.0) [0]
Laryngeal cancer	1 (0.0) [0]	0 (0.0) [0]
Left ventricular dysfunction	0 (0.0) [0]	1 (0.0) [0]
Liver abscess	0 (0.0) [0]	1 (0.0) [0]
Lower gastrointestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Lumbar vertebral fracture	1 (0.0) [0]	0 (0.0) [0]
Lung adenocarcinoma	1 (0.0) [0]	0 (0.0) [0]
Lung adenocarcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Lung cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Lung carcinoma cell type unspecified stage iv	0 (0.0) [0]	1 (0.0) [0]
Lung disorder	0 (0.0) [0]	1 (0.0) [0]
Lung infection	0 (0.0) [0]	1 (0.0) [0]
Lymphoma transformation	1 (0.0) [0]	0 (0.0) [0]
Malignant melanoma	0 (0.0) [0]	1 (0.0) [0]
Malignant peritoneal neoplasm	1 (0.0) [0]	0 (0.0) [0]
Malnutrition	0 (0.0) [0]	1 (0.0) [0]
Mantle cell lymphoma	1 (0.0) [0]	0 (0.0) [0]

Meningitis bacterial	1 (0.0) [0]	0 (0.0) [0]
Metabolic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Metastases to biliary tract	1 (0.0) [0]	0 (0.0) [0]
Metastases to bone	0 (0.0) [0]	1 (0.0) [0]
Metastases to lung	0 (0.0) [0]	1 (0.0) [0]
Metastases to peritoneum	1 (0.0) [0]	0 (0.0) [0]
Metastases to stomach	0 (0.0) [0]	1 (0.0) [0]
Metastatic neoplasm	0 (0.0) [0]	1 (0.0) [0]
Multiple injuries	1 (0.0) [0]	0 (0.0) [0]
Multiple myeloma	1 (0.0) [0]	0 (0.0) [0]
Necrotising fasciitis	1 (0.0) [0]	0 (0.0) [0]
Oesophageal adenocarcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Oesophageal carcinoma	0 (0.0) [0]	1 (0.0) [0]
Oesophageal varices haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Oral cavity cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Osteomyelitis	0 (0.0) [0]	1 (0.0) [0]
Ovarian epithelial cancer	0 (0.0) [0]	1 (0.0) [0]
Pancreatic neoplasm	1 (0.0) [0]	0 (0.0) [0]
Pancreatitis acute	1 (0.0) [0]	0 (0.0) [0]
Pancreatitis haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Peptic ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Peptic ulcer perforation	0 (0.0) [0]	1 (0.0) [0]
Peripheral vascular disorder	1 (0.0) [0]	0 (0.0) [0]
Pneumonia fungal	1 (0.0) [0]	0 (0.0) [0]
Pneumonia viral	1 (0.0) [0]	0 (0.0) [0]
Pneumothorax	1 (0.0) [0]	0 (0.0) [0]
Post procedural haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Prostate cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Pulmonary sepsis	1 (0.0) [0]	0 (0.0) [0]
Pulmonary thrombosis	0 (0.0) [0]	1 (0.0) [0]
Pulseless electrical activity	1 (0.0) [0]	0 (0.0) [0]
Renal cancer	1 (0.0) [0]	0 (0.0) [0]
Renal function test abnormal	1 (0.0) [0]	0 (0.0) [0]
Respiratory alkalosis	0 (0.0) [0]	1 (0.0) [0]
Rhabdomyosarcoma	1 (0.0) [0]	0 (0.0) [0]
Ruptured cerebral aneurysm	0 (0.0) [0]	1 (0.0) [0]
Skin ulcer	0 (0.0) [0]	1 (0.0) [0]
Skull fractured base	0 (0.0) [0]	1 (0.0) [0]
Small cell lung cancer stage unspecified	1 (0.0) [0]	0 (0.0) [0]
Small intestine carcinoma	1 (0.0) [0]	0 (0.0) [0]
Squamous cell carcinoma	0 (0.0) [0]	1 (0.0) [0]
Staphylococcal infection	0 (0.0) [0]	1 (0.0) [0]
Supraventricular tachycardia	0 (0.0) [0]	1 (0.0) [0]
Thyroid cancer	1 (0.0) [0]	0 (0.0) [0]
Thyroid cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Tongue cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Toxicity to various agents	1 (0.0) [0]	0 (0.0) [0]
Traumatic brain injury	1 (0.0) [0]	0 (0.0) [0]
Uterine cancer	1 (0.0) [0]	0 (0.0) [0]
Victim of homicide	1 (0.0) [0]	0 (0.0) [0]
Safety results: Number (%) of subjects with serious adverse events during the entire study period (Total Vaccinated cohort)		
All SAEs	Flu 1 Group N = 21893	Flu 2 Group N = 21802
Subjects with any SAE(s), n (%) [n assessed by the investigator as related]	4071 (18.6) [9]	4066 (18.6) [6]

Pneumonia	228 (1.0) [0]	226 (1.0) [0]
Atrial fibrillation	211 (1.0) [0]	178 (0.8) [0]
Cerebrovascular accident	196 (0.9) [0]	180 (0.8) [0]
Myocardial infarction	169 (0.8) [0]	167 (0.8) [0]
Cardiac failure congestive	147 (0.7) [0]	153 (0.7) [0]
Chronic obstructive pulmonary disease	141 (0.6) [0]	128 (0.6) [0]
Urinary tract infection	129 (0.6) [0]	111 (0.5) [0]
Cardiac failure	98 (0.4) [0]	102 (0.5) [0]
Osteoarthritis	87 (0.4) [0]	108 (0.5) [0]
Coronary artery disease	90 (0.4) [0]	75 (0.3) [0]
Hypertension	82 (0.4) [0]	83 (0.4) [0]
Angina pectoris	77 (0.4) [0]	75 (0.3) [1]
Myocardial ischaemia	64 (0.3) [0]	62 (0.3) [0]
Transient ischaemic attack	69 (0.3) [0]	57 (0.3) [0]
Prostate cancer	57 (0.3) [0]	60 (0.3) [0]
Anaemia	48 (0.2) [0]	64 (0.3) [0]
Pulmonary embolism	47 (0.2) [0]	61 (0.3) [0]
Renal failure acute	60 (0.3) [0]	45 (0.2) [0]
Bronchitis	61 (0.3) [0]	43 (0.2) [0]
Acute myocardial infarction	38 (0.2) [0]	59 (0.3) [0]
Syncope	54 (0.2) [0]	43 (0.2) [0]
Breast cancer	48 (0.2) [0]	46 (0.2) [0]
Cholelithiasis	44 (0.2) [0]	45 (0.2) [0]
Femoral neck fracture	35 (0.2) [0]	53 (0.2) [0]
Chest pain	42 (0.2) [0]	45 (0.2) [0]
Sepsis	41 (0.2) [0]	45 (0.2) [0]
Cholecystitis	40 (0.2) [0]	43 (0.2) [0]
Gastroenteritis	35 (0.2) [0]	47 (0.2) [0]
Colon cancer	44 (0.2) [0]	35 (0.2) [0]
Femur fracture	34 (0.2) [0]	45 (0.2) [0]
Respiratory failure	32 (0.1) [0]	37 (0.2) [0]
Diverticulitis	31 (0.1) [0]	34 (0.2) [0]
Inguinal hernia	37 (0.2) [0]	26 (0.1) [0]
Lung neoplasm malignant	24 (0.1) [0]	38 (0.2) [0]
Arrhythmia	35 (0.2) [0]	26 (0.1) [0]
Cardiac arrest	33 (0.2) [0]	28 (0.1) [0]
Benign prostatic hyperplasia	27 (0.1) [0]	31 (0.1) [0]
Hip fracture	23 (0.1) [0]	34 (0.2) [0]
Renal failure chronic	27 (0.1) [0]	30 (0.1) [0]
Cellulitis	29 (0.1) [0]	27 (0.1) [0]
Bronchopneumonia	26 (0.1) [0]	29 (0.1) [0]
Death	28 (0.1) [0]	27 (0.1) [0]
Humerus fracture	19 (0.1) [0]	35 (0.2) [0]
Renal failure	26 (0.1) [0]	27 (0.1) [0]
Arteriosclerosis	22 (0.1) [0]	30 (0.1) [0]
Sudden death	34 (0.2) [0]	18 (0.1) [0]
Asthma	33 (0.2) [0]	17 (0.1) [0]
Dehydration	24 (0.1) [0]	25 (0.1) [0]
Erysipelas	28 (0.1) [0]	21 (0.1) [0]
Gastrointestinal haemorrhage	19 (0.1) [0]	29 (0.1) [0]
Hypertensive crisis	26 (0.1) [0]	21 (0.1) [0]
Cerebrovascular disorder	24 (0.1) [0]	21 (0.1) [0]
Ischaemic stroke	17 (0.1) [0]	28 (0.1) [0]
Depression	24 (0.1) [0]	20 (0.1) [0]

Intervertebral disc protrusion	18 (0.1) [0]	26 (0.1) [0]
Pulmonary oedema	19 (0.1) [0]	24 (0.1) [0]
Diabetes mellitus inadequate control	22 (0.1) [0]	20 (0.1) [0]
Gastritis	20 (0.1) [0]	22 (0.1) [0]
Circulatory collapse	23 (0.1) [0]	18 (0.1) [0]
Hypoglycaemia	23 (0.1) [0]	18 (0.1) [0]
Cholecystitis acute	23 (0.1) [0]	17 (0.1) [0]
Bladder cancer	20 (0.1) [0]	19 (0.1) [0]
Bradycardia	18 (0.1) [0]	20 (0.1) [0]
Acute respiratory failure	22 (0.1) [0]	15 (0.1) [0]
Deep vein thrombosis	13 (0.1) [0]	24 (0.1) [0]
Cataract	16 (0.1) [0]	20 (0.1) [0]
Diabetes mellitus	18 (0.1) [0]	18 (0.1) [0]
Pancreatitis acute	18 (0.1) [0]	18 (0.1) [0]
Angina unstable	17 (0.1) [0]	18 (0.1) [0]
Back pain	15 (0.1) [0]	20 (0.1) [0]
Lobar pneumonia	16 (0.1) [0]	19 (0.1) [0]
Rib fracture	21 (0.1) [0]	14 (0.1) [0]
Toxicity to various agents	17 (0.1) [0]	18 (0.1) [0]
Cerebral infarction	23 (0.1) [0]	11 (0.1) [0]
Gastric ulcer	16 (0.1) [0]	18 (0.1) [0]
Intestinal obstruction	15 (0.1) [0]	19 (0.1) [0]
Nephrolithiasis	14 (0.1) [0]	20 (0.1) [0]
Pleural effusion	15 (0.1) [0]	19 (0.1) [0]
Pyelonephritis	21 (0.1) [0]	13 (0.1) [0]
Basal cell carcinoma	12 (0.1) [0]	21 (0.1) [0]
Radius fracture	13 (0.1) [0]	20 (0.1) [0]
Spinal column stenosis	19 (0.1) [0]	14 (0.1) [0]
Vertigo	14 (0.1) [0]	19 (0.1) [0]
Appendicitis	15 (0.1) [0]	17 (0.1) [0]
Contusion	20 (0.1) [0]	12 (0.1) [0]
Peripheral arterial occlusive disease	19 (0.1) [0]	13 (0.1) [0]
Atrial flutter	14 (0.1) [0]	16 (0.1) [0]
Upper respiratory tract infection	13 (0.1) [0]	17 (0.1) [0]
Ankle fracture	14 (0.1) [0]	15 (0.1) [0]
Pancreatitis	18 (0.1) [0]	11 (0.1) [0]
Aortic aneurysm	13 (0.1) [0]	15 (0.1) [0]
Bronchitis chronic	14 (0.1) [0]	14 (0.1) [0]
Gastric cancer	15 (0.1) [0]	13 (0.1) [0]
Type 2 diabetes mellitus	16 (0.1) [0]	12 (0.1) [0]
Urinary retention	13 (0.1) [0]	15 (0.1) [0]
Atrioventricular block	11 (0.1) [0]	16 (0.1) [0]
Hypotension	14 (0.1) [0]	13 (0.1) [0]
Pancreatic carcinoma	15 (0.1) [0]	12 (0.1) [0]
Concussion	10 (0.0) [0]	16 (0.1) [0]
Upper limb fracture	9 (0.0) [0]	17 (0.1) [0]
Epilepsy	14 (0.1) [1]	11 (0.1) [0]
Ileus	14 (0.1) [0]	11 (0.1) [0]
Small intestinal obstruction	13 (0.1) [0]	12 (0.1) [0]
Spinal compression fracture	14 (0.1) [0]	11 (0.1) [0]
Wrist fracture	15 (0.1) [0]	10 (0.0) [0]
Acute coronary syndrome	6 (0.0) [0]	18 (0.1) [0]
Bile duct stone	15 (0.1) [0]	9 (0.0) [0]
Constipation	11 (0.1) [0]	13 (0.1) [0]

Mitral valve incompetence	14 (0.1) [0]	10 (0.0) [0]
Multi-organ failure	9 (0.0) [0]	15 (0.1) [0]
Pneumonia aspiration	10 (0.0) [0]	14 (0.1) [0]
Septic shock	6 (0.0) [0]	18 (0.1) [0]
Carotid artery stenosis	13 (0.1) [0]	10 (0.0) [0]
Duodenal ulcer	15 (0.1) [0]	8 (0.0) [0]
Dyspnoea	13 (0.1) [0]	10 (0.0) [0]
Haematoma	15 (0.1) [0]	8 (0.0) [0]
Peritonitis	12 (0.1) [0]	11 (0.1) [0]
Rectal cancer	10 (0.0) [0]	13 (0.1) [0]
Bladder neoplasm	13 (0.1) [0]	9 (0.0) [0]
Colitis	8 (0.0) [0]	14 (0.1) [0]
Epistaxis	13 (0.1) [0]	9 (0.0) [0]
Peripheral vascular disorder	11 (0.1) [0]	11 (0.1) [0]
Aortic valve stenosis	13 (0.1) [0]	8 (0.0) [0]
Gangrene	10 (0.0) [0]	11 (0.1) [0]
Iron deficiency anaemia	7 (0.0) [0]	14 (0.1) [0]
Sick sinus syndrome	10 (0.0) [0]	11 (0.1) [0]
Abdominal pain	13 (0.1) [0]	7 (0.0) [0]
Atrioventricular block complete	9 (0.0) [0]	11 (0.1) [0]
Colonic polyp	11 (0.1) [0]	9 (0.0) [0]
Hepatic cirrhosis	11 (0.1) [0]	9 (0.0) [0]
Hyponatraemia	9 (0.0) [0]	11 (0.1) [0]
Pelvic fracture	9 (0.0) [0]	11 (0.1) [0]
Rotator cuff syndrome	8 (0.0) [0]	12 (0.1) [0]
Subdural haematoma	5 (0.0) [0]	15 (0.1) [0]
Supraventricular tachycardia	7 (0.0) [0]	13 (0.1) [0]
Upper gastrointestinal haemorrhage	11 (0.1) [0]	9 (0.0) [0]
Cardiac death	11 (0.1) [0]	8 (0.0) [0]
Lumbar vertebral fracture	9 (0.0) [0]	10 (0.0) [0]
Sudden cardiac death	12 (0.1) [0]	7 (0.0) [0]
Vascular dementia	12 (0.1) [0]	7 (0.0) [0]
Aortic stenosis	11 (0.1) [0]	7 (0.0) [0]
Arthralgia	6 (0.0) [0]	12 (0.1) [0]
Cerebral ischaemia	9 (0.0) [0]	9 (0.0) [0]
Road traffic accident	9 (0.0) [0]	9 (0.0) [0]
Cystitis	5 (0.0) [0]	12 (0.1) [0]
Diarrhoea	8 (0.0) [0]	9 (0.0) [0]
Facial bones fracture	9 (0.0) [0]	8 (0.0) [0]
Gastritis erosive	9 (0.0) [0]	8 (0.0) [0]
Gastroesophageal reflux disease	7 (0.0) [0]	10 (0.0) [0]
Head injury	9 (0.0) [0]	8 (0.0) [0]
Hypokalaemia	8 (0.0) [0]	9 (0.0) [0]
Left ventricular failure	9 (0.0) [0]	8 (0.0) [0]
Non-cardiac chest pain	9 (0.0) [0]	8 (0.0) [0]
Polymyalgia rheumatica	12 (0.1) [0]	5 (0.0) [1]
Squamous cell carcinoma	8 (0.0) [0]	9 (0.0) [0]
Tachyarrhythmia	9 (0.0) [0]	8 (0.0) [0]
Venous thrombosis	9 (0.0) [0]	8 (0.0) [0]
Coronary artery stenosis	7 (0.0) [0]	9 (0.0) [0]
Diverticulum	7 (0.0) [0]	9 (0.0) [0]
Gastric ulcer haemorrhage	7 (0.0) [0]	9 (0.0) [0]
Haematuria	8 (0.0) [0]	8 (0.0) [0]
Herpes zoster	7 (0.0) [0]	9 (0.0) [0]

Hiatus hernia	5 (0.0) [0]	11 (0.1) [0]
Intervertebral disc degeneration	6 (0.0) [0]	10 (0.0) [0]
Joint dislocation	5 (0.0) [0]	11 (0.1) [0]
Lumbar spinal stenosis	7 (0.0) [0]	9 (0.0) [0]
Malignant melanoma	9 (0.0) [0]	7 (0.0) [0]
Renal cancer	10 (0.0) [0]	6 (0.0) [0]
Respiratory tract infection	7 (0.0) [0]	9 (0.0) [0]
Rheumatoid arthritis	8 (0.0) [2]	8 (0.0) [1]
Spinal osteoarthritis	8 (0.0) [0]	8 (0.0) [0]
Arrhythmia supraventricular	11 (0.1) [0]	4 (0.0) [0]
Hepatic neoplasm malignant	8 (0.0) [0]	7 (0.0) [0]
Pancreatic carcinoma metastatic	7 (0.0) [0]	8 (0.0) [0]
Spinal fracture	6 (0.0) [0]	9 (0.0) [0]
Ventricular fibrillation	8 (0.0) [0]	7 (0.0) [0]
Wound infection	8 (0.0) [0]	7 (0.0) [0]
Calculus ureteric	10 (0.0) [0]	4 (0.0) [0]
Colitis ischaemic	3 (0.0) [0]	11 (0.1) [0]
Laceration	8 (0.0) [0]	6 (0.0) [0]
Lower limb fracture	8 (0.0) [0]	6 (0.0) [0]
Lung adenocarcinoma	7 (0.0) [0]	7 (0.0) [0]
Neoplasm malignant	9 (0.0) [0]	5 (0.0) [0]
Cardiopulmonary failure	7 (0.0) [0]	6 (0.0) [0]
Cerebral haemorrhage	9 (0.0) [0]	4 (0.0) [0]
Decubitus ulcer	6 (0.0) [0]	7 (0.0) [0]
Dementia	4 (0.0) [0]	9 (0.0) [0]
Dementia alzheimer's type	9 (0.0) [0]	4 (0.0) [0]
Dizziness	5 (0.0) [0]	8 (0.0) [0]
Fall	4 (0.0) [0]	9 (0.0) [0]
Large intestine perforation	8 (0.0) [0]	5 (0.0) [0]
Lymphoma	9 (0.0) [0]	4 (0.0) [1]
Parkinson's disease	8 (0.0) [0]	5 (0.0) [0]
Presyncope	9 (0.0) [0]	4 (0.0) [0]
Staphylococcal infection	8 (0.0) [0]	5 (0.0) [0]
Tendon rupture	10 (0.0) [0]	3 (0.0) [0]
Thyroid cancer	8 (0.0) [0]	5 (0.0) [0]
Urethral stenosis	3 (0.0) [0]	10 (0.0) [0]
Vestibular disorder	5 (0.0) [0]	8 (0.0) [1]
Arteriosclerosis coronary artery	6 (0.0) [0]	6 (0.0) [0]
Cardiac failure chronic	7 (0.0) [0]	5 (0.0) [0]
Cardio-respiratory arrest	5 (0.0) [0]	7 (0.0) [0]
Cardiovascular insufficiency	6 (0.0) [0]	6 (0.0) [0]
Completed suicide	5 (0.0) [0]	7 (0.0) [0]
Coronary artery occlusion	6 (0.0) [0]	6 (0.0) [0]
Diabetic foot	5 (0.0) [0]	7 (0.0) [0]
Dyspepsia	4 (0.0) [0]	8 (0.0) [0]
Grand mal convulsion	4 (0.0) [0]	8 (0.0) [0]
Haemorrhoids	7 (0.0) [0]	5 (0.0) [0]
Hypersensitivity	7 (0.0) [0]	5 (0.0) [0]
Metastases to liver	6 (0.0) [0]	6 (0.0) [0]
Prostatic adenoma	7 (0.0) [0]	5 (0.0) [0]
Rectal haemorrhage	5 (0.0) [0]	7 (0.0) [0]
Reflux oesophagitis	3 (0.0) [0]	9 (0.0) [0]
Sciatica	7 (0.0) [0]	5 (0.0) [0]
Thrombophlebitis	7 (0.0) [0]	5 (0.0) [0]

Thrombosis	4 (0.0) [0]	8 (0.0) [0]
Urosepsis	8 (0.0) [0]	4 (0.0) [0]
Calculus bladder	6 (0.0) [0]	5 (0.0) [0]
Cardiac failure acute	6 (0.0) [0]	5 (0.0) [0]
Cerebral arteriosclerosis	7 (0.0) [0]	4 (0.0) [0]
Colon cancer metastatic	6 (0.0) [0]	5 (0.0) [0]
Fibula fracture	7 (0.0) [0]	4 (0.0) [0]
Glaucoma	3 (0.0) [0]	8 (0.0) [0]
Hydronephrosis	8 (0.0) [0]	3 (0.0) [0]
Hypothyroidism	4 (0.0) [0]	7 (0.0) [0]
Orthostatic hypotension	5 (0.0) [0]	6 (0.0) [0]
Pneumothorax	7 (0.0) [0]	4 (0.0) [0]
Skin ulcer	5 (0.0) [0]	6 (0.0) [0]
Subarachnoid haemorrhage	7 (0.0) [0]	4 (0.0) [0]
Tibia fracture	3 (0.0) [0]	8 (0.0) [0]
Acute pulmonary oedema	2 (0.0) [0]	8 (0.0) [0]
Arterial occlusive disease	4 (0.0) [0]	6 (0.0) [0]
Atrioventricular block second degree	8 (0.0) [0]	2 (0.0) [0]
Brain neoplasm	5 (0.0) [0]	5 (0.0) [0]
Brain oedema	3 (0.0) [0]	7 (0.0) [0]
Cholangitis	5 (0.0) [0]	5 (0.0) [0]
Delirium	6 (0.0) [0]	4 (0.0) [0]
Dysphagia	3 (0.0) [0]	7 (0.0) [0]
Faecaloma	4 (0.0) [0]	6 (0.0) [0]
Hyperthyroidism	1 (0.0) [0]	9 (0.0) [0]
Intermittent claudication	4 (0.0) [0]	6 (0.0) [0]
Lower gastrointestinal haemorrhage	2 (0.0) [0]	8 (0.0) [0]
Lung neoplasm	4 (0.0) [0]	6 (0.0) [0]
Sinusitis	3 (0.0) [0]	7 (0.0) [0]
Transitional cell carcinoma	6 (0.0) [0]	4 (0.0) [0]
Traumatic brain injury	5 (0.0) [0]	5 (0.0) [0]
Uterine cancer	6 (0.0) [0]	4 (0.0) [0]
Uterine prolapse	7 (0.0) [0]	3 (0.0) [0]
Ventricular tachycardia	4 (0.0) [0]	6 (0.0) [0]
Vertigo positional	2 (0.0) [0]	8 (0.0) [0]
Abdominal hernia	6 (0.0) [0]	3 (0.0) [0]
Angioedema	4 (0.0) [0]	5 (0.0) [0]
Aortic valve incompetence	3 (0.0) [0]	6 (0.0) [0]
Arthritis	5 (0.0) [0]	4 (0.0) [0]
Bronchial carcinoma	4 (0.0) [0]	5 (0.0) [0]
Cervical vertebral fracture	5 (0.0) [0]	4 (0.0) [0]
Emphysema	2 (0.0) [0]	7 (0.0) [0]
Haemorrhagic stroke	5 (0.0) [0]	4 (0.0) [0]
Hand fracture	4 (0.0) [0]	5 (0.0) [0]
Meniscus lesion	1 (0.0) [0]	8 (0.0) [0]
Non-hodgkin's lymphoma	6 (0.0) [0]	3 (0.0) [0]
Oesophagitis	5 (0.0) [0]	4 (0.0) [0]
Osteomyelitis	2 (0.0) [0]	7 (0.0) [0]
Ovarian cyst	4 (0.0) [0]	5 (0.0) [0]
Pancreatitis chronic	6 (0.0) [0]	3 (0.0) [0]
Peripheral ischaemia	5 (0.0) [0]	4 (0.0) [0]
Pleurisy	6 (0.0) [0]	3 (0.0) [0]
Umbilical hernia	4 (0.0) [0]	5 (0.0) [0]
Urinary bladder polyp	3 (0.0) [0]	6 (0.0) [0]

Vertebrobasilar insufficiency	4 (0.0) [0]	5 (0.0) [0]
Arterial thrombosis limb	4 (0.0) [0]	4 (0.0) [0]
Asthenia	5 (0.0) [0]	3 (0.0) [0]
Breast cancer metastatic	4 (0.0) [0]	4 (0.0) [0]
Calculus urinary	2 (0.0) [0]	6 (0.0) [0]
Cardiogenic shock	6 (0.0) [0]	2 (0.0) [0]
Chronic lymphocytic leukaemia	3 (0.0) [0]	5 (0.0) [0]
Clostridial infection	2 (0.0) [0]	6 (0.0) [0]
Clostridium difficile colitis	5 (0.0) [0]	3 (0.0) [0]
Colon neoplasm	3 (0.0) [0]	5 (0.0) [0]
Confusional state	4 (0.0) [0]	4 (0.0) [0]
Convulsion	3 (0.0) [0]	5 (0.0) [0]
Cystitis haemorrhagic	5 (0.0) [0]	3 (0.0) [0]
Diverticular perforation	2 (0.0) [0]	6 (0.0) [0]
Diverticulum intestinal	6 (0.0) [0]	2 (0.0) [0]
Encephalopathy	6 (0.0) [0]	2 (0.0) [0]
Foot fracture	5 (0.0) [0]	3 (0.0) [0]
Forearm fracture	7 (0.0) [0]	1 (0.0) [0]
Goitre	5 (0.0) [0]	3 (0.0) [0]
Hyperkalaemia	3 (0.0) [0]	5 (0.0) [0]
Infection	2 (0.0) [0]	6 (0.0) [0]
Lung cancer metastatic	4 (0.0) [0]	4 (0.0) [0]
Oesophageal carcinoma	5 (0.0) [0]	3 (0.0) [0]
Peptic ulcer	5 (0.0) [0]	3 (0.0) [0]
Pulmonary fibrosis	2 (0.0) [0]	6 (0.0) [0]
Pyrexia	3 (0.0) [0]	5 (0.0) [0]
Renal neoplasm	6 (0.0) [0]	2 (0.0) [0]
Retinal detachment	2 (0.0) [0]	6 (0.0) [0]
Sleep apnoea syndrome	3 (0.0) [0]	5 (0.0) [0]
Tachycardia	3 (0.0) [0]	5 (0.0) [0]
Ventricular extrasystoles	4 (0.0) [0]	4 (0.0) [0]
Vomiting	5 (0.0) [0]	3 (0.0) [0]
Acute myeloid leukaemia	2 (0.0) [0]	5 (0.0) [1]
Adenocarcinoma	4 (0.0) [0]	3 (0.0) [0]
Anaphylactic reaction	4 (0.0) [0]	3 (0.0) [1]
Bone pain	5 (0.0) [0]	2 (0.0) [0]
Brain contusion	2 (0.0) [0]	5 (0.0) [0]
Candidiasis	5 (0.0) [0]	2 (0.0) [0]
Cholecystitis infective	4 (0.0) [0]	3 (0.0) [0]
Colon adenoma	2 (0.0) [0]	5 (0.0) [0]
Coronary artery insufficiency	2 (0.0) [0]	5 (0.0) [0]
Device dislocation	2 (0.0) [0]	5 (0.0) [0]
Duodenitis	3 (0.0) [0]	4 (0.0) [0]
Endometrial cancer	4 (0.0) [0]	3 (0.0) [0]
Gastric haemorrhage	5 (0.0) [0]	2 (0.0) [0]
Gastroenteritis norovirus	3 (0.0) [0]	4 (0.0) [0]
Gastroenteritis viral	3 (0.0) [0]	4 (0.0) [0]
Haemorrhagic anaemia	4 (0.0) [0]	3 (0.0) [0]
Hepatic neoplasm	5 (0.0) [0]	2 (0.0) [0]
Hypercholesterolaemia	3 (0.0) [0]	4 (0.0) [0]
Hyperglycaemia	5 (0.0) [0]	2 (0.0) [0]
Hypertensive heart disease	3 (0.0) [0]	4 (0.0) [0]
Hypovolaemic shock	5 (0.0) [0]	2 (0.0) [0]
Metastatic malignant melanoma	4 (0.0) [0]	3 (0.0) [0]

Metastatic neoplasm	3 (0.0) [0]	4 (0.0) [0]
Multiple injuries	3 (0.0) [0]	4 (0.0) [0]
Multiple myeloma	3 (0.0) [0]	4 (0.0) [0]
Nausea	5 (0.0) [0]	2 (0.0) [0]
Oedema peripheral	4 (0.0) [1]	3 (0.0) [0]
Oesophageal stenosis	3 (0.0) [0]	4 (0.0) [0]
Osteonecrosis	4 (0.0) [0]	3 (0.0) [0]
Overdose	3 (0.0) [0]	4 (0.0) [0]
Parkinsonism	6 (0.0) [0]	1 (0.0) [0]
Pericarditis	2 (0.0) [0]	5 (0.0) [0]
Prostate cancer metastatic	1 (0.0) [0]	6 (0.0) [0]
Prostatitis	3 (0.0) [0]	4 (0.0) [0]
Pubis fracture	1 (0.0) [0]	6 (0.0) [0]
Pulmonary hypertension	4 (0.0) [0]	3 (0.0) [0]
Renal cancer metastatic	1 (0.0) [0]	6 (0.0) [0]
Thoracic vertebral fracture	3 (0.0) [0]	4 (0.0) [0]
Ulna fracture	3 (0.0) [0]	4 (0.0) [0]
Uterine polyp	4 (0.0) [0]	3 (0.0) [0]
Varicose vein	6 (0.0) [0]	1 (0.0) [0]
Biliary colic	3 (0.0) [0]	3 (0.0) [0]
Bladder neck obstruction	1 (0.0) [0]	5 (0.0) [0]
Brain stem infarction	3 (0.0) [0]	3 (0.0) [0]
Breast cancer recurrent	4 (0.0) [0]	2 (0.0) [0]
Bronchiectasis	5 (0.0) [0]	1 (0.0) [0]
Cachexia	3 (0.0) [0]	3 (0.0) [0]
Electrolyte imbalance	3 (0.0) [0]	3 (0.0) [0]
Embolic stroke	3 (0.0) [0]	3 (0.0) [0]
Escherichia urinary tract infection	6 (0.0) [0]	0 (0.0) [0]
Foot deformity	2 (0.0) [0]	4 (0.0) [0]
Gastroduodenal ulcer	4 (0.0) [0]	2 (0.0) [0]
Gastrointestinal angiodysplasia	3 (0.0) [0]	3 (0.0) [0]
Gout	6 (0.0) [0]	0 (0.0) [0]
Haematochezia	2 (0.0) [0]	4 (0.0) [0]
Hypomagnesaemia	1 (0.0) [0]	5 (0.0) [0]
Ileus paralytic	5 (0.0) [0]	1 (0.0) [0]
Infected skin ulcer	2 (0.0) [0]	4 (0.0) [0]
Infective exacerbation of chronic obstructive airways disease	3 (0.0) [0]	3 (0.0) [0]
Injury	3 (0.0) [0]	3 (0.0) [0]
Interstitial lung disease	3 (0.0) [0]	3 (0.0) [0]
Intervertebral disc disorder	4 (0.0) [0]	2 (0.0) [0]
Intestinal polyp	5 (0.0) [0]	1 (0.0) [0]
Localised infection	3 (0.0) [0]	3 (0.0) [0]
Lower respiratory tract infection	2 (0.0) [0]	4 (0.0) [0]
Lung infection	1 (0.0) [0]	5 (0.0) [0]
Meningioma	2 (0.0) [0]	4 (0.0) [0]
Metastases to lung	1 (0.0) [0]	5 (0.0) [0]
Multiple fractures	2 (0.0) [0]	4 (0.0) [0]
Musculoskeletal pain	6 (0.0) [0]	0 (0.0) [0]
Oesophageal varices haemorrhage	2 (0.0) [0]	4 (0.0) [0]
Ovarian neoplasm	3 (0.0) [0]	3 (0.0) [0]
Pain	2 (0.0) [0]	4 (0.0) [0]
Pain in extremity	4 (0.0) [0]	2 (0.0) [0]
Pharyngitis	2 (0.0) [0]	4 (0.0) [0]
Post procedural haemorrhage	1 (0.0) [0]	5 (0.0) [0]

Postoperative wound infection	2 (0.0) [0]	4 (0.0) [0]
Pyelonephritis acute	4 (0.0) [0]	2 (0.0) [0]
Renal cell carcinoma	1 (0.0) [0]	5 (0.0) [0]
Respiratory arrest	3 (0.0) [0]	3 (0.0) [0]
Spondylolisthesis	2 (0.0) [0]	4 (0.0) [0]
Thrombocytopenia	4 (0.0) [0]	2 (0.0) [0]
Vascular encephalopathy	2 (0.0) [0]	4 (0.0) [0]
Venous thrombosis limb	3 (0.0) [0]	3 (0.0) [0]
Wound	4 (0.0) [0]	2 (0.0) [0]
Abdominal pain upper	3 (0.0) [0]	2 (0.0) [0]
Abscess	3 (0.0) [0]	2 (0.0) [0]
Alcohol poisoning	3 (0.0) [0]	2 (0.0) [0]
Aneurysm	3 (0.0) [0]	2 (0.0) [0]
Aortic aneurysm rupture	3 (0.0) [0]	2 (0.0) [0]
Arthropathy	3 (0.0) [0]	2 (0.0) [0]
Ascites	2 (0.0) [0]	3 (0.0) [0]
Ataxia	2 (0.0) [0]	3 (0.0) [0]
Azotaemia	4 (0.0) [0]	1 (0.0) [0]
Bradycardia	1 (0.0) [0]	4 (0.0) [0]
Cardiac valve disease	2 (0.0) [0]	3 (0.0) [0]
Cardiomyopathy	3 (0.0) [0]	2 (0.0) [0]
Cardiovascular disorder	1 (0.0) [0]	4 (0.0) [0]
Carpal tunnel syndrome	2 (0.0) [0]	3 (0.0) [0]
Cerebral circulatory failure	3 (0.0) [0]	2 (0.0) [0]
Cholecystitis chronic	4 (0.0) [0]	1 (0.0) [0]
Diabetic gangrene	2 (0.0) [0]	3 (0.0) [0]
Embolism	4 (0.0) [0]	1 (0.0) [0]
Endocarditis	2 (0.0) [0]	3 (0.0) [0]
Enterocolitis	2 (0.0) [0]	3 (0.0) [0]
Gallbladder cancer	2 (0.0) [0]	3 (0.0) [0]
Gastric cancer stage iv	1 (0.0) [0]	4 (0.0) [0]
Gouty arthritis	3 (0.0) [0]	2 (0.0) [0]
Haematemesis	3 (0.0) [0]	2 (0.0) [0]
Haemorrhage	3 (0.0) [0]	2 (0.0) [0]
Helicobacter gastritis	2 (0.0) [0]	3 (0.0) [0]
Hepatic failure	2 (0.0) [0]	3 (0.0) [0]
Hepatic steatosis	2 (0.0) [0]	3 (0.0) [0]
Hypoxic-ischaemic encephalopathy	3 (0.0) [0]	2 (0.0) [0]
Intracranial aneurysm	4 (0.0) [0]	1 (0.0) [0]
Jaundice cholestatic	1 (0.0) [0]	4 (0.0) [0]
Leukaemia	1 (0.0) [0]	4 (0.0) [0]
Lymphoedema	4 (0.0) [0]	1 (0.0) [0]
Malaise	4 (0.0) [0]	1 (0.0) [0]
Mallory-weiss syndrome	2 (0.0) [0]	3 (0.0) [0]
Meningitis	1 (0.0) [0]	4 (0.0) [0]
Mental status changes	4 (0.0) [0]	1 (0.0) [0]
Metabolic encephalopathy	3 (0.0) [0]	2 (0.0) [0]
Metastases to bone	2 (0.0) [0]	3 (0.0) [0]
Muscle rupture	0 (0.0) [0]	5 (0.0) [0]
Myelodysplastic syndrome	2 (0.0) [0]	3 (0.0) [0]
Neoplasm	3 (0.0) [0]	2 (0.0) [0]
Non-small cell lung cancer	5 (0.0) [0]	0 (0.0) [0]
Non-small cell lung cancer metastatic	3 (0.0) [0]	2 (0.0) [0]
Ovarian cancer	2 (0.0) [0]	3 (0.0) [0]

Polyneuropathy	3 (0.0) [0]	2 (0.0) [0]
Post procedural infection	2 (0.0) [0]	3 (0.0) [0]
Rash	1 (0.0) [0]	4 (0.0) [0]
Respiratory distress	3 (0.0) [0]	2 (0.0) [0]
Sinus bradycardia	4 (0.0) [0]	1 (0.0) [0]
Synovial cyst	5 (0.0) [0]	0 (0.0) [0]
Ventricular arrhythmia	3 (0.0) [0]	2 (0.0) [0]
Abdominal discomfort	2 (0.0) [0]	2 (0.0) [0]
Acute abdomen	3 (0.0) [0]	1 (0.0) [0]
Acute respiratory distress syndrome	1 (0.0) [0]	3 (0.0) [0]
Adenoma benign	3 (0.0) [0]	1 (0.0) [0]
Appendicitis perforated	0 (0.0) [0]	4 (0.0) [0]
Arthritis bacterial	3 (0.0) [0]	1 (0.0) [0]
Arthritis infective	0 (0.0) [0]	4 (0.0) [0]
Atrial septal defect	3 (0.0) [0]	1 (0.0) [0]
B-cell lymphoma	2 (0.0) [0]	2 (0.0) [0]
Benign breast neoplasm	4 (0.0) [0]	0 (0.0) [0]
Biliary cirrhosis primary	2 (0.0) [0]	2 (0.0) [0]
Bladder transitional cell carcinoma	2 (0.0) [0]	2 (0.0) [0]
Bladder transitional cell carcinoma recurrent	3 (0.0) [0]	1 (0.0) [0]
Breast neoplasm	2 (0.0) [0]	2 (0.0) [0]
Bundle branch block left	1 (0.0) [0]	3 (0.0) [0]
Cardiac disorder	2 (0.0) [0]	2 (0.0) [0]
Carotid arteriosclerosis	3 (0.0) [0]	1 (0.0) [0]
Carotid artery occlusion	3 (0.0) [0]	1 (0.0) [0]
Cerebrovascular insufficiency	1 (0.0) [0]	3 (0.0) [0]
Cervix carcinoma	2 (0.0) [0]	2 (0.0) [0]
Chest discomfort	2 (0.0) [0]	2 (0.0) [0]
Colitis ulcerative	1 (0.0) [0]	3 (0.0) [0]
Colon cancer recurrent	1 (0.0) [0]	3 (0.0) [0]
Congestive cardiomyopathy	0 (0.0) [0]	4 (0.0) [0]
Conjunctivitis	3 (0.0) [0]	1 (0.0) [0]
Cor pulmonale	0 (0.0) [0]	4 (0.0) [0]
Crohn's disease	2 (0.0) [0]	2 (0.0) [0]
Device malfunction	1 (0.0) [0]	3 (0.0) [0]
Device related infection	1 (0.0) [0]	3 (0.0) [0]
Diabetic ketoacidosis	3 (0.0) [0]	1 (0.0) [0]
Duodenal ulcer haemorrhage	3 (0.0) [0]	1 (0.0) [0]
Duodenal ulcer perforation	3 (0.0) [0]	1 (0.0) [0]
Dupuytren's contracture	3 (0.0) [0]	1 (0.0) [0]
Extremity necrosis	2 (0.0) [0]	2 (0.0) [0]
Fracture	4 (0.0) [0]	0 (0.0) [0]
Gastroduodenitis	2 (0.0) [0]	2 (0.0) [0]
Glioblastoma multiforme	1 (0.0) [0]	3 (0.0) [0]
Haemoptysis	1 (0.0) [0]	3 (0.0) [0]
Haemorrhage intracranial	2 (0.0) [0]	2 (0.0) [0]
Haemorrhoidal haemorrhage	2 (0.0) [0]	2 (0.0) [0]
Haemothorax	2 (0.0) [0]	2 (0.0) [0]
Hepatitis	1 (0.0) [0]	3 (0.0) [0]
Hernia	2 (0.0) [0]	2 (0.0) [0]
Hypoxia	1 (0.0) [0]	3 (0.0) [0]
Incisional hernia	4 (0.0) [0]	0 (0.0) [0]
Irritable bowel syndrome	1 (0.0) [0]	3 (0.0) [0]
Ischaemic cardiomyopathy	2 (0.0) [0]	2 (0.0) [0]

Laryngeal cancer	4 (0.0) [0]	0 (0.0) [0]
Lip and/or oral cavity cancer	3 (0.0) [0]	1 (0.0) [0]
Liver abscess	2 (0.0) [0]	2 (0.0) [0]
Lung carcinoma cell type unspecified stage iv	2 (0.0) [0]	2 (0.0) [0]
Lung disorder	0 (0.0) [0]	4 (0.0) [0]
Major depression	2 (0.0) [0]	2 (0.0) [0]
Metastases to central nervous system	2 (0.0) [0]	2 (0.0) [0]
Musculoskeletal chest pain	1 (0.0) [0]	3 (0.0) [0]
Nerve compression	2 (0.0) [0]	2 (0.0) [0]
Neuropathy peripheral	4 (0.0) [0]	0 (0.0) [0]
Oesophageal candidiasis	2 (0.0) [0]	2 (0.0) [0]
Osteochondrosis	1 (0.0) [0]	3 (0.0) [0]
Otitis media	2 (0.0) [0]	2 (0.0) [0]
Panic attack	1 (0.0) [0]	3 (0.0) [0]
Pathological fracture	0 (0.0) [0]	4 (0.0) [0]
Peptic ulcer haemorrhage	4 (0.0) [0]	0 (0.0) [0]
Peptic ulcer perforation	2 (0.0) [0]	2 (0.0) [0]
Pericardial effusion	2 (0.0) [0]	2 (0.0) [0]
Phlebitis	2 (0.0) [0]	2 (0.0) [0]
Pneumonia bacterial	3 (0.0) [0]	1 (0.0) [0]
Post procedural complication	2 (0.0) [0]	2 (0.0) [0]
Postmenopausal haemorrhage	1 (0.0) [0]	3 (0.0) [0]
Prostate cancer recurrent	3 (0.0) [0]	1 (0.0) [0]
Pseudomembranous colitis	3 (0.0) [0]	1 (0.0) [0]
Pulmonary tuberculosis	3 (0.0) [0]	1 (0.0) [0]
Pyelonephritis chronic	2 (0.0) [0]	2 (0.0) [0]
Renal colic	2 (0.0) [0]	2 (0.0) [0]
Renal mass	1 (0.0) [0]	3 (0.0) [0]
Senile dementia	2 (0.0) [0]	2 (0.0) [0]
Skeletal injury	2 (0.0) [0]	2 (0.0) [0]
Skin cancer	2 (0.0) [0]	2 (0.0) [0]
Small intestinal haemorrhage	2 (0.0) [0]	2 (0.0) [0]
Stress cardiomyopathy	3 (0.0) [0]	1 (0.0) [0]
Subileus	2 (0.0) [0]	2 (0.0) [0]
Suicide attempt	2 (0.0) [0]	2 (0.0) [0]
Tonsillitis	4 (0.0) [0]	0 (0.0) [0]
Tracheobronchitis	2 (0.0) [0]	2 (0.0) [0]
Transient global amnesia	3 (0.0) [0]	1 (0.0) [0]
Tricuspid valve incompetence	2 (0.0) [0]	2 (0.0) [0]
Tuberculosis	3 (0.0) [0]	1 (0.0) [0]
Tubulointerstitial nephritis	3 (0.0) [0]	1 (0.0) [0]
Vaginal prolapse	1 (0.0) [0]	3 (0.0) [0]
Volvulus	2 (0.0) [0]	2 (0.0) [0]
Abdominal adhesions	1 (0.0) [0]	2 (0.0) [0]
Abdominal neoplasm	0 (0.0) [0]	3 (0.0) [0]
Abdominal pain lower	1 (0.0) [0]	2 (0.0) [0]
Abnormal behaviour	0 (0.0) [0]	3 (0.0) [0]
Abscess limb	2 (0.0) [0]	1 (0.0) [0]
Adverse drug reaction	1 (0.0) [0]	2 (0.0) [0]
Alcohol abuse	2 (0.0) [0]	1 (0.0) [0]
Anal fissure	0 (0.0) [0]	3 (0.0) [0]
Anxiety	2 (0.0) [0]	1 (0.0) [0]
Aortic dissection	3 (0.0) [0]	0 (0.0) [0]
Arterial disorder	0 (0.0) [0]	3 (0.0) [0]

Aspiration bronchial	2 (0.0) [0]	1 (0.0) [0]
Asthmatic crisis	3 (0.0) [0]	0 (0.0) [0]
Atrioventricular block first degree	3 (0.0) [0]	0 (0.0) [0]
Bacteraemia	2 (0.0) [0]	1 (0.0) [0]
Basal ganglia infarction	0 (0.0) [0]	3 (0.0) [0]
Basedow's disease	1 (0.0) [1]	2 (0.0) [0]
Bile duct cancer	2 (0.0) [0]	1 (0.0) [0]
Bipolar i disorder	3 (0.0) [0]	0 (0.0) [0]
Bipolar disorder	0 (0.0) [0]	3 (0.0) [0]
Bladder cancer recurrent	2 (0.0) [0]	1 (0.0) [0]
Bladder disorder	3 (0.0) [0]	0 (0.0) [0]
Blood pressure increased	2 (0.0) [0]	1 (0.0) [0]
Bone neoplasm malignant	1 (0.0) [0]	2 (0.0) [0]
Breast cancer female	0 (0.0) [0]	3 (0.0) [0]
Bursitis	2 (0.0) [0]	1 (0.0) [0]
Chest injury	1 (0.0) [0]	2 (0.0) [0]
Clavicle fracture	3 (0.0) [0]	0 (0.0) [0]
Coagulopathy	2 (0.0) [0]	1 (0.0) [0]
Cor pulmonale chronic	2 (0.0) [0]	1 (0.0) [0]
Cystitis klebsiella	1 (0.0) [0]	2 (0.0) [0]
Cystocele	3 (0.0) [0]	0 (0.0) [0]
Decreased appetite	1 (0.0) [0]	2 (0.0) [0]
Dermatitis	1 (0.0) [0]	2 (0.0) [0]
Dermatitis allergic	1 (0.0) [0]	2 (0.0) [0]
Disseminated intravascular coagulation	1 (0.0) [0]	2 (0.0) [0]
Drug hypersensitivity	2 (0.0) [0]	1 (0.0) [0]
Dysarthria	2 (0.0) [0]	1 (0.0) [0]
Dysuria	1 (0.0) [0]	2 (0.0) [0]
Enterocolitis infectious	1 (0.0) [0]	2 (0.0) [0]
Epididymitis	3 (0.0) [0]	0 (0.0) [0]
Eyelid ptosis	2 (0.0) [0]	1 (0.0) [0]
Food poisoning	2 (0.0) [0]	1 (0.0) [0]
Gastric neoplasm	1 (0.0) [0]	2 (0.0) [0]
Gastritis haemorrhagic	2 (0.0) [0]	1 (0.0) [0]
Gastroenteritis clostridial	2 (0.0) [0]	1 (0.0) [0]
Gastrointestinal carcinoma	1 (0.0) [0]	2 (0.0) [0]
Gastrointestinal inflammation	0 (0.0) [0]	3 (0.0) [0]
Glioblastoma	2 (0.0) [0]	1 (0.0) [0]
Guillain-barre syndrome	1 (0.0) [1]	2 (0.0) [0]
H1n1 influenza	2 (0.0) [0]	1 (0.0) [0]
Haematoma infection	2 (0.0) [0]	1 (0.0) [0]
Hairy cell leukaemia	1 (0.0) [0]	2 (0.0) [0]
Helicobacter infection	2 (0.0) [0]	1 (0.0) [0]
Hemiparesis	1 (0.0) [0]	2 (0.0) [0]
Hepatic encephalopathy	1 (0.0) [0]	2 (0.0) [0]
Hepatorenal syndrome	1 (0.0) [0]	2 (0.0) [0]
Hydrocele	1 (0.0) [0]	2 (0.0) [0]
Hydrocephalus	2 (0.0) [0]	1 (0.0) [0]
Hypercalcaemia	1 (0.0) [0]	2 (0.0) [0]
Hyperlipidaemia	2 (0.0) [0]	1 (0.0) [0]
Hyperparathyroidism	1 (0.0) [0]	2 (0.0) [0]
Hypocalcaemia	1 (0.0) [0]	2 (0.0) [0]
Hypoglycaemic coma	1 (0.0) [0]	2 (0.0) [0]
Impaired gastric emptying	1 (0.0) [0]	2 (0.0) [0]

Impaired healing	0 (0.0) [0]	3 (0.0) [0]
Inflammation	1 (0.0) [0]	2 (0.0) [0]
Influenza	3 (0.0) [0]	0 (0.0) [0]
International normalised ratio increased	2 (0.0) [0]	1 (0.0) [0]
Intestinal ischaemia	1 (0.0) [0]	2 (0.0) [0]
Jaw fracture	2 (0.0) [0]	1 (0.0) [0]
Joint injury	1 (0.0) [0]	2 (0.0) [0]
Labyrinthitis	0 (0.0) [0]	3 (0.0) [0]
Ligament rupture	1 (0.0) [0]	2 (0.0) [0]
Loss of consciousness	1 (0.0) [0]	2 (0.0) [0]
Lung abscess	0 (0.0) [0]	3 (0.0) [0]
Lung squamous cell carcinoma stage unspecified	1 (0.0) [0]	2 (0.0) [0]
Lymphadenitis	1 (0.0) [0]	2 (0.0) [0]
Medical device complication	0 (0.0) [0]	3 (0.0) [0]
Mental disorder	3 (0.0) [0]	0 (0.0) [0]
Metastatic bronchial carcinoma	1 (0.0) [0]	2 (0.0) [0]
Metastatic carcinoma of the bladder	1 (0.0) [0]	2 (0.0) [0]
Metastatic gastric cancer	3 (0.0) [0]	0 (0.0) [0]
Metastatic squamous cell carcinoma	3 (0.0) [0]	0 (0.0) [0]
Microcytic anaemia	1 (0.0) [0]	2 (0.0) [0]
Muscle strain	1 (0.0) [0]	2 (0.0) [0]
Myalgia	2 (0.0) [0]	1 (0.0) [0]
Oesophageal adenocarcinoma	0 (0.0) [0]	3 (0.0) [0]
Organising pneumonia	2 (0.0) [0]	1 (0.0) [0]
Osteoporosis	2 (0.0) [0]	1 (0.0) [0]
Osteoporotic fracture	1 (0.0) [0]	2 (0.0) [0]
Pancreatic neoplasm	2 (0.0) [0]	1 (0.0) [0]
Pancytopenia	1 (0.0) [0]	2 (0.0) [0]
Parotitis	2 (0.0) [0]	1 (0.0) [0]
Patella fracture	1 (0.0) [0]	2 (0.0) [0]
Periproctitis	2 (0.0) [0]	1 (0.0) [0]
Periprosthetic fracture	3 (0.0) [0]	0 (0.0) [0]
Pneumonia viral	3 (0.0) [0]	0 (0.0) [0]
Pneumonitis	0 (0.0) [0]	3 (0.0) [0]
Procedural pain	2 (0.0) [0]	1 (0.0) [0]
Prostatic disorder	2 (0.0) [0]	1 (0.0) [0]
Prostatomegaly	1 (0.0) [0]	2 (0.0) [0]
Psychotic disorder	1 (0.0) [0]	2 (0.0) [0]
Pulmonary arterial hypertension	0 (0.0) [0]	3 (0.0) [0]
Pulmonary congestion	2 (0.0) [0]	1 (0.0) [0]
Rectal polyp	2 (0.0) [0]	1 (0.0) [0]
Renal artery stenosis	3 (0.0) [0]	0 (0.0) [0]
Renal cyst	2 (0.0) [0]	1 (0.0) [0]
Renal impairment	2 (0.0) [0]	1 (0.0) [0]
Retinal haemorrhage	2 (0.0) [0]	1 (0.0) [0]
Retroperitoneal haemorrhage	3 (0.0) [0]	0 (0.0) [0]
Rhabdomyolysis	1 (0.0) [0]	2 (0.0) [0]
Shock	2 (0.0) [0]	1 (0.0) [0]
Sinus arrhythmia	2 (0.0) [0]	1 (0.0) [0]
Small cell lung cancer metastatic	1 (0.0) [0]	2 (0.0) [0]
Spinal column injury	2 (0.0) [0]	1 (0.0) [0]
Splenic rupture	0 (0.0) [0]	3 (0.0) [0]
Squamous cell carcinoma of skin	0 (0.0) [0]	3 (0.0) [0]
Sternal fracture	3 (0.0) [0]	0 (0.0) [0]

Subcutaneous abscess	2 (0.0) [0]	1 (0.0) [0]
Tachycardia paroxysmal	2 (0.0) [0]	1 (0.0) [0]
Thrombophlebitis superficial	2 (0.0) [0]	1 (0.0) [0]
Thyroid adenoma	2 (0.0) [0]	1 (0.0) [0]
Thyroid neoplasm	1 (0.0) [0]	2 (0.0) [0]
Ulcerative keratitis	1 (0.0) [0]	2 (0.0) [0]
Urinary bladder haemorrhage	3 (0.0) [0]	0 (0.0) [0]
Vascular pseudoaneurysm	2 (0.0) [0]	1 (0.0) [0]
Viral infection	2 (0.0) [0]	1 (0.0) [0]
Weight decreased	1 (0.0) [0]	2 (0.0) [0]
Abdominal abscess	2 (0.0) [0]	0 (0.0) [0]
Abdominal distension	0 (0.0) [0]	2 (0.0) [0]
Acetabulum fracture	0 (0.0) [0]	2 (0.0) [0]
Acute leukaemia	1 (0.0) [0]	1 (0.0) [0]
Acute prerenal failure	1 (0.0) [0]	1 (0.0) [0]
Acute sinusitis	0 (0.0) [0]	2 (0.0) [0]
Adams-stokes syndrome	1 (0.0) [0]	1 (0.0) [0]
Alcoholism	1 (0.0) [0]	1 (0.0) [0]
Amyloidosis	2 (0.0) [0]	0 (0.0) [0]
Amyotrophic lateral sclerosis	2 (0.0) [0]	0 (0.0) [0]
Anaemia postoperative	0 (0.0) [0]	2 (0.0) [0]
Anaemia vitamin b12 deficiency	1 (0.0) [0]	1 (0.0) [0]
Anaesthetic complication	0 (0.0) [0]	2 (0.0) [0]
Anal abscess	1 (0.0) [0]	1 (0.0) [0]
Aneurysm ruptured	1 (0.0) [0]	1 (0.0) [0]
Angiodysplasia	1 (0.0) [0]	1 (0.0) [0]
Animal bite	0 (0.0) [0]	2 (0.0) [0]
Aortic arteriosclerosis	2 (0.0) [0]	0 (0.0) [0]
Aortic valve disease	1 (0.0) [0]	1 (0.0) [0]
Arterial stenosis	1 (0.0) [0]	1 (0.0) [0]
Arthropod bite	2 (0.0) [0]	0 (0.0) [0]
Aspiration	1 (0.0) [0]	1 (0.0) [0]
Atelectasis	1 (0.0) [0]	1 (0.0) [0]
Autoimmune thrombocytopenia	1 (0.0) [0]	1 (0.0) [0]
Balance disorder	1 (0.0) [0]	1 (0.0) [0]
Barrett's oesophagus	1 (0.0) [0]	1 (0.0) [0]
Bladder cancer stage iv	0 (0.0) [0]	2 (0.0) [0]
Bladder perforation	2 (0.0) [0]	0 (0.0) [0]
Bladder prolapse	0 (0.0) [0]	2 (0.0) [0]
Bleeding varicose vein	1 (0.0) [0]	1 (0.0) [0]
Bone neoplasm	2 (0.0) [0]	0 (0.0) [0]
Breast cancer in situ	0 (0.0) [0]	2 (0.0) [0]
Bronchitis bacterial	1 (0.0) [0]	1 (0.0) [0]
Bundle branch block right	1 (0.0) [0]	1 (0.0) [0]
Carbon monoxide poisoning	0 (0.0) [0]	2 (0.0) [0]
Cardiomegaly	0 (0.0) [0]	2 (0.0) [0]
Carotid artery disease	1 (0.0) [0]	1 (0.0) [0]
Cauda equina syndrome	1 (0.0) [0]	1 (0.0) [0]
Cerebellar infarction	1 (0.0) [0]	1 (0.0) [0]
Cerebral artery embolism	1 (0.0) [0]	1 (0.0) [0]
Cerebral atrophy	1 (0.0) [0]	1 (0.0) [0]
Cervical dysplasia	2 (0.0) [0]	0 (0.0) [0]
Cervical myelopathy	0 (0.0) [0]	2 (0.0) [0]
Cervical spinal stenosis	0 (0.0) [0]	2 (0.0) [0]

Cervicobrachial syndrome	0 (0.0) [0]	2 (0.0) [0]
Chemical poisoning	0 (0.0) [0]	2 (0.0) [0]
Choking	1 (0.0) [0]	1 (0.0) [0]
Cholangiolitis	1 (0.0) [0]	1 (0.0) [0]
Cholangitis acute	2 (0.0) [0]	0 (0.0) [0]
Chondropathy	0 (0.0) [0]	2 (0.0) [0]
Chronic myeloid leukaemia	1 (0.0) [0]	1 (0.0) [0]
Chronic sinusitis	2 (0.0) [0]	0 (0.0) [0]
Cirrhosis alcoholic	2 (0.0) [0]	0 (0.0) [0]
Coccidioidomycosis	1 (0.0) [0]	1 (0.0) [0]
Cognitive disorder	2 (0.0) [0]	0 (0.0) [0]
Colon cancer stage ii	1 (0.0) [0]	1 (0.0) [0]
Colonic fistula	2 (0.0) [0]	0 (0.0) [0]
Colorectal cancer	2 (0.0) [0]	0 (0.0) [0]
Cutaneous lupus erythematosus	1 (0.0) [0]	1 (0.0) [0]
Cyst	2 (0.0) [0]	0 (0.0) [0]
Cystitis noninfective	1 (0.0) [0]	1 (0.0) [0]
Dacryostenosis acquired	1 (0.0) [0]	1 (0.0) [0]
Deafness	0 (0.0) [0]	2 (0.0) [0]
Deafness neurosensory	2 (0.0) [0]	0 (0.0) [0]
Deafness unilateral	1 (0.0) [0]	1 (0.0) [0]
Dengue fever	2 (0.0) [0]	0 (0.0) [0]
Dermal cyst	1 (0.0) [0]	1 (0.0) [0]
Diabetic neuropathy	2 (0.0) [0]	0 (0.0) [0]
Diverticulitis intestinal haemorrhagic	1 (0.0) [0]	1 (0.0) [0]
Drowning	1 (0.0) [0]	1 (0.0) [0]
Dry gangrene	2 (0.0) [0]	0 (0.0) [0]
Dyspnoea exertional	2 (0.0) [0]	0 (0.0) [0]
Eczema	2 (0.0) [0]	0 (0.0) [0]
Embolic cerebral infarction	1 (0.0) [0]	1 (0.0) [0]
Embolism venous	1 (0.0) [0]	1 (0.0) [0]
Empyema	2 (0.0) [0]	0 (0.0) [0]
Encephalitis viral	1 (0.0) [0]	1 (0.0) [0]
Endophthalmitis	1 (0.0) [0]	1 (0.0) [0]
Enteritis	0 (0.0) [0]	2 (0.0) [0]
Enteritis infectious	1 (0.0) [0]	1 (0.0) [0]
Enterocutaneous fistula	2 (0.0) [0]	0 (0.0) [0]
Escherichia sepsis	2 (0.0) [0]	0 (0.0) [0]
Essential thrombocythaemia	1 (0.0) [0]	1 (0.0) [0]
Extradural abscess	1 (0.0) [0]	1 (0.0) [0]
Eye haemorrhage	0 (0.0) [0]	2 (0.0) [0]
Face injury	1 (0.0) [0]	1 (0.0) [0]
Facial paresis	1 (0.0) [0]	1 (0.0) [0]
Failure to thrive	1 (0.0) [0]	1 (0.0) [0]
Fasciitis	2 (0.0) [0]	0 (0.0) [0]
Febrile infection	1 (0.0) [0]	1 (0.0) [0]
Female genital tract fistula	1 (0.0) [0]	1 (0.0) [0]
Femoral artery occlusion	2 (0.0) [0]	0 (0.0) [0]
Foreign body	2 (0.0) [0]	0 (0.0) [0]
Gallbladder empyema	1 (0.0) [0]	1 (0.0) [0]
Gastric cancer recurrent	2 (0.0) [0]	0 (0.0) [0]
Gastric ulcer perforation	2 (0.0) [0]	0 (0.0) [0]
Gastrointestinal angiodysplasia haemorrhagic	1 (0.0) [0]	1 (0.0) [0]
Gastrointestinal disorder	1 (0.0) [0]	1 (0.0) [0]

Gastrointestinal injury	1 (0.0) [0]	1 (0.0) [0]
Gastrointestinal necrosis	2 (0.0) [0]	0 (0.0) [0]
Gastrointestinal obstruction	2 (0.0) [0]	0 (0.0) [0]
Glucose tolerance impaired	2 (0.0) [0]	0 (0.0) [0]
Haemangioma	1 (0.0) [0]	1 (0.0) [0]
Headache	2 (0.0) [0]	0 (0.0) [0]
Helicobacter test positive	0 (0.0) [0]	2 (0.0) [0]
Hepatic function abnormal	1 (0.0) [0]	1 (0.0) [0]
Hepatic haematoma	0 (0.0) [0]	2 (0.0) [0]
Hepatitis chronic active	1 (0.0) [0]	1 (0.0) [0]
Hepatitis toxic	0 (0.0) [0]	2 (0.0) [0]
Hernia obstructive	2 (0.0) [0]	0 (0.0) [0]
Hip arthroplasty	2 (0.0) [0]	0 (0.0) [0]
Hypertensive emergency	1 (0.0) [0]	1 (0.0) [0]
Hypertriglyceridaemia	1 (0.0) [0]	1 (0.0) [0]
Hypertrophic cardiomyopathy	1 (0.0) [0]	1 (0.0) [0]
Hypoacusis	1 (0.0) [0]	1 (0.0) [0]
Hypochromic anaemia	1 (0.0) [0]	1 (0.0) [0]
Hypovolaemia	2 (0.0) [0]	0 (0.0) [0]
Ileitis	1 (0.0) [0]	1 (0.0) [0]
In-stent coronary artery restenosis	2 (0.0) [0]	0 (0.0) [0]
Infected cyst	1 (0.0) [0]	1 (0.0) [0]
Inflammatory bowel disease	1 (0.0) [0]	1 (0.0) [0]
Influenza like illness	1 (0.0) [0]	1 (0.0) [0]
Inner ear disorder	2 (0.0) [0]	0 (0.0) [0]
Intentional overdose	1 (0.0) [0]	1 (0.0) [0]
Internal injury	2 (0.0) [0]	0 (0.0) [0]
Intervertebral disc compression	1 (0.0) [0]	1 (0.0) [0]
Intervertebral discitis	0 (0.0) [0]	2 (0.0) [0]
Intestinal perforation	2 (0.0) [0]	0 (0.0) [0]
Ischaemia	0 (0.0) [0]	2 (0.0) [0]
Ischaemic cerebral infarction	2 (0.0) [0]	0 (0.0) [0]
Joint sprain	1 (0.0) [0]	1 (0.0) [0]
Ketoacidosis	1 (0.0) [0]	1 (0.0) [0]
Kidney infection	1 (0.0) [0]	1 (0.0) [0]
Lacunar infarction	2 (0.0) [0]	0 (0.0) [0]
Large cell carcinoma of the respiratory tract stage unspecified	0 (0.0) [0]	2 (0.0) [0]
Left ventricular dysfunction	1 (0.0) [0]	1 (0.0) [0]
Leiomyosarcoma	0 (0.0) [0]	2 (0.0) [0]
Leukocytoclastic vasculitis	0 (0.0) [0]	2 (0.0) [0]
Limb injury	0 (0.0) [0]	2 (0.0) [0]
Lip neoplasm malignant stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Liposarcoma metastatic	1 (0.0) [0]	1 (0.0) [0]
Lung adenocarcinoma metastatic	0 (0.0) [0]	2 (0.0) [0]
Lung carcinoma cell type unspecified recurrent	1 (0.0) [0]	1 (0.0) [0]
Lung infiltration	2 (0.0) [0]	0 (0.0) [0]
Lymphangitis	0 (0.0) [0]	2 (0.0) [0]
Lymphocele	1 (0.0) [0]	1 (0.0) [0]
Lymphocytic leukaemia	1 (0.0) [0]	1 (0.0) [0]
Malignant hypertension	1 (0.0) [0]	1 (0.0) [0]
Malignant pleural effusion	0 (0.0) [0]	2 (0.0) [0]
Malnutrition	1 (0.0) [0]	1 (0.0) [0]
Mantle cell lymphoma	1 (0.0) [0]	1 (0.0) [0]
Mediastinitis	0 (0.0) [0]	2 (0.0) [0]

Metabolic acidosis	1 (0.0) [0]	1 (0.0) [0]
Metastases to peritoneum	1 (0.0) [0]	1 (0.0) [0]
Metastases to pleura	2 (0.0) [0]	0 (0.0) [0]
Metastasis	0 (0.0) [0]	2 (0.0) [0]
Metastatic uterine cancer	0 (0.0) [0]	2 (0.0) [0]
Metrorrhagia	1 (0.0) [0]	1 (0.0) [0]
Mitral valve stenosis	0 (0.0) [0]	2 (0.0) [0]
Muscular weakness	1 (0.0) [0]	1 (0.0) [0]
Myasthenia gravis	2 (0.0) [0]	0 (0.0) [0]
Myelopathy	2 (0.0) [0]	0 (0.0) [0]
Myocarditis	1 (0.0) [0]	1 (0.0) [0]
Myoclonus	1 (0.0) [0]	1 (0.0) [0]
Neck pain	1 (0.0) [0]	1 (0.0) [0]
Necrosis	1 (0.0) [0]	1 (0.0) [0]
Necrosis ischaemic	1 (0.0) [0]	1 (0.0) [0]
Neuralgia	1 (0.0) [0]	1 (0.0) [0]
Neurilemmoma	0 (0.0) [0]	2 (0.0) [0]
Neuritis	1 (0.0) [0]	1 (0.0) [0]
Normal pressure hydrocephalus	1 (0.0) [0]	1 (0.0) [0]
Obstructive airways disorder	1 (0.0) [0]	1 (0.0) [0]
Ocular hypertension	2 (0.0) [0]	0 (0.0) [0]
Oesophageal adenocarcinoma metastatic	0 (0.0) [0]	2 (0.0) [0]
Oesophageal perforation	2 (0.0) [0]	0 (0.0) [0]
Oesophageal ulcer	1 (0.0) [0]	1 (0.0) [0]
Open fracture	0 (0.0) [0]	2 (0.0) [0]
Open wound	1 (0.0) [0]	1 (0.0) [0]
Optic ischaemic neuropathy	1 (0.0) [0]	1 (0.0) [0]
Oral cavity cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Otitis externa	1 (0.0) [0]	1 (0.0) [0]
Ovarian cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Papilla of Vater stenosis	1 (0.0) [0]	1 (0.0) [0]
Parathyroid tumour benign	1 (0.0) [0]	1 (0.0) [0]
Pelvic haematoma	0 (0.0) [0]	2 (0.0) [0]
Periarthritis	1 (0.0) [0]	1 (0.0) [0]
Peripheral sensory neuropathy	1 (0.0) [0]	1 (0.0) [0]
Perirectal abscess	0 (0.0) [0]	2 (0.0) [0]
Peritonitis bacterial	1 (0.0) [0]	1 (0.0) [0]
Pharyngeal cancer stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Pituitary tumour benign	2 (0.0) [0]	0 (0.0) [0]
Plasmacytoma	0 (0.0) [0]	2 (0.0) [0]
Pleural fibrosis	1 (0.0) [0]	1 (0.0) [0]
Pleuritic pain	1 (0.0) [0]	1 (0.0) [0]
Pneumonia pneumococcal	2 (0.0) [0]	0 (0.0) [0]
Pneumonia staphylococcal	0 (0.0) [0]	2 (0.0) [0]
Polyarthritis	0 (0.0) [0]	2 (0.0) [0]
Polycythaemia	1 (0.0) [0]	1 (0.0) [0]
Portal hypertensive gastropathy	2 (0.0) [0]	0 (0.0) [0]
Post procedural fistula	2 (0.0) [0]	0 (0.0) [0]
Post procedural haematoma	1 (0.0) [0]	1 (0.0) [0]
Post-traumatic pain	0 (0.0) [0]	2 (0.0) [0]
Postoperative hernia	2 (0.0) [0]	0 (0.0) [0]
Postoperative wound complication	1 (0.0) [0]	1 (0.0) [0]
Psoriatic arthropathy	1 (0.0) [0]	1 (0.0) [0]
Pulmonary sepsis	2 (0.0) [0]	0 (0.0) [0]

Pulmonary thrombosis	0 (0.0) [0]	2 (0.0) [0]
Pyloric stenosis	1 (0.0) [0]	1 (0.0) [0]
Pyonephrosis	0 (0.0) [0]	2 (0.0) [0]
Radicular syndrome	1 (0.0) [0]	1 (0.0) [0]
Radiculopathy	1 (0.0) [0]	1 (0.0) [0]
Rectocele	2 (0.0) [0]	0 (0.0) [0]
Renal function test abnormal	1 (0.0) [0]	1 (0.0) [0]
Renal tubular disorder	1 (0.0) [0]	1 (0.0) [0]
Respiratory acidosis	1 (0.0) [0]	1 (0.0) [0]
Respiratory disorder	1 (0.0) [0]	1 (0.0) [0]
Retinal artery occlusion	1 (0.0) [0]	1 (0.0) [0]
Retinal tear	2 (0.0) [0]	0 (0.0) [0]
Retinopathy	2 (0.0) [0]	0 (0.0) [0]
Retroperitoneal haematoma	1 (0.0) [0]	1 (0.0) [0]
Reversible ischaemic neurological deficit	2 (0.0) [0]	0 (0.0) [0]
Rhinitis	0 (0.0) [0]	2 (0.0) [0]
Ruptured cerebral aneurysm	1 (0.0) [0]	1 (0.0) [0]
Salivary gland adenoma	1 (0.0) [0]	1 (0.0) [0]
Salivary gland neoplasm	2 (0.0) [0]	0 (0.0) [0]
Salmonellosis	0 (0.0) [0]	2 (0.0) [0]
Schizophrenia	0 (0.0) [0]	2 (0.0) [0]
Schizophrenia, paranoid type	1 (0.0) [0]	1 (0.0) [0]
Shock haemorrhagic	0 (0.0) [0]	2 (0.0) [0]
Sigmoiditis	1 (0.0) [0]	1 (0.0) [0]
Skull fractured base	0 (0.0) [0]	2 (0.0) [0]
Small cell lung cancer stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Soft tissue infection	1 (0.0) [0]	1 (0.0) [0]
Spigelian hernia	0 (0.0) [0]	2 (0.0) [0]
Spinal cord compression	2 (0.0) [0]	0 (0.0) [0]
Spinal disorder	1 (0.0) [0]	1 (0.0) [0]
Spindle cell sarcoma	0 (0.0) [0]	2 (0.0) [0]
Staphylococcal sepsis	1 (0.0) [0]	1 (0.0) [0]
Stasis dermatitis	0 (0.0) [0]	2 (0.0) [0]
Supraventricular extrasystoles	0 (0.0) [0]	2 (0.0) [0]
Temporal arteritis	2 (0.0) [0]	0 (0.0) [0]
Thermal burn	2 (0.0) [0]	0 (0.0) [0]
Thyroid cancer metastatic	2 (0.0) [0]	0 (0.0) [0]
Tinnitus	0 (0.0) [0]	2 (0.0) [0]
Tongue neoplasm benign	0 (0.0) [0]	2 (0.0) [0]
Tongue neoplasm malignant stage unspecified	1 (0.0) [0]	1 (0.0) [0]
Tonsil cancer	0 (0.0) [0]	2 (0.0) [0]
Toxic encephalopathy	2 (0.0) [0]	0 (0.0) [0]
Toxic nodular goitre	2 (0.0) [0]	0 (0.0) [0]
Traumatic haematoma	1 (0.0) [0]	1 (0.0) [0]
Trigeminal neuralgia	1 (0.0) [0]	1 (0.0) [0]
Type 1 diabetes mellitus	1 (0.0) [0]	1 (0.0) [0]
Ulcer haemorrhage	1 (0.0) [0]	1 (0.0) [0]
Umbilical hernia, obstructive	1 (0.0) [0]	1 (0.0) [0]
Ureteric stenosis	1 (0.0) [0]	1 (0.0) [0]
Urinary incontinence	1 (0.0) [0]	1 (0.0) [0]
Urinary tract obstruction	1 (0.0) [0]	1 (0.0) [0]
Uterovaginal prolapse	0 (0.0) [0]	2 (0.0) [0]
Uveitis	1 (0.0) [0]	1 (0.0) [0]
Viith nerve paralysis	1 (0.0) [0]	1 (0.0) [0]

Vith nerve paralysis	1 (0.0) [0]	1 (0.0) [0]
Varices oesophageal	2 (0.0) [0]	0 (0.0) [0]
Venous insufficiency	1 (0.0) [0]	1 (0.0) [0]
Vitreous haemorrhage	1 (0.0) [0]	1 (0.0) [0]
Wound infection staphylococcal	0 (0.0) [0]	2 (0.0) [0]
Abasia	0 (0.0) [0]	1 (0.0) [0]
Abdominal infection	1 (0.0) [0]	0 (0.0) [0]
Abdominal sepsis	1 (0.0) [0]	0 (0.0) [0]
Abdominal wall abscess	1 (0.0) [0]	0 (0.0) [0]
Abdominal wall haematoma	1 (0.0) [0]	0 (0.0) [0]
Abscess jaw	0 (0.0) [0]	1 (0.0) [0]
Abscess neck	1 (0.0) [0]	0 (0.0) [0]
Acarodermatitis	1 (0.0) [0]	0 (0.0) [0]
Accelerated hypertension	1 (0.0) [0]	0 (0.0) [0]
Accident	0 (0.0) [0]	1 (0.0) [0]
Accidental death	0 (0.0) [0]	1 (0.0) [0]
Acral lentiginous melanoma stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Acute biphenotypic leukaemia	0 (0.0) [0]	1 (0.0) [0]
Acute febrile neutrophilic dermatosis	1 (0.0) [0]	0 (0.0) [0]
Addison's disease	1 (0.0) [0]	0 (0.0) [0]
Adenomyosis	1 (0.0) [0]	0 (0.0) [0]
Adenovirus infection	0 (0.0) [0]	1 (0.0) [0]
Affective disorder	1 (0.0) [0]	0 (0.0) [0]
Age-related macular degeneration	0 (0.0) [0]	1 (0.0) [0]
Agranulocytosis	0 (0.0) [0]	1 (0.0) [0]
Alcohol withdrawal syndrome	0 (0.0) [0]	1 (0.0) [0]
Altered state of consciousness	0 (0.0) [0]	1 (0.0) [0]
Amnesia	1 (0.0) [0]	0 (0.0) [0]
Amoebic dysentery	0 (0.0) [0]	1 (0.0) [0]
Anaemia macrocytic	1 (0.0) [0]	0 (0.0) [0]
Anal polyp	0 (0.0) [0]	1 (0.0) [0]
Anal skin tags	0 (0.0) [0]	1 (0.0) [0]
Anastomotic stenosis	1 (0.0) [0]	0 (0.0) [0]
Angiocentric lymphoma	0 (0.0) [0]	1 (0.0) [0]
Angiopathy	1 (0.0) [0]	0 (0.0) [0]
Angiosarcoma	1 (0.0) [0]	0 (0.0) [0]
Anorectal disorder	1 (0.0) [0]	0 (0.0) [0]
Anorectal varices	0 (0.0) [0]	1 (0.0) [0]
Anuria	0 (0.0) [0]	1 (0.0) [0]
Anxiety disorder	0 (0.0) [0]	1 (0.0) [0]
Aortic disorder	0 (0.0) [0]	1 (0.0) [0]
Aortic valve calcification	0 (0.0) [0]	1 (0.0) [0]
Aphasia	0 (0.0) [0]	1 (0.0) [0]
Appendiceal abscess	0 (0.0) [0]	1 (0.0) [0]
Arachnoid cyst	1 (0.0) [0]	0 (0.0) [0]
Arterial bypass operation	1 (0.0) [0]	0 (0.0) [0]
Arteriosclerosis obliterans	0 (0.0) [0]	1 (0.0) [0]
Arteriospasm coronary	0 (0.0) [0]	1 (0.0) [0]
Arteriovenous fistula occlusion	1 (0.0) [0]	0 (0.0) [0]
Arteriovenous fistula site infection	1 (0.0) [0]	0 (0.0) [0]
Arteritis	0 (0.0) [0]	1 (0.0) [0]
Atrial thrombosis	1 (0.0) [0]	0 (0.0) [0]
Autoimmune hepatitis	0 (0.0) [0]	1 (0.0) [0]
Autoimmune thyroiditis	0 (0.0) [0]	1 (0.0) [0]

Axonal neuropathy	1 (0.0) [1]	0 (0.0) [0]
B-cell small lymphocytic lymphoma	0 (0.0) [0]	1 (0.0) [0]
Bacterial infection	1 (0.0) [0]	0 (0.0) [0]
Bacterial sepsis	1 (0.0) [0]	0 (0.0) [0]
Bacteriuria	0 (0.0) [0]	1 (0.0) [0]
Balanitis	0 (0.0) [0]	1 (0.0) [0]
Basosquamous carcinoma	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm of prostate	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm of skin	0 (0.0) [0]	1 (0.0) [0]
Benign neoplasm of thyroid gland	0 (0.0) [0]	1 (0.0) [0]
Bile duct obstruction	0 (0.0) [0]	1 (0.0) [0]
Bile duct stenosis	0 (0.0) [0]	1 (0.0) [0]
Bladder cyst	0 (0.0) [0]	1 (0.0) [0]
Bladder diverticulum	0 (0.0) [0]	1 (0.0) [0]
Bladder dysfunction	1 (0.0) [0]	0 (0.0) [0]
Bladder injury	1 (0.0) [0]	0 (0.0) [0]
Bladder neck sclerosis	0 (0.0) [0]	1 (0.0) [0]
Bladder papilloma	0 (0.0) [0]	1 (0.0) [0]
Bladder spasm	0 (0.0) [0]	1 (0.0) [0]
Bladder transitional cell carcinoma stage i	0 (0.0) [0]	1 (0.0) [0]
Blood electrolytes abnormal	0 (0.0) [0]	1 (0.0) [0]
Blood glucose increased	1 (0.0) [0]	0 (0.0) [0]
Blood potassium increased	1 (0.0) [0]	0 (0.0) [0]
Blood urea increased	1 (0.0) [0]	0 (0.0) [0]
Blood urine present	1 (0.0) [0]	0 (0.0) [0]
Body temperature increased	0 (0.0) [0]	1 (0.0) [0]
Bone cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Bone marrow failure	1 (0.0) [0]	0 (0.0) [0]
Bone sarcoma	1 (0.0) [0]	0 (0.0) [0]
Bowen's disease	0 (0.0) [0]	1 (0.0) [0]
Brain abscess	1 (0.0) [0]	0 (0.0) [0]
Brain cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Brain injury	1 (0.0) [0]	0 (0.0) [0]
Brain mass	1 (0.0) [0]	0 (0.0) [0]
Brain natriuretic peptide increased	1 (0.0) [0]	0 (0.0) [0]
Brain neoplasm benign	1 (0.0) [0]	0 (0.0) [0]
Brain neoplasm malignant	0 (0.0) [0]	1 (0.0) [0]
Brain stem stroke	0 (0.0) [0]	1 (0.0) [0]
Breast cancer stage i	1 (0.0) [0]	0 (0.0) [0]
Breast haematoma	1 (0.0) [0]	0 (0.0) [0]
Breast mass	1 (0.0) [0]	0 (0.0) [0]
Bronchial neoplasm	0 (0.0) [0]	1 (0.0) [0]
Bronchiolitis	0 (0.0) [0]	1 (0.0) [0]
Bronchitis fungal	1 (0.0) [0]	0 (0.0) [0]
Bronchitis viral	0 (0.0) [0]	1 (0.0) [0]
Bronchopneumopathy	1 (0.0) [0]	0 (0.0) [0]
Bronchopulmonary aspergillosis	1 (0.0) [0]	0 (0.0) [0]
Bulbar palsy	1 (0.0) [0]	0 (0.0) [0]
Bullous lung disease	0 (0.0) [0]	1 (0.0) [0]
Burkitt's lymphoma	0 (0.0) [0]	1 (0.0) [0]
Burning sensation	1 (0.0) [0]	0 (0.0) [0]
Burns third degree	1 (0.0) [0]	0 (0.0) [0]
Bursitis infective	0 (0.0) [0]	1 (0.0) [0]

Calculus urethral	0 (0.0) [0]	1 (0.0) [0]
Campylobacter gastroenteritis	0 (0.0) [0]	1 (0.0) [0]
Carbuncle	1 (0.0) [0]	0 (0.0) [0]
Carcinoid tumour pulmonary	0 (0.0) [0]	1 (0.0) [0]
Carcinoma in situ	0 (0.0) [0]	1 (0.0) [0]
Carcinoma in situ of skin	1 (0.0) [0]	0 (0.0) [0]
Cardiac ablation	0 (0.0) [0]	1 (0.0) [0]
Cardiac aneurysm	1 (0.0) [0]	0 (0.0) [0]
Cardiac asthma	1 (0.0) [0]	0 (0.0) [0]
Cardiac enzymes increased	1 (0.0) [0]	0 (0.0) [0]
Cardiac fibrillation	0 (0.0) [0]	1 (0.0) [0]
Cardiac flutter	1 (0.0) [0]	0 (0.0) [0]
Cardiac hypertrophy	0 (0.0) [0]	1 (0.0) [0]
Cardiac myxoma	1 (0.0) [0]	0 (0.0) [0]
Cardiac tamponade	1 (0.0) [0]	0 (0.0) [0]
Cartilage injury	0 (0.0) [0]	1 (0.0) [0]
Castleman's disease	0 (0.0) [0]	1 (0.0) [0]
Cataract cortical	1 (0.0) [0]	0 (0.0) [0]
Cellulitis gangrenous	0 (0.0) [0]	1 (0.0) [0]
Cerebellar syndrome	0 (0.0) [0]	1 (0.0) [0]
Cerebral thrombosis	1 (0.0) [0]	0 (0.0) [0]
Cervical polyp	1 (0.0) [0]	0 (0.0) [0]
Cervix neoplasm	1 (0.0) [0]	0 (0.0) [0]
Chalazion	1 (0.0) [0]	0 (0.0) [0]
Chest wall operation	0 (0.0) [0]	1 (0.0) [0]
Chloroma	0 (0.0) [0]	1 (0.0) [0]
Cholangitis suppurative	1 (0.0) [0]	0 (0.0) [0]
Cholecystocholangitis	1 (0.0) [0]	0 (0.0) [0]
Cholelithiasis migration	1 (0.0) [0]	0 (0.0) [0]
Cholesteatoma	1 (0.0) [0]	0 (0.0) [0]
Chondrosarcoma	0 (0.0) [0]	1 (0.0) [0]
Chordoma	1 (0.0) [0]	0 (0.0) [0]
Chronic hepatic failure	0 (0.0) [0]	1 (0.0) [0]
Chronic leukaemia	0 (0.0) [0]	1 (0.0) [0]
Chronic myelomonocytic leukaemia	1 (0.0) [0]	0 (0.0) [0]
Chronic respiratory failure	0 (0.0) [0]	1 (0.0) [0]
Coagulation time prolonged	0 (0.0) [0]	1 (0.0) [0]
Coeliac disease	1 (0.0) [0]	0 (0.0) [0]
Cold type haemolytic anaemia	0 (0.0) [0]	1 (0.0) [0]
Collapse of lung	0 (0.0) [0]	1 (0.0) [0]
Colon cancer stage i	0 (0.0) [0]	1 (0.0) [0]
Colon cancer stage iv	1 (0.0) [0]	0 (0.0) [0]
Colonic obstruction	1 (0.0) [0]	0 (0.0) [0]
Colonic pseudo-obstruction	0 (0.0) [0]	1 (0.0) [0]
Colonic stenosis	0 (0.0) [0]	1 (0.0) [0]
Coma	1 (0.0) [0]	0 (0.0) [0]
Comminuted fracture	0 (0.0) [0]	1 (0.0) [0]
Complex partial seizures	1 (0.0) [0]	0 (0.0) [0]
Condition aggravated	0 (0.0) [0]	1 (0.0) [0]
Conduction disorder	1 (0.0) [0]	0 (0.0) [0]
Congenital megacolon	0 (0.0) [0]	1 (0.0) [0]
Contrast media reaction	1 (0.0) [0]	0 (0.0) [0]
Corneal disorder	1 (0.0) [0]	0 (0.0) [0]
Corneal neovascularisation	0 (0.0) [0]	1 (0.0) [0]

Coronary artery reocclusion	0 (0.0) [0]	1 (0.0) [0]
Crystal arthropathy	1 (0.0) [0]	0 (0.0) [0]
Cyclitis	1 (0.0) [0]	0 (0.0) [0]
Cystic lymphangioma	1 (0.0) [0]	0 (0.0) [0]
Delayed recovery from anaesthesia	0 (0.0) [0]	1 (0.0) [0]
Dementia of the alzheimer's type, uncomplicated	1 (0.0) [0]	0 (0.0) [0]
Depressed level of consciousness	0 (0.0) [0]	1 (0.0) [0]
Dermatitis contact	0 (0.0) [0]	1 (0.0) [0]
Device failure	0 (0.0) [0]	1 (0.0) [0]
Diabetic autonomic neuropathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic bullosis	0 (0.0) [0]	1 (0.0) [0]
Diabetic coma	1 (0.0) [0]	0 (0.0) [0]
Diabetic complication	0 (0.0) [0]	1 (0.0) [0]
Diabetic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic eye disease	1 (0.0) [0]	0 (0.0) [0]
Diabetic foot infection	1 (0.0) [0]	0 (0.0) [0]
Diabetic gastroparesis	0 (0.0) [0]	1 (0.0) [0]
Diabetic hyperglycaemic coma	1 (0.0) [0]	0 (0.0) [0]
Diabetic macroangiopathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic nephropathy	1 (0.0) [0]	0 (0.0) [0]
Diabetic retinopathy	1 (0.0) [0]	0 (0.0) [0]
Diarrhoea infectious	0 (0.0) [0]	1 (0.0) [0]
Dieulafoy's vascular malformation	0 (0.0) [0]	1 (0.0) [0]
Diplopia	0 (0.0) [0]	1 (0.0) [0]
Discomfort	0 (0.0) [0]	1 (0.0) [0]
Diverticulitis meckel's	0 (0.0) [0]	1 (0.0) [0]
Diverticulum intestinal haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Dizziness postural	0 (0.0) [0]	1 (0.0) [0]
Drug abuse	1 (0.0) [0]	0 (0.0) [0]
Drug eruption	1 (0.0) [0]	0 (0.0) [0]
Drug rash with eosinophilia and systemic symptoms	0 (0.0) [0]	1 (0.0) [0]
Duodenal perforation	0 (0.0) [0]	1 (0.0) [0]
Dyslipidaemia	0 (0.0) [0]	1 (0.0) [0]
Ear infection	1 (0.0) [0]	0 (0.0) [0]
Eccrine carcinoma	1 (0.0) [0]	0 (0.0) [0]
Echinococcosis	1 (0.0) [0]	0 (0.0) [0]
Echography abnormal	0 (0.0) [0]	1 (0.0) [0]
Effusion	1 (0.0) [0]	0 (0.0) [0]
Electrocardiogram abnormal	0 (0.0) [0]	1 (0.0) [0]
Encephalitis	1 (0.0) [0]	0 (0.0) [0]
Endocarditis bacterial	1 (0.0) [0]	0 (0.0) [0]
Endometrial atrophy	0 (0.0) [0]	1 (0.0) [0]
Endometrial cancer recurrent	1 (0.0) [0]	0 (0.0) [0]
Endometrial hyperplasia	1 (0.0) [0]	0 (0.0) [0]
Endometritis	1 (0.0) [0]	0 (0.0) [0]
Enterocoele	1 (0.0) [0]	0 (0.0) [0]
Enterococcal infection	1 (0.0) [0]	0 (0.0) [0]
Erosive oesophagitis	0 (0.0) [0]	1 (0.0) [0]
Erythema	1 (0.0) [0]	0 (0.0) [0]
Essential hypertension	1 (0.0) [0]	0 (0.0) [0]
Exostosis	0 (0.0) [0]	1 (0.0) [0]
External ear cellulitis	0 (0.0) [0]	1 (0.0) [0]
Extrapyramidal disorder	1 (0.0) [0]	0 (0.0) [0]
Extremity contracture	1 (0.0) [0]	0 (0.0) [0]

Eye injury	0 (0.0) [0]	1 (0.0) [0]
Eyeball rupture	0 (0.0) [0]	1 (0.0) [0]
Facial pain	0 (0.0) [0]	1 (0.0) [0]
Faecal incontinence	1 (0.0) [0]	0 (0.0) [0]
Fatigue	1 (0.0) [0]	0 (0.0) [0]
Febrile neutropenia	1 (0.0) [0]	0 (0.0) [0]
Femoral arterial stenosis	1 (0.0) [0]	0 (0.0) [0]
Femoral hernia	0 (0.0) [0]	1 (0.0) [0]
Finger amputation	0 (0.0) [0]	1 (0.0) [0]
Fistula	1 (0.0) [0]	0 (0.0) [0]
Flail chest	1 (0.0) [0]	0 (0.0) [0]
Flatulence	0 (0.0) [0]	1 (0.0) [0]
Fluid retention	0 (0.0) [0]	1 (0.0) [0]
Food allergy	0 (0.0) [0]	1 (0.0) [0]
Fractured coccyx	1 (0.0) [0]	0 (0.0) [0]
Fractured sacrum	0 (0.0) [0]	1 (0.0) [0]
Fungal infection	1 (0.0) [0]	0 (0.0) [0]
Gait disturbance	0 (0.0) [0]	1 (0.0) [0]
Gallbladder abscess	1 (0.0) [0]	0 (0.0) [0]
Gallbladder disorder	0 (0.0) [0]	1 (0.0) [0]
Gallbladder oedema	1 (0.0) [0]	0 (0.0) [0]
Gallbladder perforation	1 (0.0) [0]	0 (0.0) [0]
Gastric disorder	0 (0.0) [0]	1 (0.0) [0]
Gastric polyps	1 (0.0) [0]	0 (0.0) [0]
Gastric ulcer helicobacter	1 (0.0) [0]	0 (0.0) [0]
Gastritis atrophic	0 (0.0) [0]	1 (0.0) [0]
Gastrointestinal arteriovenous malformation	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal dysplasia	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal tract adenoma	1 (0.0) [0]	0 (0.0) [0]
Gastrointestinal ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Genital herpes	1 (0.0) [0]	0 (0.0) [0]
Gilbert's syndrome	0 (0.0) [0]	1 (0.0) [0]
Gingival bleeding	1 (0.0) [0]	0 (0.0) [0]
Haemangioblastoma	0 (0.0) [0]	1 (0.0) [0]
Haemangioma of spleen	1 (0.0) [0]	0 (0.0) [0]
Haemarthrosis	0 (0.0) [0]	1 (0.0) [0]
Haemolytic anaemia	0 (0.0) [0]	1 (0.0) [0]
Haemorrhage subcutaneous	0 (0.0) [0]	1 (0.0) [0]
Haemorrhage urinary tract	0 (0.0) [0]	1 (0.0) [0]
Haemorrhagic arteriovenous malformation	1 (0.0) [0]	0 (0.0) [0]
Haemorrhagic disorder	1 (0.0) [0]	0 (0.0) [0]
Hallucination	1 (0.0) [0]	0 (0.0) [0]
Head and neck cancer	1 (0.0) [0]	0 (0.0) [0]
Heart injury	0 (0.0) [0]	1 (0.0) [0]
Heart rate irregular	0 (0.0) [0]	1 (0.0) [0]
Heart valve incompetence	1 (0.0) [0]	0 (0.0) [0]
Heat exhaustion	1 (0.0) [0]	0 (0.0) [0]
Heat stroke	1 (0.0) [0]	0 (0.0) [0]
Heerfordt's syndrome	1 (0.0) [0]	0 (0.0) [0]
Hepatic congestion	0 (0.0) [0]	1 (0.0) [0]
Hepatic fibrosis	0 (0.0) [0]	1 (0.0) [0]
Hepatic haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Hepatitis b	1 (0.0) [0]	0 (0.0) [0]
Hepatitis c	1 (0.0) [0]	0 (0.0) [0]

Hepatitis c antibody positive	0 (0.0) [0]	1 (0.0) [0]
Hepatorenal failure	1 (0.0) [0]	0 (0.0) [0]
Herpes simplex	0 (0.0) [0]	1 (0.0) [0]
Herpes zoster ophthalmic	0 (0.0) [0]	1 (0.0) [0]
Herpes zoster oticus	1 (0.0) [0]	0 (0.0) [0]
Hiatus hernia, obstructive	0 (0.0) [0]	1 (0.0) [0]
Hodgkin's disease	0 (0.0) [0]	1 (0.0) [0]
Human ehrlichiosis	0 (0.0) [0]	1 (0.0) [0]
Hyperaldosteronism	0 (0.0) [0]	1 (0.0) [0]
Hypercapnia	1 (0.0) [0]	0 (0.0) [0]
Hyperchromic anaemia	1 (0.0) [0]	0 (0.0) [0]
Hyperkeratosis	1 (0.0) [0]	0 (0.0) [0]
Hypernatraemia	0 (0.0) [0]	1 (0.0) [0]
Hyperosmolar state	0 (0.0) [0]	1 (0.0) [0]
Hyperplasia	1 (0.0) [0]	0 (0.0) [0]
Hypertensive encephalopathy	0 (0.0) [0]	1 (0.0) [0]
Hyperuricaemia	0 (0.0) [0]	1 (0.0) [0]
Hypoaesthesia	0 (0.0) [0]	1 (0.0) [0]
Hypoalbuminaemia	1 (0.0) [0]	0 (0.0) [0]
Hypopharyngeal cancer	0 (0.0) [0]	1 (0.0) [0]
Hypopituitarism	0 (0.0) [0]	1 (0.0) [0]
Ivth nerve paralysis	1 (0.0) [0]	0 (0.0) [0]
Idiopathic pulmonary fibrosis	1 (0.0) [0]	0 (0.0) [0]
Idiopathic thrombocytopenic purpura	1 (0.0) [0]	0 (0.0) [0]
Ileal fistula	0 (0.0) [0]	1 (0.0) [0]
Iliac artery occlusion	1 (0.0) [0]	0 (0.0) [0]
Iliac artery stenosis	0 (0.0) [0]	1 (0.0) [0]
Ilium fracture	0 (0.0) [0]	1 (0.0) [0]
Ill-defined disorder	0 (0.0) [0]	1 (0.0) [0]
Impaired fasting glucose	0 (0.0) [0]	1 (0.0) [0]
Implant site haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Implant site infection	1 (0.0) [0]	0 (0.0) [0]
Inappropriate antidiuretic hormone secretion	0 (0.0) [0]	1 (0.0) [0]
Incision site haematoma	0 (0.0) [0]	1 (0.0) [0]
Incision site haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Incontinence	1 (0.0) [0]	0 (0.0) [0]
Infarction	1 (0.0) [0]	0 (0.0) [0]
Infected bunion	1 (0.0) [0]	0 (0.0) [0]
Infected neoplasm	1 (0.0) [0]	0 (0.0) [0]
Infection masked	0 (0.0) [0]	1 (0.0) [0]
Inguinal hernia strangulated	1 (0.0) [0]	0 (0.0) [0]
Inguinal hernia, obstructive	0 (0.0) [0]	1 (0.0) [0]
Insomnia	1 (0.0) [0]	0 (0.0) [0]
Intercostal neuralgia	0 (0.0) [0]	1 (0.0) [0]
Intermediate uveitis	1 (0.0) [0]	0 (0.0) [0]
Intestinal anastomosis complication	1 (0.0) [0]	0 (0.0) [0]
Intestinal congestion	1 (0.0) [0]	0 (0.0) [0]
Intestinal gangrene	1 (0.0) [0]	0 (0.0) [0]
Intestinal haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Intra-abdominal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Intraductal papilloma of breast	1 (0.0) [0]	0 (0.0) [0]
Intraspinal abscess	1 (0.0) [0]	0 (0.0) [0]
Intravascular papillary endothelial hyperplasia	1 (0.0) [0]	0 (0.0) [0]
Intraventricular haemorrhage	0 (0.0) [0]	1 (0.0) [0]

Jaundice	0 (0.0) [0]	1 (0.0) [0]
Jaundice hepatocellular	1 (0.0) [0]	0 (0.0) [0]
Joint range of motion decreased	0 (0.0) [0]	1 (0.0) [0]
Joint swelling	0 (0.0) [0]	1 (0.0) [0]
Jugular vein thrombosis	1 (0.0) [0]	0 (0.0) [0]
Keratitis	0 (0.0) [0]	1 (0.0) [0]
Keratoacanthoma	0 (0.0) [0]	1 (0.0) [0]
Klebsiella bacteraemia	1 (0.0) [0]	0 (0.0) [0]
Knee arthroplasty	1 (0.0) [0]	0 (0.0) [0]
Lacrimal sac cellulitis	0 (0.0) [0]	1 (0.0) [0]
Lactose intolerance	0 (0.0) [0]	1 (0.0) [0]
Large intestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Large intestinal obstruction	1 (0.0) [0]	0 (0.0) [0]
Large intestinal ulcer	1 (0.0) [0]	0 (0.0) [0]
Large intestinal ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Laryngeal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Laryngeal oedema	0 (0.0) [0]	1 (0.0) [0]
Left atrial dilatation	1 (0.0) [0]	0 (0.0) [0]
Legionella infection	0 (0.0) [0]	1 (0.0) [0]
Lens dislocation	0 (0.0) [0]	1 (0.0) [0]
Lentigo maligna stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Leriche syndrome	0 (0.0) [0]	1 (0.0) [0]
Leukopenia	0 (0.0) [0]	1 (0.0) [0]
Leukoplakia	1 (0.0) [0]	0 (0.0) [0]
Lichen planus	1 (0.0) [0]	0 (0.0) [0]
Lipoedema	1 (0.0) [0]	0 (0.0) [0]
Lipoma	1 (0.0) [0]	0 (0.0) [0]
Liposarcoma	0 (0.0) [0]	1 (0.0) [0]
Liposarcoma recurrent	0 (0.0) [0]	1 (0.0) [0]
Listeriosis	0 (0.0) [0]	1 (0.0) [0]
Liver function test abnormal	1 (0.0) [0]	0 (0.0) [0]
Lumbar radiculopathy	1 (0.0) [0]	0 (0.0) [0]
Lung infection pseudomonal	0 (0.0) [0]	1 (0.0) [0]
Lung infiltration malignant	1 (0.0) [0]	0 (0.0) [0]
Lymphadenopathy	1 (0.0) [0]	0 (0.0) [0]
Lymphoma transformation	1 (0.0) [0]	0 (0.0) [0]
Lymphoproliferative disorder	0 (0.0) [0]	1 (0.0) [0]
Macular hole	0 (0.0) [0]	1 (0.0) [0]
Maculopathy	0 (0.0) [0]	1 (0.0) [0]
Malignant mediastinal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Malignant neoplasm of ampulla of vater	1 (0.0) [0]	0 (0.0) [0]
Malignant ovarian cyst	0 (0.0) [0]	1 (0.0) [0]
Malignant peritoneal neoplasm	1 (0.0) [0]	0 (0.0) [0]
Mania	1 (0.0) [0]	0 (0.0) [0]
Mantle cell lymphoma stage iv	1 (0.0) [0]	0 (0.0) [0]
Mastocytosis	0 (0.0) [0]	1 (0.0) [0]
Mastoiditis	1 (0.0) [0]	0 (0.0) [0]
Mechanical ileus	0 (0.0) [0]	1 (0.0) [0]
Melanocytic naevus	0 (0.0) [0]	1 (0.0) [0]
Meniere's disease	0 (0.0) [0]	1 (0.0) [0]
Meningioma benign	1 (0.0) [0]	0 (0.0) [0]
Meningitis bacterial	1 (0.0) [0]	0 (0.0) [0]
Meningitis viral	0 (0.0) [0]	1 (0.0) [0]
Meniscal degeneration	0 (0.0) [0]	1 (0.0) [0]

Mental disorder due to a general medical condition	1 (0.0) [0]	0 (0.0) [0]
Mental status changes postoperative	1 (0.0) [0]	0 (0.0) [0]
Mesenteric artery embolism	0 (0.0) [0]	1 (0.0) [0]
Mesenteric artery stenosis	1 (0.0) [0]	0 (0.0) [0]
Mesenteric fibrosis	1 (0.0) [0]	0 (0.0) [0]
Mesothelioma	1 (0.0) [0]	0 (0.0) [0]
Metastases to biliary tract	1 (0.0) [0]	0 (0.0) [0]
Metastases to meninges	1 (0.0) [0]	0 (0.0) [0]
Metastases to ovary	0 (0.0) [0]	1 (0.0) [0]
Metastases to stomach	0 (0.0) [0]	1 (0.0) [0]
Metastatic renal cell carcinoma	1 (0.0) [0]	0 (0.0) [0]
Metastatic salivary gland cancer	0 (0.0) [0]	1 (0.0) [0]
Metatarsalgia	1 (0.0) [0]	0 (0.0) [0]
Migraine	0 (0.0) [0]	1 (0.0) [0]
Migraine with aura	1 (0.0) [0]	0 (0.0) [0]
Miller fisher syndrome	1 (0.0) [1]	0 (0.0) [0]
Mitral valve disease	1 (0.0) [0]	0 (0.0) [0]
Mitral valve prolapse	0 (0.0) [0]	1 (0.0) [0]
Monoparesis	0 (0.0) [0]	1 (0.0) [0]
Morton's neuroma	0 (0.0) [0]	1 (0.0) [0]
Motor neurone disease	1 (0.0) [0]	0 (0.0) [0]
Mueller's mixed tumour	1 (0.0) [0]	0 (0.0) [0]
Multiple sclerosis relapse	1 (0.0) [0]	0 (0.0) [0]
Muscle atrophy	1 (0.0) [0]	0 (0.0) [0]
Muscle disorder	1 (0.0) [0]	0 (0.0) [0]
Muscle haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Muscle necrosis	0 (0.0) [0]	1 (0.0) [0]
Mycosis fungoides	1 (0.0) [0]	0 (0.0) [0]
Myelofibrosis	1 (0.0) [0]	0 (0.0) [0]
Myeloid leukaemia	0 (0.0) [0]	1 (0.0) [0]
Myeloproliferative disorder	1 (0.0) [0]	0 (0.0) [0]
Myocardial fibrosis	1 (0.0) [0]	0 (0.0) [0]
Myopathy	1 (0.0) [0]	0 (0.0) [0]
Myopericarditis	0 (0.0) [0]	1 (0.0) [0]
Myositis	0 (0.0) [0]	1 (0.0) [0]
Myotonia	1 (0.0) [1]	0 (0.0) [0]
Myxoedema	0 (0.0) [0]	1 (0.0) [0]
Nasal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Nasal polyps	1 (0.0) [0]	0 (0.0) [0]
Nasal septum deviation	1 (0.0) [0]	0 (0.0) [0]
Necrotising fasciitis	1 (0.0) [0]	0 (0.0) [0]
Neoplasm progression	1 (0.0) [0]	0 (0.0) [0]
Neoplasm prostate	1 (0.0) [0]	0 (0.0) [0]
Nephropathy	0 (0.0) [0]	1 (0.0) [0]
Nephropathy toxic	0 (0.0) [0]	1 (0.0) [0]
Nephrostomy tube removal	1 (0.0) [0]	0 (0.0) [0]
Nephrotic syndrome	0 (0.0) [0]	1 (0.0) [0]
Nerve injury	0 (0.0) [0]	1 (0.0) [0]
Nerve root compression	1 (0.0) [0]	0 (0.0) [0]
Neuralgic amyotrophy	1 (0.0) [0]	0 (0.0) [0]
Neurodermatitis	0 (0.0) [0]	1 (0.0) [0]
Neuroendocrine carcinoma of the skin	1 (0.0) [0]	0 (0.0) [0]
Neurogenic bladder	1 (0.0) [0]	0 (0.0) [0]
Neurosis	0 (0.0) [0]	1 (0.0) [0]

Nodule	0 (0.0) [0]	1 (0.0) [0]
Non-hodgkin's lymphoma recurrent	1 (0.0) [0]	0 (0.0) [0]
Non-small cell lung cancer stage iii	1 (0.0) [0]	0 (0.0) [0]
Normochromic normocytic anaemia	1 (0.0) [0]	0 (0.0) [0]
Obesity	1 (0.0) [0]	0 (0.0) [0]
Oedema	0 (0.0) [0]	1 (0.0) [0]
Oesophageal achalasia	0 (0.0) [0]	1 (0.0) [0]
Oesophageal discomfort	0 (0.0) [0]	1 (0.0) [0]
Oesophageal food impaction	0 (0.0) [0]	1 (0.0) [0]
Oesophageal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Oesophageal ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Oesophagitis ulcerative	1 (0.0) [0]	0 (0.0) [0]
Oliguria	1 (0.0) [0]	0 (0.0) [0]
Open angle glaucoma	0 (0.0) [0]	1 (0.0) [0]
Optic neuritis	0 (0.0) [0]	1 (0.0) [0]
Oral candidiasis	1 (0.0) [0]	0 (0.0) [0]
Orchitis	0 (0.0) [0]	1 (0.0) [0]
Organ failure	0 (0.0) [0]	1 (0.0) [0]
Oropharyngeal cancer stage unspecified	1 (0.0) [0]	0 (0.0) [0]
Oropharyngeal pain	0 (0.0) [0]	1 (0.0) [0]
Oropharyngitis fungal	1 (0.0) [0]	0 (0.0) [0]
Osteitis	0 (0.0) [0]	1 (0.0) [0]
Osteochondroma	1 (0.0) [0]	0 (0.0) [0]
Osteomyelitis acute	0 (0.0) [0]	1 (0.0) [0]
Otosclerosis	0 (0.0) [0]	1 (0.0) [0]
Ovarian adenoma	1 (0.0) [0]	0 (0.0) [0]
Ovarian enlargement	0 (0.0) [0]	1 (0.0) [0]
Ovarian epithelial cancer	0 (0.0) [0]	1 (0.0) [0]
Ovarian fibroma	0 (0.0) [0]	1 (0.0) [0]
Pacemaker generated arrhythmia	1 (0.0) [0]	0 (0.0) [0]
Paget's disease of the vulva	1 (0.0) [0]	0 (0.0) [0]
Pancreatic carcinoma stage iv	0 (0.0) [0]	1 (0.0) [0]
Pancreatic cyst	0 (0.0) [0]	1 (0.0) [0]
Pancreatic disorder	1 (0.0) [0]	0 (0.0) [0]
Pancreatic duct obstruction	0 (0.0) [0]	1 (0.0) [0]
Pancreatic duct stenosis	1 (0.0) [0]	0 (0.0) [0]
Pancreatic insufficiency	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis necrotising	0 (0.0) [0]	1 (0.0) [0]
Panic disorder	1 (0.0) [0]	0 (0.0) [0]
Papilloma	0 (0.0) [0]	1 (0.0) [0]
Paraesthesia	1 (0.0) [0]	0 (0.0) [0]
Parametritis	1 (0.0) [0]	0 (0.0) [0]
Paresis	1 (0.0) [0]	0 (0.0) [0]
Paronychia	0 (0.0) [0]	1 (0.0) [0]
Parotid gland enlargement	1 (0.0) [0]	0 (0.0) [0]
Parovarian cyst	1 (0.0) [0]	0 (0.0) [0]
Paroxysmal arrhythmia	0 (0.0) [0]	1 (0.0) [0]
Patellofemoral pain syndrome	0 (0.0) [0]	1 (0.0) [0]
Pelvic adhesions	1 (0.0) [0]	0 (0.0) [0]
Pelvic pain	0 (0.0) [0]	1 (0.0) [0]
Pemphigoid	0 (0.0) [0]	1 (0.0) [0]
Pemphigus	0 (0.0) [0]	1 (0.0) [0]
Pericardial haemorrhage	1 (0.0) [0]	0 (0.0) [0]

Peridiverticular abscess	0 (0.0) [0]	1 (0.0) [0]
Perineal abscess	0 (0.0) [0]	1 (0.0) [0]
Periorbital haematoma	0 (0.0) [0]	1 (0.0) [0]
Peripheral artery aneurysm	0 (0.0) [0]	1 (0.0) [0]
Peripheral embolism	1 (0.0) [0]	0 (0.0) [0]
Peritoneal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Peroneal nerve injury	0 (0.0) [0]	1 (0.0) [0]
Peroneal nerve palsy	1 (0.0) [0]	0 (0.0) [0]
Personality disorder	0 (0.0) [0]	1 (0.0) [0]
Pertussis	0 (0.0) [0]	1 (0.0) [0]
Phaeochromocytoma	0 (0.0) [0]	1 (0.0) [0]
Pharyngeal cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Phrenic nerve paralysis	0 (0.0) [0]	1 (0.0) [0]
Piriformis syndrome	1 (0.0) [0]	0 (0.0) [0]
Plantar fasciitis	1 (0.0) [0]	0 (0.0) [0]
Pleura carcinoma	0 (0.0) [0]	1 (0.0) [0]
Pleural mesothelioma	0 (0.0) [0]	1 (0.0) [0]
Pleuropericarditis	1 (0.0) [0]	0 (0.0) [0]
Pneumococcal infection	1 (0.0) [0]	0 (0.0) [0]
Pneumocystis jiroveci infection	1 (0.0) [0]	0 (0.0) [0]
Pneumomediastinum	1 (0.0) [0]	0 (0.0) [0]
Pneumonia fungal	1 (0.0) [0]	0 (0.0) [0]
Pneumonia haemophilus	1 (0.0) [0]	0 (0.0) [0]
Pneumonia klebsiella	0 (0.0) [0]	1 (0.0) [0]
Pneumonia legionella	0 (0.0) [0]	1 (0.0) [0]
Pneumonia primary atypical	0 (0.0) [0]	1 (0.0) [0]
Pneumonia streptococcal	0 (0.0) [0]	1 (0.0) [0]
Pneumoperitoneum	1 (0.0) [0]	0 (0.0) [0]
Pneumothorax traumatic	0 (0.0) [0]	1 (0.0) [0]
Pollakiuria	0 (0.0) [0]	1 (0.0) [0]
Polyneuropathy alcoholic	0 (0.0) [0]	1 (0.0) [0]
Poor peripheral circulation	0 (0.0) [0]	1 (0.0) [0]
Portal hypertension	0 (0.0) [0]	1 (0.0) [0]
Portal vein thrombosis	1 (0.0) [0]	0 (0.0) [0]
Post procedural pneumonia	1 (0.0) [0]	0 (0.0) [0]
Post thrombotic syndrome	1 (0.0) [0]	0 (0.0) [0]
Postinfarction angina	0 (0.0) [0]	1 (0.0) [0]
Postoperative abscess	0 (0.0) [0]	1 (0.0) [0]
Postoperative thoracic procedure complication	0 (0.0) [0]	1 (0.0) [0]
Procedural complication	0 (0.0) [0]	1 (0.0) [0]
Proctitis	0 (0.0) [0]	1 (0.0) [0]
Proctocolitis	0 (0.0) [0]	1 (0.0) [0]
Prostate cancer stage 0	0 (0.0) [0]	1 (0.0) [0]
Prostate cancer stage i	0 (0.0) [0]	1 (0.0) [0]
Prostate cancer stage iii	1 (0.0) [0]	0 (0.0) [0]
Prostate cancer stage iv	1 (0.0) [0]	0 (0.0) [0]
Prostate infection	1 (0.0) [0]	0 (0.0) [0]
Prostatism	1 (0.0) [0]	0 (0.0) [0]
Pseudarthrosis	0 (0.0) [0]	1 (0.0) [0]
Pseudomonal sepsis	1 (0.0) [0]	0 (0.0) [0]
Pseudoradicular syndrome	1 (0.0) [0]	0 (0.0) [0]
Psoriasis	1 (0.0) [0]	0 (0.0) [0]
Psychogenic pain disorder	1 (0.0) [0]	0 (0.0) [0]
Psychomotor hyperactivity	0 (0.0) [0]	1 (0.0) [0]

Pulmonary alveolar haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Pulmonary artery thrombosis	1 (0.0) [0]	0 (0.0) [0]
Pulmonary fistula	0 (0.0) [0]	1 (0.0) [0]
Pulmonary haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Pulmonary mass	0 (0.0) [0]	1 (0.0) [0]
Pulmonary valve disease	0 (0.0) [0]	1 (0.0) [0]
Pulseless electrical activity	1 (0.0) [0]	0 (0.0) [0]
Radial nerve injury	0 (0.0) [0]	1 (0.0) [0]
Radiculitis brachial	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer stage ii	1 (0.0) [0]	0 (0.0) [0]
Rectal prolapse	1 (0.0) [0]	0 (0.0) [0]
Rectal ulcer haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Refractory anaemia with an excess of blasts	0 (0.0) [0]	1 (0.0) [0]
Renal abscess	0 (0.0) [0]	1 (0.0) [0]
Renal cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Renal disorder	0 (0.0) [0]	1 (0.0) [0]
Renal infarct	1 (0.0) [0]	0 (0.0) [0]
Renal pain	1 (0.0) [0]	0 (0.0) [0]
Renal papillary necrosis	1 (0.0) [0]	0 (0.0) [0]
Respiratory alkalosis	0 (0.0) [0]	1 (0.0) [0]
Respiratory moniliasis	0 (0.0) [0]	1 (0.0) [0]
Retinopathy hypertensive	0 (0.0) [0]	1 (0.0) [0]
Retroperitoneal abscess	0 (0.0) [0]	1 (0.0) [0]
Retroperitoneum cyst	1 (0.0) [0]	0 (0.0) [0]
Rhabdomyosarcoma	1 (0.0) [0]	0 (0.0) [0]
Right ventricular failure	0 (0.0) [0]	1 (0.0) [0]
Rotavirus infection	0 (0.0) [0]	1 (0.0) [0]
Salivary duct inflammation	0 (0.0) [0]	1 (0.0) [0]
Salivary gland calculus	1 (0.0) [0]	0 (0.0) [0]
Salivary gland cancer	0 (0.0) [0]	1 (0.0) [0]
Salivary gland cancer stage iv	0 (0.0) [0]	1 (0.0) [0]
Salivary gland fistula	0 (0.0) [0]	1 (0.0) [0]
Sarcoidosis	1 (0.0) [0]	0 (0.0) [0]
Sarcoma	1 (0.0) [0]	0 (0.0) [0]
Scapula fracture	0 (0.0) [0]	1 (0.0) [0]
Scar	0 (0.0) [0]	1 (0.0) [0]
Scrotal gangrene	0 (0.0) [0]	1 (0.0) [0]
Scrotal oedema	1 (0.0) [0]	0 (0.0) [0]
Seborrhoeic dermatitis	1 (0.0) [0]	0 (0.0) [0]
Seborrhoeic keratosis	1 (0.0) [0]	0 (0.0) [0]
Secondary hypertension	1 (0.0) [0]	0 (0.0) [0]
Sepsis syndrome	0 (0.0) [0]	1 (0.0) [0]
Serratia sepsis	1 (0.0) [0]	0 (0.0) [0]
Shunt occlusion	1 (0.0) [0]	0 (0.0) [0]
Sialoadenitis	1 (0.0) [0]	0 (0.0) [0]
Silicosis	1 (0.0) [0]	0 (0.0) [0]
Sinoatrial block	1 (0.0) [0]	0 (0.0) [0]
Sinus arrest	1 (0.0) [0]	0 (0.0) [0]
Sinus polyp	1 (0.0) [0]	0 (0.0) [0]
Skin infection	1 (0.0) [0]	0 (0.0) [0]
Skin injury	1 (0.0) [0]	0 (0.0) [0]
Skin lesion	1 (0.0) [0]	0 (0.0) [0]

Skin necrosis	0 (0.0) [0]	1 (0.0) [0]
Skin neoplasm excision	1 (0.0) [0]	0 (0.0) [0]
Skin ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Small intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Small intestinal stenosis	1 (0.0) [0]	0 (0.0) [0]
Small intestine carcinoma	1 (0.0) [0]	0 (0.0) [0]
Small intestine carcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Snake bite	0 (0.0) [0]	1 (0.0) [0]
Somatoform disorder	0 (0.0) [0]	1 (0.0) [0]
Spastic paraplegia	1 (0.0) [0]	0 (0.0) [0]
Spinal claudication	1 (0.0) [0]	0 (0.0) [0]
Spinal cord disorder	0 (0.0) [0]	1 (0.0) [0]
Spinal cord injury	1 (0.0) [0]	0 (0.0) [0]
Spinal cord injury cervical	1 (0.0) [0]	0 (0.0) [0]
Spinal cord neoplasm	1 (0.0) [0]	0 (0.0) [0]
Spinocerebellar ataxia	1 (0.0) [0]	0 (0.0) [0]
Splenic infarction	0 (0.0) [0]	1 (0.0) [0]
Spondyloarthropathy	0 (0.0) [0]	1 (0.0) [0]
Stag horn calculus	1 (0.0) [0]	0 (0.0) [0]
Staphylococcal osteomyelitis	0 (0.0) [0]	1 (0.0) [0]
Status asthmaticus	1 (0.0) [0]	0 (0.0) [0]
Stent malfunction	1 (0.0) [0]	0 (0.0) [0]
Stent placement	1 (0.0) [0]	0 (0.0) [0]
Stevens-johnson syndrome	0 (0.0) [0]	1 (0.0) [0]
Stomatitis	0 (0.0) [0]	1 (0.0) [0]
Streptococcal urinary tract infection	0 (0.0) [0]	1 (0.0) [0]
Stress urinary incontinence	0 (0.0) [0]	1 (0.0) [0]
Subacute endocarditis	1 (0.0) [0]	0 (0.0) [0]
Subclavian artery stenosis	1 (0.0) [0]	0 (0.0) [0]
Subclavian steal syndrome	1 (0.0) [0]	0 (0.0) [0]
Subcutaneous haematoma	0 (0.0) [0]	1 (0.0) [0]
Subdural haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Suicidal ideation	1 (0.0) [0]	0 (0.0) [0]
Swelling	0 (0.0) [0]	1 (0.0) [0]
Symphysiolysis	0 (0.0) [0]	1 (0.0) [0]
Systemic inflammatory response syndrome	0 (0.0) [0]	1 (0.0) [0]
Systemic lupus erythematosus	1 (0.0) [0]	0 (0.0) [0]
Tendon disorder	1 (0.0) [0]	0 (0.0) [0]
Tension headache	1 (0.0) [0]	0 (0.0) [0]
Thalamic infarction	0 (0.0) [0]	1 (0.0) [0]
Thalamus haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Throat cancer	1 (0.0) [0]	0 (0.0) [0]
Thrombosis in device	0 (0.0) [0]	1 (0.0) [0]
Thymoma malignant	1 (0.0) [0]	0 (0.0) [0]
Thyroglossal cyst	0 (0.0) [0]	1 (0.0) [0]
Thyroglossal cyst infection	0 (0.0) [0]	1 (0.0) [0]
Thyroid disorder	1 (0.0) [0]	0 (0.0) [0]
Tinea pedis	1 (0.0) [0]	0 (0.0) [0]
Tongue cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Tongue injury	1 (0.0) [0]	0 (0.0) [0]
Tongue ulceration	0 (0.0) [0]	1 (0.0) [0]
Tooth disorder	1 (0.0) [0]	0 (0.0) [0]
Toxic shock syndrome	1 (0.0) [0]	0 (0.0) [0]
Toxic skin eruption	0 (0.0) [0]	1 (0.0) [0]

Tracheal papilloma	1 (0.0) [0]	0 (0.0) [0]
Tracheitis	0 (0.0) [0]	1 (0.0) [0]
Transaminases increased	0 (0.0) [0]	1 (0.0) [0]
Transitional cell cancer of the renal pelvis and ureter	0 (0.0) [0]	1 (0.0) [0]
Traumatic liver injury	0 (0.0) [0]	1 (0.0) [0]
Tremor	1 (0.0) [0]	0 (0.0) [0]
Trifascicular block	0 (0.0) [0]	1 (0.0) [0]
Trigger finger	0 (0.0) [0]	1 (0.0) [0]
Tympanic membrane perforation	1 (0.0) [0]	0 (0.0) [0]
Tympanosclerosis	0 (0.0) [0]	1 (0.0) [0]
Upper respiratory tract infection bacterial	1 (0.0) [0]	0 (0.0) [0]
Ureteral polyp	1 (0.0) [0]	0 (0.0) [0]
Ureteritis	0 (0.0) [0]	1 (0.0) [0]
Urethral haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Urethral prolapse	0 (0.0) [0]	1 (0.0) [0]
Urethral stricture postoperative	0 (0.0) [0]	1 (0.0) [0]
Urethral stricture traumatic	1 (0.0) [0]	0 (0.0) [0]
Urge incontinence	0 (0.0) [0]	1 (0.0) [0]
Urinary tract infection bacterial	1 (0.0) [0]	0 (0.0) [0]
Urinary tract infection enterococcal	1 (0.0) [0]	0 (0.0) [0]
Urinoma	1 (0.0) [0]	0 (0.0) [0]
Urogenital prolapse	1 (0.0) [0]	0 (0.0) [0]
Urticaria	0 (0.0) [0]	1 (0.0) [0]
Uterine cervix stenosis	0 (0.0) [0]	1 (0.0) [0]
Uterine leiomyoma	0 (0.0) [0]	1 (0.0) [0]
Uterine neoplasm	1 (0.0) [0]	0 (0.0) [0]
Vaginal cancer	0 (0.0) [0]	1 (0.0) [0]
Vaginal haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Vagus nerve disorder	0 (0.0) [0]	1 (0.0) [0]
Varicose ulceration	1 (0.0) [0]	0 (0.0) [0]
Vascular graft occlusion	1 (0.0) [0]	0 (0.0) [0]
Vascular insufficiency	0 (0.0) [0]	1 (0.0) [0]
Vascular occlusion	0 (0.0) [0]	1 (0.0) [0]
Venous occlusion	1 (0.0) [0]	0 (0.0) [0]
Ventricle rupture	0 (0.0) [0]	1 (0.0) [0]
Ventricular failure	0 (0.0) [0]	1 (0.0) [0]
Ventricular flutter	1 (0.0) [0]	0 (0.0) [0]
Vesical fistula	1 (0.0) [0]	0 (0.0) [0]
Vestibular ataxia	1 (0.0) [0]	0 (0.0) [0]
Vestibular neuronitis	1 (0.0) [0]	0 (0.0) [0]
Victim of homicide	1 (0.0) [0]	0 (0.0) [0]
Viral myocarditis	1 (0.0) [0]	0 (0.0) [0]
Viral upper respiratory tract infection	0 (0.0) [0]	1 (0.0) [0]
Vitamin d deficiency	1 (0.0) [0]	0 (0.0) [0]
Vocal cord cyst	0 (0.0) [0]	1 (0.0) [0]
Vulvovaginal human papilloma virus infection	1 (0.0) [0]	0 (0.0) [0]
Vulvovaginitis	0 (0.0) [0]	1 (0.0) [0]
Waldenstrom's macroglobulinaemia	1 (0.0) [0]	0 (0.0) [0]
Wegener's granulomatosis	1 (0.0) [0]	0 (0.0) [0]
Whiplash injury	1 (0.0) [0]	0 (0.0) [0]
Wolff-parkinson-white syndrome	0 (0.0) [0]	1 (0.0) [0]
Wound dehiscence	1 (0.0) [0]	0 (0.0) [0]
Wound secretion	0 (0.0) [0]	1 (0.0) [0]
Wound sepsis	0 (0.0) [0]	1 (0.0) [0]

Fatal SAEs	Flu 1 Group N = 21893	Flu 2 Group N = 21802
Subjects with fatal SAE(s), n (%) [n assessed by the investigator as related]	768 (3.5) [0]	779 (3.6) [0]
Cerebrovascular accident	61 (0.3) [0]	64 (0.3) [0]
Myocardial infarction	51 (0.2) [0]	50 (0.2) [0]
Pneumonia	39 (0.2) [0]	38 (0.2) [0]
Cardiac failure	32 (0.1) [0]	39 (0.2) [0]
Cardiac failure congestive	34 (0.2) [0]	32 (0.1) [0]
Death	28 (0.1) [0]	27 (0.1) [0]
Sudden death	34 (0.2) [0]	18 (0.1) [0]
Cardiac arrest	24 (0.1) [0]	24 (0.1) [0]
Myocardial ischaemia	22 (0.1) [0]	21 (0.1) [0]
Acute myocardial infarction	16 (0.1) [0]	24 (0.1) [0]
Sepsis	20 (0.1) [0]	17 (0.1) [0]
Pulmonary embolism	14 (0.1) [0]	22 (0.1) [0]
Lung neoplasm malignant	10 (0.0) [0]	21 (0.1) [0]
Respiratory failure	13 (0.1) [0]	14 (0.1) [0]
Arteriosclerosis	10 (0.0) [0]	15 (0.1) [0]
Bronchopneumonia	13 (0.1) [0]	12 (0.1) [0]
Chronic obstructive pulmonary disease	9 (0.0) [0]	16 (0.1) [0]
Cerebrovascular disorder	12 (0.1) [0]	8 (0.0) [0]
Multi-organ failure	7 (0.0) [0]	13 (0.1) [0]
Cardiac death	11 (0.1) [0]	8 (0.0) [0]
Pulmonary oedema	6 (0.0) [0]	13 (0.1) [0]
Sudden cardiac death	12 (0.1) [0]	7 (0.0) [0]
Renal failure acute	11 (0.1) [0]	6 (0.0) [0]
Atrial fibrillation	8 (0.0) [0]	8 (0.0) [0]
Pancreatic carcinoma	8 (0.0) [0]	8 (0.0) [0]
Acute respiratory failure	9 (0.0) [0]	6 (0.0) [0]
Colon cancer	9 (0.0) [0]	5 (0.0) [0]
Gastric cancer	4 (0.0) [0]	10 (0.0) [0]
Septic shock	4 (0.0) [0]	10 (0.0) [0]
Circulatory collapse	6 (0.0) [0]	7 (0.0) [0]
Pancreatic carcinoma metastatic	6 (0.0) [0]	7 (0.0) [0]
Renal failure chronic	6 (0.0) [0]	7 (0.0) [0]
Urinary tract infection	8 (0.0) [0]	5 (0.0) [0]
Cardio-respiratory arrest	5 (0.0) [0]	7 (0.0) [0]
Completed suicide	5 (0.0) [0]	7 (0.0) [0]
Cardiopulmonary failure	7 (0.0) [0]	4 (0.0) [0]
Cerebral haemorrhage	8 (0.0) [0]	3 (0.0) [0]
Brain oedema	3 (0.0) [0]	7 (0.0) [0]
Hepatic neoplasm malignant	7 (0.0) [0]	3 (0.0) [0]
Ischaemic stroke	4 (0.0) [0]	6 (0.0) [0]
Renal failure	5 (0.0) [0]	5 (0.0) [0]
Arrhythmia	5 (0.0) [0]	4 (0.0) [0]
Cardiovascular insufficiency	5 (0.0) [0]	4 (0.0) [0]
Colon cancer metastatic	4 (0.0) [0]	5 (0.0) [0]
Hepatic cirrhosis	6 (0.0) [0]	3 (0.0) [0]
Pneumonia aspiration	4 (0.0) [0]	5 (0.0) [0]
Prostate cancer	6 (0.0) [0]	3 (0.0) [0]
Bladder cancer	5 (0.0) [0]	3 (0.0) [0]
Diabetes mellitus inadequate control	5 (0.0) [0]	3 (0.0) [0]
Femoral neck fracture	2 (0.0) [0]	6 (0.0) [0]
Road traffic accident	5 (0.0) [0]	3 (0.0) [0]

Bronchitis	2 (0.0) [0]	5 (0.0) [0]
Cerebral arteriosclerosis	5 (0.0) [0]	2 (0.0) [0]
Decubitus ulcer	2 (0.0) [0]	5 (0.0) [0]
Gastrointestinal haemorrhage	3 (0.0) [0]	4 (0.0) [0]
Metastases to liver	3 (0.0) [0]	4 (0.0) [0]
Neoplasm malignant	4 (0.0) [0]	3 (0.0) [0]
Peritonitis	4 (0.0) [0]	3 (0.0) [0]
Cerebral infarction	3 (0.0) [0]	3 (0.0) [0]
Head injury	2 (0.0) [0]	4 (0.0) [0]
Hypertension	2 (0.0) [0]	4 (0.0) [0]
Ventricular fibrillation	4 (0.0) [0]	2 (0.0) [0]
Acute myeloid leukaemia	2 (0.0) [0]	3 (0.0) [0]
Acute pulmonary oedema	2 (0.0) [0]	3 (0.0) [0]
Brain neoplasm	2 (0.0) [0]	3 (0.0) [0]
Cardiac failure acute	3 (0.0) [0]	2 (0.0) [0]
Femur fracture	1 (0.0) [0]	4 (0.0) [0]
Hepatic neoplasm	3 (0.0) [0]	2 (0.0) [0]
Metastatic neoplasm	3 (0.0) [0]	2 (0.0) [0]
Non-small cell lung cancer metastatic	3 (0.0) [0]	2 (0.0) [0]
Pancreatitis acute	3 (0.0) [0]	2 (0.0) [0]
Pleural effusion	3 (0.0) [0]	2 (0.0) [0]
Aortic aneurysm	2 (0.0) [0]	2 (0.0) [0]
Atrioventricular block	3 (0.0) [0]	1 (0.0) [0]
Breast cancer	2 (0.0) [0]	2 (0.0) [0]
Cachexia	1 (0.0) [0]	3 (0.0) [0]
Diabetes mellitus	3 (0.0) [0]	1 (0.0) [0]
Gastric cancer stage iv	1 (0.0) [0]	3 (0.0) [0]
Gastroenteritis	1 (0.0) [0]	3 (0.0) [0]
Haemorrhagic stroke	2 (0.0) [0]	2 (0.0) [0]
Hepatic failure	2 (0.0) [0]	2 (0.0) [0]
Hip fracture	2 (0.0) [0]	2 (0.0) [0]
Hypovolaemic shock	3 (0.0) [0]	1 (0.0) [0]
Left ventricular failure	1 (0.0) [0]	3 (0.0) [0]
Lung cancer metastatic	2 (0.0) [0]	2 (0.0) [0]
Metastatic malignant melanoma	2 (0.0) [0]	2 (0.0) [0]
Rectal cancer	2 (0.0) [0]	2 (0.0) [0]
Renal cancer	2 (0.0) [0]	2 (0.0) [0]
Renal cancer metastatic	0 (0.0) [0]	4 (0.0) [0]
Respiratory arrest	2 (0.0) [0]	2 (0.0) [0]
Subdural haematoma	1 (0.0) [0]	3 (0.0) [0]
Upper gastrointestinal haemorrhage	2 (0.0) [0]	2 (0.0) [0]
Upper respiratory tract infection	1 (0.0) [0]	3 (0.0) [0]
Acute coronary syndrome	0 (0.0) [0]	3 (0.0) [0]
Anaemia	2 (0.0) [0]	1 (0.0) [0]
Bronchial carcinoma	2 (0.0) [0]	1 (0.0) [0]
Cardiac failure chronic	2 (0.0) [0]	1 (0.0) [0]
Cardiogenic shock	3 (0.0) [0]	0 (0.0) [0]
Coronary artery insufficiency	1 (0.0) [0]	2 (0.0) [0]
Dehydration	1 (0.0) [0]	2 (0.0) [0]
Disseminated intravascular coagulation	1 (0.0) [0]	2 (0.0) [0]
Gangrene	1 (0.0) [0]	2 (0.0) [0]
Glioblastoma	2 (0.0) [0]	1 (0.0) [0]
Glioblastoma multiforme	0 (0.0) [0]	3 (0.0) [0]
Hepatorenal syndrome	1 (0.0) [0]	2 (0.0) [0]

Ileus	1 (0.0) [0]	2 (0.0) [0]
Lung adenocarcinoma	2 (0.0) [0]	1 (0.0) [0]
Metabolic encephalopathy	2 (0.0) [0]	1 (0.0) [0]
Metastatic bronchial carcinoma	1 (0.0) [0]	2 (0.0) [0]
Metastatic carcinoma of the bladder	1 (0.0) [0]	2 (0.0) [0]
Metastatic gastric cancer	3 (0.0) [0]	0 (0.0) [0]
Non-hodgkin's lymphoma	0 (0.0) [0]	3 (0.0) [0]
Prostate cancer metastatic	0 (0.0) [0]	3 (0.0) [0]
Pulmonary fibrosis	1 (0.0) [0]	2 (0.0) [0]
Subarachnoid haemorrhage	2 (0.0) [0]	1 (0.0) [0]
Traumatic brain injury	1 (0.0) [0]	2 (0.0) [0]
Uterine cancer	2 (0.0) [0]	1 (0.0) [0]
Acute abdomen	2 (0.0) [0]	0 (0.0) [0]
Acute leukaemia	1 (0.0) [0]	1 (0.0) [0]
Acute respiratory distress syndrome	0 (0.0) [0]	2 (0.0) [0]
Aortic aneurysm rupture	1 (0.0) [0]	1 (0.0) [0]
Arteriosclerosis coronary artery	1 (0.0) [0]	1 (0.0) [0]
Aspiration bronchial	2 (0.0) [0]	0 (0.0) [0]
B-cell lymphoma	1 (0.0) [0]	1 (0.0) [0]
Bladder cancer stage iv	0 (0.0) [0]	2 (0.0) [0]
Bone neoplasm malignant	0 (0.0) [0]	2 (0.0) [0]
Breast cancer metastatic	0 (0.0) [0]	2 (0.0) [0]
Cardiovascular disorder	0 (0.0) [0]	2 (0.0) [0]
Cerebral ischaemia	0 (0.0) [0]	2 (0.0) [0]
Cerebrovascular insufficiency	0 (0.0) [0]	2 (0.0) [0]
Cervix carcinoma	1 (0.0) [0]	1 (0.0) [0]
Cholecystitis	0 (0.0) [0]	2 (0.0) [0]
Cholecystitis acute	1 (0.0) [0]	1 (0.0) [0]
Colon cancer recurrent	1 (0.0) [0]	1 (0.0) [0]
Colon neoplasm	1 (0.0) [0]	1 (0.0) [0]
Contusion	1 (0.0) [0]	1 (0.0) [0]
Coronary artery disease	1 (0.0) [0]	1 (0.0) [0]
Decreased appetite	0 (0.0) [0]	2 (0.0) [0]
Deep vein thrombosis	1 (0.0) [0]	1 (0.0) [0]
Drowning	1 (0.0) [0]	1 (0.0) [0]
Electrolyte imbalance	1 (0.0) [0]	1 (0.0) [0]
Encephalopathy	0 (0.0) [0]	2 (0.0) [0]
Epilepsy	2 (0.0) [0]	0 (0.0) [0]
Gallbladder cancer	1 (0.0) [0]	1 (0.0) [0]
Haematuria	1 (0.0) [0]	1 (0.0) [0]
Haemorrhage intracranial	0 (0.0) [0]	2 (0.0) [0]
Hypertensive crisis	0 (0.0) [0]	2 (0.0) [0]
Hypotension	1 (0.0) [0]	1 (0.0) [0]
Infection	0 (0.0) [0]	2 (0.0) [0]
Injury	2 (0.0) [0]	0 (0.0) [0]
Intestinal obstruction	1 (0.0) [0]	1 (0.0) [0]
Lobar pneumonia	0 (0.0) [0]	2 (0.0) [0]
Lung disorder	0 (0.0) [0]	2 (0.0) [0]
Lung infection	0 (0.0) [0]	2 (0.0) [0]
Lymphoma	2 (0.0) [0]	0 (0.0) [0]
Malignant melanoma	1 (0.0) [0]	1 (0.0) [0]
Metabolic acidosis	1 (0.0) [0]	1 (0.0) [0]
Metastases to bone	1 (0.0) [0]	1 (0.0) [0]
Metastases to lung	0 (0.0) [0]	2 (0.0) [0]

Multiple injuries	1 (0.0) [0]	1 (0.0) [0]
Myelodysplastic syndrome	0 (0.0) [0]	2 (0.0) [0]
Oesophageal carcinoma	1 (0.0) [0]	1 (0.0) [0]
Oesophageal varices haemorrhage	1 (0.0) [0]	1 (0.0) [0]
Oral cavity cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Pancreatic neoplasm	1 (0.0) [0]	1 (0.0) [0]
Peripheral vascular disorder	2 (0.0) [0]	0 (0.0) [0]
Peritonitis bacterial	1 (0.0) [0]	1 (0.0) [0]
Pneumothorax	2 (0.0) [0]	0 (0.0) [0]
Pulmonary sepsis	2 (0.0) [0]	0 (0.0) [0]
Respiratory distress	2 (0.0) [0]	0 (0.0) [0]
Shock	2 (0.0) [0]	0 (0.0) [0]
Skin ulcer	1 (0.0) [0]	1 (0.0) [0]
Small cell lung cancer metastatic	1 (0.0) [0]	1 (0.0) [0]
Squamous cell carcinoma	1 (0.0) [0]	1 (0.0) [0]
Supraventricular tachycardia	0 (0.0) [0]	2 (0.0) [0]
Urosepsis	1 (0.0) [0]	1 (0.0) [0]
Abdominal neoplasm	0 (0.0) [0]	1 (0.0) [0]
Abdominal sepsis	1 (0.0) [0]	0 (0.0) [0]
Accidental death	0 (0.0) [0]	1 (0.0) [0]
Acute biphenotypic leukaemia	0 (0.0) [0]	1 (0.0) [0]
Adenocarcinoma	0 (0.0) [0]	1 (0.0) [0]
Amyotrophic lateral sclerosis	1 (0.0) [0]	0 (0.0) [0]
Anaesthetic complication	0 (0.0) [0]	1 (0.0) [0]
Aneurysm ruptured	0 (0.0) [0]	1 (0.0) [0]
Angiosarcoma	1 (0.0) [0]	0 (0.0) [0]
Aortic dissection	1 (0.0) [0]	0 (0.0) [0]
Aortic stenosis	1 (0.0) [0]	0 (0.0) [0]
Aortic valve stenosis	1 (0.0) [0]	0 (0.0) [0]
Appendicitis	0 (0.0) [0]	1 (0.0) [0]
Arteriosclerosis obliterans	0 (0.0) [0]	1 (0.0) [0]
Arteriovenous fistula site infection	1 (0.0) [0]	0 (0.0) [0]
Arthralgia	0 (0.0) [0]	1 (0.0) [0]
Aspiration	0 (0.0) [0]	1 (0.0) [0]
Asthmatic crisis	1 (0.0) [0]	0 (0.0) [0]
Atelectasis	0 (0.0) [0]	1 (0.0) [0]
Atrioventricular block complete	0 (0.0) [0]	1 (0.0) [0]
Autoimmune thrombocytopenia	0 (0.0) [0]	1 (0.0) [0]
Azotaemia	0 (0.0) [0]	1 (0.0) [0]
Bacterial sepsis	1 (0.0) [0]	0 (0.0) [0]
Bile duct cancer	1 (0.0) [0]	0 (0.0) [0]
Bile duct stone	1 (0.0) [0]	0 (0.0) [0]
Biliary cirrhosis primary	1 (0.0) [0]	0 (0.0) [0]
Bone cancer metastatic	0 (0.0) [0]	1 (0.0) [0]
Bone neoplasm	1 (0.0) [0]	0 (0.0) [0]
Bradycardia	1 (0.0) [0]	0 (0.0) [0]
Brain stem infarction	1 (0.0) [0]	0 (0.0) [0]
Bronchial neoplasm	0 (0.0) [0]	1 (0.0) [0]
Bronchitis bacterial	0 (0.0) [0]	1 (0.0) [0]
Carbon monoxide poisoning	0 (0.0) [0]	1 (0.0) [0]
Cardiac disorder	1 (0.0) [0]	0 (0.0) [0]
Cardiac tamponade	1 (0.0) [0]	0 (0.0) [0]
Cardiac valve disease	1 (0.0) [0]	0 (0.0) [0]
Cellulitis	1 (0.0) [0]	0 (0.0) [0]

Cerebral artery embolism	1 (0.0) [0]	0 (0.0) [0]
Cerebral thrombosis	1 (0.0) [0]	0 (0.0) [0]
Cervical vertebral fracture	1 (0.0) [0]	0 (0.0) [0]
Chest pain	0 (0.0) [0]	1 (0.0) [0]
Chloroma	0 (0.0) [0]	1 (0.0) [0]
Cholelithiasis	1 (0.0) [0]	0 (0.0) [0]
Chronic hepatic failure	0 (0.0) [0]	1 (0.0) [0]
Chronic lymphocytic leukaemia	1 (0.0) [0]	0 (0.0) [0]
Chronic myeloid leukaemia	0 (0.0) [0]	1 (0.0) [0]
Chronic myelomonocytic leukaemia	1 (0.0) [0]	0 (0.0) [0]
Cirrhosis alcoholic	1 (0.0) [0]	0 (0.0) [0]
Clostridium difficile colitis	1 (0.0) [0]	0 (0.0) [0]
Coagulopathy	1 (0.0) [0]	0 (0.0) [0]
Colitis ischaemic	0 (0.0) [0]	1 (0.0) [0]
Colon adenoma	0 (0.0) [0]	1 (0.0) [0]
Colonic polyp	1 (0.0) [0]	0 (0.0) [0]
Coma	1 (0.0) [0]	0 (0.0) [0]
Cor pulmonale	0 (0.0) [0]	1 (0.0) [0]
Cor pulmonale chronic	1 (0.0) [0]	0 (0.0) [0]
Coronary artery stenosis	1 (0.0) [0]	0 (0.0) [0]
Delirium	1 (0.0) [0]	0 (0.0) [0]
Dementia	0 (0.0) [0]	1 (0.0) [0]
Dementia alzheimer's type	1 (0.0) [0]	0 (0.0) [0]
Diabetic coma	1 (0.0) [0]	0 (0.0) [0]
Diabetic complication	0 (0.0) [0]	1 (0.0) [0]
Diabetic gangrene	0 (0.0) [0]	1 (0.0) [0]
Duodenal ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Duodenal ulcer perforation	1 (0.0) [0]	0 (0.0) [0]
Embolic stroke	0 (0.0) [0]	1 (0.0) [0]
Embolism	1 (0.0) [0]	0 (0.0) [0]
Endocarditis	0 (0.0) [0]	1 (0.0) [0]
Enteritis	0 (0.0) [0]	1 (0.0) [0]
Epistaxis	0 (0.0) [0]	1 (0.0) [0]
Erysipelas	1 (0.0) [0]	0 (0.0) [0]
Facial bones fracture	1 (0.0) [0]	0 (0.0) [0]
Failure to thrive	1 (0.0) [0]	0 (0.0) [0]
Gallbladder perforation	1 (0.0) [0]	0 (0.0) [0]
Gastric ulcer haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Gastritis erosive	1 (0.0) [0]	0 (0.0) [0]
Gastroenteritis norovirus	0 (0.0) [0]	1 (0.0) [0]
Haematoma	1 (0.0) [0]	0 (0.0) [0]
Haemoptysis	0 (0.0) [0]	1 (0.0) [0]
Haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Hepatic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Hepatitis b	1 (0.0) [0]	0 (0.0) [0]
Hepatorenal failure	1 (0.0) [0]	0 (0.0) [0]
Hiatus hernia	0 (0.0) [0]	1 (0.0) [0]
Hodgkin's disease	0 (0.0) [0]	1 (0.0) [0]
Humerus fracture	0 (0.0) [0]	1 (0.0) [0]
Hypercapnia	1 (0.0) [0]	0 (0.0) [0]
Hypernatraemia	0 (0.0) [0]	1 (0.0) [0]
Hypertensive heart disease	0 (0.0) [0]	1 (0.0) [0]
Hypoglycaemic coma	0 (0.0) [0]	1 (0.0) [0]
Hypovolaemia	1 (0.0) [0]	0 (0.0) [0]

Hypoxic-ischaemic encephalopathy	1 (0.0) [0]	0 (0.0) [0]
Idiopathic thrombocytopenic purpura	1 (0.0) [0]	0 (0.0) [0]
Ileus paralytic	1 (0.0) [0]	0 (0.0) [0]
Infarction	1 (0.0) [0]	0 (0.0) [0]
Infection masked	0 (0.0) [0]	1 (0.0) [0]
Influenza like illness	0 (0.0) [0]	1 (0.0) [0]
Inguinal hernia, obstructive	0 (0.0) [0]	1 (0.0) [0]
Intentional overdose	1 (0.0) [0]	0 (0.0) [0]
Internal injury	1 (0.0) [0]	0 (0.0) [0]
Intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Intracranial aneurysm	1 (0.0) [0]	0 (0.0) [0]
Iron deficiency anaemia	0 (0.0) [0]	1 (0.0) [0]
Ischaemic cerebral infarction	1 (0.0) [0]	0 (0.0) [0]
Ketoacidosis	0 (0.0) [0]	1 (0.0) [0]
Large cell carcinoma of the respiratory tract stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Large intestine perforation	1 (0.0) [0]	0 (0.0) [0]
Laryngeal cancer	1 (0.0) [0]	0 (0.0) [0]
Left ventricular dysfunction	0 (0.0) [0]	1 (0.0) [0]
Legionella infection	0 (0.0) [0]	1 (0.0) [0]
Liposarcoma metastatic	1 (0.0) [0]	0 (0.0) [0]
Liver abscess	0 (0.0) [0]	1 (0.0) [0]
Lower gastrointestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Lumbar vertebral fracture	1 (0.0) [0]	0 (0.0) [0]
Lung adenocarcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Lung carcinoma cell type unspecified recurrent	0 (0.0) [0]	1 (0.0) [0]
Lung carcinoma cell type unspecified stage iv	0 (0.0) [0]	1 (0.0) [0]
Lung infiltration	1 (0.0) [0]	0 (0.0) [0]
Lung infiltration malignant	1 (0.0) [0]	0 (0.0) [0]
Lung neoplasm	1 (0.0) [0]	0 (0.0) [0]
Lymphoma transformation	1 (0.0) [0]	0 (0.0) [0]
Malignant peritoneal neoplasm	1 (0.0) [0]	0 (0.0) [0]
Mallory-weiss syndrome	0 (0.0) [0]	1 (0.0) [0]
Malnutrition	0 (0.0) [0]	1 (0.0) [0]
Mantle cell lymphoma	1 (0.0) [0]	0 (0.0) [0]
Meningitis	0 (0.0) [0]	1 (0.0) [0]
Meningitis bacterial	1 (0.0) [0]	0 (0.0) [0]
Mesenteric artery embolism	0 (0.0) [0]	1 (0.0) [0]
Mesothelioma	1 (0.0) [0]	0 (0.0) [0]
Metastases to biliary tract	1 (0.0) [0]	0 (0.0) [0]
Metastases to central nervous system	1 (0.0) [0]	0 (0.0) [0]
Metastases to meninges	1 (0.0) [0]	0 (0.0) [0]
Metastases to peritoneum	1 (0.0) [0]	0 (0.0) [0]
Metastases to pleura	1 (0.0) [0]	0 (0.0) [0]
Metastases to stomach	0 (0.0) [0]	1 (0.0) [0]
Metastatic salivary gland cancer	0 (0.0) [0]	1 (0.0) [0]
Metastatic squamous cell carcinoma	1 (0.0) [0]	0 (0.0) [0]
Metastatic uterine cancer	0 (0.0) [0]	1 (0.0) [0]
Mitral valve prolapse	0 (0.0) [0]	1 (0.0) [0]
Multiple myeloma	1 (0.0) [0]	0 (0.0) [0]
Myasthenia gravis	1 (0.0) [0]	0 (0.0) [0]
Myocardial fibrosis	1 (0.0) [0]	0 (0.0) [0]
Myopathy	1 (0.0) [0]	0 (0.0) [0]
Necrotising fasciitis	1 (0.0) [0]	0 (0.0) [0]
Neoplasm	0 (0.0) [0]	1 (0.0) [0]

Nephrotic syndrome	0 (0.0) [0]	1 (0.0) [0]
Non-small cell lung cancer	1 (0.0) [0]	0 (0.0) [0]
Non-small cell lung cancer stage iii	1 (0.0) [0]	0 (0.0) [0]
Oesophageal adenocarcinoma metastatic	0 (0.0) [0]	1 (0.0) [0]
Oliguria	1 (0.0) [0]	0 (0.0) [0]
Osteoarthritis	1 (0.0) [0]	0 (0.0) [0]
Osteomyelitis	0 (0.0) [0]	1 (0.0) [0]
Ovarian cancer	0 (0.0) [0]	1 (0.0) [0]
Ovarian cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Ovarian epithelial cancer	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis	0 (0.0) [0]	1 (0.0) [0]
Pancreatitis haemorrhagic	0 (0.0) [0]	1 (0.0) [0]
Pancytopenia	0 (0.0) [0]	1 (0.0) [0]
Parkinsonism	0 (0.0) [0]	1 (0.0) [0]
Peptic ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Peptic ulcer perforation	0 (0.0) [0]	1 (0.0) [0]
Pharyngeal cancer stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Plasmacytoma	0 (0.0) [0]	1 (0.0) [0]
Pleural mesothelioma	0 (0.0) [0]	1 (0.0) [0]
Pleurisy	0 (0.0) [0]	1 (0.0) [0]
Pneumonia fungal	1 (0.0) [0]	0 (0.0) [0]
Pneumonia viral	1 (0.0) [0]	0 (0.0) [0]
Pneumonitis	0 (0.0) [0]	1 (0.0) [0]
Post procedural haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Post procedural pneumonia	1 (0.0) [0]	0 (0.0) [0]
Pulmonary thrombosis	0 (0.0) [0]	1 (0.0) [0]
Pulseless electrical activity	1 (0.0) [0]	0 (0.0) [0]
Pyloric stenosis	0 (0.0) [0]	1 (0.0) [0]
Rectal cancer recurrent	0 (0.0) [0]	1 (0.0) [0]
Rectal prolapse	1 (0.0) [0]	0 (0.0) [0]
Reflux oesophagitis	0 (0.0) [0]	1 (0.0) [0]
Refractory anaemia with an excess of blasts	0 (0.0) [0]	1 (0.0) [0]
Renal function test abnormal	1 (0.0) [0]	0 (0.0) [0]
Respiratory acidosis	0 (0.0) [0]	1 (0.0) [0]
Respiratory alkalosis	0 (0.0) [0]	1 (0.0) [0]
Respiratory disorder	1 (0.0) [0]	0 (0.0) [0]
Respiratory tract infection	1 (0.0) [0]	0 (0.0) [0]
Rhabdomyosarcoma	1 (0.0) [0]	0 (0.0) [0]
Ruptured cerebral aneurysm	0 (0.0) [0]	1 (0.0) [0]
Salivary gland fistula	0 (0.0) [0]	1 (0.0) [0]
Skin ulcer haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Skull fractured base	0 (0.0) [0]	1 (0.0) [0]
Small cell lung cancer stage unspecified	1 (0.0) [0]	0 (0.0) [0]
Small intestinal haemorrhage	0 (0.0) [0]	1 (0.0) [0]
Small intestinal obstruction	0 (0.0) [0]	1 (0.0) [0]
Small intestinal perforation	1 (0.0) [0]	0 (0.0) [0]
Small intestine carcinoma	1 (0.0) [0]	0 (0.0) [0]
Spindle cell sarcoma	0 (0.0) [0]	1 (0.0) [0]
Staphylococcal infection	0 (0.0) [0]	1 (0.0) [0]
Subileus	0 (0.0) [0]	1 (0.0) [0]
Thermal burn	1 (0.0) [0]	0 (0.0) [0]
Thrombophlebitis	1 (0.0) [0]	0 (0.0) [0]
Thyroid cancer	1 (0.0) [0]	0 (0.0) [0]
Thyroid cancer metastatic	1 (0.0) [0]	0 (0.0) [0]

Tongue cancer metastatic	1 (0.0) [0]	0 (0.0) [0]
Tongue neoplasm malignant stage unspecified	0 (0.0) [0]	1 (0.0) [0]
Toxicity to various agents	1 (0.0) [0]	0 (0.0) [0]
Urinary bladder haemorrhage	1 (0.0) [0]	0 (0.0) [0]
Urinary retention	1 (0.0) [0]	0 (0.0) [0]
Uterine neoplasm	1 (0.0) [0]	0 (0.0) [0]
Vascular dementia	1 (0.0) [0]	0 (0.0) [0]
Venous thrombosis	1 (0.0) [0]	0 (0.0) [0]
Ventricle rupture	0 (0.0) [0]	1 (0.0) [0]
Ventricular flutter	1 (0.0) [0]	0 (0.0) [0]
Victim of homicide	1 (0.0) [0]	0 (0.0) [0]
Wound sepsis	0 (0.0) [0]	1 (0.0) [0]

Conclusion:

During the first surveillance period, the attack rate for PCR-confirmed influenza A and/or B infection due to any matching or drift influenza strain relative to vaccine strains after one dose was 1.27% in Flu 1 Group and 1.44% in Flu 2 Group. At Day 0, the GMTs for Flu 1 Lot 1, Flu 1 Lot 2 and Flu 1 Lot 3 groups ranged between 15.8 and 15.9 for HI antibodies against A/Brisbane, between 17.3 and 18.2 for HI antibodies against A/Uruguay and between 87.1 and 94.2 for HI antibodies against B/Brisbane. At Day 21, the GMTs for these groups ranged between 82.3 and 93.4 for HI antibodies against A/Brisbane, between 269.9 and 287.5 for HI antibodies against A/Uruguay and between 596.9 and 652.4 for HI antibodies against B/Brisbane.

During the 21-day period after the first dose, 428 (14.2%) and 427 (14.2%) subjects in the safety subset for the Flu 1 and Flu 2 groups reported at least one unsolicited AE, respectively.

During the 21-day period after the second dose, 320 (13.0%) and 306 (12.1%) subjects in the safety subset for the Flu 1 and Flu 2 groups reported at least one unsolicited AE, respectively.

During the year following the administration of the first dose, 2505 (11.4%) and 2551 (11.7%) subjects reported at least one SAE in the Flu 1 and Flu 2 groups, respectively; 7 SAEs in the Flu 1 Group and 5 SAEs in the Flu 2 Group were assessed by the investigators as causally related to the vaccination. During this period, fatal SAEs were reported for 409 (1.9%) and 440 (2.0%) subjects in the Flu 1 and Flu 2 groups, respectively. None of the fatal SAEs were assessed by the investigators as related to the vaccination.

During the year following the administration of the second dose, 1977 (11.6%) and 1892 (11.1%) subjects reported at least one SAE in the Flu 1 and Flu 2 groups, respectively; 2 SAEs in the Flu 1 Group and 1 SAE in the Flu 2 Group were assessed by the investigators as causally related to the vaccination. During this period, fatal SAEs were reported for 359 (2.1%) and 341 (2.0%) subjects in the Flu 1 and Flu 2 groups. None of the fatal SAEs were assessed by the investigators as related to the vaccination.

Throughout the entire study period, 4071 (18.6%) and 4066 (18.6%) subjects reported at least one SAE in the Flu 1 and Flu 2 groups, respectively; 9 SAEs in the Flu 1 Group and 6 SAEs in the Flu 2 Group were assessed by the investigators as causally related to the vaccination. During this period, fatal SAEs were reported for 768 (3.5%) and 779 (3.6%) subjects in the Flu 1 and Flu 2 groups, respectively. None of the fatal SAEs were assessed by the investigators as related to the vaccination.

Date Updated: 08-June-2014