

Table 14.2.3.7 Average frequency of daily artificial tears use during the study (Full analysis set)

Dry Eye Severity Level > 2

	Statistics	rhNGF 20 µg/mL N=9	Full Analysis Set rhNGF 4 µg/mL N=7	Overall N=16
	Min	0.07	0.48	0.07
	Median	2.833	3.778	3.574
	Max	7.52	8.00	8.00

Note: Patients are summarised according to the Investigational Medicinal Product they actually received

Source: [Listing 16.2.5.5](#) - Average frequency of daily artificial tears use during the study

Program: Tables\c116-ex-tbl.sas

Table 14.2.3.7 Average frequency of daily artificial tears use during the study (Full analysis set)

Overall Dry Eye Severity Level

	Statistics	rhNGF 20 µg/mL N=20	Full Analysis Set rhNGF 4 µg/mL N=20	Overall N=40
Day 1 (00:00) - Day 8 (23:59)	N	10	12	22
	Mean	1.813	1.083	1.415
	SD	1.894	1.541	1.709
	CV%	104.503	142.284	120.787
	Min	0.13	0.13	0.13
	Median	0.938	0.500	0.563
	Max	5.75	5.13	5.75

Table 14.2.3.7 Average frequency of daily artificial tears use during the study (Full analysis set)

Overall Dry Eye Severity Level

	Statistics	rhNGF 20 µg/mL N=20	Full Analysis Set rhNGF 4 µg/mL N=20	Overall N=40
Day 9 (00:00) - Day 29 (23:59)	N	10	13	23
	Mean	2.133	1.271	1.646
	SD	2.814	1.334	2.098
	CV%	131.895	104.948	127.447
	Min	0.05	0.05	0.05
	Median	0.810	0.571	0.571
	Max	7.71	4.33	7.71
Day 30 (00:00) - Day 56 (23:59)	N	11	12	23
	Mean	2.869	2.460	2.655
	SD	2.961	2.860	2.849
	CV%	103.221	116.275	107.309
	Min	0.04	0.07	0.04
	Median	1.852	1.130	1.481
	Max	7.85	8.00	8.00

Note: Patients are summarised according to the Investigational Medicinal Product they actually received

Source: [Listing 16.2.5.5](#) - Average frequency of daily artificial tears use during the study

Program: Tables\c116-ex-tbl.sas

Table 14.2.3.8 Average frequency of daily artificial tears use during the study (Per protocol set)

Overall Dry Eye Severity Level

	Statistics	rhNGF 20 µg/mL N=14	Per Protocol Set rhNGF 4 µg/mL N=16	Overall N=30
Day 1 (00:00) - Day 8 (23:59)	N	7	9	16
	Mean	1.929	1.319	1.586
	SD	2.164	1.729	1.888
	CV%	112.191	131.024	119.037
	Min	0.13	0.25	0.13
	Median	0.875	0.500	0.563
	Max	5.75	5.13	5.75
Day 9 (00:00) - Day 29 (23:59)	N	8	9	17
	Mean	1.673	1.042	1.339
	SD	2.728	1.354	2.068
	CV%	163.103	129.911	154.476
	Min	0.05	0.05	0.05
	Median	0.357	0.381	0.381
	Max	7.71	4.33	7.71
Day 30 (00:00) - Day 56 (23:59)	N	9	9	18
	Mean	2.465	1.506	1.986
	SD	2.819	1.509	2.248

Table 14.2.3.8 Average frequency of daily artificial tears use during the study (Per protocol set)

Overall Dry Eye Severity Level

Statistics	Per Protocol Set		Overall N=30
	rhNGF 20 µg/mL N=14	rhNGF 4 µg/mL N=16	
CV%	114.346	100.188	113.217
Min	0.04	0.07	0.04
Median	1.481	1.074	1.130
Max	7.85	4.22	7.85

Note: Patients are summarised according to the Investigational Medicinal Product they actually received

Source: [Listing 16.2.5.5](#) - Average frequency of daily artificial tears use during the study

Program: Tables\c116-ex-tbl.sas