

SSAT 066: Statistical Analyses Results

Version 6.0: 22<sup>nd</sup> January 2018

**Urine cystatin/creatinine ratio**

ug/mmol	Total=60					
	Median (IQR)					
	Baseline	Week 4	Week 12	Week 24	Week 36	Week 48
	<b>Arm 1:</b> Truvada® (200mg/245mg film coated tablets) one tablet once daily + Raltegravir 400mg (one tablet) twice daily <b>N=20</b>					
<b>Urine cystatin/creatinine ratio</b>	N=19 4.9(4.3 to 6.6) Range: 2.7 to 8.7	N=19 5.6(4.4 to 6.5) Range: 1.6 to 9.3	N=19 5.4(4.4 to 6.7) Range: 3.5 to 7.1	N=19 5.3(4.0 to 6.3) Range: 0.1 to 9.5	-	N=18 5.0(3.9 to 6.3) Range: 0.3 to 8.5
	<b>Arm 2:</b> Truvada® (200mg/245mg film coated tablets) one tablet once daily + Dolutegravir 50mg once daily <b>N=20</b>					
<b>Urine cystatin/creatinine ratio</b>	N=19 5.3(4.5 to 7.1) Range: 2.8 to 9.0	N=19 5.0(4.1 to 5.8) Range: 1.6 to 9.5	N=20 5.0(4.0 to 9.9) Range: 3.0 to 9.9	N=20 5.2(4.9 to 5.6) Range: 3.6 to 7.8	N=2 1.9(1.8 to 2.0) Range: 1.8 to 2.0	N=19 5.1(3.5 to 5.8) Range: 0.1 to 8.4
	<b>Arm 3:</b> Stribild®150mg/150mg/200mg/245mg tablet once daily <b>N=20</b>					
<b>Urine cystatin/creatinine ratio</b>	N=20 5.8(4.0 to 6.8) Range: 3.3 to 8.4	N=19 5.3(4.5 to 6.9) Range: 1.6 to 21.2	N=19 5.3(4.4 to 6.6) Range: 2.8 to 13.3	N=20 5.1(4.0 to 6.6) Range: 2.7 to 22.9	N=2 3.6(1.5 to 5.8) Range: 1.5 to 5.8	N=20 6.0(4.8 to 7.1) Range: 1.8 to 90.5