

**Table 18. Overall KOOS at consecutive study visits (ITT population)**

Visit	Dose group:	<b>Low</b> <i>N</i> = 24*	<b>Medium</b> <i>N</i> = 25	<b>High</b> <i>N</i> = 24	<b>All</b> <i>N</i> = 73*
<b>Values at each visit</b>					
Pre-arthroscopy (baseline)	mean ± SD median	60.4 ± 13.6 62	59.6 ± 15.4 62	51.1 ± 15.4 52	57.0 ± 15.2 58
Visit 1 (6 weeks)	mean ± SD median	52.6 ± 18.9 49	49.3 ± 12.5 47	46.9 ± 14.2 47	49.6 ± 15.3 48
Visit 2 (3 months)	mean ± SD median	65.7 ± 15.6 65	63.5 ± 10.6 62	58.0 ± 17.9 60	62.4 ± 15.1 62
Visit 3 (6 months)	mean ± SD median	75.2 ± 14.0 80	73.4 ± 8.9 72	61.8 ± 19.7 61	70.2 ± 15.8 72
Visit 4 (12 months)	mean ± SD median	77.8 ± 14.1 78	76.3 ± 11.5 77	65.9 ± 22.6 60	73.4 ± 17.3 74
Visit 5 (18 months)	mean ± SD median	78.6 ± 13.2 78	80.4 ± 10.6 82	64.5 ± 22.8 60	74.6 ± 17.6 77
Visit 6 (24 months)	mean ± SD median	78.5 ± 15.0 80	79.5 ± 14.6 82	63.3 ± 20.9 58	73.8 ± 18.4 79
Visit 7 (36 months)	mean ± SD median	80.2 ± 13.2 82	84.1 ± 12.0 85	66.4 ± 22.0 62	77.0 ± 17.8 81
Visit 8 (48 months)	mean ± SD median	80.0 ± 14.7 84	84.0 ± 14.9 89	66.9 ± 21.5 66	77.1 ± 18.6 83
Visit 9 (60 months)	mean ± SD median	78.7 ± 15.0 79	85.4 ± 13.3 90	66.3 ± 23.6 63	76.9 ± 19.3 80
<b>Changes from baseline</b>					
Visit 1 (6 weeks)	mean ± SD median	-8.3 ± 19.9 -6	-10.3 ± 15.0 -10	-4.1 ± 16.9 -1	-7.6 ± 17.2 -7
Visit 2 (3 months)	mean ± SD median	4.3 ± 16.8 3	3.9 ± 16.0 4	7.0 ± 15.5 6	5.0 ± 15.9 4
Visit 3 (6 months)	mean ± SD median	14.2 ± 17.5 17	13.8 ± 16.2 11	10.7 ± 17.9 11	12.9 ± 17.0 15
Visit 4 (12 months)	mean ± SD median	16.9 ± 18.5 18	16.7 ± 17.9 17	14.8 ± 18.0 15	16.1 ± 17.9 17
Visit 5 (18 months)	mean ± SD median	17.4 ± 17.4 20	20.8 ± 13.8 20	13.4 ± 19.7 16	17.3 ± 17.1 18
Visit 6 (24 months)	mean ± SD median	17.5 ± 18.8 21	19.9 ± 14.8 19	12.2 ± 19.5 11	16.6 ± 17.8 18
Visit 7 (36 months)	mean ± SD median	19.7 ± 15.6 21	24.5 ± 15.2 23	15.3 ± 17.5 12	19.9 ± 16.3 22
Visit 8 (48 months)	mean ± SD median	19.8 ± 18.0 23	24.4 ± 15.7 23	15.8 ± 18.0 21	20.1 ± 17.3 22
Visit 9 (60 months)	mean ± SD median	18.4 ± 16.2 22	25.8 ± 16.4 23	15.2 ± 20.2 16	19.9 ± 18.0 23

Baseline = Day 0. [\* The baseline value for the overall KOOS of one patient in the low-dose group was missing, because of incomplete response to the ePRO questions. Therefore, *N* = 23 for this group (and *n* = 72 total) at baseline and in the entire lower block.] Source: Table 14.2.1.1