



## Clinical trial results:

### **A Multi-Center, Prospective, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Study to Evaluate the Effect of AMR101 on Cardiovascular Health and Mortality in Hypertriglyceridemic Patients with Cardiovascular Disease or at High Risk for Cardiovascular Disease: REDUCE-IT (Reduction of Cardiovascular Events with EPA – Intervention Trial)**

#### **Summary**

EudraCT number	2011-004726-10
Trial protocol	NL PL
Global end of trial date	31 May 2018

#### **Results information**

Result version number	v1 (current)
This version publication date	01 March 2022
First version publication date	01 March 2022

#### **Trial information**

##### **Trial identification**

Sponsor protocol code	AMR-01-01-0019
-----------------------	----------------

##### **Additional study identifiers**

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT01492361
WHO universal trial number (UTN)	-

Notes:

##### **Sponsors**

Sponsor organisation name	Amarin Pharma, Inc.
Sponsor organisation address	440 Route 22 Suite 300, Bridgewater, United States, 08807
Public contact	Alex Giaquinto, Amarin Pharma, Inc., +1 908719-1315, alex.giaquinto@amarincorp.com
Scientific contact	Alex Giaquinto, Amarin Pharma, Inc., +1 908719-1315, alex.giaquinto@amarincorp.com

Notes:

##### **Paediatric regulatory details**

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

## Results analysis stage

Analysis stage	Final
Date of interim/final analysis	24 September 2018
Is this the analysis of the primary completion data?	Yes
Primary completion date	31 May 2018
Global end of trial reached?	Yes
Global end of trial date	31 May 2018
Was the trial ended prematurely?	No

Notes:

## General information about the trial

Main objective of the trial:

The primary objective is, in patients at low-density lipoprotein cholesterol (LDL-C) goal while on statin therapy, with established cardiovascular disease (CVD) or at high risk for CVD, and hypertriglyceridemia (fasting triglycerides [TG]  $\geq 200$  mg/dL and  $< 500$  mg/dL [ $\geq 2.26$  mmol/L and  $< 5.64$  mmol/L]), to evaluate the effect of 4 g/day AMR101 on the time from randomization to first occurrence of any component of the composite of the following major cardiovascular (CV) events:

- CV death;
- Nonfatal myocardial infarction (MI), (including silent MI; electrocardiograms [ECGs] will be performed annually for the detection of silent MIs);
- Nonfatal stroke;
- Coronary revascularization; or
- Unstable angina determined to be caused by myocardial ischemia by invasive/non-invasive testing and requiring emergent hospitalization.

Protection of trial subjects:

A data monitoring committee (DMC) was instituted for REDUCE-IT to ensure ongoing patient safety and to oversee and review the pre-specified interim analyses. Recommendations for study continuation at the interim analyses were guided by an interim decision-making process pre-specified in the interim statistical analysis plan; formal efficacy analyses were performed as well as safety evaluations at all safety data reviews. The DMC was specifically charged with monitoring the event rates in the active and placebo groups to assess any possible contribution of the placebo selection to the results. Members of the DMC did not otherwise participate in the study. The committee included two cardiologists (electrophysiologists) and one independent statistician, along with a second supporting, but non-voting independent statistician.

Background therapy:

Stable dose of low, moderate, or high intensity statin ( $\pm$  ezetimibe) for at least 4 weeks prior to screening

Evidence for comparator: -

Actual start date of recruitment	21 November 2011
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	Yes

Notes:

## Population of trial subjects

### Subjects enrolled per country

Country: Number of subjects enrolled	Australia: 189
Country: Number of subjects enrolled	Canada: 250
Country: Number of subjects enrolled	India: 262
Country: Number of subjects enrolled	New Zealand: 134
Country: Number of subjects enrolled	Romania: 202
Country: Number of subjects enrolled	Russian Federation: 709

Country: Number of subjects enrolled	Ukraine: 836
Country: Number of subjects enrolled	United States: 3146
Country: Number of subjects enrolled	South Africa: 414
Country: Number of subjects enrolled	Netherlands: 1678
Country: Number of subjects enrolled	Poland: 359
Worldwide total number of subjects	8179
EEA total number of subjects	2239

Notes:

<b>Subjects enrolled per age group</b>	
In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	4416
From 65 to 84 years	3734
85 years and over	29

## Subject disposition

### Recruitment

Recruitment details:

473 sites enrolled or followed patients in 11 countries (United States, the Netherlands, Ukraine, Russian Federation, South Africa, Poland, India, Canada, Romania, Australia, and New Zealand). The first patient was screened in November 2011 and the last patient was randomized in August 2016.

### Pre-assignment

Screening details:

Screened Subjects: 19,212; Reason for Screen Fail: Incl./Excl. criteria not met, 10,429; Withdrawal of Consent, 340; Adverse Event, 13; CV Risk Category 2 Closed, 4; Lost to Follow-up, 108; Death, 5, Enrollment closed, 3; Other, 135. (4 patients presented 2 screen failure reasons)

### Period 1

Period 1 title	Overall Trial (overall period)
Is this the baseline period?	Yes
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Monitor, Data analyst, Assessor

Blinding implementation details:

Treatment was assigned using a computer-generated randomization scheme via Interactive Web Response System. Study medication and placebo were similar in appearance. Patients, investigators, Sponsor, study administrators, and support staff were blinded. Sponsor data analysts were blinded.

### Arms

Are arms mutually exclusive?	Yes
<b>Arm title</b>	AMR101

Arm description:

4 1-g icosapent ethyl capsules daily (2 capsules BID)

Arm type	Experimental
Investigational medicinal product name	icosapent ethyl
Investigational medicinal product code	AMR101
Other name	ethyl-EPA, Ethyl-Eicosapentaenoate, Vazkepa, Vascepa
Pharmaceutical forms	Capsule, soft
Routes of administration	Oral use

Dosage and administration details:

4 g/day administered as 4 1-g capsules taken orally, 2 capsules BID, with food

<b>Arm title</b>	Placebo
------------------	---------

Arm description:

matching placebo

Arm type	Placebo
Investigational medicinal product name	placebo
Investigational medicinal product code	
Other name	matching placebo
Pharmaceutical forms	Capsule, soft
Routes of administration	Oral use

Dosage and administration details:

4 g BID

<b>Number of subjects in period 1</b>	AMR101	Placebo
Started	4089	4090
Death before the final visit	265 <sup>[1]</sup>	295 <sup>[2]</sup>
Completed	3684	3630
Not completed	405	460
Consent withdrawn by subject	281	297
Investigator judgement	12	12
Other	49	62
Incomplete final visit	63	89

---

Notes:

[1] - The number of subjects at this milestone seems inconsistent with the number of subjects in the arm. It is expected that the number of subjects will be greater than, or equal to the number that completed, minus those who left.

Justification: The number of death before the final visit is the actual value from the study

[2] - The number of subjects at this milestone seems inconsistent with the number of subjects in the arm. It is expected that the number of subjects will be greater than, or equal to the number that completed, minus those who left.

Justification: The number of death before the final visit is the actual value from the study

## Baseline characteristics

### Reporting groups

Reporting group title	AMR101
Reporting group description: 4 1-g icosapent ethyl capsules daily (2 capsules BID)	
Reporting group title	Placebo
Reporting group description: matching placebo	

Reporting group values	AMR101	Placebo	Total
Number of subjects	4089	4090	8179
Age categorical			
Units: Subjects			
Adults (18-64 years)	2232	2184	4416
From 65-84 years	1846	1888	3734
85 years and over	11	18	29
Age continuous			
Men and women $\geq 45$ years of age with established CVD, or $\geq 50$ years of age with diabetes in combination with $\geq 1$ additional risk factor for CVD were eligible for enrollment			
Units: years			
median	64.0	64.0	
inter-quartile range (Q1-Q3)	57.0 to 69.0	57.0 to 69.0	-
Gender categorical			
Units: Subjects			
Female	1162	1195	2357
Male	2927	2895	5822
Cardiovascular risk stratum			
CV Risk Category 1 (Secondary Prevention Cohort): patients with established CVD defined in the inclusion criteria			
CV Risk Category 2 (Primary Prevention Cohort): patients with diabetes and at least one additional risk factor for CVD, but no established CVD			
Units: Subjects			
Secondary Prevention Cohort	2892	2893	5785
Primary Prevention Cohort	1197	1197	2394

### Subject analysis sets

Subject analysis set title	Intent-to-Treat population
Subject analysis set type	Intention-to-treat
Subject analysis set description: The Intent-to-Treat (ITT) population was defined as all patients who were randomized via the IWRS. The Safety population was the same as the ITT population.	

Reporting group values	Intent-to-Treat population		
Number of subjects	8179		
Age categorical			
Units: Subjects			
Adults (18-64 years)	4416		
From 65-84 years	3734		

85 years and over	29		
-------------------	----	--	--

Age continuous			
Men and women $\geq 45$ years of age with established CVD, or $\geq 50$ years of age with diabetes in combination with $\geq 1$ additional risk factor for CVD were eligible for enrollment			
Units: years			
median	64.0		
inter-quartile range (Q1-Q3)	57.0 to 69.0		
Gender categorical			
Units: Subjects			
Female	2357		
Male	5822		
Cardiovascular risk stratum			
CV Risk Category 1 (Secondary Prevention Cohort): patients with established CVD defined in the inclusion criteria			
CV Risk Category 2 (Primary Prevention Cohort): patients with diabetes and at least one additional risk factor for CVD, but no established CVD			
Units: Subjects			
Secondary Prevention Cohort	5785		
Primary Prevention Cohort	2394		

## End points

### End points reporting groups

Reporting group title	AMR101
Reporting group description: 4 1-g icosapent ethyl capsules daily (2 capsules BID)	
Reporting group title	Placebo
Reporting group description: matching placebo	
Subject analysis set title	Intent-to-Treat population
Subject analysis set type	Intention-to-treat
Subject analysis set description: The Intent-to-Treat (ITT) population was defined as all patients who were randomized via the IWRS. The Safety population was the same as the ITT population.	

### **Primary: Composite of CV Death, Nonfatal MI (Including Silent MI), Nonfatal Stroke, Coronary Revascularization, and Unstable Angina Determined to be Caused by Myocardial Ischemia by Invasive / Non-invasive Testing and Requiring Emergent Hospitalization**

End point title	Composite of CV Death, Nonfatal MI (Including Silent MI), Nonfatal Stroke, Coronary Revascularization, and Unstable Angina Determined to be Caused by Myocardial Ischemia by Invasive / Non-invasive Testing and Requiring Emergent Hospitalization
End point description: Time from randomization to the first occurrence of any component of the composite of the following clinical events: CV death, nonfatal MI (including silent MI), nonfatal stroke, coronary revascularization, and unstable angina determined to be caused by myocardial ischemia by invasive / non-invasive testing and requiring emergent hospitalization.	
End point type	Primary
End point timeframe: 4-6 years	

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	705	901		

### Statistical analyses

Statistical analysis title	Log-rank test & Cox proportional model
Statistical analysis description: Stratified by CV risk category, use of ezetimibe, and geographical region	
Comparison groups	Placebo v AMR101



Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority <sup>[1]</sup>
P-value	< 0.00001 <sup>[2]</sup>
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.75
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.68
upper limit	0.83

Notes:

[1] - The purpose of this study is to evaluate whether AMR101, combined with a statin therapy, will be superior to the statin therapy alone, when used as a prevention in reducing long-term clinical events in patients with mixed dyslipidemia at high risk for cardiovascular (CV) events.

[2] - The 2-sided alpha level for the primary analysis was adjusted to 0.0437 from 0.05 to account for the two interim analyses based on a group sequential design with O'Brien-Fleming boundaries generated using the Lan-DeMets alpha-spending function.

### Secondary: Composite of CV death, nonfatal MI (including silent MI), or nonfatal stroke.

End point title	Composite of CV death, nonfatal MI (including silent MI), or nonfatal stroke.
-----------------	---

End point description:

Key secondary outcome measure is the time from randomization to the first occurrence of the composite of CV death, nonfatal MI (including silent MI), or nonfatal stroke.

End point type	Secondary
----------------	-----------

End point timeframe:

4-6 years

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	459	606		

### Statistical analyses

Statistical analysis title	Log-rank test & Cox proportional model
----------------------------	--

Statistical analysis description:

Stratified by CV risk category, use of ezetimibe, and geographical region.

Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	< 0.00001 <sup>[3]</sup>
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.74

Confidence interval	
level	95 %
sides	2-sided
lower limit	0.65
upper limit	0.83

Notes:

[3] - Because the primary endpoint was statistically significant, prespecified secondary end points were tested in a hierarchical fashion, in the order listed below, at the final alpha level of 0.0437.

### Secondary: Composite of CV Death or Nonfatal MI (Including Silent MI).

End point title	Composite of CV Death or Nonfatal MI (Including Silent MI).
-----------------	---

End point description:

Time from randomization to the first occurrence of the composite of CV death or nonfatal MI (including silent MI).

End point type	Secondary
----------------	-----------

End point timeframe:

4-6 years

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	392	507		

### Statistical analyses

Statistical analysis title	Log-rank test & Cox proportional model
----------------------------	--

Statistical analysis description:

Stratified by CV risk category, use of ezetimibe, and geographical region.

Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	< 0.0001
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.75
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.66
upper limit	0.86

### Secondary: Fatal or Nonfatal MI (Including Silent MI).

End point title	Fatal or Nonfatal MI (Including Silent MI).
-----------------	---

End point description:	
Time from randomization to the first occurrence of fatal or nonfatal MI (including silent MI).	
End point type	Secondary
End point timeframe:	
4-6 years	

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	250	355		

## Statistical analyses

<b>Statistical analysis title</b>	Log-rank test & Cox proportional model
Statistical analysis description:	
Stratified by CV risk category, use of ezetimibe, and geographical region.	
Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	< 0.0001
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.69
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.58
upper limit	0.81

## Secondary: Non-elective Coronary Revascularization Represented as the Composite of Emergent or Urgent Classifications.

End point title	Non-elective Coronary Revascularization Represented as the Composite of Emergent or Urgent Classifications.
End point description:	
Time from randomization to the first occurrence of non-elective coronary revascularization represented as the composite of emergent or urgent classifications.	
End point type	Secondary
End point timeframe:	
4-6 years	

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	216	321		

## Statistical analyses

Statistical analysis title	Log-rank test & Cox proportional model
Statistical analysis description:	
Stratified by CV risk category, use of ezetimibe, and geographical region.	
Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	< 0.0001
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.65
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.55
upper limit	0.78

## Secondary: CV Death

End point title	CV Death
End point description:	
Time from randomization to the occurrence of CV death	
End point type	Secondary
End point timeframe:	
4-6 years	

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	174	213		

## Statistical analyses

Statistical analysis title	Log-rank test & Cox proportional model
----------------------------	--

Statistical analysis description:

Stratified by CV risk category, use of ezetimibe, and geographical region.

Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.0315
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.8
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.66
upper limit	0.98

### **Secondary: Unstable Angina Determined to be Caused by Myocardial Ischemia by Invasive / Non-invasive Testing and Requiring Emergent Hospitalization.**

End point title	Unstable Angina Determined to be Caused by Myocardial Ischemia by Invasive / Non-invasive Testing and Requiring Emergent Hospitalization.
End point description: Time from randomization to the first occurrence of unstable angina determined to be caused by myocardial ischemia by invasive / non-invasive testing and requiring emergent hospitalization.	
End point type	Secondary
End point timeframe: 4-6 years	

<b>End point values</b>	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	108	157		

### **Statistical analyses**

<b>Statistical analysis title</b>	Log-rank test & Cox proportional model
Statistical analysis description: Stratified by CV risk category, use of ezetimibe, and geographical region.	
Comparison groups	AMR101 v Placebo

Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.0018
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.68
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.53
upper limit	0.87

### Secondary: Fatal or Nonfatal Stroke.

End point title	Fatal or Nonfatal Stroke.
End point description:	Time from randomization to the first occurrence of fatal or nonfatal stroke.
End point type	Secondary
End point timeframe:	4-6 years

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	98	134		

### Statistical analyses

<b>Statistical analysis title</b>	Log-rank test & Cox proportional model
Statistical analysis description:	Stratified by CV risk category, use of ezetimibe, and geographical region.
Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.0129
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.72

Confidence interval	
level	95 %
sides	2-sided
lower limit	0.55
upper limit	0.93

### Secondary: Total Mortality, Nonfatal MI (Including Silent MI), or Nonfatal Stroke.

End point title	Total Mortality, Nonfatal MI (Including Silent MI), or Nonfatal Stroke.
End point description: Time from randomization to the first occurrence of the composite of total mortality, nonfatal MI (including silent MI), or nonfatal stroke.	
End point type	Secondary
End point timeframe: 4-6 years	

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	549	690		

### Statistical analyses

Statistical analysis title	Log-rank test & Cox proportional model
Statistical analysis description: Stratified by CV risk category, use of ezetimibe, and geographical region.	
Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	< 0.0001
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.77
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.69
upper limit	0.86

### Secondary: Total Mortality.

End point title	Total Mortality.
End point description: Time from randomization to the first occurrence of the composite of total mortality, nonfatal MI (including silent MI), or nonfatal stroke.	
End point type	Secondary
End point timeframe: 4-6 years	

End point values	AMR101	Placebo		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4089	4090		
Units: Subjects	274	310		

## Statistical analyses

<b>Statistical analysis title</b>	Log-rank test & Cox proportional model
Statistical analysis description: Stratified by CV risk category, use of ezetimibe, and geographical region.	
Comparison groups	AMR101 v Placebo
Number of subjects included in analysis	8179
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.0915
Method	Log-rank test & Cox proportional model
Parameter estimate	Hazard ratio (HR)
Point estimate	0.87
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.74
upper limit	1.02



## Adverse events

### Adverse events information

Timeframe for reporting adverse events:

4-6 years

Assessment type	Systematic
-----------------	------------

### Dictionary used

Dictionary name	MedDRA
-----------------	--------

Dictionary version	20.1
--------------------	------

### Reporting groups

Reporting group title	AMR101
-----------------------	--------

Reporting group description: -

Reporting group title	Placebo
-----------------------	---------

Reporting group description: -

Serious adverse events	AMR101	Placebo	
Total subjects affected by serious adverse events			
subjects affected / exposed	1252 / 4089 (30.62%)	1254 / 4090 (30.66%)	
number of deaths (all causes)	274	310	
number of deaths resulting from adverse events	94	102	
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Acute lymphocytic leukaemia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute myeloid leukaemia			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 1	0 / 2	
Adenocarcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma gastric			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma of colon			
subjects affected / exposed	6 / 4089 (0.15%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 6	0 / 6	
deaths causally related to treatment / all	0 / 1	0 / 2	
Adenoid cystic carcinoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adrenal adenoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adrenal neoplasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anal cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anal squamous cell carcinoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
B-cell lymphoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Basal cell carcinoma			

subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Benign neoplasm of thyroid gland			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder cancer			
subjects affected / exposed	8 / 4089 (0.20%)	9 / 4090 (0.22%)	
occurrences causally related to treatment / all	1 / 8	0 / 9	
deaths causally related to treatment / all	0 / 0	0 / 1	
Bladder cancer recurrent			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder cancer stage III			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder neoplasm			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder transitional cell carcinoma			
subjects affected / exposed	5 / 4089 (0.12%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 5	0 / 4	
deaths causally related to treatment / all	0 / 1	0 / 0	
Bone cancer			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain neoplasm			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 2	0 / 0	
Breast cancer			
subjects affected / exposed	14 / 4089 (0.34%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 15	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Breast cancer male			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Breast cancer metastatic			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 2	0 / 0	
Breast cancer recurrent			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Breast cancer stage I			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cancer pain			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Central nervous system neoplasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervix carcinoma			

subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Cervix neoplasm			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholangiocarcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholesteatoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic lymphocytic leukaemia			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Clear cell renal cell carcinoma			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colon adenoma			
subjects affected / exposed	1 / 4089 (0.02%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colon cancer			
subjects affected / exposed	10 / 4089 (0.24%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 10	0 / 6	
deaths causally related to treatment / all	0 / 1	0 / 0	
Colon cancer metastatic			

subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 1	0 / 1	
Colon cancer recurrent			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colon neoplasm			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colorectal adenocarcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colorectal cancer			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 1	
Colorectal cancer metastatic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diffuse large B-cell lymphoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenal neoplasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Endometrial adenocarcinoma			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Endometrial cancer			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endometrial cancer metastatic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endometrial cancer stage I			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Extranodal marginal zone B-cell lymphoma (MALT type)			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric adenoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric cancer			
subjects affected / exposed	4 / 4089 (0.10%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 4	0 / 3	
deaths causally related to treatment / all	0 / 1	0 / 1	
Gastric cancer recurrent			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Gastric neoplasm			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal stromal cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal stromal tumour			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal tract adenoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatic cancer			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Hepatic cancer metastatic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Hepatocellular carcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intraductal proliferative breast lesion			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Invasive ductal breast carcinoma			



subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Iris melanoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Large cell lung cancer metastatic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Large intestine benign neoplasm			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Laryngeal cancer			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Leiomyosarcoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lip and/or oral cavity cancer			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lipoma			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung adenocarcinoma			

subjects affected / exposed	4 / 4089 (0.10%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 4	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 1	
Lung adenocarcinoma stage II			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Lung adenocarcinoma stage IV			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Lung cancer metastatic			
subjects affected / exposed	8 / 4089 (0.20%)	9 / 4090 (0.22%)	
occurrences causally related to treatment / all	0 / 9	0 / 9	
deaths causally related to treatment / all	0 / 7	0 / 7	
Lung carcinoma cell type unspecified recurrent			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Lung neoplasm malignant			
subjects affected / exposed	8 / 4089 (0.20%)	14 / 4090 (0.34%)	
occurrences causally related to treatment / all	0 / 9	0 / 14	
deaths causally related to treatment / all	0 / 3	0 / 5	
Lymphocytic leukaemia			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malignant glioma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malignant melanoma			

subjects affected / exposed	7 / 4089 (0.17%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 7	0 / 5	
deaths causally related to treatment / all	0 / 1	0 / 0	
Malignant melanoma in situ			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malignant mesenteric neoplasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Meningioma			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 5	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Metastases to abdominal cavity			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to bone			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to central nervous system			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Metastases to chest wall			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to kidney			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to liver			
subjects affected / exposed	4 / 4089 (0.10%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	1 / 4	0 / 3	
deaths causally related to treatment / all	0 / 1	0 / 0	
Metastases to lung			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to lymph nodes			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to peritoneum			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Metastasis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastatic carcinoma of the bladder			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Metastatic gastric cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Metastatic neoplasm			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastatic renal cell carcinoma			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastatic squamous cell carcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Mucinous adenocarcinoma of appendix			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mucoepidermoid carcinoma of salivary gland			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myelodysplastic syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Nasal neoplasm			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neoplasm malignant			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Neuroendocrine carcinoma of the skin			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neuroma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nodular melanoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-Hodgkin's lymphoma			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-small cell lung cancer			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 1	0 / 2	
Non-small cell lung cancer metastatic			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-small cell lung cancer stage III			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-small cell lung cancer stage IV			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Oesophageal cancer metastatic			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal carcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Oesophageal neoplasm			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oropharyngeal cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian adenoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian cancer metastatic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Ovarian epithelial cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian epithelial cancer metastatic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Ovarian granulosa-theca cell tumour			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 5	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian neoplasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic carcinoma			
subjects affected / exposed	6 / 4089 (0.15%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 6	0 / 4	
deaths causally related to treatment / all	0 / 4	0 / 4	
Pancreatic carcinoma metastatic			
subjects affected / exposed	5 / 4089 (0.12%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 1	0 / 2	
Pancreatic neoplasm			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Parathyroid tumour benign			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Penile cancer			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pituitary tumour			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Plasma cell myeloma			



subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Pleural mesothelioma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Prostate cancer			
subjects affected / exposed	26 / 4089 (0.64%)	26 / 4090 (0.64%)	
occurrences causally related to treatment / all	0 / 27	1 / 26	
deaths causally related to treatment / all	0 / 1	0 / 1	
Prostate cancer metastatic			
subjects affected / exposed	5 / 4089 (0.12%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 5	0 / 5	
deaths causally related to treatment / all	0 / 2	0 / 1	
Prostate cancer recurrent			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostate cancer stage IV			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatic adenoma			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal adenocarcinoma			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal cancer			

subjects affected / exposed	2 / 4089 (0.05%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 2	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 1	
Rectal neoplasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Refractory anaemia with ringed sideroblasts			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Refractory cytopenia with unilineage dysplasia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal cancer			
subjects affected / exposed	6 / 4089 (0.15%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 6	0 / 4	
deaths causally related to treatment / all	0 / 2	0 / 0	
Renal cancer metastatic			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Renal cell carcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal neoplasm			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retroperitoneal cancer			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Salivary gland adenoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Schwannoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin cancer			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small cell lung cancer			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small cell lung cancer metastatic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small intestine carcinoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Squamous cell carcinoma			
subjects affected / exposed	4 / 4089 (0.10%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 4	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Squamous cell carcinoma of lung			

subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 5	0 / 5	
deaths causally related to treatment / all	0 / 2	0 / 0	
Squamous cell carcinoma of pharynx			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Squamous cell carcinoma of skin			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Testis cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Throat cancer			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thyroid cancer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thyroid cancer metastatic			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Tongue cancer metastatic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tonsil cancer			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transitional cell cancer of the renal pelvis and ureter			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transitional cell carcinoma			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transitional cell carcinoma recurrent			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tumour ulceration			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urethral cancer			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine cancer			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine leiomyoma			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular disorders			
Accelerated hypertension			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Angiodysplasia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic aneurysm			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Aortic aneurysm rupture			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 1	
Aortic stenosis			
subjects affected / exposed	4 / 4089 (0.10%)	10 / 4090 (0.24%)	
occurrences causally related to treatment / all	0 / 5	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arteriovenous fistula			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood pressure fluctuation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Circulatory collapse			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Deep vein thrombosis			

subjects affected / exposed	5 / 4089 (0.12%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 5	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Embolism arterial			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Extravasation blood			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Extremity necrosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haematoma			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertension			
subjects affected / exposed	12 / 4089 (0.29%)	16 / 4090 (0.39%)	
occurrences causally related to treatment / all	0 / 12	0 / 17	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive crisis			
subjects affected / exposed	15 / 4089 (0.37%)	11 / 4090 (0.27%)	
occurrences causally related to treatment / all	0 / 15	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive emergency			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypotension			

subjects affected / exposed	9 / 4089 (0.22%)	11 / 4090 (0.27%)	
occurrences causally related to treatment / all	0 / 9	0 / 12	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypovolaemic shock			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Iliac artery occlusion			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intermittent claudication			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Jugular vein thrombosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Leriche syndrome			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malignant hypertension			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Orthostatic hypotension			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral arterial occlusive disease			



subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral artery occlusion			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 2	
Peripheral embolism			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral ischaemia			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral vascular disorder			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renovascular hypertension			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Shock			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Shock haemorrhagic			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 2	0 / 0	
Temporal arteritis			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombophlebitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombophlebitis superficial			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vasculitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vena cava thrombosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Surgical and medical procedures			
Aortic valve replacement			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Artificial urinary sphincter implant			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac ablation			

subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endotracheal intubation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric bypass			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hip arthroplasty			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hospitalisation			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Implantable defibrillator insertion			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Knee arthroplasty			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Large intestinal polypectomy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung lobectomy			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polypectomy			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rotator cuff repair			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Shoulder operation			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal operation			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stem cell transplant			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transurethral bladder resection			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transurethral prostatectomy			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
General disorders and administration site conditions			
Adverse drug reaction			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Asthenia			
subjects affected / exposed	6 / 4089 (0.15%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 6	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Catheter site haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chest discomfort			
subjects affected / exposed	1 / 4089 (0.02%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chest pain			
subjects affected / exposed	66 / 4089 (1.61%)	66 / 4090 (1.61%)	
occurrences causally related to treatment / all	0 / 75	0 / 68	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chills			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Complication associated with device			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cyst			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Death			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Drowning			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Exercise tolerance decreased			
subjects affected / exposed	0 / 4089 (0.00%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fatigue			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gait disturbance			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
General physical health deterioration			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Generalised oedema			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Impaired healing			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incarcerated hernia			

subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malaise			
subjects affected / exposed	5 / 4089 (0.12%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 5	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple organ dysfunction syndrome			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Non-cardiac chest pain			
subjects affected / exposed	49 / 4089 (1.20%)	52 / 4090 (1.27%)	
occurrences causally related to treatment / all	1 / 52	0 / 58	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oedema peripheral			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pelvic mass			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral swelling			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polyp			

subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pyrexia			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suprapubic pain			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Swelling			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Systemic inflammatory response syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 1	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 2	
Ulcer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ulcer haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular stent restenosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Immune system disorders			
Allergy to arthropod sting			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anaphylactic reaction			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anaphylactic shock			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Hypersensitivity			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sarcoidosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Reproductive system and breast disorders			
Adnexa uteri mass			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Benign prostatic hyperplasia			
subjects affected / exposed	18 / 4089 (0.44%)	11 / 4090 (0.27%)	
occurrences causally related to treatment / all	0 / 18	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endometrial hyperplasia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endometrial hypoplasia			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Female genital tract fistula			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Genital haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Menorrhagia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian cyst			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian cyst ruptured			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pelvic prolapse			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peyronie's disease			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatism			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatitis			
subjects affected / exposed	6 / 4089 (0.15%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 6	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatomegaly			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Seminal vesicular cyst			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Testicular cyst			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine polyp			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine prolapse			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vaginal prolapse			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory, thoracic and mediastinal disorders			
Acute pulmonary oedema			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute respiratory distress syndrome			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute respiratory failure			
subjects affected / exposed	19 / 4089 (0.46%)	18 / 4090 (0.44%)	
occurrences causally related to treatment / all	1 / 21	0 / 20	
deaths causally related to treatment / all	0 / 2	0 / 4	
Aspiration			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Asthma			
subjects affected / exposed	9 / 4089 (0.22%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 9	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atelectasis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchial fistula			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchial hyperreactivity			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchiectasis			

subjects affected / exposed	0 / 4089 (0.00%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchitis chronic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchospasm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic obstructive pulmonary disease			
subjects affected / exposed	33 / 4089 (0.81%)	34 / 4090 (0.83%)	
occurrences causally related to treatment / all	0 / 44	0 / 74	
deaths causally related to treatment / all	0 / 1	0 / 2	
Dyspnoea			
subjects affected / exposed	16 / 4089 (0.39%)	13 / 4090 (0.32%)	
occurrences causally related to treatment / all	0 / 18	0 / 17	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dyspnoea exertional			
subjects affected / exposed	4 / 4089 (0.10%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Emphysema			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epistaxis			
subjects affected / exposed	7 / 4089 (0.17%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	1 / 7	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemoptysis			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemothorax			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hiccups			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypercapnia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoxia			
subjects affected / exposed	3 / 4089 (0.07%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Interstitial lung disease			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nasal polyps			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nasal septum deviation			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nasal turbinate hypertrophy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pharyngeal mass			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pleural effusion			
subjects affected / exposed	7 / 4089 (0.17%)	11 / 4090 (0.27%)	
occurrences causally related to treatment / all	0 / 7	0 / 13	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pleurisy			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pleuritic pain			
subjects affected / exposed	1 / 4089 (0.02%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumomediastinum			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia aspiration			
subjects affected / exposed	7 / 4089 (0.17%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 7	0 / 4	
deaths causally related to treatment / all	0 / 1	0 / 0	
Pneumonitis			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumothorax			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary embolism			
subjects affected / exposed	14 / 4089 (0.34%)	22 / 4090 (0.54%)	
occurrences causally related to treatment / all	0 / 16	0 / 22	
deaths causally related to treatment / all	0 / 1	0 / 0	
Pulmonary fibrosis			
subjects affected / exposed	4 / 4089 (0.10%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	2 / 5	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Pulmonary hypertension			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary mass			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary oedema			
subjects affected / exposed	3 / 4089 (0.07%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 3	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory acidosis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory arrest			



subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory distress			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory failure			
subjects affected / exposed	16 / 4089 (0.39%)	15 / 4090 (0.37%)	
occurrences causally related to treatment / all	0 / 17	0 / 17	
deaths causally related to treatment / all	0 / 4	0 / 3	
Rhinitis allergic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sleep apnoea syndrome			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Status asthmaticus			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tracheal mass			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Wheezing			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Psychiatric disorders			
Acute psychosis			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aggression			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Agitated depression			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcohol abuse			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcohol withdrawal syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcoholism			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anxiety			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bipolar disorder			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Completed suicide			

subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 1	0 / 2	
Confusional state			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Delirium			
subjects affected / exposed	5 / 4089 (0.12%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Delirium tremens			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Depression			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Major depression			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mania			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mental status changes			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Panic attack			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Psychotic disorder			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Schizoaffective disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Schizophrenia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suicidal ideation			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suicide attempt			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Product issues			
Device breakage			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device dislocation			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device failure			

subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device malfunction			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device occlusion			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatobiliary disorders			
Alcoholic liver disease			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bile duct stone			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary colic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary dilatation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholangitis			
subjects affected / exposed	4 / 4089 (0.10%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis			

subjects affected / exposed	9 / 4089 (0.22%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 10	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis acute			
subjects affected / exposed	15 / 4089 (0.37%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 15	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis chronic			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholelithiasis			
subjects affected / exposed	15 / 4089 (0.37%)	18 / 4090 (0.44%)	
occurrences causally related to treatment / all	0 / 15	0 / 18	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholestasis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cryptogenic cirrhosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gallbladder disorder			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gallbladder enlargement			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gallbladder polyp			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatic cirrhosis			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Hepatic steatosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ischaemic hepatitis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Jaundice cholestatic			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Liver disorder			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Non-alcoholic steatohepatitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anticoagulation drug level above therapeutic			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arteriogram coronary			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biopsy pleura			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood glucose increased			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood pressure difference of extremities			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood pressure increased			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac murmur			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ejection fraction abnormal			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ejection fraction decreased			



subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Electrocardiogram T wave abnormal			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Influenza A virus test positive			
subjects affected / exposed	0 / 4089 (0.00%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Influenza virus test positive			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lipase increased			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatic specific antigen increased			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transaminases increased			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Troponin increased			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Weight decreased			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Injury, poisoning and procedural complications			
Accidental overdose			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcohol poisoning			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anaemia postoperative			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ankle fracture			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Avulsion fracture			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Axillary nerve injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Back injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bone fragmentation			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain contusion			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carbon monoxide poisoning			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cartilage injury			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical vertebral fracture			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chest injury			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Clavicle fracture			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Compression fracture			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Concussion			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Craniocerebral injury			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dislocation of sternum			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Facial bones fracture			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fall			
subjects affected / exposed	16 / 4089 (0.39%)	15 / 4090 (0.37%)	
occurrences causally related to treatment / all	0 / 17	0 / 17	
deaths causally related to treatment / all	0 / 1	0 / 0	
Femoral neck fracture			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Femur fracture			
subjects affected / exposed	4 / 4089 (0.10%)	10 / 4090 (0.24%)	
occurrences causally related to treatment / all	0 / 5	0 / 10	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fibula fracture			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foot fracture			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Forearm fracture			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foreign body in gastrointestinal tract			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fracture			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fractured sacrum			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal stoma complication			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hand fracture			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Head injury			
subjects affected / exposed	5 / 4089 (0.12%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Heat stroke			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hip fracture			
subjects affected / exposed	8 / 4089 (0.20%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 10	0 / 9	
deaths causally related to treatment / all	0 / 0	0 / 0	
Humerus fracture			
subjects affected / exposed	3 / 4089 (0.07%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incarcerated incisional hernia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incisional hernia			
subjects affected / exposed	6 / 4089 (0.15%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 6	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Jaw fracture			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Joint dislocation			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Laceration			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ligament injury			

subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Limb injury			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower limb fracture			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lumbar vertebral fracture			
subjects affected / exposed	4 / 4089 (0.10%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Meniscus injury			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple fractures			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple injuries			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle injury			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle rupture			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle strain			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Overdose			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Patella fracture			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pelvic fracture			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Periprosthetic fracture			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Poisoning deliberate			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post laminectomy syndrome			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural complication			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural discharge			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural haematoma			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural haematuria			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural haemorrhage			
subjects affected / exposed	5 / 4089 (0.12%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	1 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural pulmonary embolism			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural swelling			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative adhesion			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative fever			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative hernia			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative ileus			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative renal failure			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative thrombosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Procedural hypertension			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Procedural pain			
subjects affected / exposed	0 / 4089 (0.00%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pubis fracture			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Radiation injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Radiation oesophagitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rib fracture			
subjects affected / exposed	5 / 4089 (0.12%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Road traffic accident			
subjects affected / exposed	3 / 4089 (0.07%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 1	
Sciatic nerve injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skull fractured base			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal column injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal compression fracture			

subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal cord injury			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal fracture			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stomal hernia			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stress fracture			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subarachnoid haemorrhage			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subdural haematoma			
subjects affected / exposed	9 / 4089 (0.22%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 9	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subdural haemorrhage			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tendon rupture			

subjects affected / exposed	4 / 4089 (0.10%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 4	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thermal burn			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thoracic vertebral fracture			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tibia fracture			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Toxicity to various agents			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic haematoma			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic intracranial haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Traumatic liver injury			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic renal injury			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ulna fracture			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper limb fracture			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ureteric anastomosis complication			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urethral injury			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular pseudoaneurysm			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wound			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wound dehiscence			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Congenital, familial and genetic disorders			
Hypertrophic cardiomyopathy			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreas divisum			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac disorders			
Acute coronary syndrome			
subjects affected / exposed	6 / 4089 (0.15%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 6	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute myocardial infarction			
subjects affected / exposed	1 / 4089 (0.02%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 2	
Angina pectoris			
subjects affected / exposed	48 / 4089 (1.17%)	48 / 4090 (1.17%)	
occurrences causally related to treatment / all	0 / 53	0 / 50	
deaths causally related to treatment / all	0 / 0	0 / 0	
Angina unstable			
subjects affected / exposed	41 / 4089 (1.00%)	53 / 4090 (1.30%)	
occurrences causally related to treatment / all	0 / 43	0 / 55	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic valve disease			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic valve disease mixed			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic valve incompetence			

subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic valve stenosis			
subjects affected / exposed	10 / 4089 (0.24%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 10	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arrhythmia			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arteriosclerosis coronary artery			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Arteriospasm coronary			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial fibrillation			
subjects affected / exposed	21 / 4089 (0.51%)	17 / 4090 (0.42%)	
occurrences causally related to treatment / all	0 / 22	0 / 18	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial flutter			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrioventricular block complete			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrioventricular block second degree			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bradycardia			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bundle branch block left			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac arrest			
subjects affected / exposed	4 / 4089 (0.10%)	9 / 4090 (0.22%)	
occurrences causally related to treatment / all	0 / 4	0 / 9	
deaths causally related to treatment / all	0 / 1	0 / 4	
Cardiac failure			
subjects affected / exposed	7 / 4089 (0.17%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 7	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac failure acute			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 2	0 / 0	
Cardiac failure chronic			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Cardiac failure congestive			
subjects affected / exposed	19 / 4089 (0.46%)	13 / 4090 (0.32%)	
occurrences causally related to treatment / all	0 / 19	0 / 13	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac tamponade			

subjects affected / exposed	0 / 4089 (0.00%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac valve disease			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac ventricular thrombosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardio-respiratory arrest			
subjects affected / exposed	0 / 4089 (0.00%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 2	
Cardiogenic shock			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiomyopathy			
subjects affected / exposed	4 / 4089 (0.10%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	1 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Congestive cardiomyopathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cor pulmonale chronic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery disease			

subjects affected / exposed	9 / 4089 (0.22%)	16 / 4090 (0.39%)	
occurrences causally related to treatment / all	0 / 9	0 / 17	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery dissection			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery occlusion			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery stenosis			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive heart disease			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ischaemic cardiomyopathy			
subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Left ventricular dysfunction			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Left ventricular failure			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Microvascular coronary artery diseases			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mitral valve incompetence			
subjects affected / exposed	4 / 4089 (0.10%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myocardial infarction			
subjects affected / exposed	4 / 4089 (0.10%)	12 / 4090 (0.29%)	
occurrences causally related to treatment / all	0 / 4	0 / 12	
deaths causally related to treatment / all	0 / 0	0 / 5	
Myocardial ischaemia			
subjects affected / exposed	4 / 4089 (0.10%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 4	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Palpitations			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	1 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericardial effusion			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericardial haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericarditis			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pleuropericarditis			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Silent myocardial infarction			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sinus node dysfunction			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stress cardiomyopathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Supraventricular extrasystoles			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tachycardia paroxysmal			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular arrhythmia			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular fibrillation			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular parasystole			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular tachycardia			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nervous system disorders			
Acute disseminated encephalomyelitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Altered state of consciousness			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Amyotrophic lateral sclerosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Aphasia			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ataxia			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Autonomic nervous system imbalance			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain injury			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carotid artery disease			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carotid artery occlusion			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carpal tunnel syndrome			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral infarction			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebrospinal fluid leakage			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebrovascular accident			
subjects affected / exposed	3 / 4089 (0.07%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 3	0 / 5	
deaths causally related to treatment / all	0 / 1	0 / 0	
Cervical radiculopathy			

subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cognitive disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dementia			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dementia Alzheimer's type			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Demyelinating polyneuropathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic neuropathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dizziness			
subjects affected / exposed	11 / 4089 (0.27%)	10 / 4090 (0.24%)	
occurrences causally related to treatment / all	0 / 12	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dural arteriovenous fistula			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Encephalopathy			



subjects affected / exposed	7 / 4089 (0.17%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 7	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epilepsy			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Facial paralysis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhage intracranial			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhagic transformation stroke			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Headache			
subjects affected / exposed	3 / 4089 (0.07%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 3	1 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hemiparesis			
subjects affected / exposed	0 / 4089 (0.00%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 0	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hydrocephalus			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive encephalopathy			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoaesthesia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoglycaemic coma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Hypoglycaemic encephalopathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoglycaemic unconsciousness			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoxic-ischaemic encephalopathy			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
IIIrd nerve paralysis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intracranial aneurysm			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intracranial mass			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ischaemic stroke			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Loss of consciousness			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lumbar radiculopathy			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolic encephalopathy			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Migraine			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple sclerosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple sclerosis relapse			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myelopathy			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nerve compression			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neuralgia			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neurodegenerative disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Neurological symptom			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neuropathy peripheral			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Paraesthesia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polyneuropathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Presyncope			

subjects affected / exposed	6 / 4089 (0.15%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 6	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pseudoradicular syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Quadriplegia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Radicular syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Reversible ischaemic neurological deficit			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sciatica			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Seizure			
subjects affected / exposed	3 / 4089 (0.07%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 3	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sensory ganglionitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Speech disorder			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal cord herniation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Status epilepticus			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Syncope			
subjects affected / exposed	28 / 4089 (0.68%)	31 / 4090 (0.76%)	
occurrences causally related to treatment / all	1 / 31	0 / 36	
deaths causally related to treatment / all	0 / 0	0 / 0	
Toxic encephalopathy			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transient global amnesia			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transient ischaemic attack			
subjects affected / exposed	8 / 4089 (0.20%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 8	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Trigeminal nerve disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Trigeminal neuralgia			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Unresponsive to stimuli			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular dementia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Vasogenic cerebral oedema			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vocal cord paralysis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	22 / 4089 (0.54%)	20 / 4090 (0.49%)	
occurrences causally related to treatment / all	0 / 22	0 / 24	
deaths causally related to treatment / all	0 / 0	0 / 0	
Autoimmune haemolytic anaemia			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coagulopathy			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Febrile neutropenia			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhagic anaemia			
subjects affected / exposed	4 / 4089 (0.10%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Immune thrombocytopenic purpura			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Iron deficiency anaemia			
subjects affected / exposed	4 / 4089 (0.10%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 4	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lymphadenopathy			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lymphoid tissue hyperplasia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Microcytic anaemia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neutropenia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Normocytic anaemia			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancytopenia			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pernicious anaemia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Splenic infarction			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Splenomegaly			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombocytopenia			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Thrombotic microangiopathy			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Ear and labyrinth disorders			
Ear pain			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Inner ear disorder			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sudden hearing loss			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertigo			
subjects affected / exposed	5 / 4089 (0.12%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 5	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertigo positional			
subjects affected / exposed	2 / 4089 (0.05%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 2	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vestibular disorder			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye disorders			
Cataract			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chalazion			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diplopia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye swelling			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eyelid ptosis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retinal artery occlusion			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retinal detachment			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retinal haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retinal vein thrombosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Visual impairment			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal disorders			
Abdominal adhesions			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal hernia			

subjects affected / exposed	3 / 4089 (0.07%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 4	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal hernia obstructive			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal pain			
subjects affected / exposed	7 / 4089 (0.17%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 8	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal pain upper			
subjects affected / exposed	5 / 4089 (0.12%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 5	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anal fistula			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Appendix disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ascites			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic gastritis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colitis			

subjects affected / exposed	6 / 4089 (0.15%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 7	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colitis ischaemic			
subjects affected / exposed	5 / 4089 (0.12%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colitis ulcerative			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Constipation			
subjects affected / exposed	6 / 4089 (0.15%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 6	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Crohn's disease			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diarrhoea			
subjects affected / exposed	5 / 4089 (0.12%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 5	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticular perforation			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulum			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulum intestinal			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulum intestinal haemorrhagic			
subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 4	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenal perforation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Duodenal ulcer			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenal ulcer haemorrhage			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenitis haemorrhagic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenogastric reflux			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dyspepsia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dysphagia			

subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Enteritis			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Enterovesical fistula			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epigastric discomfort			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Faeces discoloured			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Food poisoning			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric antral vascular ectasia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric perforation			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric polyps			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric ulcer			
subjects affected / exposed	5 / 4089 (0.12%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 5	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric ulcer haemorrhage			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric ulcer perforation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Gastritis			
subjects affected / exposed	0 / 4089 (0.00%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 0	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastritis erosive			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroduodenitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal angiodysplasia			



subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal angiodysplasia haemorrhagic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal haemorrhage			
subjects affected / exposed	26 / 4089 (0.64%)	20 / 4090 (0.49%)	
occurrences causally related to treatment / all	1 / 28	1 / 20	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal inflammation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal obstruction			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal pain			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrooesophageal reflux disease			
subjects affected / exposed	4 / 4089 (0.10%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haematemesis			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haematochezia			

subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhoidal haemorrhage			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhoids			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hiatus hernia			
subjects affected / exposed	2 / 4089 (0.05%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 2	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ileus			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Impaired gastric emptying			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Inguinal hernia			
subjects affected / exposed	11 / 4089 (0.27%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 11	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intestinal ischaemia			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 1	0 / 0	
Intestinal obstruction			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intestinal perforation			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intra-abdominal haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Irritable bowel syndrome			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Large intestinal haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Large intestine perforation			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Large intestine polyp			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 4	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower gastrointestinal haemorrhage			
subjects affected / exposed	5 / 4089 (0.12%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 6	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mallory-Weiss syndrome			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Melaena			
subjects affected / exposed	3 / 4089 (0.07%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 3	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mesenteric arterial occlusion			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mouth haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nausea			
subjects affected / exposed	4 / 4089 (0.10%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Obstructive pancreatitis			
subjects affected / exposed	2 / 4089 (0.05%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 2	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal food impaction			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal pain			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophagitis			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic cyst			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic mass			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis			
subjects affected / exposed	3 / 4089 (0.07%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 3	1 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis acute			
subjects affected / exposed	4 / 4089 (0.10%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	1 / 4	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis chronic			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis haemorrhagic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Peptic ulcer			

subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peptic ulcer haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritoneal adhesions			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritoneal disorder			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pharyngo-oesophageal diverticulum			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Portal hypertensive gastropathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Proctitis ulcerative			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal haemorrhage			
subjects affected / exposed	10 / 4089 (0.24%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 11	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal polyp			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal prolapse			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retroperitoneal fibrosis			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retroperitoneal haematoma			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retroperitoneal haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small intestinal obstruction			
subjects affected / exposed	16 / 4089 (0.39%)	12 / 4090 (0.29%)	
occurrences causally related to treatment / all	0 / 19	0 / 14	
deaths causally related to treatment / all	0 / 0	0 / 0	
Strangulated umbilical hernia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subileus			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombosis mesenteric vessel			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Umbilical hernia			
subjects affected / exposed	1 / 4089 (0.02%)	10 / 4090 (0.24%)	
occurrences causally related to treatment / all	0 / 1	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper gastrointestinal haemorrhage			
subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Volvulus			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vomiting			
subjects affected / exposed	7 / 4089 (0.17%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 7	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin and subcutaneous tissue disorders			
Angioedema			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dermal cyst			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic foot			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic ulcer			



subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ecchymosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Granuloma annulare			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperhidrosis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Panniculitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Photosensitivity reaction			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rash erythematous			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin ulcer			
subjects affected / exposed	5 / 4089 (0.12%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urticaria			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal and urinary disorders			
Acute kidney injury			
subjects affected / exposed	47 / 4089 (1.15%)	34 / 4090 (0.83%)	
occurrences causally related to treatment / all	1 / 52	0 / 41	
deaths causally related to treatment / all	0 / 2	0 / 0	
Acute prerenal failure			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder dysfunction			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder neck obstruction			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder outlet obstruction			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder prolapse			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder stenosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Calculus bladder			

subjects affected / exposed	0 / 4089 (0.00%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Calculus urinary			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic kidney disease			
subjects affected / exposed	6 / 4089 (0.15%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 7	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cystitis haemorrhagic			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic nephropathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dysuria			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
End stage renal disease			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haematuria			
subjects affected / exposed	8 / 4089 (0.20%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 9	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hydronephrosis			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertonic bladder			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incontinence			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nephrolithiasis			
subjects affected / exposed	13 / 4089 (0.32%)	12 / 4090 (0.29%)	
occurrences causally related to treatment / all	0 / 14	0 / 15	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nephropathy			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nephropathy toxic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal artery fibromuscular dysplasia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal colic			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal cyst			

subjects affected / exposed	4 / 4089 (0.10%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal disorder			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal failure			
subjects affected / exposed	11 / 4089 (0.27%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 12	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 1	
Renal haemorrhage			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal impairment			
subjects affected / exposed	5 / 4089 (0.12%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 5	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal injury			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stag horn calculus			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stress urinary incontinence			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tubulointerstitial nephritis			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ureteric dilatation			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ureteric stenosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ureterolithiasis			
subjects affected / exposed	6 / 4089 (0.15%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 6	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urethral meatus stenosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urethral stenosis			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary bladder haemorrhage			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary bladder polyp			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary incontinence			

subjects affected / exposed	0 / 4089 (0.00%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary retention			
subjects affected / exposed	5 / 4089 (0.12%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 5	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary tract obstruction			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endocrine disorders			
Addison's disease			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Goitre			
subjects affected / exposed	0 / 4089 (0.00%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperthyroidism			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypothyroidism			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Inappropriate antidiuretic hormone secretion			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thyroid mass			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Toxic nodular goitre			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal and connective tissue disorders			
Arthralgia			
subjects affected / exposed	7 / 4089 (0.17%)	9 / 4090 (0.22%)	
occurrences causally related to treatment / all	0 / 8	0 / 9	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arthritis			
subjects affected / exposed	6 / 4089 (0.15%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 6	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arthropathy			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Back disorder			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Back pain			
subjects affected / exposed	17 / 4089 (0.42%)	11 / 4090 (0.27%)	
occurrences causally related to treatment / all	0 / 18	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bursitis			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical spinal stenosis			



subjects affected / exposed	1 / 4089 (0.02%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coccydynia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Costochondritis			
subjects affected / exposed	0 / 4089 (0.00%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 0	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Exostosis			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Flank pain			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foot deformity			
subjects affected / exposed	2 / 4089 (0.05%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 2	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gouty arthritis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gouty tophus			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemarthrosis			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc compression			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc degeneration			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc disorder			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc protrusion			
subjects affected / exposed	16 / 4089 (0.39%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 16	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Joint range of motion decreased			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Knee deformity			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lumbar spinal stenosis			
subjects affected / exposed	10 / 4089 (0.24%)	10 / 4090 (0.24%)	
occurrences causally related to treatment / all	0 / 10	0 / 10	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mandibular mass			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mobility decreased			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle spasms			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscular weakness			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal chest pain			
subjects affected / exposed	6 / 4089 (0.15%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 6	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal pain			
subjects affected / exposed	5 / 4089 (0.12%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 5	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myalgia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neck pain			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteoarthritis			

subjects affected / exposed	81 / 4089 (1.98%)	73 / 4090 (1.78%)	
occurrences causally related to treatment / all	0 / 89	0 / 81	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteochondrosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteonecrosis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain in extremity			
subjects affected / exposed	5 / 4089 (0.12%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain in jaw			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pathological fracture			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Periarthritis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polymyalgia rheumatica			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pseudarthrosis			

subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rhabdomyolysis			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rheumatic fever			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rheumatoid arthritis			
subjects affected / exposed	0 / 4089 (0.00%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rotator cuff syndrome			
subjects affected / exposed	10 / 4089 (0.24%)	12 / 4090 (0.29%)	
occurrences causally related to treatment / all	0 / 11	0 / 13	
deaths causally related to treatment / all	0 / 0	0 / 0	
Soft tissue mass			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal column stenosis			
subjects affected / exposed	11 / 4089 (0.27%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 12	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal osteoarthritis			
subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spondylolisthesis			

subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sympathetic posterior cervical syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Synovial cyst			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Systemic lupus erythematosus			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Temporomandibular joint syndrome			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tendonitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertebral foraminal stenosis			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infections and infestations			
Abdominal abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal infection			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal wall abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abscess intestinal			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abscess limb			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acquired immunodeficiency syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anal abscess			
subjects affected / exposed	2 / 4089 (0.05%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Appendicitis			
subjects affected / exposed	9 / 4089 (0.22%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 9	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Appendicitis perforated			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arthritis bacterial			

subjects affected / exposed	4 / 4089 (0.10%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arthritis infective			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bacteraemia			
subjects affected / exposed	3 / 4089 (0.07%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bacterial sepsis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Breast abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchiolitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchitis			
subjects affected / exposed	11 / 4089 (0.27%)	10 / 4090 (0.24%)	
occurrences causally related to treatment / all	0 / 11	0 / 10	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchitis bacterial			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchitis viral			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bursitis infective			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Campylobacter gastroenteritis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Catheter site cellulitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cellulitis			
subjects affected / exposed	36 / 4089 (0.88%)	28 / 4090 (0.68%)	
occurrences causally related to treatment / all	0 / 38	0 / 39	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cellulitis streptococcal			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis infective			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Clostridium difficile colitis			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Clostridium difficile infection			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cystitis			
subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cystitis bacterial			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cystitis escherichia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cytomegalovirus infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dengue fever			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device related infection			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device related sepsis			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic foot infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diarrhoea infectious			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulitis			
subjects affected / exposed	11 / 4089 (0.27%)	9 / 4090 (0.22%)	
occurrences causally related to treatment / all	0 / 11	0 / 9	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulitis intestinal haemorrhagic			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endocarditis			
subjects affected / exposed	1 / 4089 (0.02%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Enterococcal bacteraemia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epididymitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epiglottitis			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Erysipelas			
subjects affected / exposed	13 / 4089 (0.32%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 16	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Escherichia urinary tract infection			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gangrene			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gas gangrene			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroenteritis			
subjects affected / exposed	16 / 4089 (0.39%)	16 / 4090 (0.39%)	
occurrences causally related to treatment / all	0 / 16	0 / 16	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroenteritis rotavirus			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroenteritis viral			
subjects affected / exposed	5 / 4089 (0.12%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 5	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal bacterial overgrowth			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Genital infection fungal			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Graft infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Groin abscess			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
H1N1 influenza			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Helicobacter gastritis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis C			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis viral			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Herpes zoster			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Implant site infection			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incision site abscess			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infected skin ulcer			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infection			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infectious colitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infective exacerbation of bronchiectasis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infective exacerbation of chronic obstructive airways disease			

subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Influenza			
subjects affected / exposed	2 / 4089 (0.05%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 2	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 1	
Intervertebral discitis			
subjects affected / exposed	3 / 4089 (0.07%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Joint abscess			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Keratitis bacterial			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Klebsiella infection			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Laryngitis			
subjects affected / exposed	3 / 4089 (0.07%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Latent tuberculosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Listeriosis			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Liver abscess			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Localised infection			
subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower respiratory tract infection			
subjects affected / exposed	1 / 4089 (0.02%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 1	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower respiratory tract infection viral			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mastitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Meningitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Meningitis bacterial			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mycobacterial infection			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Necrotising fasciitis			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neutropenic sepsis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oral candidiasis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Orchitis			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteomyelitis			
subjects affected / exposed	12 / 4089 (0.29%)	7 / 4090 (0.17%)	
occurrences causally related to treatment / all	0 / 14	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteomyelitis acute			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Otitis media acute			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Parainfluenzae virus infection			

subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Parasitic gastroenteritis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Parotitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pelvic abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Perirectal abscess			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritonitis			
subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritonitis bacterial			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pharyngeal abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pharyngolaryngeal abscess			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pilonidal cyst			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumococcal sepsis			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia			
subjects affected / exposed	105 / 4089 (2.57%)	118 / 4090 (2.89%)	
occurrences causally related to treatment / all	0 / 128	0 / 137	
deaths causally related to treatment / all	0 / 9	0 / 4	
Pneumonia bacterial			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia influenzal			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia pseudomonal			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia respiratory syncytial viral			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia staphylococcal			

subjects affected / exposed	1 / 4089 (0.02%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia streptococcal			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia viral			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural cellulitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post procedural infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative abscess			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative wound infection			
subjects affected / exposed	8 / 4089 (0.20%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 9	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pseudomembranous colitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Pseudomonas infection			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary tuberculosis			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pyelocystitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pyelonephritis			
subjects affected / exposed	7 / 4089 (0.17%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 7	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pyelonephritis acute			
subjects affected / exposed	2 / 4089 (0.05%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 2	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal abscess			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory syncytial virus infection			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory tract infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory tract infection viral			

subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rhinovirus infection			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rotavirus infection			
subjects affected / exposed	0 / 4089 (0.00%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sepsis			
subjects affected / exposed	25 / 4089 (0.61%)	31 / 4090 (0.76%)	
occurrences causally related to treatment / all	0 / 29	0 / 34	
deaths causally related to treatment / all	0 / 2	0 / 4	
Sepsis syndrome			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Septic shock			
subjects affected / exposed	12 / 4089 (0.29%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 13	0 / 3	
deaths causally related to treatment / all	0 / 4	0 / 2	
Shunt infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sialoadenitis			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin infection			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Staphylococcal bacteraemia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Staphylococcal infection			
subjects affected / exposed	3 / 4089 (0.07%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Staphylococcal sepsis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Streptococcal bacteraemia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Streptococcal infection			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Streptococcal sepsis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subacute endocarditis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Systemic candida			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tick-borne fever			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tooth abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tracheobronchitis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper respiratory tract infection			
subjects affected / exposed	1 / 4089 (0.02%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 1	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 1	
Urinary tract infection			
subjects affected / exposed	25 / 4089 (0.61%)	22 / 4090 (0.54%)	
occurrences causally related to treatment / all	0 / 32	0 / 23	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urosepsis			
subjects affected / exposed	11 / 4089 (0.27%)	9 / 4090 (0.22%)	
occurrences causally related to treatment / all	0 / 13	0 / 11	
deaths causally related to treatment / all	0 / 1	0 / 2	
Viral infection			
subjects affected / exposed	1 / 4089 (0.02%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Viral sepsis			



subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Viral upper respiratory tract infection			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vulval cellulitis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wound abscess			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wound infection			
subjects affected / exposed	4 / 4089 (0.10%)	2 / 4090 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wound infection staphylococcal			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wound sepsis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolism and nutrition disorders			
Acidosis			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dehydration			

subjects affected / exposed	16 / 4089 (0.39%)	11 / 4090 (0.27%)	
occurrences causally related to treatment / all	0 / 16	0 / 11	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetes mellitus			
subjects affected / exposed	11 / 4089 (0.27%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 12	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetes mellitus inadequate control			
subjects affected / exposed	5 / 4089 (0.12%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic ketoacidosis			
subjects affected / exposed	4 / 4089 (0.10%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic metabolic decompensation			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Electrolyte imbalance			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Failure to thrive			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gout			
subjects affected / exposed	2 / 4089 (0.05%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypercalcaemia			

subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperglycaemia			
subjects affected / exposed	10 / 4089 (0.24%)	8 / 4090 (0.20%)	
occurrences causally related to treatment / all	0 / 12	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperglycaemic hyperosmolar nonketotic syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperkalaemia			
subjects affected / exposed	3 / 4089 (0.07%)	6 / 4090 (0.15%)	
occurrences causally related to treatment / all	0 / 4	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypernatraemia			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperosmolar state			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypocalcaemia			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	1 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoglycaemia			
subjects affected / exposed	15 / 4089 (0.37%)	14 / 4090 (0.34%)	
occurrences causally related to treatment / all	0 / 15	0 / 14	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypokalaemia			

subjects affected / exposed	3 / 4089 (0.07%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	1 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypomagnesaemia			
subjects affected / exposed	5 / 4089 (0.12%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	1 / 5	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyponatraemia			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypophosphataemia			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypovolaemia			
subjects affected / exposed	2 / 4089 (0.05%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Iron deficiency			
subjects affected / exposed	0 / 4089 (0.00%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lactic acidosis			
subjects affected / exposed	1 / 4089 (0.02%)	1 / 4090 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolic acidosis			
subjects affected / exposed	2 / 4089 (0.05%)	3 / 4090 (0.07%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Obesity			

subjects affected / exposed	9 / 4089 (0.22%)	5 / 4090 (0.12%)	
occurrences causally related to treatment / all	0 / 9	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Shock hypoglycaemic			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tumour lysis syndrome			
subjects affected / exposed	1 / 4089 (0.02%)	0 / 4090 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Type 2 diabetes mellitus			
subjects affected / exposed	2 / 4089 (0.05%)	4 / 4090 (0.10%)	
occurrences causally related to treatment / all	0 / 2	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	

Frequency threshold for reporting non-serious adverse events: 5 %

<b>Non-serious adverse events</b>	AMR101	Placebo	
Total subjects affected by non-serious adverse events			
subjects affected / exposed	3268 / 4089 (79.92%)	3248 / 4090 (79.41%)	
Vascular disorders			
Hypertension			
subjects affected / exposed	312 / 4089 (7.63%)	333 / 4090 (8.14%)	
occurrences (all)	340	375	
Nervous system disorders			
Dizziness			
subjects affected / exposed	227 / 4089 (5.55%)	238 / 4090 (5.82%)	
occurrences (all)	264	278	
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	178 / 4089 (4.35%)	224 / 4090 (5.48%)	
occurrences (all)	201	244	
General disorders and administration site conditions			

Chest pain			
subjects affected / exposed	226 / 4089 (5.53%)	240 / 4090 (5.87%)	
occurrences (all)	265	305	
Fatigue			
subjects affected / exposed	227 / 4089 (5.55%)	195 / 4090 (4.77%)	
occurrences (all)	239	206	
Oedema peripheral			
subjects affected / exposed	264 / 4089 (6.46%)	201 / 4090 (4.91%)	
occurrences (all)	296	242	
Eye disorders			
Cataract			
subjects affected / exposed	230 / 4089 (5.62%)	205 / 4090 (5.01%)	
occurrences (all)	312	272	
Gastrointestinal disorders			
Constipation			
subjects affected / exposed	216 / 4089 (5.28%)	142 / 4090 (3.47%)	
occurrences (all)	231	147	
Diarrhoea			
subjects affected / exposed	363 / 4089 (8.88%)	450 / 4090 (11.00%)	
occurrences (all)	452	565	
Respiratory, thoracic and mediastinal disorders			
Cough			
subjects affected / exposed	241 / 4089 (5.89%)	241 / 4090 (5.89%)	
occurrences (all)	275	284	
Dyspnoea			
subjects affected / exposed	243 / 4089 (5.94%)	233 / 4090 (5.70%)	
occurrences (all)	280	282	
Musculoskeletal and connective tissue disorders			
Arthralgia			
subjects affected / exposed	309 / 4089 (7.56%)	306 / 4090 (7.48%)	
occurrences (all)	389	361	
Back pain			
subjects affected / exposed	322 / 4089 (7.87%)	303 / 4090 (7.41%)	
occurrences (all)	361	339	
Pain in extremity			

subjects affected / exposed occurrences (all)	232 / 4089 (5.67%) 285	239 / 4090 (5.84%) 282	
Infections and infestations			
Bronchitis			
subjects affected / exposed	295 / 4089 (7.21%)	292 / 4090 (7.14%)	
occurrences (all)	361	377	
Influenza			
subjects affected / exposed	261 / 4089 (6.38%)	267 / 4090 (6.53%)	
occurrences (all)	314	331	
Nasopharyngitis			
subjects affected / exposed	314 / 4089 (7.68%)	300 / 4090 (7.33%)	
occurrences (all)	406	370	
Upper respiratory tract infection			
subjects affected / exposed	311 / 4089 (7.61%)	315 / 4090 (7.70%)	
occurrences (all)	417	416	
Urinary tract infection			
subjects affected / exposed	240 / 4089 (5.87%)	246 / 4090 (6.01%)	
occurrences (all)	356	361	

## More information

### Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? Yes

Date	Amendment
16 May 2013	Fasting TG level at screening increased from 135 mg/dL (reflecting a 10% variability allowance from the target of 150 mg/dL) to 200 mg/dL (without a variability allowance).
08 July 2016	The composite of hard major adverse coronary event (MACE) endpoints (CV death, non-fatal MI, non-fatal stroke) was designated as the "key secondary endpoint" and secondary endpoints were streamlined and re-ordered to further elucidate primary and key secondary findings. Added an additional interim analysis to occur after approximately 80% of the total primary endpoint events are reached. Updated cardiovascular endpoint definitions per new version of Standardized Definitions for Endpoint Events in Cardiovascular Trials.

Notes:

---

### Interruptions (globally)

Were there any global interruptions to the trial? No

### Limitations and caveats

None reported

---

### Online references

<http://www.ncbi.nlm.nih.gov/pubmed/28294373>

<http://www.ncbi.nlm.nih.gov/pubmed/30898607>

<http://www.ncbi.nlm.nih.gov/pubmed/31707829>

<http://www.ncbi.nlm.nih.gov/pubmed/30415628>

<http://www.ncbi.nlm.nih.gov/pubmed/34620410>

<http://www.ncbi.nlm.nih.gov/pubmed/34706555>

<http://www.ncbi.nlm.nih.gov/pubmed/34710343>

<http://www.ncbi.nlm.nih.gov/pubmed/35027114>

<http://www.ncbi.nlm.nih.gov/pubmed/33010162>

<http://www.ncbi.nlm.nih.gov/pubmed/33148016>

<http://www.ncbi.nlm.nih.gov/pubmed/31439224>