

**Clinical trial results:****A Randomized, Double-Blind, Placebo-Controlled 52-Week Study to Assess Adverse Events of Special Interest in Adults with Active, Autoantibody-Positive Systemic Lupus Erythematosus Receiving Belimumab****Summary**

EudraCT number	2011-005667-25
Trial protocol	HU LT CZ EE ES IT PT BG SK PL RO
Global end of trial date	10 August 2022

Results information

Result version number	v3 (current)
This version publication date	25 August 2023
First version publication date	04 August 2019
Version creation reason	

Trial information**Trial identification**

Sponsor protocol code	115467
-----------------------	--------

Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	-
WHO universal trial number (UTN)	-

Notes:

Sponsors

Sponsor organisation name	GlaxoSmithKline
Sponsor organisation address	980 Great West Road, Brentford, Middlesex, United Kingdom, TW8 9GS
Public contact	GSK Response Center, GlaxoSmithKline, 1 8664357343, GSKClinicalSupportHD@gsk.com
Scientific contact	GSK Response Center, GlaxoSmithKline, 1 8664357343, GSKClinicalSupportHD@gsk.com

Notes:

Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

Results analysis stage

Analysis stage	Final
Date of interim/final analysis	22 September 2022
Is this the analysis of the primary completion data?	No
Global end of trial reached?	Yes
Global end of trial date	10 August 2022
Was the trial ended prematurely?	No

Notes:

General information about the trial

Main objective of the trial:

The objectives of this study are to evaluate the following in adult Systemic Lupus Erythematosus (SLE) participants receiving belimumab plus standard therapy versus participants receiving placebo plus standard therapy:

- 1) Mortality and adverse events of special interest over 1 year (through 52 weeks).
- 2) Corticosteroid reduction during Weeks 40-52.

Protection of trial subjects:

Not Applicable

Background therapy:

Standard SLE treatment including steroids, immunomodulatory agents and/or antimalarials.

Evidence for comparator: -

Actual start date of recruitment	27 November 2012
Long term follow-up planned	Yes
Long term follow-up rationale	Safety, Regulatory reason
Long term follow-up duration	4 Years
Independent data monitoring committee (IDMC) involvement?	Yes

Notes:

Population of trial subjects

Subjects enrolled per country

Country: Number of subjects enrolled	Argentina: 130
Country: Number of subjects enrolled	Australia: 20
Country: Number of subjects enrolled	Brazil: 451
Country: Number of subjects enrolled	Bulgaria: 131
Country: Number of subjects enrolled	Canada: 2
Country: Number of subjects enrolled	Chile: 9
Country: Number of subjects enrolled	Colombia: 325
Country: Number of subjects enrolled	Croatia: 15
Country: Number of subjects enrolled	Czechia: 89
Country: Number of subjects enrolled	Estonia: 3
Country: Number of subjects enrolled	Hong Kong: 42
Country: Number of subjects enrolled	Hungary: 117
Country: Number of subjects enrolled	Indonesia: 94
Country: Number of subjects enrolled	Italy: 14
Country: Number of subjects enrolled	Lithuania: 5
Country: Number of subjects enrolled	Malaysia: 17

Country: Number of subjects enrolled	Mexico: 292
Country: Number of subjects enrolled	New Zealand: 14
Country: Number of subjects enrolled	Peru: 83
Country: Number of subjects enrolled	Philippines: 138
Country: Number of subjects enrolled	Poland: 68
Country: Number of subjects enrolled	Portugal: 38
Country: Number of subjects enrolled	Romania: 30
Country: Number of subjects enrolled	Russian Federation: 217
Country: Number of subjects enrolled	Serbia: 224
Country: Number of subjects enrolled	Slovakia: 3
Country: Number of subjects enrolled	Korea, Republic of: 319
Country: Number of subjects enrolled	Spain: 62
Country: Number of subjects enrolled	Switzerland: 10
Country: Number of subjects enrolled	Taiwan: 278
Country: Number of subjects enrolled	Thailand: 67
Country: Number of subjects enrolled	Ukraine: 123
Country: Number of subjects enrolled	United States: 588
Worldwide total number of subjects	4018
EEA total number of subjects	575

Notes:

Subjects enrolled per age group

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	3
Adults (18-64 years)	3859
From 65 to 84 years	154
85 years and over	2

Subject disposition

Recruitment

Recruitment details:

This was a global, multi-center, randomized, placebo-controlled double blind study that evaluated adverse events of special interest in adult participants with active, autoantibody-positive systemic lupus erythematosus (SLE) when treated with belimumab plus standard therapy versus participants who received placebo plus standard therapy for 1 year.

Pre-assignment

Screening details:

A total of 4019 participants were randomized in this study. 4003 participants who received at least one dose of study treatment contributed to the Intent-to-Treat (ITT) Population.

Period 1

Period 1 title	Treatment Period (Year 1)
Is this the baseline period?	Yes
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Monitor, Carer, Data analyst, Assessor

Arms

Are arms mutually exclusive?	Yes
Arm title	Placebo

Arm description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Arm type	Placebo
Investigational medicinal product name	Placebo
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Powder for concentrate for solution for infusion
Routes of administration	Intravenous use

Dosage and administration details:

Participants received Placebo along with standard therapies including steroids, immunomodulatory agents and/or antimalarials during Year 1.

Arm title	Belimumab 10 mg/kg
------------------	--------------------

Arm description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Arm type	Experimental
Investigational medicinal product name	Belimumab
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Powder for concentrate for solution for infusion
Routes of administration	Intravenous use

Dosage and administration details:

Participants received Belimumab 10 milligram/kilogram along with standard therapies including steroids, immunomodulatory agents and/or antimalarials during Year 1.

Number of subjects in period 1 ^[1]	Placebo	Belimumab 10 mg/kg
Started	2002	2001
Completed	1729	1741
Not completed	273	260
Adverse event, serious fatal	16	13
Consent withdrawn by subject	128	128
Physician decision	48	38
Adverse event, non-fatal	41	36
Missing study conclusion form	2	2
Lost to follow-up	33	37
Site closure	3	2
Protocol deviation	2	4

Notes:

[1] - The number of subjects reported to be in the baseline period are not the same as the worldwide number enrolled in the trial. It is expected that these numbers will be the same.

Justification: As 15 participants were enrolled, entered into the database but did not received treatment, they were excluded from the ITT and As-Treated populations.

Period 2

Period 2 title	Follow-up period (Years 2 to 5)
Is this the baseline period?	No
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Monitor, Carer, Data analyst, Assessor

Arms

Are arms mutually exclusive?	Yes
Arm title	Placebo

Arm description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Arm type	Placebo
Investigational medicinal product name	Placebo
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Powder for concentrate for solution for infusion
Routes of administration	Intravenous use

Dosage and administration details:

Participants received Placebo along with standard therapies including steroids, immunomodulatory agents and/or antimalarials during Year 1.

Arm title	Belimumab 10 mg/kg
------------------	--------------------

Arm description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Arm type	Experimental
----------	--------------

Investigational medicinal product name	Belimumab
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Powder for concentrate for solution for infusion
Routes of administration	Intravenous use

Dosage and administration details:

Participants received Belimumab 10 milligram/kilogram along with standard therapies including steroids, immunomodulatory agents and/or antimalarials during Year 1.

Number of subjects in period 2^[2]	Placebo	Belimumab 10 mg/kg
Started	1670	1695
Completed	1474	1514
Not completed	196	181
Consent withdrawn by subject	44	36
Death	58	38
Lost to follow-up	75	89
Missing	19	18

Notes:

[2] - The number of subjects starting the period is not consistent with the number completing the preceding period. It is expected the number of subjects starting the subsequent period will be the same as the number completing the preceding period.

Justification: 1670 participants from Placebo arm and 1695 from Belimumab arm entered in the Year 2 to 5 follow-up period from the Year 1 - treatment period.

Baseline characteristics

Reporting groups

Reporting group title	Placebo
-----------------------	---------

Reporting group description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Reporting group title	Belimumab 10 mg/kg
-----------------------	--------------------

Reporting group description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Reporting group values	Placebo	Belimumab 10 mg/kg	Total
Number of subjects	2002	2001	4003
Age categorical			
Baseline characteristics were reported for ITT Population.			
Units: Participants			
All Participants	2002	2001	4003
Age Continuous			
Baseline characteristics were reported for ITT Population.			
Units: years			
arithmetic mean	40.8	40.4	-
standard deviation	± 12.74	± 12.75	
Sex: Female, Male			
Baseline characteristics were reported for ITT Population.			
Units: Participants			
Female	1853	1848	3701
Male	149	153	302
Race/Ethnicity, Customized			
Baseline characteristics were reported for ITT Population.			
Units: Subjects			
White/Caucasian-European Heritage	1070	1080	2150
White/Caucasian-Arabic/North African Heritage	19	16	35
Mixed White Race	1	0	1
Asian-East Asian Heritage	310	307	617
Asian-South East Asian Heritage	172	168	340
Asian-Central/South Asian Heritage	8	6	14
Asian-Japanese Heritage	2	1	3
Mixed Asian Race	0	1	1
African American/African Heritage	155	175	330
Alaskan Native or American Indian	257	228	485
Native Hawaiian or Other Pacific Islander	2	5	7
Missing	6	14	20

End points

End points reporting groups

Reporting group title	Placebo
-----------------------	---------

Reporting group description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Reporting group title	Belimumab 10 mg/kg
-----------------------	--------------------

Reporting group description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Reporting group title	Placebo
-----------------------	---------

Reporting group description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Reporting group title	Belimumab 10 mg/kg
-----------------------	--------------------

Reporting group description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Subject analysis set title	Belimumab 10 mg/kg
----------------------------	--------------------

Subject analysis set type	Sub-group analysis
---------------------------	--------------------

Subject analysis set description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Subject analysis set title	Placebo
----------------------------	---------

Subject analysis set type	Sub-group analysis
---------------------------	--------------------

Subject analysis set description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Primary: Number of deaths - On treatment period (Week 52)

End point title	Number of deaths - On treatment period (Week 52)
-----------------	--

End point description:

Number of participants who died during on-treatment period (Week 52) is reported. The on-treatment period was defined as first dose to last dose + 28 days (or death). The As-Treated Population was defined as all participants who were randomized and received at least one dose of study agent, grouped according to the actual treatment administered for the majority (greater than [$>$]50 percent [%]) of the time. The on-treatment period was the primary analysis period for safety analyses. One participant in placebo group who received belimumab $>$ 50% of the time was reported in the belimumab group.

End point type	Primary
----------------	---------

End point timeframe:

Up to Week 52 (On-treatment period)

End point values	Belimumab 10 mg/kg	Placebo		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	2002 ^[1]	2001 ^[2]		
Units: Participants				
number (not applicable)	10	8		

Notes:

[1] - As-Treated Population.

[2] - As-Treated Population.

Statistical analyses

Statistical analysis title	Statistical Analysis
Comparison groups	Placebo v Belimumab 10 mg/kg
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[3]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.1
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.31
upper limit	0.51

Notes:

[3] - 95% Confidence Interval was calculated using simple asymptotic Chi-Square (Pearson) method.

Primary: Number of participants who reported protocol defined adverse events of special interest (AESI): On-treatment period (Week 52)

End point title	Number of participants who reported protocol defined adverse events of special interest (AESI): On-treatment period (Week 52)
-----------------	---

End point description:

A summary of protocol defined AESIs including serious infections, opportunistic infections and other infections of interest (serious and non-serious), non-melanoma skin cancer (NMSC), malignancies (excluding NMSC), psychiatric events suggesting serious mood disorders and anxiety (serious depression), suicidality (using Columbia-Suicide Severity Rating Scale [C-SSRS]) and serious infusion and hypersensitivity reactions (SIHR) is reported. The on-treatment period (Week 52) was defined as first dose to last dose + 28 days (or death). The on-treatment period was the primary analysis period for safety analyses. One participant in placebo group who received belimumab >50% of the time was reported in the belimumab group. Only those participants with data available at the specified time points were analyzed (represented by n=X in the category titles).

End point type	Primary
----------------	---------

End point timeframe:

Up to Week 52 (On-treatment period)

End point values	Belimumab 10 mg/kg	Placebo		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	2002 ^[4]	2001 ^[5]		
Units: Participants				
number (not applicable)				
Serious Infections, n=2001, 2002	75	82		
Opportunistic Infections, n=2001, 2002	36	50		
Malignancies (Excluding NMSC), n=2001, 2002	5	5		
NMSC, n=2001, 2002	4	3		
Serious depression, n=2001, 2002	7	1		
Suicidality (C-SSRS), n=1986, 1972	28	23		
SIHR, n=2001, 2002	8	2		

Notes:

[4] - As-Treated Population

[5] - As-Treated Population

Statistical analyses

Statistical analysis title	Statistical Analysis 1
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[6]
Parameter estimate	Difference in percentage versus placebo
Point estimate	-0.35
Confidence interval	
level	95 %
sides	2-sided
lower limit	-1.55
upper limit	0.85

Notes:

[6] - 95% CI for serious infections was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 2
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[7]
Parameter estimate	Difference in percentage versus placebo
Point estimate	-0.7
Confidence interval	
level	95 %
sides	2-sided
lower limit	-1.6
upper limit	0.2

Notes:

[7] - 95% CI for opportunistic infections and other infections of interest (serious and non-serious) was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 3
-----------------------------------	------------------------

Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[8]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.31
upper limit	0.31

Notes:

[8] - 95% CI for malignancies (excluding NMSC) was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 4
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[9]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.05
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.21
upper limit	0.31

Notes:

[9] - 95% CI for NMSC was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 5
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[10]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.3
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.02
upper limit	0.58

Notes:

[10] - 95% CI for psychiatric events suggesting serious mood disorders and anxiety (serious depression) was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 6
Comparison groups	Belimumab 10 mg/kg v Placebo

Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[11]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.26
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.44
upper limit	0.96

Notes:

[11] - 95% CI for suicidality (C-SSRS) was calculated using simple asymptotic Chi-Square (Pearson) method. The total number of participants analyzed were n=3958.

Statistical analysis title	Statistical Analysis 7
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[12]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.3
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.01
upper limit	0.61

Notes:

[12] - 95% CI for SIHR was calculated using simple asymptotic Chi-Square (Pearson) method.

Primary: Number of participants with serious adverse events (SAEs) reported during on-treatment period (Week 52)

End point title	Number of participants with serious adverse events (SAEs) reported during on-treatment period (Week 52) ^[13]
-----------------	---

End point description:

An SAE is defined as any untoward medical occurrence that results in death, is life-threatening, requires inpatient hospitalization or prolongation of existing hospitalization, results in persistent disability/incapacity, is a congenital anomaly/birth defect, associated with liver injury and impaired liver function or any other situations as per medical or scientific judgement. The on-treatment period (Week 52) was defined as first dose to last dose + 28 days (or death) and was the primary analysis period for safety analyses. One participant in placebo group who received belimumab >50% of the time was reported in the belimumab group.

End point type	Primary
----------------	---------

End point timeframe:

Up to Week 52 (On-treatment period)

Notes:

[13] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: This endpoint was descriptive; hence no statistical analysis to report.

End point values	Belimumab 10 mg/kg	Placebo		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	2002 ^[14]	2001 ^[15]		
Units: Participants				
number (not applicable)	220	222		

Notes:

[14] - As-Treated Population.

[15] - As-Treated Population.

Statistical analyses

No statistical analyses for this end point

Secondary: Number of deaths reported - On-study period (Week 52)

End point title	Number of deaths reported - On-study period (Week 52)
End point description:	Number of participants who died during on-study period (Week 52) is reported. The on-study period (which includes on and off treatment data) was defined as first dose to the end of the Week 52 study follow-up (or death). The on-study period was a supportive analysis period for safety analysis. One participant in placebo group who received belimumab >50% of the time was reported in the belimumab group.
End point type	Secondary
End point timeframe:	Up to Week 52 (On-study period)

End point values	Belimumab 10 mg/kg	Placebo		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	2002 ^[16]	2001 ^[17]		
Units: Participants				
number (not applicable)	13	22		

Notes:

[16] - As-Treated Population.

[17] - As-Treated Population.

Statistical analyses

Statistical analysis title	Statistical Analysis
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[18]
Parameter estimate	Difference in percentage versus placebo
Point estimate	-0.45
Confidence interval	
level	95 %
sides	2-sided
lower limit	-1.03
upper limit	0.13

Notes:

[18] - 95% CI was calculated using simple asymptotic Chi-Square (Pearson) method.

Secondary: Number of participants who reported protocol defined AESI: On-study period (Week 52)

End point title	Number of participants who reported protocol defined AESI: On-study period (Week 52)
-----------------	--

End point description:

A summary of protocol defined AESIs including serious infections, opportunistic infections and other infections of interest (serious and non-serious), NMSC, malignancies (excluding NMSC), psychiatric events suggesting serious mood disorders and anxiety (serious depression), suicidality (using C-SSRS) and SIHR is reported. The on-study period (Week 52) (which includes on and off treatment data) was defined as first dose to the end of the Week 52 study follow-up (or death). The on-study period was a supportive analysis period for safety analysis. One participant in placebo group who received belimumab >50% of the time was reported in the belimumab group.

End point type	Secondary
----------------	-----------

End point timeframe:

Up to Week 52 (On-study period)

End point values	Belimumab 10 mg/kg	Placebo		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	2002 ^[19]	2001 ^[20]		
Units: Participants				
number (not applicable)				
Serious Infections n=2001, 2002	80	95		
Opportunistic Infections, n=2001, 2002	39	59		
Malignancies (Excluding NMC), n=2001, 2002	5	7		
NMSC, n=2001, 2002	4	3		
Serious depression, n=2001, 2002	7	1		
Suicidality (C-SSRS), n=1988, 1974	31	25		
SIHR, n=2001, 2002	8	2		

Notes:

[19] - As-Treated Population.

[20] - As-Treated Population.

Statistical analyses

Statistical analysis title	Statistical Analysis 1
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[21]
Parameter estimate	Difference in percentage versus placebo
Point estimate	-0.75
Confidence interval	
level	95 %
sides	2-sided
lower limit	-2.02
upper limit	0.51

Notes:

[21] - 95% CI for serious infections was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 2
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[22]
Parameter estimate	Difference in percentage versus placebo
Point estimate	-1
Confidence interval	
level	95 %
sides	2-sided
lower limit	-1.96
upper limit	-0.04

Notes:

[22] - 95% CI for opportunistic infections and other infections of interest (serious and non-serious) was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 3
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[23]
Parameter estimate	Difference in percentage versus placebo
Point estimate	-0.1
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.44
upper limit	0.24

Notes:

[23] - 95% CI for malignancies (excluding NMSC) was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 4
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[24]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.05
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.21
upper limit	0.31

Notes:

[24] - 95% CI for NMSC was calculated using simple asymptotic Chi-Square (Pearson) method.

Statistical analysis title	Statistical Analysis 5
-----------------------------------	------------------------

Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.3
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.02
upper limit	0.58

Statistical analysis title	Statistical Analysis 6
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[25]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.31
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.42
upper limit	1.05

Notes:

[25] - 95% CI for suicidality (C-SSRS) was calculated using simple asymptotic Chi-Square (Pearson) method. The total number of participants analyzed were n=3962.

Statistical analysis title	Statistical Analysis 7
Comparison groups	Belimumab 10 mg/kg v Placebo
Number of subjects included in analysis	4003
Analysis specification	Pre-specified
Analysis type	other ^[26]
Parameter estimate	Difference in percentage versus placebo
Point estimate	0.3
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.01
upper limit	0.61

Notes:

[26] - 95% CI for SIHR was calculated using simple asymptotic Chi-Square (Pearson) method.

Secondary: Number of participants with SAEs reported during on-study period (Week 52)

End point title	Number of participants with SAEs reported during on-study period (Week 52)
-----------------	--

End point description:

A SAE is defined as any untoward medical occurrence that results in death, is life-threatening, requires

inpatient hospitalization or prolongation of existing hospitalization, results in persistent disability/incapacity, is a congenital anomaly/birth defect, associated with liver injury and impaired liver function or any other situations as per medical or scientific judgement. The on-study period (Week 52) (which includes on and off treatment data) was defined as first dose to the end of the Week 52 study follow-up (or death) and was a supportive analysis period for safety analyses. One participant in placebo group who received belimumab >50% of the time was reported in the belimumab group.

End point type	Secondary
----------------	-----------

End point timeframe:

Up to Week 52 (On-study period)

End point values	Belimumab 10 mg/kg	Placebo		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	2002 ^[27]	2001 ^[28]		
Units: Participants				
number (not applicable)	233	241		

Notes:

[27] - As-Treated Population.

[28] - As-Treated Population.

Statistical analyses

No statistical analyses for this end point

Secondary: Percentage of participants whose average prednisone (or equivalent) dose to treat SLE has been reduced by $\geq 25\%$ from Baseline to ≤ 7.5 mg/day during Weeks 40 through 52

End point title	Percentage of participants whose average prednisone (or equivalent) dose to treat SLE has been reduced by $\geq 25\%$ from Baseline to ≤ 7.5 mg/day during Weeks 40 through 52
-----------------	---

End point description:

Average daily prednisone dose during Weeks 40 to 52 is sum of all prednisone doses to treat SLE from the day following Week 40 visit date including Week 52 study completion date (SCD)/no. of days between Week 40 visit and SCD. Percentage of participants whose average prednisone dose reduced by $\geq 25\%$ from Baseline to ≤ 7.5 mg/day during Weeks 40 through 52 in participants with average prednisone use > 7.5 mg/day at Baseline was compared using logistic regression including treatment group, Baseline prednisone dose, screening safety of estrogen in lupus national assessment (SELENA) systemic lupus erythematosus disease activity index (SLEDAI) score (≤ 9 vs. ≥ 10) and region. Baseline is the value at Day 1. Only participants with Baseline prednisone > 7.5 mg/day were analyzed. Only those participants with data available at the specified time points were analyzed (represented by n=X in the category titles).

End point type	Secondary
----------------	-----------

End point timeframe:

Week 40 to Week 52

End point values	Placebo	Belimumab 10 mg/kg		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	990 ^[29]	986 ^[30]		
Units: Percentage of Participants				
number (not applicable)	16.2	19.9		

Notes:

[29] - ITT Population

[30] - ITT Population

Statistical analyses

Statistical analysis title	Statistical Analysis
Comparison groups	Placebo v Belimumab 10 mg/kg
Number of subjects included in analysis	1976
Analysis specification	Pre-specified
Analysis type	other ^[31]
P-value	= 0.0284
Method	Regression, Logistic
Parameter estimate	Odds ratio versus placebo
Point estimate	1.3
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.03
upper limit	1.65

Notes:

[31] - 95% CI and P-value was calculated from a logistic regression model for the comparison between belimumab and placebo including treatment group, Baseline prednisone dose, screening SELENA SLEDAI score (<=9 versus >=10) and region.

Secondary: Number of Participants With All-cause Mortality During Years 2 to 5

End point title	Number of Participants With All-cause Mortality During Years 2 to 5 ^[32]
-----------------	---

End point description:

Number of participants with all-cause mortality during years 2 to 5 has been presented. As-Treated Any Year 2-5 Follow-up Population consisted of all participants in the As-Treated population who completed at least one post-treatment follow-up visit for Year 2 to 5.

End point type	Secondary
----------------	-----------

End point timeframe:

From 2 years to 5 years

Notes:

[32] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: The endpoints are different for the different parts of the study.

End point values	Placebo	Belimumab 10 mg/kg		
Subject group type	Reporting group	Subject analysis set		
Number of subjects analysed	1670 ^[33]	1695 ^[34]		
Units: Participants	58	38		

Notes:

[33] - As-Treated Any Year 2-5 Follow-up Population

[34] - As-Treated Any Year 2-5 Follow-up Population

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Participants With New Primary Malignancies During Years 2 to 5

End point title	Number of Participants With New Primary Malignancies During Years 2 to 5 ^[35]
-----------------	--

End point description:

Number of participants with new primary malignancies during years 2 to 5 has been presented.

End point type	Secondary
----------------	-----------

End point timeframe:

From 2 years to 5 years

Notes:

[35] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: The endpoints are different for the different parts of the study.

End point values	Placebo	Belimumab 10 mg/kg		
Subject group type	Reporting group	Subject analysis set		
Number of subjects analysed	1670 ^[36]	1695 ^[37]		
Units: Participants	22	24		

Notes:

[36] - As-Treated Any Year 2-5 Follow-up Population.

[37] - As-Treated Any Year 2-5 Follow-up Population.

Statistical analyses

No statistical analyses for this end point

Adverse events

Adverse events information

Timeframe for reporting adverse events:

AESIs and all SAEs were collected up to Week 52 (On-study period), all-cause mortality was collected up to end of study (up to 5 years)

Adverse event reporting additional description:

All-cause mortality, AESIs and SAEs are summarized for the As-Treated Population. Only AESIs and SAEs were collected up to Week 52, but not all AEs. All-cause mortality was collected up to end of study (up to 5 years). One participant in placebo group who received belimumab >50% of the time was reported in the belimumab group.

Assessment type	Systematic
-----------------	------------

Dictionary used

Dictionary name	MedDRA
Dictionary version	21.1

Reporting groups

Reporting group title	Belimumab 10 mg/kg
-----------------------	--------------------

Reporting group description:

Participants received belimumab 10 milligrams per kilogram (mg/kg) on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Reporting group title	Placebo
-----------------------	---------

Reporting group description:

Participants received placebo via the intravenous route on Days 0, 14, 28 and every 28 days through Week 48 with a final visit conducted at Week 52. Participants continued to receive standard SLE treatment and were followed up until end of study (up to 5 years).

Serious adverse events	Belimumab 10 mg/kg	Placebo	
Total subjects affected by serious adverse events			
subjects affected / exposed	233 / 2002 (11.64%)	241 / 2001 (12.04%)	
number of deaths (all causes)	51	80	
number of deaths resulting from adverse events			
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Uterine leiomyoma			
subjects affected / exposed	0 / 2002 (0.00%)	4 / 2001 (0.20%)	
occurrences causally related to treatment / all	0 / 0	1 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Squamous cell carcinoma of skin			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	2 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anogenital warts			

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Benign neoplasm of adrenal gland		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Brain neoplasm malignant		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Cervix carcinoma		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Diffuse large B-cell lymphoma		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Enchondromatosis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Intraductal proliferative breast lesion		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lung neoplasm malignant		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Mucoepidermoid carcinoma		

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian adenoma			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal cancer			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thyroid cancer			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neoplasm malignant			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thyroid adenoma			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular disorders			
Deep vein thrombosis			
subjects affected / exposed	3 / 2002 (0.15%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lupus vasculitis			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertension			

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Jugular vein thrombosis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Peripheral artery occlusion		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Raynaud's phenomenon		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Thrombosis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Venous thrombosis limb		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Vasculitis necrotising		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Venous thrombosis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hypovolaemic shock		

subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Pregnancy, puerperium and perinatal conditions			
Abortion spontaneous			
subjects affected / exposed	5 / 2002 (0.25%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 5	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abortion			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abortion threatened			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pre-eclampsia			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foetal death			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
General disorders and administration site conditions			
Pyrexia			
subjects affected / exposed	2 / 2002 (0.10%)	6 / 2001 (0.30%)	
occurrences causally related to treatment / all	0 / 2	1 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chest pain			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	

Impaired healing			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oedema peripheral			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Serositis			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sudden death			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Systemic inflammatory response syndrome			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Death			
subjects affected / exposed	0 / 2002 (0.00%)	3 / 2001 (0.15%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 3	
Oedema due to renal disease			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Immune system disorders			

Hypersensitivity			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	2 / 2	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anaphylactic shock			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Drug hypersensitivity			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Allergy to arthropod sting			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anaphylactic reaction			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Reproductive system and breast disorders			
Ovarian cyst			
subjects affected / exposed	3 / 2002 (0.15%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endometriosis			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical dysplasia			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	1 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	

Dysfunctional uterine bleeding			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine haemorrhage			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenomyosis			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhagic ovarian cyst			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Menorrhagia			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovarian adhesion			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ovulation pain			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vaginal haemorrhage			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory, thoracic and mediastinal disorders			

Pulmonary embolism			
subjects affected / exposed	2 / 2002 (0.10%)	7 / 2001 (0.35%)	
occurrences causally related to treatment / all	0 / 2	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Asthma			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pleural effusion			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic obstructive pulmonary disease			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 1	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonitis			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	2 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pleurisy			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lupus pneumonitis			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lupus pleurisy			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary alveolar haemorrhage			

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumothorax spontaneous		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary artery thrombosis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary hypertension		
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary infarction		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Respiratory distress		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 1
Respiratory failure		
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	0 / 1	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 2
Shrinking lung syndrome		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 1
Acute pulmonary oedema		

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Psychiatric disorders			
Suicidal ideation			
subjects affected / exposed	6 / 2002 (0.30%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	2 / 6	1 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suicide attempt			
subjects affected / exposed	4 / 2002 (0.20%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Depression			
subjects affected / exposed	4 / 2002 (0.20%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	2 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bipolar disorder			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intentional self-injury			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Major depression			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	2 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Agitation			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Conversion disorder			

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Depression suicidal			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Delirium			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Product issues			
Device leakage			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device breakage			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Investigations			
Hepatic enzyme increased			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Injury, poisoning and procedural complications			
Lower limb fracture			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Femur fracture			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Hip fracture			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sternal fracture			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal compression fracture			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Contusion			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fall			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foot fracture			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gun shot wound			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Humerus fracture			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infusion related reaction			

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ligament injury		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ligament rupture		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Meniscus injury		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Overdose		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Postoperative respiratory failure		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Subdural haematoma		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Subdural haemorrhage		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Brain contusion		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ligament sprain			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skull fractured base			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Congenital, familial and genetic disorders			
Anomalous pulmonary venous connection			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac disorders			
Myocardial infarction			
subjects affected / exposed	3 / 2002 (0.15%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac failure			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 2	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericarditis			
subjects affected / exposed	3 / 2002 (0.15%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardio-respiratory arrest			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	1 / 2	
deaths causally related to treatment / all	0 / 1	1 / 2	

Acute myocardial infarction			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Myocarditis			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericardial effusion			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute coronary syndrome			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Angina unstable			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Angina pectoris			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial fibrillation			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial flutter			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiopulmonary failure			

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 1
Bundle branch block left		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Cardiac arrest		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 1
Cardiac failure congestive		
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Coronary artery disease		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Tachycardia		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Congestive cardiomyopathy		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Mitral valve disease		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Palpitations		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Supraventricular extrasystoles			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nervous system disorders			
Cerebral infarction			
subjects affected / exposed	1 / 2002 (0.05%)	3 / 2001 (0.15%)	
occurrences causally related to treatment / all	1 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 1	
Headache			
subjects affected / exposed	3 / 2002 (0.15%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transient ischaemic attack			
subjects affected / exposed	3 / 2002 (0.15%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Syncope			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Central nervous system vasculitis			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Central nervous system lupus			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carotid artery aneurysm			

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical radiculopathy			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral ischaemia			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral haemorrhage			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Encephalopathy			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Facial paralysis			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epilepsy			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Generalised tonic-clonic seizure			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intracranial venous sinus thrombosis			

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Ischaemic stroke		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lacunar infarction		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Migraine		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Multiple sclerosis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Myelitis transverse		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Neuropsychiatric lupus		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Seizure		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Dysarthria		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intraventricular haemorrhage			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thalamus haemorrhage			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	3 / 2002 (0.15%)	3 / 2001 (0.15%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombocytopenia			
subjects affected / exposed	1 / 2002 (0.05%)	5 / 2001 (0.25%)	
occurrences causally related to treatment / all	0 / 2	1 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Autoimmune haemolytic anaemia			
subjects affected / exposed	0 / 2002 (0.00%)	3 / 2001 (0.15%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Febrile neutropenia			
subjects affected / exposed	3 / 2002 (0.15%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	3 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhagic anaemia			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lymphadenopathy			

subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 1	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Anaemia of chronic disease		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Antiphospholipid syndrome		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Aplastic anaemia		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Haemolytic anaemia		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Iron deficiency anaemia		
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Leukopenia		
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lymphadenitis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Microangiopathic haemolytic anaemia		

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancytopenia			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombotic thrombocytopenic purpura			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye disorders			
Cataract			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eyelid ptosis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Periorbital swelling			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vision blurred			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Gastrointestinal disorders			
Pancreatitis acute			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vomiting			
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	1 / 1	1 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colitis			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastritis erosive			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric disorder			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastritis			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 2	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	2 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Strangulated umbilical hernia			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal pain			

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Colitis ulcerative		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Colitis ischaemic		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Diarrhoea		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Duodenal ulcer haemorrhage		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Diverticulum intestinal haemorrhagic		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Enteritis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Epiplonic appendagitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Enterocolitis		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Gastric ulcer		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrointestinal haemorrhage		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrooesophageal reflux disease		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal obstruction		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Large intestine perforation		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lupus enteritis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Obstructive pancreatitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pancreatitis relapsing		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peptic ulcer			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peptic ulcer haemorrhage			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatobiliary disorders			
Cholelithiasis			
subjects affected / exposed	0 / 2002 (0.00%)	4 / 2001 (0.20%)	
occurrences causally related to treatment / all	0 / 0	1 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis acute			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	1 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatic steatosis			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Autoimmune hepatitis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis acute			

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Jaundice extrahepatic obstructive			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Liver disorder			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Drug-induced liver injury			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin and subcutaneous tissue disorders			
Cutaneous lupus erythematosus			
subjects affected / exposed	3 / 2002 (0.15%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Systemic lupus erythematosus rash			
subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Angioedema			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	1 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rash pruritic			
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	2 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rash			

subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blister			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cutaneous vasculitis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dermatomyositis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dyshidrotic eczema			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Erythema multiforme			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stevens-Johnson syndrome			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vasculitic ulcer			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal and urinary disorders			
Lupus nephritis			

subjects affected / exposed	6 / 2002 (0.30%)	11 / 2001 (0.55%)
occurrences causally related to treatment / all	1 / 6	2 / 11
deaths causally related to treatment / all	0 / 0	0 / 0
Acute kidney injury		
subjects affected / exposed	2 / 2002 (0.10%)	6 / 2001 (0.30%)
occurrences causally related to treatment / all	0 / 2	2 / 6
deaths causally related to treatment / all	0 / 0	0 / 0
Proteinuria		
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Chronic kidney disease		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Nephritis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Nephrotic syndrome		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Prerenal failure		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Renal failure		
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Tubulointerstitial nephritis		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal and connective tissue disorders			
Systemic lupus erythematosus			
subjects affected / exposed	5 / 2002 (0.25%)	11 / 2001 (0.55%)	
occurrences causally related to treatment / all	0 / 6	1 / 12	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arthritis			
subjects affected / exposed	0 / 2002 (0.00%)	4 / 2001 (0.20%)	
occurrences causally related to treatment / all	0 / 0	1 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
SLE arthritis			
subjects affected / exposed	1 / 2002 (0.05%)	3 / 2001 (0.15%)	
occurrences causally related to treatment / all	0 / 2	1 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arthralgia			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	1 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc protrusion			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Back pain			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fistula			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal pain			

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteonecrosis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteoporotic fracture			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain in extremity			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polyarthritis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myositis			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infections and infestations			
Urinary tract infection			
subjects affected / exposed	16 / 2002 (0.80%)	8 / 2001 (0.40%)	
occurrences causally related to treatment / all	8 / 17	3 / 9	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia			
subjects affected / exposed	18 / 2002 (0.90%)	27 / 2001 (1.35%)	
occurrences causally related to treatment / all	9 / 18	12 / 28	
deaths causally related to treatment / all	3 / 5	0 / 2	
Gastroenteritis			

subjects affected / exposed	4 / 2002 (0.20%)	11 / 2001 (0.55%)
occurrences causally related to treatment / all	2 / 5	1 / 11
deaths causally related to treatment / all	0 / 0	0 / 1
Cellulitis		
subjects affected / exposed	7 / 2002 (0.35%)	8 / 2001 (0.40%)
occurrences causally related to treatment / all	2 / 7	5 / 8
deaths causally related to treatment / all	0 / 0	0 / 0
Sepsis		
subjects affected / exposed	4 / 2002 (0.20%)	4 / 2001 (0.20%)
occurrences causally related to treatment / all	2 / 4	1 / 5
deaths causally related to treatment / all	2 / 2	0 / 1
Appendicitis		
subjects affected / exposed	3 / 2002 (0.15%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	1 / 3	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Herpes zoster		
subjects affected / exposed	1 / 2002 (0.05%)	5 / 2001 (0.25%)
occurrences causally related to treatment / all	0 / 1	5 / 5
deaths causally related to treatment / all	0 / 0	0 / 0
Urosepsis		
subjects affected / exposed	3 / 2002 (0.15%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	2 / 3	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Septic shock		
subjects affected / exposed	4 / 2002 (0.20%)	3 / 2001 (0.15%)
occurrences causally related to treatment / all	3 / 4	1 / 3
deaths causally related to treatment / all	3 / 4	1 / 3
Pyelonephritis acute		
subjects affected / exposed	3 / 2002 (0.15%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	2 / 3	2 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Diarrhoea infectious		

subjects affected / exposed	2 / 2002 (0.10%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	1 / 2	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Bronchitis		
subjects affected / exposed	1 / 2002 (0.05%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	0 / 1	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary tuberculosis		
subjects affected / exposed	1 / 2002 (0.05%)	4 / 2001 (0.20%)
occurrences causally related to treatment / all	1 / 1	2 / 4
deaths causally related to treatment / all	1 / 1	0 / 0
Dengue haemorrhagic fever		
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Clostridium difficile colitis		
subjects affected / exposed	0 / 2002 (0.00%)	3 / 2001 (0.15%)
occurrences causally related to treatment / all	0 / 0	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Lower respiratory tract infection		
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	1 / 1	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Laryngitis		
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pelvic inflammatory disease		
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pyelonephritis		

subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	1 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Subcutaneous abscess		
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	1 / 1	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Respiratory tract infection		
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Abscess limb		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Abdominal sepsis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Acute sinusitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Arthritis bacterial		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Bartholinitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Bursitis infective		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Complicated appendicitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Cytomegalovirus infection		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	1 / 1	0 / 0
Cystitis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Cytomegalovirus mucocutaneous ulcer		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Encephalitis		
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)
occurrences causally related to treatment / all	0 / 0	1 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Escherichia urinary tract infection		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Enterocolitis viral		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastroenteritis viral		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
H1N1 influenza		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hookworm infection		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Impetigo		
subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Influenza		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal sepsis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Joint abscess		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Joint tuberculosis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lip infection		

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lung abscess		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lung infection		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lower respiratory tract infection bacterial		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Meningitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Meningitis listeria		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Nasopharyngitis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Necrotising fasciitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 1	0 / 0
Oral infection		

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Oesophageal candidiasis		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Ophthalmic herpes zoster		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Parotitis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumocystis jirovecii pneumonia		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumonia pseudomonal		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Progressive multifocal leukoencephalopathy		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Respiratory tract infection viral		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Retroperitoneal abscess		

subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sinusitis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Staphylococcal infection			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Superinfection			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subdiaphragmatic abscess			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tooth abscess			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tuberculosis gastrointestinal			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tubo-ovarian abscess			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper respiratory tract infection			

subjects affected / exposed	2 / 2002 (0.10%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Chikungunya virus infection		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Abscess		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Endocarditis staphylococcal		
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Wound infection		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Gangrene		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 1	0 / 0
Staphylococcal skin infection		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Oral candidiasis		
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Oral herpes		

subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Staphylococcal sepsis			
subjects affected / exposed	0 / 2002 (0.00%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Viral diarrhoea			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolism and nutrition disorders			
Hyperglycaemia			
subjects affected / exposed	0 / 2002 (0.00%)	2 / 2001 (0.10%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypokalaemia			
subjects affected / exposed	1 / 2002 (0.05%)	1 / 2001 (0.05%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyponatraemia			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Type 2 diabetes mellitus			
subjects affected / exposed	1 / 2002 (0.05%)	0 / 2001 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Frequency threshold for reporting non-serious adverse events: 1 %

Non-serious adverse events	Belimumab 10 mg/kg	Placebo	
Total subjects affected by non-serious adverse events subjects affected / exposed	17 / 2002 (0.85%)	31 / 2001 (1.55%)	
Infections and infestations Herpes zoster subjects affected / exposed occurrences (all)	17 / 2002 (0.85%) 17	31 / 2001 (1.55%) 33	

More information

Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? Yes

Date	Amendment
01 August 2012	Amendment No.1: Inclusion and exclusion criteria for the study were modified, including clarification of SLE diagnosis, adding a screening pregnancy test, and clarifying contraceptive use. The screening period was reduced from 90 to 30 days to better fit use of the Safety of Estrogen in Lupus National Assessment (SELENA) - Systemic Lupus Erythematosus Disease Activity Index (SLEDAI). The Systemic Lupus International Collaborating Clinics (SLICC)/American College of Rheumatology (ACR) was moved from screening to Baseline to avoid unnecessary efforts assessing SLICC on screen failures. Participants who required hemodialysis or high dose prednisone were excluded if these happened within 90 days prior to screening. Use of concomitant medications was updated to include mepacrine an antimalarial, and capture of dose and frequency of all SLE concomitant medications was added. Clarifications to the use of concomitant SLE medications and commercial belimumab were made. Commercial belimumab remained prohibited during year 1, however a participant could receive it during the follow up period. Assessment of serious infusion or hypersensitivity reactions was removed from the Week 52 visit as no Week 52 study drug was administered. The major efficacy endpoint of steroid reduction was clarified to include patients with involuntary reductions in concomitant immunomodulators. Amendment 01 clarified that participants could participate in the main study without participating in the pharmacogenetic sub-study. As a protocol addition, participants that withdrew their consent to participate in the study were asked to consent to a Week 52 survival status assessment and annual contacts in Years 2 to 5. Further clarification was also provided on the definition of 'opportunistic infection' and 'infections of interest' were expanded to include Hepatitis B, Hepatitis C, and herpes zoster.
15 March 2013	Lithuanian Local Amendment: Exclusion criteria were expanded to include participants with hypogammaglobulinaemia, a deficiency in immunoglobulin A, any renal, major organ or stem cell/marrow transplant, and if the participant had a history of recurrent or chronic infection. The exclusion criteria were also expanded to include cyclophosphamide use within 90 days of screening, and cyclophosphamide use during the study.
13 July 2016	Amendment No.2: This amendment to the protocol was enacted to include detail of interim analyses, to update language surrounding contraceptive use in line with GSK standards, and to modify safety language to ensure alignment with belimumab program standard text. Clarification was also provided on the study design, and typographical errors were fixed.
22 May 2017	Amendment No.3: This amendment was enacted to reduce the target number of randomized participants from 5,000 to 4,000, and to update marketing, safety information on belimumab studies, and delivery method of commercial belimumab. The study design was also further updated and clarified, the location of the Study Procedures Manual was included, and remaining typographical errors were fixed.
25 November 2020	Amendment 4 was implemented during the follow-up period and prior to the Year 3 interim report; the protocol was amended to change the Sponsor from Human Genome Sciences, Inc. to GlaxoSmithKline.

Notes:

Interruptions (globally)

Were there any global interruptions to the trial? No

Limitations and caveats

None reported