



## Clinical trial results:

**Thiotepa- Fludarabine- Treosulfan (TFT) conditioning for 2nd allogeneic PBSCT from a different unrelated donor in patients with AML relapsing from prior allogeneic HCT**

**Konditionierung mit Thiotepa-Fludarabin-Treosulfan (TFT) bei zweiter allogener Stammzelltransplantation von einem anderen nicht verwandten Spender für Patienten mit Rezidiv einer AML nach 1. allogener Stammzelltransplantation**

### Summary

EudraCT number	2012-005414-18
Trial protocol	DE
Global end of trial date	17 April 2020

### Results information

Result version number	v1 (current)
This version publication date	14 May 2022
First version publication date	14 May 2022

### Trial information

#### Trial identification

Sponsor protocol code	ZKS000783
-----------------------	-----------

#### Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	-
WHO universal trial number (UTN)	-
Other trial identifiers	DRKS: DRKS00005126

Notes:

### Sponsors

Sponsor organisation name	Medical Center - University of Freiburg
Sponsor organisation address	Breisacher Str. 153, Freiburg, Germany, 79110
Public contact	Dr. med. Olga Grichina, Clinical Trials Unit, Medical Center - University of Freiburg, +49 761270-74410, olga.grichina@uniklinik-freiburg.de
Scientific contact	Prof. Dr. med. Jürgen Finke, Department of Medicine I, Medical Center - University of Freiburg, +49 761270-33640, juergen.finke@uniklinik-freiburg.de

Notes:

### Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No
--	----

Notes:

## Results analysis stage

Analysis stage	Final
Date of interim/final analysis	13 April 2021
Is this the analysis of the primary completion data?	Yes
Primary completion date	17 April 2020
Global end of trial reached?	Yes
Global end of trial date	17 April 2020
Was the trial ended prematurely?	No

Notes:

## General information about the trial

Main objective of the trial:

To assess the probability of disease-free survival (DFS), defined as being alive and free of relapse at 1 year after 2nd allogeneic Peripheral Blood Stem Cell Transplantation (PBSCT, 2nd Tx) from unrelated donors after a uniform "intensive-RIC" conditioning with the TFT regimen and defined Graft-versus-Host-Disease (GvHD) prophylaxis

Protection of trial subjects:

The clinical trial was designed in accordance with the ICH Harmonized Tripartite Guidelines for Good Clinical Practice, with applicable local regulations (including European Directive 2001/20/EC), and with the ethical principles laid down in the Declaration of Helsinki. The protocol and the proposed informed consent form was reviewed and approved by a properly constituted Independent Ethics Committee (IEC of the University of Freiburg) before trial start.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	25 March 2014
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	No

Notes:

## Population of trial subjects

### Subjects enrolled per country

Country: Number of subjects enrolled	Germany: 52
Worldwide total number of subjects	52
EEA total number of subjects	52

Notes:

### Subjects enrolled per age group

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23	0

months)	
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	50
From 65 to 84 years	2
85 years and over	0

## Subject disposition

### Recruitment

Recruitment details:

52 patients were registered for the study from 25th March 2014 up to 10th March 2017 from 9 German centres

### Pre-assignment

Screening details: -

### Pre-assignment period milestones

Number of subjects started	52
Number of subjects completed	52

### Period 1

Period 1 title	Overall (overall period)
Is this the baseline period?	Yes
Allocation method	Non-randomised - controlled
Blinding used	Not blinded

### Arms

<b>Arm title</b>	2nd alloHC after conditioning regimen and GvHD prophylaxis
------------------	--

Arm description:

2nd allogenic peripheral blood hematopoietic cell transplantation (HCT) from an unrelated donor after a uniform conditioning with Treosulfan 3x12g/m<sup>2</sup>, Fludarabin 3x30mg/m<sup>2</sup>, and Thiotepa 3x 5mg/kg (TFT), and Graft versus Host Disease (GvHD) prophylaxis with cyclosporine A (CyA) /Mycophenolate and ATG-F (Neovii) 3x10mg/kg.

Arm type	Experimental
Investigational medicinal product name	Thiotepa
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Powder for solution for infusion
Routes of administration	Intravenous use

Dosage and administration details:

3x 5 mg/kg

Investigational medicinal product name	Treosulfan
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Powder for solution for infusion
Routes of administration	Intravenous use

Dosage and administration details:

3x12 g/m<sup>2</sup>

Investigational medicinal product name	Fludarabine
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Concentrate for solution for injection/infusion
Routes of administration	Intravenous use

Dosage and administration details:

3x30 mg/m<sup>2</sup>

<b>Number of subjects in period 1</b>	2nd alloHC after conditioning regimen and GvHD prophylaxis
Started	52
Completed	52

## Baseline characteristics

### Reporting groups

Reporting group title	Overall
Reporting group description: -	

Reporting group values	Overall	Total	
Number of subjects	52	52	
Age categorical			
Units: Subjects			
In utero	0	0	
Preterm newborn infants (gestational age < 37 wks)	0	0	
Newborns (0-27 days)	0	0	
Infants and toddlers (28 days-23 months)	0	0	
Children (2-11 years)	0	0	
Adolescents (12-17 years)	0	0	
Adults (18-64 years)	50	50	
From 65-84 years	2	2	
85 years and over	0	0	
Age continuous			
Units: years			
arithmetic mean	48.9		
standard deviation	± 12.5	-	
Gender categorical			
Units: Subjects			
Female	19	19	
Male	33	33	

### Subject analysis sets

Subject analysis set title	FAS
Subject analysis set type	Full analysis

Subject analysis set description:

The full analysis set (FAS) includes all patients registered for the study, for whom the conditioning regimen TFT and the GvHD prophylaxis regimen Cyclosporine A (CyA), Mycophenolic Acid (MPA) / Mycophenolate mofetil (MMF), ATG-F has started, and for whom allogeneic PBSCT from an unrelated donor has been performed.

Reporting group values	FAS		
Number of subjects	50		
Age categorical			
Units: Subjects			
In utero	0		
Preterm newborn infants (gestational age < 37 wks)	0		
Newborns (0-27 days)	0		
Infants and toddlers (28 days-23 months)	0		
Children (2-11 years)	0		

Adolescents (12-17 years)	0		
Adults (18-64 years)	48		
From 65-84 years	2		
85 years and over	0		
Age continuous			
Units: years			
arithmetic mean	49.6		
standard deviation	± 12.1		
Gender categorical			
Units: Subjects			
Female	18		
Male	32		

---

## End points

### End points reporting groups

Reporting group title	2nd alloHC after conditioning regimen and GvHD prophylaxis
Reporting group description: 2nd allogeneic peripheral blood hematopoietic cell transplantation (HCT) from an unrelated donor after a uniform conditioning with Treosulfan 3x12g/m <sup>2</sup> , Fludarabin 3x30mg/m <sup>2</sup> , and Thiotepa 3x 5mg/kg (TFT), and Graft versus Host Disease (GvHD) prophylaxis with cyclosporine A (CyA) /Mycophenolate and ATG-F (Neovii) 3x10mg/kg.	
Subject analysis set title	FAS
Subject analysis set type	Full analysis
Subject analysis set description: The full analysis set (FAS) includes all patients registered for the study, for whom the conditioning regimen TFT and the GvHD prophylaxis regimen Cyclosporine A (CyA), Mycophenolic Acid (MPA) / Mycophenolate mofetil (MMF), ATG-F has started, and for whom allogeneic PBSCT from an unrelated donor has been performed.	

### Primary: Disease-free survival (DFS)

End point title	Disease-free survival (DFS) <sup>[1]</sup>
End point description: Defined as being alive and free of relapse at 12 months post 2nd Tx.	
End point type	Primary
End point timeframe: 12 months post 2nd Tx	
Notes: [1] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point. Justification: Single-arm phase II trial, comparison with historical control data.	

End point values	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability of DFS				
number (confidence interval 95%)	0.46 (0.318 to 0.607)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Relapse

End point title	Relapse
End point description: Probability of relapse at 36 months after 2nd TX	
End point type	Secondary
End point timeframe: 36 months after 2nd TX	



<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability of relapse				
number (confidence interval 95%)	0.36 (0.25 to 0.52)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Relapse mortality

End point title	Relapse mortality
End point description:	
Probability of relapse mortality at 36 months after 2nd TX	
End point type	Secondary
End point timeframe:	
36 months after 2nd TX	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.35 (0.24 to 0.51)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Non-relapse mortality

End point title	Non-relapse mortality
End point description:	
Probability of non-relapse mortality at 36 months after 2nd TX	
End point type	Secondary
End point timeframe:	
36 months after 2nd TX	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.40 (0.29 to 0.57)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Overall survival

End point title	Overall survival
End point description: Probability of overall survival at 36 months after 2nd TX	
End point type	Secondary
End point timeframe: 36 months after 2nd TX	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.24 (0.13 to 0.37)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Acute graft versus host disease (aGvHD) any

End point title	Acute graft versus host disease (aGvHD) any
End point description:	
End point type	Secondary
End point timeframe: 6 months	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.54 (0.42 to 0.70)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Acute graft versus host disease (aGvHD) Grade II-IV

End point title	Acute graft versus host disease (aGvHD) Grade II-IV
End point description:	
End point type	Secondary
End point timeframe:	
6 months	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.42 (0.30 to 0.58)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Acute graft versus host disease (aGvHD) Grade III-IV

End point title	Acute graft versus host disease (aGvHD) Grade III-IV
End point description:	
End point type	Secondary
End point timeframe:	
6 months	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.26 (0.16 to 0.42)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Chronic graft versus host disease (cGvHD) any

End point title	Chronic graft versus host disease (cGvHD) any
End point description:	
End point type	Secondary
End point timeframe:	
12 months post 2nd TX	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.26 (0.16 to 0.42)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Chronic graft versus host disease (cGvHD) extensive (Seattle)

End point title	Chronic graft versus host disease (cGvHD) extensive (Seattle)
End point description:	
Probability of extensive (Seattle) chronic GvHD at 12 months post 2nd TX	
End point type	Secondary
End point timeframe:	
12 months post 2nd TX	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.20 (0.12 to 0.35)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Chronic graft versus host disease (cGvHD) moderate/severe (NIH)

End point title	Chronic graft versus host disease (cGvHD) moderate/severe (NIH)
End point description:	
End point type	Secondary
End point timeframe:	
12 months post 2nd TX	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.22 (0.13 to 0.37)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: ECOG performance status

End point title	ECOG performance status
End point description:	
End point type	Secondary
End point timeframe:	
12 months	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	26			
Units: Number of patients				
Grade 0	7			
Grade 1	16			
Grade 2	1			
Grade 3	0			
Grade 4	0			
Grade 5	0			
Missing	2			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Engraftment (ANC>0.5/nL)

End point title	Engraftment (ANC>0.5/nL)
End point description:	
End point type	Secondary
End point timeframe:	
at 3 months and at 6 months	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.94 (0.87 to 1.00)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Engraftment (ANC>1.0/nL)

End point title	Engraftment (ANC>1.0/nL)
End point description:	
End point type	Secondary

End point timeframe:  
at 3 months and at 6 months

End point values	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.92 (0.85 to 1.00)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Platelet engraftment (platelets>20/nL)

End point title	Platelet engraftment (platelets>20/nL)
End point description:	
Probability of engraftment (platelets >20/nL)	
End point type	Secondary
End point timeframe:	
at 3 months and 6 months	

End point values	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.80 (0.70 to 0.92)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Platelet engraftment (platelets>100/nL)

End point title	Platelet engraftment (platelets>100/nL)
End point description:	
Probability of engraftment (platelets >100/nL)	
End point type	Secondary
End point timeframe:	
at 3 months and at 6 months	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: Probability				
number (confidence interval 95%)	0.62 (0.50 to 0.77)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Disease-free survival (DSF)

End point title	Disease-free survival (DSF)
End point description: Median DFS time post 2nd Tx, defined as time from 2nd Tx until relapse or death.	
End point type	Secondary
End point timeframe: Time from 2nd Tx until relapse or death	

<b>End point values</b>	FAS			
Subject group type	Subject analysis set			
Number of subjects analysed	50			
Units: DSF time				
median (confidence interval 95%)	8.69 (2.76 to 32.16)			

### Statistical analyses

No statistical analyses for this end point



## Adverse events

### Adverse events information

Timeframe for reporting adverse events:

Complete study

Assessment type	Systematic
-----------------	------------

### Dictionary used

Dictionary name	MedDRA
-----------------	--------

Dictionary version	23
--------------------	----

### Reporting groups

Reporting group title	Overall
-----------------------	---------

Reporting group description:

2nd alloHC after conditioning regimen and GvHD prophylaxis

Serious adverse events	Overall		
Total subjects affected by serious adverse events			
subjects affected / exposed	29 / 52 (55.77%)		
number of deaths (all causes)	39		
number of deaths resulting from adverse events	15		
Cardiac disorders			
Cardiac failure			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 2		
Nervous system disorders			
Encephalopathy			
subjects affected / exposed	4 / 52 (7.69%)		
occurrences causally related to treatment / all	4 / 4		
deaths causally related to treatment / all	0 / 0		
Subarachnoid haemorrhage			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 1		
Gastrointestinal disorders			
Stomatitis			

subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Respiratory, thoracic and mediastinal disorders			
Acute respiratory distress syndrome			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 1		
Respiratory failure			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Renal and urinary disorders			
Renal impairment			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Infections and infestations			
Atypical pneumonia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Cerebral toxoplasmosis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 1		
Cytomegalovirus infection reactivation			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Device related infection			

subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Endocarditis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 1		
Febrile infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Herpes zoster disseminated			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 1		
Herpes zoster			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Herpes zoster meningoencephalitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Infection			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 1		
Metapneumovirus infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Neutropenic sepsis			

subjects affected / exposed	1 / 52 (1.92%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 1			
Oesophageal infection				
subjects affected / exposed	1 / 52 (1.92%)			
occurrences causally related to treatment / all	1 / 1			
deaths causally related to treatment / all	0 / 0			
Ophthalmic herpes zoster				
subjects affected / exposed	1 / 52 (1.92%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Oral herpes				
subjects affected / exposed	1 / 52 (1.92%)			
occurrences causally related to treatment / all	1 / 1			
deaths causally related to treatment / all	0 / 0			
Pneumonia				
subjects affected / exposed	6 / 52 (11.54%)			
occurrences causally related to treatment / all	1 / 7			
deaths causally related to treatment / all	1 / 4			
Pulmonary sepsis				
subjects affected / exposed	1 / 52 (1.92%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Sepsis				
subjects affected / exposed	7 / 52 (13.46%)			
occurrences causally related to treatment / all	4 / 7			
deaths causally related to treatment / all	2 / 5			
Septic shock				
subjects affected / exposed	3 / 52 (5.77%)			
occurrences causally related to treatment / all	2 / 3			
deaths causally related to treatment / all	1 / 2			
Upper respiratory tract infection				

subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Urosepsis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Viral haemorrhagic cystitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Metabolism and nutrition disorders			
Hypernatraemia			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences causally related to treatment / all	3 / 3		
deaths causally related to treatment / all	0 / 0		

Frequency threshold for reporting non-serious adverse events: 0 %

<b>Non-serious adverse events</b>	Overall		
Total subjects affected by non-serious adverse events			
subjects affected / exposed	52 / 52 (100.00%)		
Vascular disorders			
Capillary leak syndrome			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Haemorrhage			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Hypertension			
subjects affected / exposed	15 / 52 (28.85%)		
occurrences (all)	15		
Hypotension			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		

Jugular vein thrombosis subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Venoocclusive disease subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
General disorders and administration site conditions			
Asthenia subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Chills subjects affected / exposed occurrences (all)	5 / 52 (9.62%) 5		
Extravasation subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Fatigue subjects affected / exposed occurrences (all)	6 / 52 (11.54%) 6		
Localised oedema subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Mucosal haemorrhage subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Mucosal inflammation subjects affected / exposed occurrences (all)	32 / 52 (61.54%) 32		
Oedema peripheral subjects affected / exposed occurrences (all)	8 / 52 (15.38%) 9		
Oedema subjects affected / exposed occurrences (all)	8 / 52 (15.38%) 8		
Pain			

<p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Pyrexia</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p>	<p>1 / 52 (1.92%)</p> <p>1</p> <p>17 / 52 (32.69%)</p> <p>20</p>		
<p>Immune system disorders</p> <p>Allergic reaction to excipient</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Hypersensitivity</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p>	<p>1 / 52 (1.92%)</p> <p>1</p> <p>2 / 52 (3.85%)</p> <p>2</p>		
<p>Reproductive system and breast disorders</p> <p>Vaginal haemorrhage</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p>	<p>1 / 52 (1.92%)</p> <p>1</p>		
<p>Respiratory, thoracic and mediastinal disorders</p> <p>Bronchospasm</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Cough</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Dysphonia</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Epistaxis</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Hypoxia</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Interstitial lung disease</p> <p>subjects affected / exposed</p> <p>occurrences (all)</p> <p>Obstructive airways disorder</p>	<p>2 / 52 (3.85%)</p> <p>2</p> <p>4 / 52 (7.69%)</p> <p>4</p> <p>1 / 52 (1.92%)</p> <p>1</p> <p>8 / 52 (15.38%)</p> <p>8</p> <p>2 / 52 (3.85%)</p> <p>2</p> <p>1 / 52 (1.92%)</p> <p>1</p>		

subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Pharyngeal inflammation			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Pleural effusion			
subjects affected / exposed	5 / 52 (9.62%)		
occurrences (all)	5		
Respiratory failure			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Psychiatric disorders			
Delirium			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Depression			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Hallucination			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Insomnia			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Intentional self-injury			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Organic brain syndrome			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Product issues			
Liquid product physical issue			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Investigations			



Alanine aminotransferase increased			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Aspartate aminotransferase increased			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Biopsy soft tissue			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood albumin decreased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood alkaline phosphatase increased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood bilirubin increased			
subjects affected / exposed	14 / 52 (26.92%)		
occurrences (all)	24		
Blood calcium decreased			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Blood cholinesterase decreased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood creatinine increased			
subjects affected / exposed	10 / 52 (19.23%)		
occurrences (all)	16		
Blood culture positive			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood immunoglobulin G decreased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood lactate dehydrogenase increased			

subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood thyroid stimulating hormone increased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Blood magnesium decreased			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Blood urea increased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
C-reactive protein increased			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Gamma-glutamyltransferase increased			
subjects affected / exposed	7 / 52 (13.46%)		
occurrences (all)	8		
Haemoglobin decreased			
subjects affected / exposed	4 / 52 (7.69%)		
occurrences (all)	4		
Liver function test increased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Oxygen saturation decreased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Platelet count decreased			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Thyroxine free decreased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Troponin T increased			

subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Tri-iodothyronine free decreased subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Transaminases increased subjects affected / exposed occurrences (all)	3 / 52 (5.77%) 4		
White blood cell count decreased subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Injury, poisoning and procedural complications			
Fall subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Transfusion-related acute lung injury subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Cardiac disorders			
Angina pectoris subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Atrial fibrillation subjects affected / exposed occurrences (all)	4 / 52 (7.69%) 4		
Cardiac failure subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Pericardial effusion subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Sinus bradycardia subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Sinus tachycardia			

subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Tachycardia			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Nervous system disorders			
Aphasia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Cerebral ischaemia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Dizziness			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Encephalopathy			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Headache			
subjects affected / exposed	5 / 52 (9.62%)		
occurrences (all)	6		
Myoclonus			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Paraesthesia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Seizure			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Syncope			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	2		
Tremor			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		

Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	9 / 52 (17.31%)		
occurrences (all)	11		
Coagulopathy			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Febrile neutropenia			
subjects affected / exposed	12 / 52 (23.08%)		
occurrences (all)	12		
Haemolysis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Leukopenia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Neutropenia			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Pancytopenia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Thrombocytopenia			
subjects affected / exposed	11 / 52 (21.15%)		
occurrences (all)	12		
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Eye disorders			
Dry eye			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Lacrimation increased			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Pupils unequal			

subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Vision blurred			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Gastrointestinal disorders			
Abdominal pain upper			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Abdominal pain			
subjects affected / exposed	7 / 52 (13.46%)		
occurrences (all)	7		
Anal haemorrhage			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Aphthous ulcer			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Ascites			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Colitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Constipation			
subjects affected / exposed	6 / 52 (11.54%)		
occurrences (all)	7		
Diarrhoea			
subjects affected / exposed	29 / 52 (55.77%)		
occurrences (all)	32		
Duodenitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Dyspepsia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		

Dysphagia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Flatulence			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Gastritis			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Gastrointestinal haemorrhage			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Haematemesis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Haemorrhoids			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Ileus			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Large intestinal stenosis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Lip disorder			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Mouth haemorrhage			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Nausea			
subjects affected / exposed	37 / 52 (71.15%)		
occurrences (all)	43		
Neutropenic colitis			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		

Oral blood blister subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Oesophagitis subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 3		
Proctalgia subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Stomatitis subjects affected / exposed occurrences (all)	5 / 52 (9.62%) 5		
Subileus subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Vomiting subjects affected / exposed occurrences (all)	19 / 52 (36.54%) 21		
Hepatobiliary disorders Hepatotoxicity subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Hydrocholecystis subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Hyperbilirubinaemia subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Liver disorder subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Skin and subcutaneous tissue disorders Acne subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Alopecia			



subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Decubitus ulcer			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Dermatitis exfoliative generalised			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Drug eruption			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Dry skin			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Erythema			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Palmar-plantar erythrodysaesthesia syndrome			
subjects affected / exposed	4 / 52 (7.69%)		
occurrences (all)	4		
Petechiae			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Pruritus			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Rash			
subjects affected / exposed	16 / 52 (30.77%)		
occurrences (all)	17		
Rash maculo-papular			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Skin fissures			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		

Skin hyperpigmentation subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Skin lesion subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Skin ulcer subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Renal and urinary disorders Acute kidney injury subjects affected / exposed occurrences (all)	5 / 52 (9.62%) 5		
Bladder spasm subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Dysuria subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Haematuria subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Pollakiuria subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Musculoskeletal and connective tissue disorders Back pain subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Muscle spasms subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Musculoskeletal pain subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 2		
Myalgia			

subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Pain in extremity			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Infections and infestations			
Adenovirus infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Anal abscess			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
BK virus infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Atypical pneumonia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Bacterial infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Bacterial sepsis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Candida infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Clostridium difficile colitis			
subjects affected / exposed	5 / 52 (9.62%)		
occurrences (all)	5		
Coronavirus infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Cystitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		

Cystitis bacterial			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Cytomegalovirus colitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Cytomegalovirus infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Cytomegalovirus infection reactivation			
subjects affected / exposed	8 / 52 (15.38%)		
occurrences (all)	8		
Device related infection			
subjects affected / exposed	4 / 52 (7.69%)		
occurrences (all)	4		
Enterococcal sepsis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Enterobacter infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Epstein-Barr virus infection reactivation			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Eye infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Escherichia sepsis			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Fusarium infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Gastroenteritis adenovirus			

subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Gastrointestinal candidiasis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Herpes simplex			
subjects affected / exposed	5 / 52 (9.62%)		
occurrences (all)	5		
Herpes simplex reactivation			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Herpes zoster			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Human herpesvirus 6 infection reactivation			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Infection			
subjects affected / exposed	4 / 52 (7.69%)		
occurrences (all)	4		
Klebsiella infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Oral candidiasis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Oral herpes			
subjects affected / exposed	3 / 52 (5.77%)		
occurrences (all)	3		
Pneumonia			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Pulmonary mycosis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		

Pseudomonal sepsis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Relapsing fever			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Respiratory syncytial virus infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Sepsis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Rhinitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Respiratory tract infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Sinusitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Soft tissue infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Staphylococcal infection			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Staphylococcal sepsis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Tonsillitis			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		
Urinary tract infection enterococcal			
subjects affected / exposed	1 / 52 (1.92%)		
occurrences (all)	1		

Urinary tract infection subjects affected / exposed occurrences (all)	9 / 52 (17.31%) 9		
Vascular device infection subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Vulvovaginal candidiasis subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Metabolism and nutrition disorders			
Decreased appetite subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Diabetes mellitus inadequate control subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Hyperglycaemia subjects affected / exposed occurrences (all)	5 / 52 (9.62%) 5		
Hyperkalaemia subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Hypernatraemia subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Hypocalcaemia subjects affected / exposed occurrences (all)	2 / 52 (3.85%) 2		
Hypoalbuminaemia subjects affected / exposed occurrences (all)	1 / 52 (1.92%) 1		
Hypokalaemia subjects affected / exposed occurrences (all)	11 / 52 (21.15%) 13		
Hyponatraemia			

subjects affected / exposed	4 / 52 (7.69%)		
occurrences (all)	5		
Hypophosphataemia			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Hypoproteinaemia			
subjects affected / exposed	2 / 52 (3.85%)		
occurrences (all)	2		
Hypomagnesaemia			
subjects affected / exposed	7 / 52 (13.46%)		
occurrences (all)	7		



## More information

### Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? No

---

### Interruptions (globally)

Were there any global interruptions to the trial? No

### Limitations and caveats

None reported