



## Clinical trial results:

**Multicenter, randomized, double-blind, double-dummy, active-comparator, event-driven, superiority phase III study of secondary prevention of stroke and prevention of systemic embolism in patients with a recent Embolic Stroke of Undetermined Source (ESUS), comparing rivaroxaban 15 mg once daily with aspirin 100 mg (NAVIGATE ESUS)**

### Summary

EudraCT number	2013-000768-27
Trial protocol	SE IE PT CZ BE ES IT HU FI DK GB AT GR
Global end of trial date	15 February 2018

### Results information

Result version number	v2 (current)
This version publication date	03 February 2019
First version publication date	06 December 2018
Version creation reason	<ul style="list-style-type: none"><li>• Correction of full data set</li><li>Update wording of the endpoints.</li></ul>

### Trial information

#### Trial identification

Sponsor protocol code	BAY59-7939/16573
-----------------------	------------------

#### Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT02313909
WHO universal trial number (UTN)	-

Notes:

### Sponsors

Sponsor organisation name	Bayer AG
Sponsor organisation address	Kaiser-Wilhelm-Allee, D-51368 Leverkusen, Germany,
Public contact	Therapeutic Area Head, Bayer AG , clinical-trials-contact@bayer.com
Scientific contact	Therapeutic Area Head, Bayer AG , clinical-trials-contact@bayer.com

Notes:

### Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

## Results analysis stage

Analysis stage	Final
Date of interim/final analysis	15 February 2018
Is this the analysis of the primary completion data?	No
Global end of trial reached?	Yes
Global end of trial date	15 February 2018
Was the trial ended prematurely?	Yes

Notes:

## General information about the trial

Main objective of the trial:

The primary efficacy objective of this study was to evaluate whether rivaroxaban (Xarelto, BAY59-7939) was superior to acetylsalicylic acid (Aspirin) in reducing the risk of recurrent stroke and systemic embolism in subjects with a recent embolic stroke of undetermined source (ESUS).

Protection of trial subjects:

The conduct of this clinical study met all local legal and regulatory requirements. The study was conducted in accordance with the ethical principles that have their origin in the Declaration of Helsinki and the International Council for Harmonization guideline E6: Good Clinical Practice. Before entering the study, the informed consent form was read by and explained to all subjects. Participating subjects signed informed consent form and could withdraw from the study at any time without any disadvantage and without having to provide a reason for this decision. Only investigators qualified by training and experience were selected as appropriate experts to investigate the study drug.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	23 December 2014
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	Yes

Notes:

## Population of trial subjects

### Subjects enrolled per country

Country: Number of subjects enrolled	Poland: 284
Country: Number of subjects enrolled	Portugal: 154
Country: Number of subjects enrolled	Spain: 618
Country: Number of subjects enrolled	Sweden: 71
Country: Number of subjects enrolled	United Kingdom: 435
Country: Number of subjects enrolled	Austria: 174
Country: Number of subjects enrolled	Belgium: 90
Country: Number of subjects enrolled	Czech Republic: 243
Country: Number of subjects enrolled	Denmark: 146
Country: Number of subjects enrolled	Finland: 131
Country: Number of subjects enrolled	France: 288
Country: Number of subjects enrolled	Germany: 198
Country: Number of subjects enrolled	Greece: 76
Country: Number of subjects enrolled	Hungary: 224

Country: Number of subjects enrolled	Ireland: 13
Country: Number of subjects enrolled	Italy: 334
Country: Number of subjects enrolled	Australia: 119
Country: Number of subjects enrolled	Israel: 60
Country: Number of subjects enrolled	South Africa: 49
Country: Number of subjects enrolled	Switzerland: 125
Country: Number of subjects enrolled	Russian Federation: 328
Country: Number of subjects enrolled	Turkey: 39
Country: Number of subjects enrolled	China: 491
Country: Number of subjects enrolled	Japan: 647
Country: Number of subjects enrolled	Korea, Democratic People's Republic of: 212
Country: Number of subjects enrolled	Canada: 573
Country: Number of subjects enrolled	United States: 345
Country: Number of subjects enrolled	Argentina: 265
Country: Number of subjects enrolled	Brazil: 179
Country: Number of subjects enrolled	Chile: 194
Country: Number of subjects enrolled	Mexico: 108
Worldwide total number of subjects	7213
EEA total number of subjects	3479

Notes:

### Subjects enrolled per age group

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	2943
From 65 to 84 years	4047
85 years and over	223

## Subject disposition

### Recruitment

Recruitment details:

Study was conducted at multiple centers in 31 countries between 23 December 2014 (first subject first visit) and 15 February 2018 (last subject last visit).

### Pre-assignment

Screening details:

Overall, 7582 subjects were screened; of these 369 subjects were screen failures. A total of 7213 subjects were randomized, of which 92 never took study drug; 3562 were treated with rivaroxaban/placebo and 3559 were treated with acetylsalicylic acid/placebo.

### Period 1

Period 1 title	Overall Trial (overall period)
Is this the baseline period?	Yes
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Carer, Assessor

### Arms

Are arms mutually exclusive?	Yes
<b>Arm title</b>	Rivaroxaban 15 mg OD

Arm description:

Subjects received rivaroxaban 15 milligram (mg) immediate-release film-coated tablet and matching placebo of acetylsalicylic acid orally once daily (OD).

Arm type	Experimental
Investigational medicinal product name	Rivaroxaban
Investigational medicinal product code	BAY59-7939
Other name	Xarelto
Pharmaceutical forms	Film-coated tablet
Routes of administration	Oral use

Dosage and administration details:

Subjects received rivaroxaban 15 mg immediate-release film-coated tablet orally OD.

Investigational medicinal product name	Placebo matched to acetylsalicylic acid
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

Subjects received matching placebo of acetylsalicylic acid 100 mg enteric-coated tablet orally OD.

<b>Arm title</b>	Acetylsalicylic acid 100 mg OD
------------------	--------------------------------

Arm description:

Subjects received acetylsalicylic acid 100 mg enteric-coated tablet and matching placebo of rivaroxaban orally OD.

Arm type	Experimental
Investigational medicinal product name	Acetylsalicylic acid
Investigational medicinal product code	BAY1019036
Other name	Aspirin
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

Subjects received acetylsalicylic acid 100 mg enteric-coated tablet orally OD.

Investigational medicinal product name	Placebo matched to rivaroxaban
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Film-coated tablet
Routes of administration	Oral use

Dosage and administration details:

Subjects received matching placebo of rivaroxaban 15 mg immediate-release film-coated tablet orally OD.

<b>Number of subjects in period 1</b>	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD
Started	3609	3604
Treated	3562	3559
Completed	3552	3554
Not completed	57	50
Consent withdrawn by subject	33	33
Lost to follow-up	24	17

## Baseline characteristics

### Reporting groups

Reporting group title	Rivaroxaban 15 mg OD
Reporting group description: Subjects received rivaroxaban 15 milligram (mg) immediate-release film-coated tablet and matching placebo of acetylsalicylic acid orally once daily (OD).	
Reporting group title	Acetylsalicylic acid 100 mg OD
Reporting group description: Subjects received acetylsalicylic acid 100 mg enteric-coated tablet and matching placebo of rivaroxaban orally OD.	

Reporting group values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD	Total
Number of subjects	3609	3604	7213
Age categorical Units: Subjects			

Age continuous Units: years arithmetic mean standard deviation	66.9 ± 9.8	66.9 ± 9.8	-
Gender categorical Units: Subjects			
Female	1377	1400	2777
Male	2232	2204	4436
Race Units: Subjects			
White	2613	2605	5218
Black or African American	51	60	111
Asian	716	698	1414
Other	229	241	470
Stroke or TIA (prior to qualifying stroke) or Other medical history			
The other medical history refers to number of subjects with one medical history finding other than stroke or Transient ischemic attack (TIA).			
Units: Subjects			
Stroke or TIA (prior to qualifying stroke)	620	643	1263
Other medical history	2989	2961	5950
Time from qualifying stroke to randomization Units: days median inter-quartile range (Q1-Q3)	38.0 15.0 to 89.0	36.0 14.0 to 86.5	-

## End points

### End points reporting groups

Reporting group title	Rivaroxaban 15 mg OD
Reporting group description: Subjects received rivaroxaban 15 milligram (mg) immediate-release film-coated tablet and matching placebo of acetylsalicylic acid orally once daily (OD).	
Reporting group title	Acetylsalicylic acid 100 mg OD
Reporting group description: Subjects received acetylsalicylic acid 100 mg enteric-coated tablet and matching placebo of rivaroxaban orally OD.	
Subject analysis set title	Intention-to-treat analysis set (ITT)
Subject analysis set type	Intention-to-treat
Subject analysis set description: ITT included all randomized subjects (N= 7213).	
Subject analysis set title	Safety analysis set (SAF)
Subject analysis set type	Safety analysis
Subject analysis set description: SAF included all randomized subjects who received at least one dose of study drug (N= 7121).	

### Primary: Incidence Rate of the Composite Efficacy Outcome (Adjudicated)

End point title	Incidence Rate of the Composite Efficacy Outcome (Adjudicated)
End point description: Components of composite efficacy outcome (adjudicated) includes stroke (ischemic, hemorrhagic, and undefined stroke, TIA with positive neuroimaging) and systemic embolism. Incidence rate estimated as number of subjects with incident events divided by cumulative at-risk time, where subject is no longer at risk once an incident event occurred.	
End point type	Primary
End point timeframe: From randomization until the efficacy cut-off date (median 326 days)	

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[1]</sup>	3604 <sup>[2]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	5.14 (4.40 to 5.97)	4.78 (4.07 to 5.58)		

Notes:

[1] - ITT

[2] - ITT

### Statistical analyses

Statistical analysis title	Statistical analysis: Stroke + Systemic embolism
Statistical analysis description: Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided)	

as compared to acetylsalicylic acid arm were based on the log-rank test.

Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.51884
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.07
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.87
upper limit	1.33

### Primary: Incidence Rate of a Major Bleeding Event According to the International Society on Thrombosis and Haemostasis (ISTH) Criteria (Adjudicated)

End point title	Incidence Rate of a Major Bleeding Event According to the International Society on Thrombosis and Haemostasis (ISTH) Criteria (Adjudicated)
-----------------	---

End point description:

Major bleeding event (as per ISTH), defined as bleeding event that met at least one of following: fatal bleeding; symptomatic bleeding in a critical area or organ (intraarticular, intramuscular with compartment syndrome, intraocular, intraspinal, pericardial, or retroperitoneal); symptomatic intracranial haemorrhage; clinically overt bleeding associated with a recent decrease in the hemoglobin level of greater than or equal to ( $\geq$ ) 2 grams per decilitre (g/dL) (20 grams per liter [g/L]; 1.24 millimoles per liter [mmol/L]) compared to the most recent hemoglobin value available before the event; clinically overt bleeding leading to transfusion of 2 or more units of packed red blood cells or whole blood. The results were based on classification of events that have been positively adjudicated as major bleeding events. Incidence rate estimated as number of subjects with incident events divided by cumulative at-risk time, where subject is no longer at risk once an incident event occurred.

End point type	Primary
----------------	---------

End point timeframe:

From randomization until the efficacy cut-off date (median 326 days)

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[3]</sup>	3604 <sup>[4]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	1.82 (1.39 to 2.33)	0.67 (0.42 to 1.00)		

Notes:

[3] - ITT

[4] - ITT

### Statistical analyses



<b>Statistical analysis title</b>	Statistical analysis: ISTH major bleeding events
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.	
Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.00002
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	2.72
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.68
upper limit	4.39

## Secondary: Incidence Rate of Any of the Following: Cardiovascular Death, Recurrent Stroke, Systemic Embolism and Myocardial Infarction

End point title	Incidence Rate of Any of the Following: Cardiovascular Death, Recurrent Stroke, Systemic Embolism and Myocardial Infarction
-----------------	---

End point description:

Incidence rate estimated as number of subjects with incident events divided by cumulative at-risk time, where subject is no longer at risk once an incident event occurred. Cardiovascular death includes death due to haemorrhage and death with undetermined/unknown cause. Systemic embolism is defined as abrupt vascular insufficiency associated with clinical or radiological evidence of arterial occlusion in the absence of other likely mechanisms. The diagnosis of myocardial infarction requires the combination of: 1)evidence of myocardial necrosis (either changes in cardiac biomarkers or post-mortem pathological findings); and 2)supporting information derived from the clinical presentation, electrocardiographic changes, or the results of myocardial or coronary artery imaging.

End point type	Secondary
----------------	-----------

End point timeframe:

From randomization until the efficacy cut-off date (median 326 days)

<b>End point values</b>	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[5]</sup>	3604 <sup>[6]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	6.20 (5.38 to 7.10)	5.85 (5.05 to 6.73)		

Notes:

[5] - ITT

[6] - ITT

## Statistical analyses

<b>Statistical analysis title</b>	Statistical analysis
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Confidence intervals were calculated, if at least 1 event in each treatment arm existed. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.	
Comparison groups	Acetylsalicylic acid 100 mg OD v Rivaroxaban 15 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.56922
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.06
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.87
upper limit	1.29

## Secondary: Incidence Rate of All-Cause Mortality

End point title	Incidence Rate of All-Cause Mortality
End point description:	
All-cause mortality includes all deaths of subjects due to any cause.	
End point type	Secondary
End point timeframe:	
From randomization until the efficacy cut-off date (median 326 days)	

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[7]</sup>	3604 <sup>[8]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	1.88 (1.45 to 2.40)	1.50 (1.12 to 1.97)		

Notes:

[7] - ITT

[8] - ITT

## Statistical analyses

<b>Statistical analysis title</b>	Statistical analysis: All-cause mortality
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Confidence intervals were calculated, if at least 1 event in each treatment arm existed. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared	

to acetylsalicylic acid arm were based on the log-rank test.

Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.22078
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.26
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.87
upper limit	1.81

**Secondary: Incidence Rate of the Following: Stroke, Ischemic Stroke, Disabling Stroke (Modified Rankin Score  $\geq 4$ ), Cardiovascular Death (Including Death due to Hemorrhage and Death with Undetermined/Unknown Cause), Myocardial Infarction**

End point title	Incidence Rate of the Following: Stroke, Ischemic Stroke, Disabling Stroke (Modified Rankin Score $\geq 4$ ), Cardiovascular Death (Including Death due to Hemorrhage and Death with Undetermined/Unknown Cause), Myocardial Infarction
-----------------	---

End point description:

Disabling stroke is defined as stroke with modified Rankin score (mRS) greater than or equal to ( $\geq$ ) 4 as assessed by investigator. mRS spans 0-6, running from perfect health to death. A score of 0-3 indicates functional status ranging from no symptoms to "moderate disability" (defined in the mRS as requiring some help, but able to walk without assistance); mRS 4-6 indicates functional status ranging from "moderately severe disability" (unable to walk or to attend to own bodily needs without assistance) through to death. CV death includes death due to haemorrhage and death with undetermined/unknown cause. Diagnosis of myocardial infarction requires combination of: 1) evidence of myocardial necrosis (either changes in cardiac biomarkers or post-mortem pathological findings); 2) supporting information derived from clinical presentation, electrocardiographic changes, or results of myocardial or coronary artery imaging.

End point type	Secondary
----------------	-----------

End point timeframe:

From randomization until the efficacy cut-off date (median 326 days)

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[9]</sup>	3604 <sup>[10]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)				
Stroke	5.11 (4.37 to 5.93)	4.71 (4.01 to 5.51)		
Ischemic stroke	4.71 (4.01 to 5.51)	4.56 (3.87 to 5.34)		
Disabling stroke	1.20 (0.86 to 1.62)	0.84 (0.56 to 1.21)		
CVdeath (includes death due to hemorrhage)	0.99 (0.68 to 1.38)	0.66 (0.42 to 1.00)		

Myocardial infarction	0.49 (0.29 to 0.79)	0.67 (0.42 to 1.00)		
-----------------------	---------------------	---------------------	--	--

Notes:

[9] - ITT

[10] - ITT

## Statistical analyses

<b>Statistical analysis title</b>	Statistical analysis 1: Stroke
-----------------------------------	--------------------------------

Statistical analysis description:

Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.

Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.4797
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.08
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.87
upper limit	1.34

<b>Statistical analysis title</b>	Statistical analysis 2: Ischemic stroke
-----------------------------------	---

Statistical analysis description:

Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.

Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.78738
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.03
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.83
upper limit	1.29

<b>Statistical analysis title</b>	Statistical analysis 3: Disabling stroke
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.	
Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.14822
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.42
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.88
upper limit	2.28

<b>Statistical analysis title</b>	Statistical analysis 4: CV death
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.	
Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.14051
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.48
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.87
upper limit	2.52

<b>Statistical analysis title</b>	Statistical analysis 5: Myocardial infarction
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.	
Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD

Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.34284
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	0.74
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.39
upper limit	1.38

## Secondary: Incidence Rate of Life-Threatening Bleeding Events

End point title	Incidence Rate of Life-Threatening Bleeding Events
End point description:	Life-threatening bleeding was defined as a subset of major bleeding that met at least one of the following criteria: 1) fatal bleeding; 2) symptomatic intracranial haemorrhage; 3) reduction in hemoglobin of at least 5 g/dl (50 g/l; 3.10 mmol/L); 4) transfusion of at least 4 units of packed red cells or whole blood; 5) associated with hypotension requiring the use of intravenous inotropic agents; 6) necessitated surgical intervention. Incidence rate estimated as number of subjects with incident events divided by cumulative at-risk time, where subject is no longer at risk once an incident event occurred.
End point type	Secondary
End point timeframe:	From randomization until the efficacy cut-off date (median 326 days)

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[11]</sup>	3604 <sup>[12]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	1.02 (0.71 to 1.42)	0.43 (0.24 to 0.72)		

Notes:

[11] - ITT

[12] - ITT

## Statistical analyses

Statistical analysis title	Statistical analysis
Statistical analysis description:	Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.
Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD

Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.00443
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	2.34
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.28
upper limit	4.29

## Secondary: Incidence Rate of Clinically Relevant Non-Major Bleeding Events

End point title	Incidence Rate of Clinically Relevant Non-Major Bleeding Events
-----------------	---

End point description:

Non-major clinically relevant bleeding was defined as non-major overt bleeding but required medical attention (example: hospitalization, medical treatment for bleeding), and/or was associated with the study drug interruption of more than 14 days. The results were based on the outcome events at or after randomization until the efficacy cut-off date. Incidence rate estimated as number of subjects with incident events divided by cumulative at-risk time, where subject is no longer at risk once an incident event occurred.

End point type	Secondary
----------------	-----------

End point timeframe:

From randomization until the efficacy cut-off date (median 326 days)

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[13]</sup>	3604 <sup>[14]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	3.52 (2.91 to 4.21)	2.32 (1.84 to 2.90)		

Notes:

[13] - ITT

[14] - ITT

## Statistical analyses

Statistical analysis title	Statistical analysis
----------------------------	----------------------

Statistical analysis description:

Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.

Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD
-------------------	---

Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.00451
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	1.51
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.13
upper limit	2

## Secondary: Incidence Rate of Intracranial Hemorrhage

End point title	Incidence Rate of Intracranial Hemorrhage
End point description:	
Intracranial hemorrhage included all bleeding events that occurred in intracerebral, subarachnoidal as well as subdural or epidural sites. The below table displays results for all randomized subjects and the outcomes at or after randomization until the efficacy cut-off date. Incidence rate estimated as number of subjects with incident events divided by cumulative at-risk time, where subject is no longer at risk once an incident event occurred.	
End point type	Secondary
End point timeframe:	
From randomization until the efficacy cut-off date (median 326 days)	

End point values	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	3609 <sup>[15]</sup>	3604 <sup>[16]</sup>		
Units: event/100 subject-years				
number (confidence interval 95%)	0.70 (0.45 to 1.04)	0.35 (0.18 to 0.61)		

Notes:

[15] - ITT

[16] - ITT

## Statistical analyses

Statistical analysis title	Statistical analysis
Statistical analysis description:	
Risk reduction was estimated with the stratified Cox proportional hazards model. Hazard ratios (95% confidence interval) as compared to acetylsalicylic acid arm were reported. Rivaroxaban treatment was compared with the Acetylsalicylic acid control group using a stratified log-rank test. P-values (two-sided) as compared to acetylsalicylic acid arm were based on the log-rank test.	
Comparison groups	Rivaroxaban 15 mg OD v Acetylsalicylic acid 100 mg OD



Number of subjects included in analysis	7213
Analysis specification	Pre-specified
Analysis type	superiority
P-value	= 0.04409
Method	Logrank
Parameter estimate	Hazard ratio (HR)
Point estimate	2.01
Confidence interval	
level	95 %
sides	2-sided
lower limit	1
upper limit	4.02

## Adverse events

### Adverse events information

Timeframe for reporting adverse events:

From start of study drug administration until 2 days after the last dose of study drug

Assessment type	Non-systematic
-----------------	----------------

### Dictionary used

Dictionary name	MedDRA
-----------------	--------

Dictionary version	20.1
--------------------	------

### Reporting groups

Reporting group title	Rivaroxaban 15 mg OD
-----------------------	----------------------

Reporting group description:

Subjects received rivaroxaban 15 mg immediate-release film-coated tablet and matching placebo of acetylsalicylic acid orally OD up to end of treatment.

Reporting group title	Acetylsalicylic acid 100 mg OD
-----------------------	--------------------------------

Reporting group description:

Subjects received acetylsalicylic acid 100 mg enteric-coated tablet and matching placebo of rivaroxaban orally OD up to end of treatment.

Serious adverse events	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD	
Total subjects affected by serious adverse events			
subjects affected / exposed	466 / 3562 (13.08%)	434 / 3559 (12.19%)	
number of deaths (all causes)	73	58	
number of deaths resulting from adverse events	15	20	
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Acute lymphocytic leukaemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma of colon			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma gastric			

subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
B-cell lymphoma			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Basal cell carcinoma			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bile duct adenocarcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Bladder cancer			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Bladder neoplasm			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bladder transitional cell carcinoma			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain neoplasm malignant			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Cervix carcinoma			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic lymphocytic leukaemia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colon cancer			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Colorectal cancer stage IV			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Essential thrombocythaemia			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fallopian tube cancer			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gallbladder cancer			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric cancer			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal carcinoma			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Kaposi's sarcoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hodgkin's disease			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung adenocarcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Lung adenocarcinoma stage IV			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung carcinoma cell type unspecified stage IV			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Lymphoma			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malignant melanoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to bone			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myelodysplastic syndrome			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal adenocarcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-Hodgkin's lymphoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal carcinoma			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Oropharyngeal cancer			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic carcinoma			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic carcinoma metastatic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Papillary thyroid cancer			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Parathyroid tumour			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Plasma cell myeloma			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal adenocarcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal cancer			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal cancer stage III			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal meningioma benign			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Squamous cell carcinoma of lung			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transitional cell carcinoma			

subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Squamous cell carcinoma of the tongue			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine leiomyoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal adenoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung cancer metastatic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastases to peritoneum			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intestinal adenocarcinoma			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung neoplasm malignant			
subjects affected / exposed	1 / 3562 (0.03%)	5 / 3559 (0.14%)	
occurrences causally related to treatment / all	0 / 1	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 1	
Neuroendocrine tumour			



subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic carcinoma stage IV			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostate cancer			
subjects affected / exposed	1 / 3562 (0.03%)	8 / 3559 (0.22%)	
occurrences causally related to treatment / all	0 / 1	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Benign bone neoplasm			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain neoplasm			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal neoplasm			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oesophageal squamous cell carcinoma			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-small cell lung cancer			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pituitary tumour benign			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatic neoplasm			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung neoplasm			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Thyroid cancer			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal cell carcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metastatic uterine cancer			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Inflammatory pseudotumour			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Malignant neoplasm of unknown primary site			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Hepatic cancer			

subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Invasive breast carcinoma			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular disorders			
Aortic aneurysm			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic aneurysm rupture			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic stenosis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Embolism venous			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertension			
subjects affected / exposed	4 / 3562 (0.11%)	6 / 3559 (0.17%)	
occurrences causally related to treatment / all	0 / 4	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive crisis			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypotension			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lymphoedema			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Orthostatic hypotension			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral ischaemia			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral vascular disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Temporal arteritis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombophlebitis superficial			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Varicose vein			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post thrombotic syndrome			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Deep vein thrombosis			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral artery occlusion			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
May-Thurner syndrome			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral arterial occlusive disease			
subjects affected / exposed	5 / 3562 (0.14%)	5 / 3559 (0.14%)	
occurrences causally related to treatment / all	0 / 5	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral artery stenosis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Surgical and medical procedures			
Finger amputation			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial septal defect repair			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
General disorders and administration site conditions			

Asthenia			
subjects affected / exposed	0 / 3562 (0.00%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fatigue			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	1 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gait disturbance			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hernia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Influenza like illness			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Oedema peripheral			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pyrexia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral swelling			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
General physical health deterioration			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-cardiac chest pain			
subjects affected / exposed	3 / 3562 (0.08%)	4 / 3559 (0.11%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple organ dysfunction syndrome			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Immune system disorders			
Anaphylactic reaction			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anaphylactic shock			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Corneal graft rejection			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypersensitivity			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Reproductive system and breast disorders			
Benign prostatic hyperplasia			
subjects affected / exposed	4 / 3562 (0.11%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	

Menorrhagia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	2 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peyronie's disease			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatitis			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Uterine prolapse			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endometrial dysplasia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Genital haemorrhage			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory, thoracic and mediastinal disorders			
Acute pulmonary oedema			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Asthma			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	



Chronic obstructive pulmonary disease			
subjects affected / exposed	3 / 3562 (0.08%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dyspnoea			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hiccups			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Idiopathic pulmonary fibrosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia aspiration			
subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Pleural effusion			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary embolism			
subjects affected / exposed	1 / 3562 (0.03%)	8 / 3559 (0.22%)	
occurrences causally related to treatment / all	0 / 1	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 1	
Pulmonary oedema			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sleep apnoea syndrome			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory failure			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary mass			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchial disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Psychiatric disorders			
Alcohol abuse			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adjustment disorder with mixed anxiety and depressed mood			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcoholism			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anxiety			

subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Completed suicide			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 2	
Conversion disorder			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Delirium			
subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Depression			
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Depression suicidal			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Disorientation			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hallucination, visual			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intentional self-injury			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mania			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Obsessive-compulsive personality disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Panic disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Panic reaction			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Schizophrenia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Somnambulism			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcohol withdrawal syndrome			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suicide attempt			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Major depression			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Alcohol use disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neurologic somatic symptom disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Product issues			
Device malfunction			
alternative assessment type: Systematic			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatobiliary disorders			
Bile duct stone			
subjects affected / exposed	4 / 3562 (0.11%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary colic			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholangitis			

subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholangitis acute			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis acute			
subjects affected / exposed	3 / 3562 (0.08%)	4 / 3559 (0.11%)	
occurrences causally related to treatment / all	0 / 3	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholelithiasis			
subjects affected / exposed	6 / 3562 (0.17%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 6	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatic cirrhosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Drug-induced liver injury			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis acute			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Investigations			
Blood creatinine increased			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
C-reactive protein increased			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eosinophil count increased			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemoglobin decreased			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Prostatic specific antigen increased			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Influenza A virus test positive			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Liver function test increased			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Injury, poisoning and procedural complications			

Accidental overdose			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anastomotic ulcer haemorrhage			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ankle fracture			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carbon monoxide poisoning			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Compression fracture			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Facial bones fracture			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fall			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Femoral neck fracture			
subjects affected / exposed	6 / 3562 (0.17%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 6	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Femur fracture			



subjects affected / exposed	5 / 3562 (0.14%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foot fracture			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Head injury			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hip fracture			
subjects affected / exposed	1 / 3562 (0.03%)	5 / 3559 (0.14%)	
occurrences causally related to treatment / all	0 / 1	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Humerus fracture			
subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intentional overdose			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Joint dislocation			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Laceration			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ligament sprain			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Medication error			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Overdose			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Radius fracture			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rib fracture			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Road traffic accident			
subjects affected / exposed	0 / 3562 (0.00%)	4 / 3559 (0.11%)	
occurrences causally related to treatment / all	0 / 0	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 1	
Spinal compression fracture			
subjects affected / exposed	3 / 3562 (0.08%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal fracture			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subarachnoid haemorrhage			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Wrist fracture			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic fracture			
subjects affected / exposed	0 / 3562 (0.00%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical vertebral fracture			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle strain			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Face injury			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Contusion			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arterial restenosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain contusion			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thermal burn			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transplant failure			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Limb injury			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic intracranial haemorrhage			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper limb fracture			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ligament rupture			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bone contusion			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal column injury			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pubis fracture			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Craniocerebral injury			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Meniscus injury			
subjects affected / exposed	0 / 3562 (0.00%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incorrect dosage administered			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic haemothorax			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Limb fracture			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Congenital, familial and genetic disorders			
Atrial septal defect			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bicuspid aortic valve			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hydrocele			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary arteriovenous fistula			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac disorders			
Angina pectoris			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Aortic valve stenosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arrhythmia			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Arrhythmia supraventricular			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial fibrillation			

subjects affected / exposed	36 / 3562 (1.01%)	37 / 3559 (1.04%)	
occurrences causally related to treatment / all	0 / 36	0 / 37	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial flutter			
subjects affected / exposed	5 / 3562 (0.14%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrioventricular block complete			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrioventricular block second degree			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bradycardia			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac amyloidosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Cardiac failure			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac failure chronic			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac failure congestive			

subjects affected / exposed	3 / 3562 (0.08%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 3	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Conduction disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery disease			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery occlusion			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery stenosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive heart disease			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myocardial ischaemia			
subjects affected / exposed	1 / 3562 (0.03%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 1	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myocarditis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Palpitations			



subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericardial effusion			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sinus bradycardia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Supraventricular tachycardia			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular tachycardia			
subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atrial thrombosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular hypokinesia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronary artery insufficiency			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endocarditis noninfective			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nervous system disorders			
Amyotrophic lateral sclerosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Autonomic nervous system imbalance			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Carotid artery stenosis			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	1 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain stem haemorrhage			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	1 / 1	0 / 0	
Cerebellar haemorrhage			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral haemorrhage			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral venous thrombosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebrovascular accident			

subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chorea			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Demyelination			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic neuropathy			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dizziness			
subjects affected / exposed	2 / 3562 (0.06%)	4 / 3559 (0.11%)	
occurrences causally related to treatment / all	0 / 2	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dysarthria			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Epilepsy			
subjects affected / exposed	7 / 3562 (0.20%)	8 / 3559 (0.22%)	
occurrences causally related to treatment / all	0 / 8	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Facial paralysis			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Headache			

subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Generalised tonic-clonic seizure			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hemiparesis			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypoaesthesia			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intracranial aneurysm			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Loss of consciousness			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Migraine			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Migraine with aura			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Multiple sclerosis			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nervous system disorder			
subjects affected / exposed	1 / 3562 (0.03%)	4 / 3559 (0.11%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myelopathy			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Paraesthesia			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polyneuropathy			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post herpetic neuralgia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Presyncope			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sciatica			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Seizure			

subjects affected / exposed	9 / 3562 (0.25%)	9 / 3559 (0.25%)	
occurrences causally related to treatment / all	0 / 10	0 / 9	
deaths causally related to treatment / all	0 / 0	0 / 0	
Status epilepticus			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 1	
Syncope			
subjects affected / exposed	10 / 3562 (0.28%)	8 / 3559 (0.22%)	
occurrences causally related to treatment / all	0 / 10	0 / 8	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transient global amnesia			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tension headache			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical radiculopathy			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertebrobasilar insufficiency			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thalamus haemorrhage			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Putamen haemorrhage			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stroke in evolution			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Partial seizures			
subjects affected / exposed	5 / 3562 (0.14%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 5	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolic encephalopathy			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Parkinson's disease			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral artery stenosis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebral arteriosclerosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Central pain syndrome			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Post stroke seizure			

subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hemianaesthesia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pseudostroke			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Focal dyscognitive seizures			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hemiparaesthesia			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	8 / 3562 (0.22%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	3 / 8	1 / 3	
deaths causally related to treatment / all	0 / 0	0 / 1	
Anaemia macrocytic			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Antiphospholipid syndrome			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Febrile neutropenia			



subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Iron deficiency anaemia			
subjects affected / exposed	4 / 3562 (0.11%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	1 / 4	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Microcytic anaemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancytopenia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombocytopenia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thrombotic thrombocytopenic purpura			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ear and labyrinth disorders			
Meniere's disease			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertigo			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertigo positional			

subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye disorders			
Blindness			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cataract			
subjects affected / exposed	4 / 3562 (0.11%)	8 / 3559 (0.22%)	
occurrences causally related to treatment / all	0 / 5	0 / 10	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diplopia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eyelid ptosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Glaucoma			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Macular oedema			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Retinal detachment			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Visual impairment			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Macular fibrosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ophthalmic vein thrombosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colitis ischaemic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Constipation			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Crohn's disease			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dental caries			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diarrhoea			

subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulum intestinal			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenal ulcer			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	1 / 1	2 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dyspepsia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric haemorrhage			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	1 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric ulcer			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric ulcer haemorrhage			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	2 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal fistula			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrooesophageal reflux disease			

subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Haemorrhoids			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hiatus hernia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ileus			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Inguinal hernia			
subjects affected / exposed	7 / 3562 (0.20%)	5 / 3559 (0.14%)	
occurrences causally related to treatment / all	0 / 7	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intestinal obstruction			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intestinal perforation			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Large intestinal ulcer			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nausea			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis			
subjects affected / exposed	0 / 3562 (0.00%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis acute			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small intestinal obstruction			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vomiting			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower gastrointestinal haemorrhage			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatolithiasis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Large intestine polyp			
subjects affected / exposed	4 / 3562 (0.11%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 4	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric volvulus			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Abdominal hernia			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastric mucosal lesion			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Erosive duodenitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal fissure			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin and subcutaneous tissue disorders			
Dermatomyositis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Erythema multiforme			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	1 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rash			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	1 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Psoriasis			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin reaction			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic foot			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal and urinary disorders			
Acute prerenal failure			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nephrolithiasis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hydronephrosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal colic			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal cyst			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal failure			



subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal haematoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal hypertension			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary retention			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Costovertebral angle tenderness			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal impairment			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic kidney disease			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Urethral stenosis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute kidney injury			

subjects affected / exposed	4 / 3562 (0.11%)	6 / 3559 (0.17%)	
occurrences causally related to treatment / all	0 / 4	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 1	
Ureterolithiasis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endocrine disorders			
Basedow's disease			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Goitre			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperparathyroidism			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperthyroidism			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Thyroiditis subacute			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal and connective tissue disorders			
Arthralgia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	

Back pain			
subjects affected / exposed	1 / 3562 (0.03%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 1	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fasciitis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gouty arthritis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Groin pain			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lumbar spinal stenosis			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle spasms			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal pain			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myalgia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neck pain			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteoarthritis			
subjects affected / exposed	11 / 3562 (0.31%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 12	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteonecrosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain in extremity			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Periarthritis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rheumatoid arthritis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rotator cuff syndrome			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal column stenosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal osteoarthritis			

subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Synovial cyst			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myofascial pain syndrome			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle tightness			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc protrusion			
subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 3	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal chest pain			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Limb discomfort			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Plica syndrome			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vertebral foraminal stenosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infections and infestations			
Appendicitis perforated			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Appendicitis			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Atypical pneumonia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bacteraemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Brain abscess			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bronchitis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	
Cellulitis			

subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Clostridium difficile colitis			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Corneal abscess			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cystitis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic gangrene			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Encephalitis viral			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulitis			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endophthalmitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Erysipelas			

subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroenteritis			
subjects affected / exposed	6 / 3562 (0.17%)	3 / 3559 (0.08%)	
occurrences causally related to treatment / all	0 / 6	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroenteritis viral			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal infection			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis A			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infected skin ulcer			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Influenza			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Kidney infection			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Liver abscess			



subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Localised infection			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower respiratory tract infection			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Meningitis			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Orchitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteomyelitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Otitis externa			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Paronychia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritoneal abscess			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritonitis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia			
subjects affected / exposed	14 / 3562 (0.39%)	14 / 3559 (0.39%)	
occurrences causally related to treatment / all	0 / 14	0 / 14	
deaths causally related to treatment / all	0 / 1	0 / 2	
Postoperative wound infection			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pyelonephritis chronic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal abscess			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sepsis			
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 1	0 / 0	
Septic shock			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sinusitis			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tooth abscess			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper respiratory tract infection			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urinary tract infection			
subjects affected / exposed	6 / 3562 (0.17%)	6 / 3559 (0.17%)	
occurrences causally related to treatment / all	0 / 6	0 / 7	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vestibular neuronitis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Viral infection			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Urosepsis			
subjects affected / exposed	3 / 3562 (0.08%)	4 / 3559 (0.11%)	
occurrences causally related to treatment / all	0 / 3	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal abscess			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Escherichia bacteraemia			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia necrotising			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal infection			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infective exacerbation of chronic obstructive airways disease			
subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neurocysticercosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Enteritis infectious			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Abdominal abscess			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bursitis infective			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung infection			

subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Perichondritis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory tract infection			
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acarodermatitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Herpes zoster oticus			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower respiratory tract infection viral			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary tract infection bacterial			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumocystis jirovecii pneumonia			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolism and nutrition disorders			
Diabetes mellitus			

subjects affected / exposed	4 / 3562 (0.11%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 4	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic ketoacidosis			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Failure to thrive			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gout			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperglycaemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyponatraemia			
subjects affected / exposed	1 / 3562 (0.03%)	6 / 3559 (0.17%)	
occurrences causally related to treatment / all	0 / 2	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Obesity			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Shock hypoglycaemic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic complication			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic metabolic decompensation			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adult failure to thrive			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 1	

Frequency threshold for reporting non-serious adverse events: 0 %

<b>Non-serious adverse events</b>	Rivaroxaban 15 mg OD	Acetylsalicylic acid 100 mg OD	
Total subjects affected by non-serious adverse events			
subjects affected / exposed	308 / 3562 (8.65%)	294 / 3559 (8.26%)	
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Basosquamous carcinoma			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Breast cancer			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Breast neoplasm			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Essential thrombocythaemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Superficial spreading melanoma stage unspecified			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Metastases to bone			

subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Vascular disorders			
Flushing			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Hypertension			
subjects affected / exposed	11 / 3562 (0.31%)	7 / 3559 (0.20%)	
occurrences (all)	11	8	
Aortic aneurysm			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences (all)	2	1	
Hypertensive crisis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Hypotension			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences (all)	2	1	
Intermittent claudication			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Varicose vein			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Phlebitis superficial			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Thrombophlebitis superficial			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences (all)	0	2	
Peripheral arterial occlusive disease			
subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences (all)	3	0	
Deep vein thrombosis			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences (all)	2	1	



Vascular pain subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Surgical and medical procedures			
Tooth extraction subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 3	2 / 3559 (0.06%) 2	
Implantable cardiac monitor insertion subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Cataract operation subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
General disorders and administration site conditions			
Asthenia subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	0 / 3559 (0.00%) 0	
Chest discomfort subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Chest pain subjects affected / exposed occurrences (all)	3 / 3562 (0.08%) 3	4 / 3559 (0.11%) 4	
Discomfort subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	0 / 3559 (0.00%) 0	
Fatigue subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	3 / 3559 (0.08%) 3	
Chills subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Malaise subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	2 / 3559 (0.06%) 2	
Gait disturbance			

subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Oedema peripheral subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	2 / 3559 (0.06%) 2	
Non-cardiac chest pain subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	0 / 3559 (0.00%) 0	
Peripheral swelling subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	2 / 3559 (0.06%) 2	
Immune system disorders Allergy to arthropod sting subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Hypersensitivity subjects affected / exposed occurrences (all)	3 / 3562 (0.08%) 3	1 / 3559 (0.03%) 3	
Social circumstances Treatment noncompliance subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	5 / 3559 (0.14%) 5	
Reproductive system and breast disorders Breast mass subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Benign prostatic hyperplasia subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Prostatomegaly subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Prostatitis subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Respiratory, thoracic and mediastinal disorders			

Asthma			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	
Dyspnoea			
subjects affected / exposed	4 / 3562 (0.11%)	1 / 3559 (0.03%)	
occurrences (all)	4	1	
Dry throat			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Epistaxis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Cough			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Hiccups			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Pharyngeal ulceration			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Pulmonary embolism			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Pulmonary microemboli			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Psychiatric disorders			
Insomnia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Depression			
subjects affected / exposed	3 / 3562 (0.08%)	2 / 3559 (0.06%)	
occurrences (all)	3	2	
Anxiety			

subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	
Impatience			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Abulia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Anxiety disorder			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Panic attack			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Mental disorder due to a general medical condition			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Adjustment disorder			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Post stroke depression			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences (all)	2	0	
Hepatobiliary disorders			
Biliary colic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Hepatic function abnormal			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences (all)	2	2	
Hypertransaminasaemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Hepatitis			

subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Investigations			
Alanine aminotransferase increased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Blood creatine phosphokinase increased subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Blood creatinine increased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Coagulation factor VIII level increased subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Glomerular filtration rate decreased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Visual acuity tests abnormal subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Heart rate increased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Haemoglobin decreased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Blood alkaline phosphatase increased subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Transaminases increased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Weight decreased			

subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	2 / 3559 (0.06%) 2	
Liver function test increased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Hepatic enzyme increased subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Injury, poisoning and procedural complications			
Accident subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	2 / 3559 (0.06%) 2	
Alcohol poisoning subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Concussion subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Fall subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Foot fracture subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Head injury subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Humerus fracture subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Inappropriate schedule of drug administration subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 2	0 / 3559 (0.00%) 0	
Medication error			

subjects affected / exposed	10 / 3562 (0.28%)	9 / 3559 (0.25%)
occurrences (all)	10	9
Overdose		
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)
occurrences (all)	2	0
Radius fracture		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Rib fracture		
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)
occurrences (all)	2	0
Face injury		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Tendon rupture		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Post procedural haemorrhage		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Contusion		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Limb injury		
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)
occurrences (all)	3	1
Drug administration error		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Incorrect dose administered		
subjects affected / exposed	6 / 3562 (0.17%)	4 / 3559 (0.11%)
occurrences (all)	6	4
Upper limb fracture		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Incorrect dosage administered		

subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	1 / 3559 (0.03%) 1	
Skin wound subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Labelled drug-drug interaction medication error subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Intentional product misuse subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	1 / 3559 (0.03%) 1	
Medication monitoring error subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	3 / 3559 (0.08%) 3	
Congenital, familial and genetic disorders			
Atrial septal defect subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Factor V Leiden mutation subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Fabry's disease subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Cardiac disorders			
Angina pectoris subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Atrial fibrillation subjects affected / exposed occurrences (all)	60 / 3562 (1.68%) 60	60 / 3559 (1.69%) 60	
Atrial flutter subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	0 / 3559 (0.00%) 0	
Atrial tachycardia			



subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Cardiac failure		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Coronary artery disease		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Cardiac failure congestive		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Myocardial ischaemia		
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)
occurrences (all)	2	0
Palpitations		
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)
occurrences (all)	3	1
Sinus arrhythmia		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Sinus tachycardia		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Supraventricular extrasystoles		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Supraventricular tachycardia		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Intracardiac thrombus		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Ventricular fibrillation		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Tachycardia		

subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Cardiac flutter subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Nervous system disorders			
Amnesia subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Aphasia subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Cerebrovascular accident subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Dizziness postural subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Dementia subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Dizziness subjects affected / exposed occurrences (all)	5 / 3562 (0.14%) 6	7 / 3559 (0.20%) 7	
Dysarthria subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Facial paralysis subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Epilepsy subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Dysgeusia subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	2 / 3559 (0.06%) 2	

Migraine		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Lethargy		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Hypoaesthesia		
subjects affected / exposed	1 / 3562 (0.03%)	3 / 3559 (0.08%)
occurrences (all)	1	3
Headache		
subjects affected / exposed	10 / 3562 (0.28%)	8 / 3559 (0.22%)
occurrences (all)	10	9
Parkinsonism		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Presyncope		
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)
occurrences (all)	1	2
Paraesthesia		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Sensory disturbance		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Seizure		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Somnolence		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Sciatica		
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)
occurrences (all)	2	0
Syncope		
subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)
occurrences (all)	2	4

Speech disorder		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Vertebral artery occlusion		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Cervical radiculopathy		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Facial paresis		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
IIIrd nerve paresis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Cognitive disorder		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Hyposmia		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Stroke in evolution		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Partial seizures		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Parkinson's disease		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Vascular dementia		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Autonomic neuropathy		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1

Cerebral artery stenosis subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Occipital neuralgia subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Blood and lymphatic system disorders			
Anaemia subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	2 / 3559 (0.06%) 2	
Iron deficiency anaemia subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Antiphospholipid syndrome subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	0 / 3559 (0.00%) 0	
Thrombocytosis subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Thrombocytopenia subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	1 / 3559 (0.03%) 1	
Ear and labyrinth disorders			
Tinnitus subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Vertigo positional subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	2 / 3559 (0.06%) 2	
Vertigo subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	4 / 3559 (0.11%) 4	
Eye disorders			
Diabetic retinopathy subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	2 / 3559 (0.06%) 2	
Conjunctival haemorrhage			

subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Cataract			
subjects affected / exposed	1 / 3562 (0.03%)	2 / 3559 (0.06%)	
occurrences (all)	2	2	
Episcleritis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Dry eye			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Eyelid ptosis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Keratitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Pterygium			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Retinal vein occlusion			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Vision blurred			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Conjunctival hyperaemia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	2	0	
Gastrointestinal disorders			
Abdominal discomfort			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Abdominal pain lower			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	

Abdominal pain		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Abdominal pain upper		
subjects affected / exposed	5 / 3562 (0.14%)	7 / 3559 (0.20%)
occurrences (all)	5	7
Cheilitis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Chronic gastritis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Constipation		
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)
occurrences (all)	2	1
Diarrhoea		
subjects affected / exposed	8 / 3562 (0.22%)	3 / 3559 (0.08%)
occurrences (all)	8	3
Defaecation urgency		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Dyspepsia		
subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)
occurrences (all)	2	4
Eructation		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Gastritis erosive		
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)
occurrences (all)	0	2
Gastritis		
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)
occurrences (all)	2	2
Gastric ulcer		
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)
occurrences (all)	0	2

Gastrooesophageal reflux disease		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Gastrointestinal disorder		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Gingival swelling		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	2
Gingival bleeding		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Hyperchlorhydria		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Haemorrhoids		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Inguinal hernia		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Lip swelling		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Inflammatory bowel disease		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Nausea		
subjects affected / exposed	5 / 3562 (0.14%)	1 / 3559 (0.03%)
occurrences (all)	5	1
Oesophagitis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Toothache		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1



Vomiting			
subjects affected / exposed	2 / 3562 (0.06%)	4 / 3559 (0.11%)	
occurrences (all)	2	4	
Retching			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Palatal disorder			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Colitis microscopic			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Skin and subcutaneous tissue disorders			
Acne			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Dermatitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Angioedema			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	2	
Alopecia			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Dermatitis allergic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Drug eruption			
subjects affected / exposed	0 / 3562 (0.00%)	3 / 3559 (0.08%)	
occurrences (all)	0	3	
Eczema			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Erythema			

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Rash erythematous			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Rash			
subjects affected / exposed	4 / 3562 (0.11%)	4 / 3559 (0.11%)	
occurrences (all)	4	4	
Pruritus			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	
Rash pruritic			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Skin lesion			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Urticaria			
subjects affected / exposed	2 / 3562 (0.06%)	3 / 3559 (0.08%)	
occurrences (all)	2	3	
Rash papular			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Solar lentigo			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Precancerous skin lesion			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Skin swelling			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Renal and urinary disorders			
Haematuria			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	

Nephrolithiasis			
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)	
occurrences (all)	2	0	
Renal colic			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	
Renal failure			
subjects affected / exposed	3 / 3562 (0.08%)	0 / 3559 (0.00%)	
occurrences (all)	3	0	
Renal impairment			
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)	
occurrences (all)	2	2	
Chronic kidney disease			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Ureterolithiasis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Urinary incontinence			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Endocrine disorders			
Hypothyroidism			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	
Thyroiditis subacute			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Thyroid mass			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Musculoskeletal and connective tissue disorders			
Back pain			
subjects affected / exposed	4 / 3562 (0.11%)	3 / 3559 (0.08%)	
occurrences (all)	4	3	
Arthralgia			

subjects affected / exposed	1 / 3562 (0.03%)	4 / 3559 (0.11%)
occurrences (all)	1	4
Arthritis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Bursitis		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Gouty arthritis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Chondrocalcinosis pyrophosphate		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Joint swelling		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1
Metatarsalgia		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Haemarthrosis		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Myalgia		
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)
occurrences (all)	2	2
Musculoskeletal pain		
subjects affected / exposed	1 / 3562 (0.03%)	4 / 3559 (0.11%)
occurrences (all)	1	4
Muscular weakness		
subjects affected / exposed	2 / 3562 (0.06%)	2 / 3559 (0.06%)
occurrences (all)	2	2
Muscle spasms		
subjects affected / exposed	2 / 3562 (0.06%)	0 / 3559 (0.00%)
occurrences (all)	2	0
Myopathy		

subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Osteoarthritis			
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences (all)	2	1	
Osteochondrosis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	
Pain in extremity			
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)	
occurrences (all)	3	1	
Periostitis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Plantar fasciitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Tenosynovitis			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Spinal osteoarthritis			
subjects affected / exposed	0 / 3562 (0.00%)	2 / 3559 (0.06%)	
occurrences (all)	0	2	
Synovial cyst			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Tendonitis			
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)	
occurrences (all)	1	0	
Limb mass			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	
Infections and infestations			
Bronchitis			
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)	
occurrences (all)	1	1	

Diarrhoea infectious		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Cystitis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Gastroenteritis		
subjects affected / exposed	3 / 3562 (0.08%)	1 / 3559 (0.03%)
occurrences (all)	3	1
Influenza		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	2
Herpes zoster		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Lower respiratory tract infection		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	2	0
Oesophageal candidiasis		
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)
occurrences (all)	0	1
Pneumonia		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Pneumonia viral		
subjects affected / exposed	1 / 3562 (0.03%)	0 / 3559 (0.00%)
occurrences (all)	1	0
Upper respiratory tract infection		
subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)
occurrences (all)	2	2
Urinary tract infection		
subjects affected / exposed	3 / 3562 (0.08%)	4 / 3559 (0.11%)
occurrences (all)	3	4
Vaginal infection		
subjects affected / exposed	1 / 3562 (0.03%)	1 / 3559 (0.03%)
occurrences (all)	1	1

Vulvovaginitis trichomonal subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Helicobacter infection subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Respiratory tract infection viral subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Alveolar osteitis subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Lung infection subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Metabolism and nutrition disorders			
Diabetes mellitus subjects affected / exposed occurrences (all)	2 / 3562 (0.06%) 2	0 / 3559 (0.00%) 0	
Haemochromatosis subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	0 / 3559 (0.00%) 0	
Hypercholesterolaemia subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Electrolyte imbalance subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Gout subjects affected / exposed occurrences (all)	1 / 3562 (0.03%) 1	1 / 3559 (0.03%) 1	
Hyperglycaemia subjects affected / exposed occurrences (all)	0 / 3562 (0.00%) 0	1 / 3559 (0.03%) 1	
Type 2 diabetes mellitus			

subjects affected / exposed	2 / 3562 (0.06%)	1 / 3559 (0.03%)	
occurrences (all)	2	1	
Decreased appetite			
subjects affected / exposed	0 / 3562 (0.00%)	1 / 3559 (0.03%)	
occurrences (all)	0	1	



## More information

### Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? Yes

Date	Amendment
05 November 2015	<p>The following eligibility criteria were revised:</p> <ul style="list-style-type: none"><li>•More details were provided in definition of a lacunar stroke.</li><li>•Subjects were to be included if there was no stenosis greater than (&gt;) 50% rather than greater than or equal to (&gt;=) 50%.</li><li>•They were to be excluded if there was an intracranial stenosis &gt; 50%.</li><li>•For subjects with intracranial arterial occlusions in territory of qualifying stroke, it was clarified that a subject was eligible if investigator believed the occlusion was due to embolism, and not atherosclerotic based on absence of intracranial atherosclerosis elsewhere.</li><li>•For 24-hour cardiac rhythm monitoring assessment to exclude the presence of Atrial fibrillation (AF), an allowance was added to accept a 20-hour recording to reflect routine practice.</li><li>•For determination of intra-cardiac thrombus, allowance of transesophageal echocardiography was added as well as transthoracic echocardiography.</li><li>•Recruitment of subjects was changed from 18 years or older to 50 years of age or older.</li><li>•Additional clarifications were made to the inclusion criteria regarding subjects enrolled with certain risk factors:<ul style="list-style-type: none"><li>•Clarification that covert/silent strokes on neuroimaging and current tobacco smoker counted as risk factors.</li><li>•Clarification that each risk factor counted separately (for example, "stroke or Transient ischemic attack (TIA) prior to index stroke, diabetes, hypertension, and heart failure" changed to "stroke or TIA prior to index stroke [includes covert/silent strokes on neuroimaging], diabetes, hypertension, current tobacco smoker, or heart failure").</li></ul></li><li>•Age restriction changed from less than (&lt;) 60 years of age with a cap at 10% of the total study population to ≥ 50 years and requirement for an additional risk factor for subjects between 50-59 years.</li><li>•A statement was added that enrollment in the age group 50-59 years might have been stopped based on a blinded review of the observed overall event rate of confirmed primary efficacy outcomes during the study.</li></ul>

Notes:

### Interruptions (globally)

Were there any global interruptions to the trial? Yes

Date	Interruption	Restart date
05 October 2017	The study was terminated early on recommendation of the IDMC and concurrence of the co-principal investigators and the sponsor due to no efficacy improvement over aspirin at an interim analysis and very little chance of showing overall benefit if study were completed.	-

Notes:

### Limitations and caveats

Limitations of the trial such as small numbers of subjects analysed or technical problems leading to unreliable data.

Decimal places were automatically truncated if last decimals is equals to zero.

Notes:

---

## Online references

<http://www.ncbi.nlm.nih.gov/pubmed/29525076>

<http://www.ncbi.nlm.nih.gov/pubmed/29766772>