Clinical trial results:

Phase 1/2 Study of PF-06463922 (an ALK/ROS1 Tyrosine Kinase Inhibitor) in Patients With Advanced Non-Small Cell Lung Cancer Harboring Specific Molecular Alterations

Summary

EudraCT number	2013-002620-17	
Trial protocol	ES DE GB IT BE	
Global end of trial date		
Results information		
Result version number	v1	
This version publication date	24 March 2018	
First version publication date	24 March 2018	
Trial information		

Trial information

Trial identification	
Sponsor protocol code	B7461001
Additional study identifiers	
ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT01970865
WHO universal trial number (UTN)	-
Notes:	

Sponsors

Sponsor organisation name	Pfizer, Inc.
Sponsor organisation address	235 E 42nd Street, New York, United States, NY 10017
Public contact	Pfizer ClinicalTrials.gov Call Center, Pfizer, Inc., +1 8007181021, ClinicalTrials.gov_Inquiries@pfizer.com
Scientific contact	Pfizer ClinicalTrials.gov Call Center, Pfizer, Inc., +1 8007181021, ClinicalTrials.gov_Inquiries@pfizer.com

Notes:

Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

Results analysis stage	
Analysis stage	Interim
Date of interim/final analysis	22 November 2017
Is this the analysis of the primary completion data?	Yes
Primary completion date	15 March 2017
Global end of trial reached?	No

Notes:

General information about the trial

Main objective of the trial:

The primary objective of the Phase 1 portion of the study was to assess safety and tolerability of lorlatinib as a single agent at increasing dose levels in subjects with advanced anaplastic lymphoma kinase (ALK) positive or advanced ROS1-positive non-small cell lung cancer (NSCLC) in order to estimate the Maximum Tolerated Dose (MTD) and select the Recommended Phase 2 Dose (RP2D). The primary objective of the Phase 2 portion of the study was to evaluate overall (intra- and extra-cranial) and intra-cranial anti-tumor activity of single-agent lorlatinib at RP2D in subjects with advanced ALK-positive NSCLC and advanced ROS1-positive NSCLC.

Protection of trial subjects:

This study was conducted in compliance with the ethical principles originating in or derived from the Declaration of Helsinki and in compliance with all International Council for Harmonization (ICH) Good Clinical Practice (GCP) Guidelines. In addition, all local regulatory requirements were followed, in particular, those affording greater protection to the safety of subjects.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	08 January 2014
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	No
Nahaa	

Notes:

Population of trial subjects

Subjects enrolled per country

Australia: 23
Canada: 7
France: 31
Germany: 1
Hong Kong: 2
Italy: 27
Japan: 42
Korea, Republic of: 4
Singapore: 26
Spain: 30
Switzerland: 7
Taiwan: 11
United States: 121
332
89

Subjects enrolled p	per a	age	group
---------------------	-------	-----	-------

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	270
From 65 to 84 years	61
85 years and over	1

Subject disposition

Recruitment

Recruitment details: -

Pre-assignment

Screening details:

A total of 334 subjects were enrolled in this study, and 2 of them (one each in Phase 1 and Phase 2) didn't receive any study treatment.

Period 1

Period 1 title	Overall Study (overall period)
Is this the baseline period?	Yes
Allocation method	Not applicable
Blinding used	Not blinded

Arms

Are arms mutually exclusive?	Yes
Arm title	10 mg QD (Phase 1)

Arm description:

PF-06463922 10 mg was orally given once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 10 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	25 mg QD (Phase 1)

Arm description:

PF-06463922 25 mg was orally given once daily (QD) in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal. Midazolam 2 mg was orally given QD on Day -7 and Cycle 1 Day 15.

Arm type	Experimental
Investigational medicinal product name	Midazolam
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Syrup
Routes of administration	Oral use

Dosage and administration details:

Midazolam 2 mg was administered alone on Day -7 and concurrently with PF-06463922 on Cycle 1 Day 15.

Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 25 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	50 mg QD (Phase 1)

Arm description:

PF-06463922 50 mg was orally given once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 50 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	75 mg QD (Phase 1)

Arm description:

PF-06463922 75 mg was orally given once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 75 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	100 mg QD (Phase 1)

Arm description:

PF-06463922 100 mg was orally given once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 100 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	150 mg QD (Phase 1)

Arm description:

PF-06463922 150 mg was orally given once daily (QD) in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal. Midazolam 2 mg was orally given QD on Day -7 and Cycle 1 Day 15.

Arm type	Experimental
Investigational medicinal product name	Midazolam
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Syrup
Routes of administration	Oral use

Dosage and administration details:

Midazolam 2 mg was administered alone on Day -7 and concurrently with PF-06463922 on Cycle 1 Day 15.

Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 150 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	200 mg QD (Phase 1)

Arm description:

PF-06463922 200 mg was orally given once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 200 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	35 mg BID (Phase 1)
-----------	---------------------

Arm description:

PF-06463922 35 mg was orally given twice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Experimental
PF-06463922
Lorlatinib
Tablet
Oral use

Dosage and administration details:

PF-06463922 35 mg was administered BID with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	75 mg BID (Phase 1)
-----------	---------------------

Arm description:

Arm title

PF-06463922 75 mg was orally given twice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Experimental
PF-06463922
Lorlatinib
Tablet
Oral use

Dosage and administration details:

PF-06463922 75 mg was administered BID with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

100 mg BID (Phase 1)

Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 100 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title EXP-4 (Phase 2)	· · · · · · · · · · · · · · · · · · ·	-
	Arm title	EXP-4 (Phase 2)

Arm description:

subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 2 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 100 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Tood of figurab barer anali fracer frace co	
Arm title	EXP-5 (Phase 2)

Arm description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 3 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 100 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Arm title	EXP-6 (Phase 2)

Arm description:

Subjects with advanced ROS1-positive NSCLC who were treatment naïve or had any number of prior cancer therapies with or without asymptomatic CNS metastases were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 100 mg was administered QD with at least 240 mL of water on an empty stomach. No

Arm title Japan I	ead-In Cohort (LIC)

Arm description:

Few Japanese subjects were given PF-06463922 100 mg orally once daily (QD) in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal to evaluate safety of PF-06463922 in Japanese subjects, in order to support inclusion of Japanese subjects in Phase 2.

Arm type	Experimental
Investigational medicinal product name	PF-06463922
Investigational medicinal product code	
Other name	Lorlatinib
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

PF-06463922 100 mg was administered QD with at least 240 mL of water on an empty stomach. No food or liquids other than water were consumed for 2 hours before and 2 hours following each dose.

Number of subjects in period 1	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)
Started	3	3	3
Received treatment	3	3	3
Completed	0	0	0
Not completed	3	3	3
Adverse event, serious fatal	3	1	3
Study ongoing	-	2	-
Consent withdrawn by subject	-	-	-
Unspecified	-	-	-
Lost to follow-up	-	-	-

Number of subjects in period 1	75 mg QD (Phase 1)	100 mg QD (Phase 1)	150 mg QD (Phase 1)
Started	12	17	3
Received treatment	12	17	3
Completed	0	0	0
Not completed	12	17	3
Adverse event, serious fatal	4	6	3
Study ongoing	6	8	-
Consent withdrawn by subject	1	2	-
Unspecified	-	-	-
Lost to follow-up	1	1	-

Number of subjects in period 1	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)
Started	3	3	3
Received treatment	3	3	3
Completed	0	0	0
Not completed	3	3	3
Adverse event, serious fatal	1	3	2
Study ongoing	2	-	1
Consent withdrawn by subject	-	-	-
Unspecified	-	-	-
Lost to follow-up	-	-	-

Number of subjects in period 1	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Started	4	30	27
Received treatment	4	30	27
Completed	0	0	0
Not completed	4	30	27
Adverse event, serious fatal	1	1	4
Study ongoing	3	29	22
Consent withdrawn by subject	-	-	1
Unspecified	-	-	-
Lost to follow-up	-	-	-

Number of subjects in period 1	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)
Started	60	65	46
Received treatment	60	65	46
Completed	0	0	0
Not completed	60	65	46
Adverse event, serious fatal	14	19	15
Study ongoing	43	41	29
Consent withdrawn by subject	2	5	2
Unspecified	-	-	-
Lost to follow-up	1	-	-

Number of subjects in period 1	EXP-6 (Phase 2)	Japan Lead-In Cohort (LIC)
Started	47	3
Received treatment	47	3
Completed	0	0
Not completed	47	3
Adverse event, serious fatal	10	1
Study ongoing	29	2
Consent withdrawn by subject	7	-
Unspecified	1	-

Clinical trial results 2013-002620-17 version 1

Lost to follow-up	-	-

Reporting groups	
Reporting group title	10 mg QD (Phase 1)
Reporting group description:	
	te daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	25 mg QD (Phase 1)
Reporting group description:	
progression of disease (unless clinical bei	te daily (QD) in 21-day cycles from Cycle 1 Day 1 until nefit was still achievable), unacceptable toxicity, death or s orally given QD on Day -7 and Cycle 1 Day 15.
Reporting group title	50 mg QD (Phase 1)
Reporting group description:	
	e daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	75 mg QD (Phase 1)
Reporting group description:	
	e daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	100 mg QD (Phase 1)
Reporting group description:	
	nce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	150 mg QD (Phase 1)
Reporting group description:	
progression of disease (unless clinical bei	nce daily (QD) in 21-day cycles from Cycle 1 Day 1 until nefit was still achievable), unacceptable toxicity, death or sorally given QD on Day -7 and Cycle 1 Day 15.
Reporting group title	200 mg QD (Phase 1)
Reporting group description:	
	nce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	35 mg BID (Phase 1)
Reporting group description:	
	ce daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	75 mg BID (Phase 1)
Reporting group description:	
	ce daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day ical benefit was still achievable), unacceptable toxicity, death
Reporting group title	100 mg BID (Phase 1)
Reporting group description:	
	vice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 s clinical benefit was still achievable), unacceptable toxicity,
Reporting group title	EXP-1 (Phase 2)
Reporting group description:	
	ALK-positive NSCLC with or without asymptomatic central given PF-06463922 100 mg orally once daily (QD) on Day -7

(only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-2 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after only crizotinib therapy were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-3 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after crizotinib therapy and 1 or 2 prior regimens of chemotherapy given before or after crizotinib therapy, or subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 1 ALK inhibitor therapy other than crizotinib with or without any number of prior chemotherapy regimens in any disease setting were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title [EXP-4 (Phase 2)
--

Reporting group description:

subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 2 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-5 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 3 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title	EXP-6 (Phase 2)

Reporting group description:

Subjects with advanced ROS1-positive NSCLC who were treatment naïve or had any number of prior cancer therapies with or without asymptomatic CNS metastases were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title	Japan Lead-In Cohort (LIC)
-----------------------	----------------------------

Reporting group description:

Few Japanese subjects were given PF-06463922 100 mg orally once daily (QD) in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal to evaluate safety of PF-06463922 in Japanese subjects, in order to support inclusion of Japanese subjects in Phase 2.

Reporting group values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)
Number of subjects	3	3	3
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0

Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	1	2	3
From 65-84 years	2	1	0
85 years and over	0	0	0
Age Continuous			
Units: years			
arithmetic mean	67.3	53.7	52.7
standard deviation	± 11.2	± 13.0	± 10.0
Sex: Female, Male			
Units: Subjects			
FEMALE	2	0	1
MALE	1	3	2
Race/Ethnicity, Customized			
Units: Subjects			
White	2	2	3
Black	1	0	0
Asian	0	1	0
Other	0	0	0
Unspecified	0	0	0

Reporting group values	75 mg QD (Phase 1)	100 mg QD (Phase	150 mg QD (Phase
Number of subjects	12	1) 17	1) 3
Age categorical	12	17	5
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	11	16	2
From 65-84 years	1	1	1
85 years and over	0	0	0
Age Continuous			
Units: years			
arithmetic mean	48.2	49	55.3
standard deviation	± 13.2	± 11.1	± 14.7
Sex: Female, Male			
Units: Subjects			
FEMALE	7	11	2
MALE	5	6	1
Race/Ethnicity, Customized			
Units: Subjects			
White	7	13	2
Black	0	0	1
Asian	3	2	0
Other	0	1	0
Unspecified	2	1	0


Reporting group values	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)
Number of subjects	3	3	3
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	3	2	2
From 65-84 years	0	1	1
85 years and over	0	0	0
Age Continuous			
Units: years			
arithmetic mean	44.7	61.3	61.3
standard deviation	± 4.2	± 15.4	± 18.1
Sex: Female, Male			
Units: Subjects			
FEMALE	2	2	3
MALE	1	1	0
Race/Ethnicity, Customized			
Units: Subjects			
White	2	1	2
Black	0	1	0
Asian	1	0	0
Other	0	0	0
Unspecified	0	1	1
Reporting group values	100 mg BID (Phase	EXP-1 (Phase 2)	EXP-2 (Phase 2)

Reporting group values	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Number of subjects	4	30	27
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	3	22	18
From 65-84 years	1	8	8
85 years and over	0	0	1
Age Continuous			
Units: years			
arithmetic mean	50.8	57.4	57.1
standard deviation	± 15.2	± 12.1	± 12.7

Sex: Female, Male			
Units: Subjects			
FEMALE	2	13	17
MALE	2	17	10
Race/Ethnicity, Customized			
Units: Subjects			
White	3	10	13
Black	0	1	0
Asian	0	17	10
Other	0	1	2
Unspecified	1	1	2

Reporting group values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)
Number of subjects	60	65	46
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	48	56	39
From 65-84 years	12	9	7
85 years and over	0	0	0
Age Continuous			
Units: years			
arithmetic mean	54	52.2	51.5
standard deviation	± 11.9	± 11.8	± 11.2
Sex: Female, Male			
Units: Subjects			
FEMALE	38	37	25
MALE	22	28	21
Race/Ethnicity, Customized			
Units: Subjects			
White	25	32	27
Black	1	0	0
Asian	23	23	14
Other	1	3	2
Unspecified	10	7	3

Reporting group values	EXP-6 (Phase 2)	Japan Lead-In Cohort (LIC)	Total
Number of subjects	47	3	332
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0



PK analysis. Japan LIC was not included in single-dose PK analysis, ie, they did not contribute to Day -7 data.

Reporting group values	ALK Positive Population (Phase 1)	ROS1 Positive Population (Phase 1)	Phase 1 ITT Population
Number of subjects	41	12	53
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	36	8	44
From 65-84 years	5	4	9
85 years and over	0	0	0
Age Continuous			
Units: years			
arithmetic mean	51.0	55.0	51.9
standard deviation	± 11.2	± 18.0	± 13.0
Sex: Female, Male			
Units: Subjects			
FEMALE	24	7	31
MALE	17	5	22
Race/Ethnicity, Customized			
Units: Subjects			
White	32	5	37
Black	2	1	3
Asian	5	2	7
Other	0	1	1
Unspecified	2	3	5

Reporting group values	Phase 1 PRO Evaluable Population	Phase 2 ITT Population	Phase 2 and Japan LIC PK Analysis Set
Number of subjects	43	274	22
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	36	221	21
From 65-84 years	7	52	1
85 years and over	0	1	0
Age Continuous			
Units: years			
arithmetic mean	51.4	53.6	50.9

Clinical trial results 2013-002620-17 version 1

	standard deviation	± 13.2	± 12.1	± 9.8
--	--------------------	--------	--------	-------

Sex: Female, Male			
Units: Subjects			
FEMALE	24	157	13
MALE	19	117	9
Race/Ethnicity, Customized			
Units: Subjects			
White	31	132	9
Black	1	3	0
Asian	5	103	11
Other	1	11	2
Unspecified	5	25	0

End points reporting groups	
Reporting group title	10 mg QD (Phase 1)
Reporting group description:	
	ce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	25 mg QD (Phase 1)
Reporting group description:	
progression of disease (unless clinical be	ce daily (QD) in 21-day cycles from Cycle 1 Day 1 until mefit was still achievable), unacceptable toxicity, death or s orally given QD on Day -7 and Cycle 1 Day 15.
Reporting group title	50 mg QD (Phase 1)
	ce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	75 mg QD (Phase 1)
Reporting group description:	
	ce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	100 mg QD (Phase 1)
Reporting group description:	
	nce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	150 mg QD (Phase 1)
Reporting group description:	
progression of disease (unless clinical be	nce daily (QD) in 21-day cycles from Cycle 1 Day 1 until nefit was still achievable), unacceptable toxicity, death or s orally given QD on Day -7 and Cycle 1 Day 15.
Reporting group title	200 mg QD (Phase 1)
Reporting group description:	
PF-06463922 200 mg was orally given o 1 until progression of disease (unless clin or consent withdrawal.	nce daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	35 mg BID (Phase 1)
Reporting group description:	
	ice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	75 mg BID (Phase 1)
Reporting group description:	
1 until progression of disease (unless clir or consent withdrawal.	ice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day nical benefit was still achievable), unacceptable toxicity, death
Reporting group title	100 mg BID (Phase 1)
Reporting group description:	
	wice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 is clinical benefit was still achievable), unacceptable toxicity,
Reporting group title	EXP-1 (Phase 2)
Reporting group description:	
	ALK-positive NSCLC with or without asymptomatic central given PF-06463922 100 mg orally once daily (QD) on Day -7

(only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-2 (Plase 2)	Reporting group title	EXP-2 (Phase 2)
---------------------------------------	-----------------------	-----------------

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after only crizotinib therapy were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-3 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after crizotinib therapy and 1 or 2 prior regimens of chemotherapy given before or after crizotinib therapy, or subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 1 ALK inhibitor therapy other than crizotinib with or without any number of prior chemotherapy regimens in any disease setting were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

|--|

Reporting group description:

subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 2 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-5 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 3 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-6 (Phase 2)

Reporting group description:

Subjects with advanced ROS1-positive NSCLC who were treatment naïve or had any number of prior cancer therapies with or without asymptomatic CNS metastases were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

|--|

Reporting group description:

Few Japanese subjects were given PF-06463922 100 mg orally once daily (QD) in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal to evaluate safety of PF-06463922 in Japanese subjects, in order to support inclusion of Japanese subjects in Phase 2.

Subject analysis set title	ALK Positive Population (Phase 1)
Subject analysis set type	Sub-group analysis

Subject analysis set description:

This reporting arm includes all Phase 1 intent-to-treat (ITT) subjects who had documented ALK rearrangement.

Subject analysis set title	ROS1 Positive Population (Phase 1)
Subject analysis set type	Sub-group analysis

Subject analysis set description:

This reporting arm includes all Phase 1 intent-to-treat (ITT) subjects who had documented ROS1 rearrangement.

Subject analysis set title	Phase 1 ITT Population
Subject analysis set type	Sub-group analysis

Subject analysis set description:

This reporting group includes all Phase 1 intent-to-treat (ITT) subjects.

Subject analysis set title	Phase 1 PRO Evaluable Population
Subject analysis set type	Sub-group analysis

Subject analysis set description:

This reporting group includes all Phase 1 subjects who received at least 1 dose of PF-06463922 and completed a baseline and at least 1 post-baseline patient reported outcome (PRO) assessment.

Subject analysis set title	Phase 2 ITT Population
Subject analysis set type	Sub-group analysis

Subject analysis set description:

This reporting group includes all Phase 2 intent-to-treat (ITT) subjects.

Subject analysis set title	Phase 2 and Japan LIC PK Analysis Set
Subject analysis set type	Sub-group analysis

Subject analysis set description:

PK parameters of PF-06463922 were determined for a small subset of Phase 2 subjects and Japan LIC. These subjects received PF-06463922 100 mg orally QD and were combined into 1 reporting group for PK analysis. Japan LIC was not included in single-dose PK analysis, ie, they did not contribute to Day -7 data.

Primary: Number of Subjects with Cycle 1 Dose-Limiting Toxicities (DLTs) in Phase 1

Number of Subjects with Cycle 1 Dose-Limiting Toxicities (DLTs) in Phase $1^{[1][2]}$

End point description:

DLT was defined as any of the following adverse events (AEs) attributable to PF-06463922: (1) hematologic: grade 4 neutropenia for >7 days; febrile neutropenia; grade >=3 neutropenic infection; grade >=3 thrombocytopenia with bleeding; grade 4 thrombocytopenia; (2) non-hematologic: grade >=3 pancreatitis; grade >=3 toxicities (excluding grade >=3 laboratory abnormalities not requiring dose modifications) persisting after optimal treatment with standard medical therapy; symptomatic grade >=3 QTc prolongation, or asymptomatic grade >=3 prolongation that had been confirmed by repeat testing and re-evaluation by a qualified person, and persisted after correction of reversible causes; >=20% decrease from baseline in left ventricular ejection fraction (LVEF); (3) other: failure to deliver at least 16 out of the 21 prescribed daily total doses due to toxicities attributable to study drug; failure to restart dosing after 21 days (1 cycle) delay due to toxicities attributable to study drug.

End point type	Primary
End point timeframe:	

Cycle 1 (21 days)

Notes:

[1] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: No statistical analyses were planned for this primary end point.

[2] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period. Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	11
Units: subjects				
With DLT	0	0	0	0
No DLT	3	2	3	6
Data missing	0	1	0	5

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	3	2
Units: subjects				
With DLT	0	0	1	0
No DLT	8	2	1	2
Data missing	8	1	1	0

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: subjects			
With DLT	0	0	
No DLT	3	2	
Data missing	0	1	

No statistical analyses for this end point

Primary: Percentage of Subjects with Overall and Intracranial Objective Response (Phase 2)

End point title

Percentage of Subjects with Overall and Intracranial Objective Response (Phase 2)^{[3][4]}

End point description:

Objective response (OR) refers to confirmed complete response (CR) or partial response (PR) according to Response Evaluation Criteria in Solid Tumor (RECIST) version 1.1. Intracranial OR refers to confirmed CR or PR considering only lesions within brain. Results presented here were based on independent central review. The intent-to-treat (ITT) analysis set was used for overall response assessment, and included all enrolled subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922; subjects with central nervous system (CNS) metastases in the ITT analysis set were used for intracranial response assessment.

End point type	Primary
End point timeframe:	

3 years

Notes:

[3] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: No statistical analyses were planned for this primary end point.

[4] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period. Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30 ^[5]	27 ^[6]	59 ^[7]	65 ^[8]
Units: percentage of subjects				
number (confidence interval 95%)				
Objective response	90.0 (73.5 to 97.9)	74.1 (53.7 to 88.9)	50.8 (37.5 to 64.1)	41.5 (29.4 to 54.4)
Intracranial objective response	75.0 (34.9 to 96.8)	58.8 (32.9 to 81.6)	62.5 (43.7 to 78.9)	55.6 (40.0 to 70.4)

Notes:

[5] - Number of subjects analyzed for intracranial objective response is 8.

[6] - Number of subjects analyzed for intracranial objective response is 17.

[7] - Number of subjects analyzed for intracranial objective response is 32.

[8] - Number of subjects analyzed for intracranial objective response is 45.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	46 ^[9]	47 ^[10]	
Units: percentage of subjects			
number (confidence interval 95%)			
Objective response	34.8 (21.4 to 50.2)	36.2 (22.7 to 51.5)	
Intracranial objective response	39.5 (24.0 to 56.6)	56.0 (34.9 to 75.6)	

Notes:

[9] - Number of subjects analyzed for intracranial objective response is 38.

[10] - Number of subjects analyzed for intracranial objective response is 25.

Statistical analyses

No statistical analyses for this end point

Secondary: Percentage of Subjects with Overall and Intracranial Objective Response (Phase 1)

End point title	Percentage of Subjects with Overall and Intracranial Objective
	Response (Phase 1)

End point description:

Objective response (OR) refers to confirmed complete response (CR) or partial response (PR) according to Response Evaluation Criteria in Solid Tumor (RECIST) version 1.1. Intracranial OR refers to confirmed CR or PR considering only lesions within brain. Results presented here were based on independent central review. The intent-to-treat (ITT) analysis set was used for overall response assessment, and included all enrolled subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922; subjects with CNS metastases in the ITT analysis set was used for intracranial response assessment.

End point type	Secondary
End point timeframe:	
3 years	

End point values	ALK Positive Population (Phase 1)	ROS1 Positive Population (Phase 1)	
Subject group type	Subject analysis set	Subject analysis set	
Number of subjects analysed	41 ^[11]	12 ^[12]	
Units: percentage of subjects			
number (confidence interval 95%)			
Objective response	39.0 (24.2 to 55.5)	50.0 (21.1 to 78.9)	
Intracranial objective response	41.2 (24.6 to 59.3)	50.0 (15.7 to 84.3)	

Notes:

[11] - Number of subjects analyzed for intracranial objective response is 34.

[12] - Number of subjects analyzed for intracranial objective response is 8.

Statistical analyses

No statistical analyses for this end point

Secondary: Time to Tumor Response (TTR) and Intracranial TTR (Phase 1)

End point title	Time to Tumor Response (TTR) and Intracranial TTR (Phase 1)

End point description:

Time to tumor response (TTR) was defined as the time from the first dose of study treatment to the first documentation of objective tumor response (CR or PR). For subjects whose objective response proceeded from PR to CR, the onset of PR was taken as the onset of response. TTR was only calculated for the subgroup of subjects with a confirmed objective tumor response. Intracranial TTR was only calculated for subjects with confirmed intracranial objective response. Results presented here were based on independent central review.

End point type	Secondary
End point timeframe:	
3 years	

End point values	ALK Positive Population (Phase 1)	ROS1 Positive Population (Phase 1)	
Subject group type	Subject analysis set	Subject analysis set	
Number of subjects analysed	16 ^[13]	6 ^[14]	
Units: months			
median (full range (min-max))			
TTR	1.4 (1.2 to 15.2)	1.4 (1.2 to 2.8)	
Intracranial TTR	1.4 (1.2 to 20.1)	1.4 (1.1 to 2.8)	

Notes:

[13] - Number of subjects analyzed for intracranial TTR is 14.

[14] - Number of subjects analyzed for intracranial TTR is 4.

Statistical analyses

No statistical analyses for this end point

Secondary: Duration of Response (DOR) and Intracranial DOR (Phase 1)

End point title

Duration of Response (DOR) and Intracranial DOR (Phase 1)

End point description:

Duration of Response (DOR) was defined as the time from the first documentation of objective tumor response (CR or PR) to the first documentation of disease progression or to death due to any cause, whichever occurred first. DOR was only calculated for the subgroup of subjects with a confirmed objective tumor response. Intracranial DOR was only calculated for subjects with confirmed intracranial objective response. Results presented here were based on independent central review. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	
3 years	

End point values	ALK Positive Population (Phase 1)	ROS1 Positive Population (Phase 1)	
Subject group type	Subject analysis set	Subject analysis set	
Number of subjects analysed	16 ^[15]	6 ^[16]	
Units: months			
median (confidence interval 95%)			
DOR	14.06 (4.17 to 99999)	99999 (9.69 to 99999)	
Intra-cranial DOR	99999 (14.06 to 99999)	99999 (99999 to 99999)	

Notes:

[15] - Number of subjects analyzed for intracranial DOR is 14.

[16] - Number of subjects analyzed for intracranial DOR is 4.

Statistical analyses

No statistical analyses for this end point

Secondary: Percentage of Subjects Achieving Disease Control and Intracranial Disease Control at 12 Weeks (Phase 1)

End point title	Percentage of Subjects Achieving Disease Control and
	Intracranial Disease Control at 12 Weeks (Phase 1)

End point description:

Tumor response was evaluated according to RECIST version 1.1, and disease control was defined as confirmed complete response (CR), confirmed partial response (PR), or stable disease (SD). Results presented here were based on independent central review. The intent-to-treat (ITT) analysis set was used for overall response assessment, and included all enrolled subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922; subjects with CNS metastases in the ITT analysis set was used for intracranial response assessment.

End point type	Secondary	
End point timeframe:		

12 weeks

End point values	ALK Positive Population (Phase 1)	ROS1 Positive Population (Phase 1)	
Subject group type	Subject analysis set	Subject analysis set	
Number of subjects analysed	41 ^[17]	12 ^[18]	
Units: percentage of subjects			
number (confidence interval 95%)			
Disease control rate	53.7 (37.4 to 69.3)	58.3 (27.7 to 84.8)	
Intra-cranial disease control rate	50.0 (32.4 to 67.6)	37.5 (8.5 to 75.5)	

Notes:

[17] - Number of subjects analyzed for intracranial disease control rate is 34.

[18] - Number of subjects analyzed for intracranial disease control rate is 8.

Statistical analyses

No statistical analyses for this end point

Secondary: Probability of First Event Being a Central Nervous System (CNS) Progression, Non CNS Progression, or Death (Phase 1)

End point title	Probability of First Event Being a Central Nervous System
	(CNS) Progression, Non CNS Progression, or Death (Phase 1)

End point description:

The probability of the first event being a CNS progression, a non-CNS progression, or death was evaluated with a competing risk approach by estimating cumulative incidence functions (range: 0-1) relative to the analysis set. The time to first event being a Competing Event (either "CNS progression" or "non CNS progression" or "Death") was defined as time from first dose until the date of that specific event. Subjects not known to have any of the Competing Events were censored on the date they were last assessed for disease status for PFS. Subjects who presented one type of event were counted as a competing cause of failure for the analysis of other type of events. For each type of event, the cumulative incidence function corresponding to the nearest time point preceding 1 year is presented. The results are based on independent central review.

End point type	Secondary
End point timeframe:	
3 years	

End point values	Phase 1 ITT Population		
Subject group type	Subject analysis set		
Number of subjects analysed	53		
Units: not applicable			
number (not applicable)			
CNS progression	0.260		
Non CNS progression	0.352		
Death	0.060		

Statistical analyses

No statistical analyses for this end point

Secondary: Progression-Free Survival (PFS) (Phase 1)

End point title

Progression-Free Survival (PFS) (Phase 1)

End point description:

PFS was defined as the time from the first dose of study treatment to the first documentation of objective disease progression or to death on study due to any cause, whichever came first. Results presented here were based on independent central review. PFS analysis set included all subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

3 years

End point values	ALK Positive Population (Phase 1)	ROS1 Positive Population (Phase 1)	
		Subject analysis set	

Notes:

- [21] Number of deaths is 21; others were censored.
- [22] Number of deaths is 5; others were censored.

Statistical analyses

No statistical analyses for this end point

Secondary: Maximum Observed Plasma Concentration (Cmax) of PF-06463922 Following Single Oral Doses (Phase 1)

End point title	Maximum Observed Plasma Concentration (Cmax) of PF-
-	06463922 Following Single Oral Doses (Phase 1) ^[23]

End point description:

Maximum observed plasma concentration (Cmax) of PF-06463922 was observed directly from data. PK concentration analysis set for PF-06463922 included all subjects treated who had at least 1 concentration of PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 for all other groups.

Notes:

[23] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	2	12
Units: ng/mL				
geometric mean (geometric coefficient of variation)	50.80 (± 17)	149.2 (± 71)	99999 (± 99999)	489.1 (± 45)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	3	3
Units: ng/mL				
geometric mean (geometric coefficient of variation)	595.5 (± 37)	760.0 (± 58)	1201 (± 19)	202.2 (± 57)

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	4	
Units: ng/mL			

No statistical analyses for this end point

Secondary: Maximum Observed Plasma Concentration (Cmax) of PF-06463922 Following Multiple Oral Doses (Phase 1)

Maximum Observed Plasma Concentration (Cmax) of PF-
06463922 Following Multiple Oral Doses (Phase 1) ^[24]

End point description:

Maximum Observed Plasma Concentration (Cmax) of PF-06463922 was observed directly from data. PK concentration analysis set for PF-06463922 included all subjects treated who had at least 1 concentration of PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timoframe	

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24 hours post-dose on Cycle 1 Day 15 (24-hour samples not collected for BID groups).

Notes:

[24] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: ng/mL				
geometric mean (geometric coefficient of variation)	67.29 (± 18)	138.1 (± 35)	359.7 (± 27)	429.6 (± 48)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	3	3
Units: ng/mL				
geometric mean (geometric coefficient of variation)	550.2 (± 32)	541.0 (± 42)	99999 (± 99999)	99999 (± 99999)

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: ng/mL			
geometric mean (geometric coefficient	550.0 (± 23)	600.5 (± 27)	

Clinical trial results 2013-002620-17 version 1

No statistical analyses for this end point

Secondary: Time for Cmax (Tmax) of PF-06463922 Following Single Oral Doses (Phase 1)

End point title	Time for Cmax (Tmax) of PF-06463922 Following Single Oral
	Doses (Phase 1) ^[25]

End point description:

Tmax of PF-06463922 was observed directly from data as time of first occurrence. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 for all other groups.

Notes:

[25] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	2	12
Units: hours				
median (full range (min-max))	1.98 (1.00 to 2.97)	2.00 (0.50 to 2.05)	1.25 (0.50 to 2.00)	1.09 (0.50 to 4.03)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	3	3
Units: hours				
median (full range (min-max))	1.96 (0.517 to 4.33)	1.05 (1.00 to 3.00)	2.00 (1.18 to 3.00)	1.20 (0.50 to 1.97)

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	4	

Units: hours			
median (full range (min-max))	1.23 (1.00 to 2.00)	2.00 (1.10 to 3.07)	

No statistical analyses for this end point

Secondary: Time for Cmax (Tmax) of PF-06463922 Following Multiple Oral Doses (Phase 1)

End point title	Time for Cmax (Tmax) of PF-06463922 Following Multiple Oral
	Doses (Phase 1) ^[26]

End point description:

Tmax of PF-06463922 was observed directly from data as time of first occurrence. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24 hours post-dose on Cycle 1 Day 15 (24-hour samples not collected for BID groups).

Notes:

[26] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: hours				
median (full range (min-max))	1.00 (1.00 to 1.08)	1.00 (1.00 to 2.00)	2.00 (1.92 to 2.75)	1.03 (0.50 to 2.00)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	3	3
Units: hours				
median (full range (min-max))	1.13 (1.00 to 4.00)	1.30 (1.00 to 24.0)	1.61 (1.22 to 2.00)	0.50 (0.50 to 0.50)

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: hours			

|--|

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time profile from Time Zero to Time Tau (AUCtau) of PF-06463922 Following Single Oral Doses (Phase 1)

Area under the Plasma Concentration-Time profile from Time Zero to Time Tau (AUCtau) of PF-06463922 Following Single
Oral Doses (Phase 1) ^[27]

End point description:

Tau refers to the dosing interval, and it equals to 12 or 24 hours for BID or QD dosing, respectively. AUCtau was determined using linear/log trapezoidal method. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Day -7 for all other groups.

Notes:

[27] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	2	12
Units: nanogram*hour/milliliter (ng*hr/mL)				
geometric mean (geometric coefficient of variation)	488.2 (± 21)	1387 (± 35)	99999 (± 99999)	3990 (± 55)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	3	3
Units: nanogram*hour/milliliter (ng*hr/mL)				
geometric mean (geometric coefficient of variation)	5110 (± 28)	7474 (± 73)	11410 (± 43)	982.4 (± 9)

End point values75 mg BID (Phase 1)100 mg BID (Phase 1)	
---	--

Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	4	
Units: nanogram*hour/milliliter (ng*hr/mL)			
geometric mean (geometric coefficient of variation)	2996 (± 20)	2925 (± 47)	

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time profile from Time Zero to Time Tau (AUCtau) of PF-06463922 Following Multiple Oral Doses (Phase 1)

End point title	Area under the Plasma Concentration-Time profile from Time
	Zero to Time Tau (AUCtau) of PF-06463922 Following Multiple
	Oral Doses (Phase 1) ^[28]

End point description:

Tau refers to the dosing interval, and it equals to 12 or 24 hours for BID or QD dosing, respectively. AUCtau was determined using linear/log trapezoidal method. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24 hours post-dose on Cycle 1 Day 15 (24-hour samples not collected for BID groups)

Notes:

[28] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: ng*hr/mL				
geometric mean (geometric coefficient of variation)	752.1 (± 26)	1701 (± 29)	3367 (± 39)	4107 (± 53)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	2	1
Units: ng*hr/mL				
geometric mean (geometric coefficient of variation)	5121 (± 30)	6157 (± 9)	99999 (± 99999)	99999 (± 99999)

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: ng*hr/mL			
geometric mean (geometric coefficient of variation)	3574 (± 35)	4058 (± 33)	

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time Profile from Time Zero Extrapolated to Infinite Time (AUCinf) of PF-06463922 Following Single Oral Doses (Phase 1)

End point title

Area under the Plasma Concentration-Time Profile from Time Zero Extrapolated to Infinite Time (AUCinf) of PF-06463922 Following Single Oral Doses (Phase 1)^[29]

End point description:

AUCinf was calculated as AUClast + (Clast*/kel), where AUClast was the area under the plasma concentration-time profile from time 0 to the time of the last quantifiable concentration, Clast* was the predicted plasma concentration at the last quantifiable time point estimated from the log-linear regression analysis, and kel was the rate constant for terminal phase. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

I I I		
End point type	Secondary	
End point timeframe:		

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 for all other groups.

Notes:

[29] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)	100 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	1	2	11	15
Units: ng*hr/mL				
geometric mean (geometric coefficient of variation)	99999 (± 99999)	99999 (± 99999)	7663 (± 79)	8236 (± 25)

End point values	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)	100 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	2	1	4
Units: ng*hr/mL				
geometric mean (geometric coefficient of variation)	18340 (± 61)	99999 (± 99999)	99999 (± 99999)	6318 (± 56)

No statistical analyses for this end point

Secondary: Apparent Oral Clearance (CL/F) of PF-06463922 Following Single Oral Doses (Phase 1)

End point title	Apparent Oral Clearance (CL/F) of PF-06463922 Following
	Single Oral Doses (Phase 1) ^[30]

End point description:

Clearance of a drug is a measure of the rate at which a drug is metabolized or eliminated by normal biological processes. CL/F was calculated as dose/AUCinf, where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 for all other groups.

Notes:

[30] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)	100 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	1	2	11	15
Units: liter/hour (L/hr)				
geometric mean (geometric coefficient of variation)	99999 (± 99999)	99999 (± 99999)	9.788 (± 79)	12.14 (± 25)

End point values	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)	100 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	2	1	4
Units: liter/hour (L/hr)				
geometric mean (geometric coefficient of variation)	10.90 (± 61)	99999 (± 99999)	99999 (± 99999)	15.83 (± 56)

Statistical analyses

Secondary: Apparent Oral Clearance (CL/F) of PF-06463922 Following Multiple Oral Doses (Phase 1)

End point title	Apparent Oral Clearance (CL/F) of PF-06463922 Following
	Multiple Oral Doses (Phase 1) ^[31]

End point description:

Clearance of a drug is a measure of the rate at which a drug is metabolized or eliminated by normal biological processes. CL/F was calculated as dose/AUCinf, where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24 hours post-dose on Cycle 1 Day 15 (24-hour samples not collected for BID groups)

Notes:

[31] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: L/hr				
geometric mean (geometric coefficient of variation)	13.27 (± 26)	14.72 (± 29)	14.84 (± 39)	17.66 (± 48)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16	3	2	1
Units: L/hr				
geometric mean (geometric coefficient of variation)	19.52 (± 30)	24.37 (± 9)	99999 (± 99999)	99999 (± 99999)

Secondary: Apparent Volume of Distribution (Vz/F) of PF-06463922 Following Single Oral Doses (Phase 1)

End point title	Apparent Volume of Distribution (Vz/F) of PF-06463922
	Following Single Oral Doses (Phase 1) ^[32]

End point description:

Vz/F was defined as the theoretical volume in which the total amount of drug would need to be uniformly distributed to produce the desired plasma concentration of a drug, and calculated as dose/(AUCinf*kel), where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time, kel was the rate constant for terminal phase. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 for all other groups.

Notes:

[32] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)	100 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	1	2	11	15
Units: liters (L)				
geometric mean (geometric coefficient of variation)	99999 (± 99999)	99999 (± 99999)	367.9 (± 54)	356.3 (± 39)

End point values	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)	100 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	2	1	4
Units: liters (L)				
geometric mean (geometric coefficient of variation)	307.8 (± 41)	99999 (± 99999)	99999 (± 99999)	378.3 (± 54)

Statistical analyses

No statistical analyses for this end point

Secondary: Observed Accumulation Ratio (Rac) of PF-06463922 Following Multiple Oral Doses (Phase 1)

End point title	Observed Accumulation Ratio (Rac) of PF-06463922 Following
	Multiple Oral Doses (Phase 1) ^[33]

End point description:

Rac was calculated as Day 15 AUCtau/Day -7 AUCtau or Day 1 AUCtau, where AUCtau was the area under the plasma concentration-time profile from time 0 to time tau (12 and 24 hours for BID and QD

dosing regimen, respectively). PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24 hours post-dose on Cycle 1 Day 15 (24-hour samples not collected for BID groups)

Notes:

[33] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	2	12
Units: ratio				
arithmetic mean (standard deviation)	1.543 (± 0.075056)	1.237 (± 0.20817)	1.105 (± 99999)	1.121 (± 0.44575)

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	15	3	2	1
Units: ratio				
arithmetic mean (standard deviation)	1.071 (± 0.31138)	1.000 (± 0.79137)	0.6500 (± 99999)	99999 (± 99999)

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: ratio			
arithmetic mean (standard deviation)	1.231 (± 0.35228)	1.523 (± 0.29569)	

Statistical analyses

No statistical analyses for this end point

Secondary: Terminal Half-Life of PF-06463922 Following Single Oral Doses	(Phase
1)	

End point title Terminal Half-Life of PF-06463922 Following Single Oral Doses (Phase 1) ^[34]

End point description:

Terminal plasma half-life was defined as the time measured for the plasma concentration to decrease by one half, and calculated as loge(2)/kel, where kel was the rate constant for terminal phase. PK

parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

	• •
End point type	Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cylce 1 Day 1 for 25 mg QD and 150 mg QD groups; pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 for all other groups.

Notes:

[34] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)	100 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	1	2	11	15
Units: hours (hr)				
arithmetic mean (standard deviation)	99999 (± 99999)	23.70 (± 99999)	27.22 (± 8.2961)	20.89 (± 5.0308)

End point values	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)	100 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	2	1	4
Units: hours (hr)				
arithmetic mean (standard deviation)	19.80 (± 3.3045)	25.55 (± 99999)	99999 (± 99999)	17.18 (± 5.1874)

Statistical analyses

No statistical analyses for this end point

Secondary: Steady State Accumulation Ratio (Rss) of PF-06463922 Following Multiple Oral Doses (Phase 1)

End point title	Steady State Accumulation Ratio (Rss) of PF-06463922
	Following Multiple Oral Doses (Phase 1) ^[35]

End point description:

Rss was calculated as Day 15 AUCtau/Day -7 AUCinf, where AUCtau was the area under the plasma concentration-time profile from time 0 to time tau (12 and 24 hours for BID and QD dosing regimen, respectively), and AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24 hours post-dose on Cycle 1 Day 15 (24-hour samples not collected for BID groups)

[35] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)	100 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	1	2	11	14
Units: ratio				
arithmetic mean (standard deviation)	99999 (± 99999)	0.5600 (± 99999)	0.6131 (± 0.29021)	0.6603 (± 0.18604)

End point values	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)	100 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	2	1	1	3
Units: ratio				
arithmetic mean (standard deviation)	0.3935 (± 99999)	99999 (± 99999)	99999 (± 99999)	0.7687 (± 0.13552)

Statistical analyses

No statistical analyses for this end point

Secondary: Renal Clearance (CLr) of PF-06463922 (Phase 1)

End point title Renal Clearance (CLr) of PF-06463922 (Phase 1)^[36]

End point description:

Renal clearance was calculated as Aetau/AUCtau, where Aetau was the cumulative amount of drug recovered unchanged in urine up to dosing interval tau (24 hours for QD dosing regimen), and AUCtau was the area under the plasma concentration-time profile from time 0 to time tau (24 hours for QD dosing regimen). PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. This end point is only applicable to 100 mg QD group.

-	
End point type	Secondary
End point timeframe:	
0-4 hours, 4-12 hours and 12-24 hours p	post-dose on Cycle 1 Day 15

Notes:

[36] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	100 mg QD (Phase 1)		
Subject group type	Reporting group		
Number of subjects analysed	3		
Units: ml/hour			
geometric mean (geometric coefficient of variation)	61.31 (± 58)		

No statistical analyses for this end point

Secondary: Percent of PF-06463922 Recovered Unchanged in Urine up to Dosing Interval (AEtau%) (Phase 1)

End point title	Percent of PF-06463922 Recovered Unchanged in Urine up to
	Dosing Interval (AEtau%) (Phase 1) ^[37]

End point description:

Dosing interval was 24 hours for QD dosing regimen. Aetau% was calculated as 100*Ae24/dose, where Ae24 was the cumulative amount of drug recovered unchanged in urine up to 24 hours post-dose. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922. This end point is only applicable to 100 mg QD group.

End point type	Secondary
End point timeframe:	

End point timeframe:

0-4 hours, 4-12 hours and 12-24 hours post-dose on Cycle 1 Day 15

Notes:

[37] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	100 mg QD (Phase 1)		
Subject group type	Reporting group		
Number of subjects analysed	3		
Units: percentage			
arithmetic mean (standard deviation)	0.4017 (± 0.11074)		

Statistical analyses

No statistical analyses for this end point

Secondary: Maximum Observed Plasma Concentration (Cmax) of Midazolam (Phase 1)

End point title	Maximum Observed Plasma Concentration (Cmax) of
	Midazolam (Phase 1) ^[38]

End point description:

Cmax of midazolam was observed directly from data. Only subjects in 25 mg and 150 mg QD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK concentration analysis set for midazolam included all subjects treated with midazolam who had at least 1 concentration of midazolam.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes:

[38] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: ng/mL			
geometric mean (geometric coefficient of variation)			
Day -7	16.06 (± 42)	11.56 (± 48)	
Cycle 1 Day 15	9.697 (± 40)	5.734 (± 43)	

Statistical analyses

No statistical analyses for this end point

Secondary: Time for Cmax (Tmax) of Midazolam (Phase 1)

End point title Time for Cmax (Tmax) of Midazolam (Phase 1) ^[39]	End point title	Time for Cmax (Tmax) of Midazolam (Phase 1) ^[39]	
---	-----------------	---	--

End point description:

Tmax of midazolam was observed directly from data as time of first occurrence. Only subjects in 25 mg and 150 mg QD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK parameter analysis set for midazolam included all subjects who received at least 1 dose of midazolam and for which at least 1 midazolam PK parameter of interest was available.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes:

[39] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: hours			
median (full range (min-max))			
Day -7	0.50 (0.50 to 1.00)	0.50 (0.50 to 0.50)	
Cycle 1 Day 15	0.50 (0.50 to 1.00)	0.50 (0.50 to 0.533)	

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time profile from Time Zero to the Time of the Last Quantifiable Concentration (AUClast) of Midazolam (Phase 1)

Area under the Plasma Concentration-Time profile from Time Zero to the Time of the Last Quantifiable Concentration
(AUClast) of Midazolam (Phase 1) ^[40]

End point description:

Area under the plasma concentration-time profile from time 0 to the time of the last quantifiable concentration (AUClast) of midazolam was determined using linear/log trapezoidal method. Only subjects in 25 mg and 150 mg QD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK parameter analysis set for midazolam included all subjects who received at least 1 dose of midazolam and for which at least 1 midazolam PK parameter of interest was available.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes:

[40] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3	
Units: ng*hr/mL			
geometric mean (geometric coefficient of variation)			
Day -7	51.30 (± 47)	36.49 (± 20)	
Cycle 1 Day 15	20.43 (± 18)	14.44 (± 25)	

Statistical analyses

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time Profile from Time Zero Extrapolated to Infinite Time (AUCinf) of Midazolam (Phase 1)

End point title

Area under the Plasma Concentration-Time Profile from Time Zero Extrapolated to Infinite Time (AUCinf) of Midazolam (Phase $1)^{[41]}$

End point description:

AUCinf was calculated as AUClast + (Clast*/kel), where AUClast was the area under the plasma concentration-time profile from time 0 to the time of the last quantifiable concentration, Clast* was the predicted plasma concentration at the last quantifiable time point estimated from the log-linear regression analysis, and kel was the rate constant for terminal phase. Only subjects in 25 mg and 150 mg QD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK parameter analysis set for midazolam included all subjects who received at least 1 dose of midazolam and for which at least 1 midazolam PK parameter of interest was available. "99999" represents "not applicable" or "non evaluable" data.

		 -	
End poin	t type		Secondary

End point timeframe:

Secondary

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes

[41] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3 ^[42]	
Units: ng*hr/mL			
geometric mean (geometric coefficient of variation)			
Day -7	54.53 (± 43)	99999 (± 99999)	
Cycle 1 Day 15	21.32 (± 18)	16.09 (± 29)	

Notes:

[42] - Number of subjects contributing to Day -7 data is 2.

Statistical analyses

No statistical analyses for this end point

Secondary: Apparent Oral Clearance (CL/F) of Midazolam (Phase 1)

End point title	Apparent Oral Clearance (CL/F) of Midazolam (Phase 1) ^[43]

End point description:

Clearance of a drug is a measure of the rate at which a drug is metabolized or eliminated by normal biological processes. CL/F was calculated as dose/AUCinf, where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time. Only subjects in 25 mg and 150 mg OD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK parameter analysis set for midazolam included all subjects who received at least 1 dose of midazolam and for which at least 1 midazolam PK parameter of interest was available. "99999" represents "not applicable" or "non evaluable" data.

End point type Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes:

[43] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3 ^[44]	
Units: L/hr			
geometric mean (geometric coefficient of variation)			
Day -7	36.68 (± 43)	99999 (± 99999)	
Cycle 1 Day 15	93.86 (± 18)	124.2 (± 29)	

[44] - Number of subjects contributing to Day -7 data is 2.

Statistical analyses

No statistical analyses for this end point

Secondary: Apparent Volume of Distribution (Vz/F) of Midazolam (Phase 1)

End point title	Apparent Volume of Distribution (Vz/F) of Midazolam (Phase

End point description:

Vz/F was defined as the theoretical volume in which the total amount of drug would need to be uniformly distributed to produce the desired plasma concentration of a drug, and calculated as dose/(AUCinf*kel), where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time, kel was the rate constant for terminal phase. Only subjects in 25 mg and 150 mg QD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK parameter analysis set for midazolam included all subjects who received at least 1 dose of midazolam and for which at least 1 midazolam PK parameter of interest was available. "99999" represents "not applicable" or "non evaluable" data.

 End point type
 Secondary

 End point timeframe:
 Drud cost 0.5, 1, 2, 4, 6, 0, 0 and 24 hours next does on Drug 7 and num does 0.5, 1, 2, 4, 6, 0, 0 and 24 hours next does on Drug 7 and num does 0.5, 1, 2, 4, 6, 0, 0 and 10 and

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes:

[45] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3 ^[46]	
Units: liter			
geometric mean (geometric coefficient of variation)			
Day -7	229.0 (± 7)	99999 (± 99999)	
Cycle 1 Day 15	404.4 (± 51)	702.2 (± 100)	

Notes:

[46] - Number of subjects contributing to Day -7 data is 2.

Statistical analyses

No statistical analyses for this end point

Secondary: Terminal Half-Life of Midazolam (Phase 1)

End point title

Terminal Half-Life of Midazolam (Phase 1)^[47]

End point description:

Terminal plasma half-life was defined as the time measured for the plasma concentration to decrease by one half, and calculated as loge(2)/kel, where kel was the rate constant for terminal phase. Only subjects in 25 mg and 150 mg QD groups were given midazolam. Day -7 data reflect the PK assessment before administration of PF-06463922, and Cycle 1 Day 15 data reflect the PK assessment after multiple doses of PF-06463922 were administered. PK parameter analysis set for midazolam included all subjects who received at least 1 dose of midazolam and for which at least 1 midazolam PK parameter of interest was available. "99999" represents "not applicable" or "non evaluable" data.

	<u>.</u>
End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

Notes:

[47] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	25 mg QD (Phase 1)	150 mg QD (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3	3 ^[48]	
Units: hr			
arithmetic mean (standard deviation)			
Day -7	4.620 (± 1.9328)	5.120 (± 99999)	
Cycle 1 Day 15	3.343 (± 2.0358)	5.257 (± 5.0639)	

Notes:

[48] - Number of subjects contributing to Day -7 data is 2.

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with ALK Mutation Based on Plasma CNA Analysis (Phase 1)

End point title	Number of Subjects with ALK Mutation Based on Plasma CNA
	Analysis (Phase 1)

End point description:

Plasma circulating nucleic acid (CNA) samples were analyzed for ALK kinase domain mutations by digital polymerase chain reaction (PCR) BEAMing technology. Number of subjects with one or more ALK mutations is presented. CNA peripheral blood analysis set included all subjects of the ITT analysis set who had at least 1 molecular biomarker assayed.

End point type	Secondary
End point timeframe:	
Screening	

End point values	ALK Positive Population (Phase 1)		
Subject group type	Subject analysis set		
Number of subjects analysed	39		
Units: subjects	14		

No statistical analyses for this end point

Secondary: Number of Subjects with ALK Mutation Based on Tumor Tissue Analysis (Phase 1)

End point title	Number of Subjects with ALK Mutation Based on Tumor Tissue
	Analysis (Phase 1)

End point description:

Tumor tissues from archived tissue specimens and/or a de novo biopsy were analyzed for ALK kinase domain mutations. Number of subjects with one or more ALK mutations is presented. Tumor Tissue analysis set included all subjects of the ITT analysis set who had at least 1 molecular tumor biomarker assayed from either the screening archival or screening de novo tumor biopsy sample (or both).

End point type	Secondary
End point timeframe:	

Screening

End point values	ALK Positive Population (Phase 1)		
Subject group type	Subject analysis set		
Number of subjects analysed	30		
Units: subjects	7		

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects Who Improved, Worsened or Remained Stable in EORTC QLQ-C30 (Phase 1)

Number of Subjects Who Improved, Worsened or Remained Stable in EORTC QLQ-C30 (Phase 1)

End point description:

European Organisation for Research and Treatment of Cancer Core Quality of Life Questionaires (EORTC QLQ)-C30 (v3.0) consists of 30 questions for 5 functional domains (physical, role, emotional, cognitive, social), global quality of life (QoL), disease/treatment related symptoms (fatigue, nausea/vomiting, pain, dyspnea, insomnia, appetite loss, constipation, diarrhea), and the perceived financial impact of disease. Each scale was transformed to a range of 0 to 100 using EORTC algorithm. For global QoL and functional scales, higher score means better performance, improvement was an increase of at least 10 points, worsening was a decrease of at least 10 points. For symptom scales, higher score means worse symptoms, improvement was a decrease of at least 10 points, worsening was an increase of at least 10 points. Patient reported outcome (PRO) set included all subjects who received at least 1 dose of PF-

06463922, completed a baseline and at least 1 post-baseline assessment.

End point type	Secondary	
End point timeframe:		
3 years		

End point values	Phase 1 PRO Evaluable Population		
Subject group type	Subject analysis set		
Number of subjects analysed	43		
Units: subjects			
Improved in global QoL	20		
Stable in global QoL	13		
Worsened in global QoL	10		
Improved in physical functioning	6		
Stable in physical functioning	30		
Worsened in physical functioning	7		
Improved in role functioning	15		
Stable in role functioning	16		
Worsened in role functioning	12		
Improved in emotional functioning	15		
Stable in emotional functioning	20		
Worsened in emotional functioning	8		
Improved in cognitive functioning	8		
Stable in cognitive functioning	21		
Worsened in cognitive functioning	14		
Improved in social functioning	13		
Stable in social functioning	18		
Worsened in social functioning	12		
Improved in fatigue	18		
Stable in fatigue	19		
Worsened in fatigue	6		
Improved in nausea and vomiting	10		
Stable in nausea and vomiting	32		
worsened in nausea and vomiting	1		
Improved in pain	18		
Stable in pain	15		
Worsened in pain	10		
Improved in dyspnea	13		
Stable in dyspnea	19		
Worsened in dyspnea	11		
Improved in insomnia	19		
Stable in insomnia	17		
Worsened in insomnia	7		
Improved in appetite loss	14		
Stable in appetite loss	27		
Worsened in appetite loss	2		
Improved in constipation	11		
Stable in constipation	27		

Worsened in constipation	5		
Improved in diarrhea	9		
Stable in diarrhea	29		
Worsened in diarrhea	5		
Improved in financial difficulties	7		
Stable in financial difficulties	21		
Worsened in financial difficulties	15		

No statistical analyses for this end point

Secondary: Number of Subjects Who Improved, Worsened or Remained Stable in EORTC QLQ-LC13 (Phase 1)

End point title

Number of Subjects Who Improved, Worsened or Remained Stable in EORTC QLQ-LC13 (Phase 1)

End point description:

EORTC QLQ-LC13 is the lung cancer module of EORTC QLQ-C30 and includes questions specific to the disease associated symptoms (dyspnea, cough, hemoptysis, and site specific pain), treatment-related symptoms (sore mouth, dysphagia, neuropathy and alopecia), and analgesic use of lung cancer patients. The scale was transformed to a range of 0 to 100 using standard EORTC algorithm. Higher score indicates worse symptoms, and improvement was defined as a decrease of at least 10 points, worsening was defined as an increase of at least 10 points. All scales which had not improved nor worsened were considered stable. Patient reported outcome (PRO) set included all subjects who received at least 1 dose of PF-06463922, completed a baseline and at least 1 post-baseline assessment.

	•
End point type	Secondary
End point timeframe:	
2 1/02/0	

3 years

End point values	Phase 1 PRO Evaluable Population		
Subject group type	Subject analysis set		
Number of subjects analysed	43 ^[49]		
Units: subjects			
Improved in dyspnea	10		
Stable in dyspnea	22		
Worsened in dyspnea	11		
Improved in coughing	23		
Stable in coughing	12		
Worsened in coughing	8		
Improved in hemoptysis	1		
Stable in hemoptysis	42		
Worsened in hemoptysis	0		
Improved in sore mouth	0		
Stable in sore mouth	40		
Worsened in sore mouth	3		
Improved in dysphagia	4		
Stable in dysphagia	37		

Worsened in dysphagia	2
Improved in peripheral neuropathy	6
Stable in peripheral neuropathy	19
Worsened in peripheral neuropathy	18
Improved in alopecia	3
Stable in alopecia	30
Worsened in alopecia	9
Improved in chest pain	16
Stable in chest pain	22
Worsened in chest pain	5
Improved in arm or shoulder pain	10
Stable in arm or shoulder pain	28
Worsened in arm or shoulder pain	5
Improved in pain in other parts	19
Stable in pain in other parts	14
Worsened in pain in other parts	10

[49] - Number of subjects analyzed for alopecia is 42.

Statistical analyses

No statistical analyses for this end point

Secondary: Change from Baseline in Mini Mental State Examination (MMSE) Score (Phase 1)

End point title	Change from Baseline in Mini Mental State Examination (MMSE)
	Score (Phase 1) ^[50]

End point description:

In Phase 1, the MMSE was collected to assess mental status. The MMSE is a 30 item questionnaire that tests 5 areas of cognitive function: orientation, registration, attention and calculation, recall and language. The maximum score is 30. A score of 23 or lower is indicative of cognitive impairment. The MMSE was removed under Amendment 6 of the study protocol, and not required for Phase 2, as the tool was not considered meaningful for assessment of cognitive function. MMSE assessment evaluable analysis set included all subjects who received at least 1 dose of PF-06463922 and completed a baseline and at least 1 post-baseline assessment. "99999" represents "not applicable" or "non evaluable data".

End point type	Secondary

End point timeframe:

3 years

Notes:

[50] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	2 ^[51]	3 ^[52]	3 ^[53]	9 ^[54]
Units: units on a score				
arithmetic mean (standard deviation)				
Cycle 1 Day 1	1.0 (± 1.41)	99999 (± 99999)	-0.5 (± 0.71)	-0.9 (± 2.27)
Cycle 2 Day 1	2.0 (± 99999)	-0.3 (± 0.58)	2.0 (± 99999)	0.3 (± 1.41)
Cycle 3 Day 1	2.0 (± 0.00)	0.3 (± 0.58)	-0.5 (± 0.71)	-0.6 (± 1.85)
Cycle 4 Day 1	5.0 (± 99999)	0.5 (± 0.71)	1.5 (± 2.12)	-1.1 (± 1.81)

Cycle 6 Day 1 Cycle 7 Day 1 2.5 (\pm 2.12)0.5 (\pm 0.71)1.0 (\pm 1.41)-0.4 (\pm 2.70)Cycle 7 Day 1 Cycle 8 Day 1 -0.0 (\pm 0.9999)0.5 (\pm 0.71)1.5 (\pm 2.12)-0.1 (\pm 2.31)Cycle 10 Day 1 Cycle 11 Day 1 -5.0 (\pm 99999)0.5 (\pm 0.71)0.0 (\pm 99999)0.0 (\pm 0.00)Cycle 12 Day 1 Cycle 13 Day 1 99999 (\pm 99999)-0.5 (\pm 0.71)0.0 (\pm 99999)0.3 (\pm 1.70)Cycle 12 Day 1 Syg99999999 (\pm 99999)-0.5 (\pm 0.71)99999 (\pm 99999)-0.6 (\pm 2.19)Cycle 13 Day 1 99999 (\pm 99999)99999 (\pm 99999)-0.5 (\pm 0.71)99999 (\pm 99999)-0.3 (\pm 3.20)Cycle 14 Day 1 99999 (\pm 99999 (\pm 99999 (\pm 99999)0.5 (\pm 0.71)99999 (\pm 99999)-0.3 (\pm 3.20)Cycle 15 Day 1 99999 (\pm 99999 (\pm 90.5 (\pm 0.71) 999999 (\pm 99999 (\pm 99999 (\pm 90.5 (\pm 0.71) 99999 (\pm 99999 (\pm 99999 (\pm 90.5 (\pm 0.71) 99999 (\pm 99999 (\pm 99999 (\pm 99999 (\pm 90.5 (\pm 0.71) 99999 (\pm 99999 (\pm	ſ				
Cycle 7 Day 12.0 (\pm 99999)0.5 (\pm 0.71)1.5 (\pm 2.12)-0.1 (\pm 1.21)Cycle 8 Day 199999 (\pm 0.0 (\pm 0.00)0.0 (\pm 9.0999)0.0 (\pm 2.31)Cycle 10 Day 199999 (\pm 0.0 (\pm 0.00)0.0 (\pm 99999)0.0 (\pm 0.00)Cycle 11 Day 1199999 (\pm 0.5 (\pm 0.71)0.0 (\pm 99999)0.3 (\pm 1.70)Cycle 12 Day 1199999 (\pm 0.5 (\pm 0.71)0.0 (\pm 99999)0.3 (\pm 1.70)Cycle 13 Day 1199999 (\pm 0.5 (\pm 0.71)99999)0.8 (\pm 1.79)Cycle 14 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.3 (\pm 3.20)Cycle 15 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.3 (\pm 3.20)Cycle 16 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.3 (\pm 3.20)Cycle 17 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.2 (\pm 2.49)Cycle 17 Day 1199999 (\pm 0.0 (\pm 1.41)99999 (\pm 0.2 (\pm 2.49)Cycle 20 Day 1199999 (\pm 0.0 (\pm 0.00)99999 (\pm 0.0 (\pm 1.41)Cycle 21 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.41)Cycle 22 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.41)Cycle 23 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.41)Cycle 24 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.41)Cycle 25 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.41)Cycle 26 Day 11 <td>Cycle 5 Day 1</td> <td>$0.5(\pm 3.54)$</td> <td>$0.5(\pm 0.71)$</td> <td>1.5 (± 2.12)</td> <td>0.3 (± 1.25)</td>	Cycle 5 Day 1	$0.5(\pm 3.54)$	$0.5(\pm 0.71)$	1.5 (± 2.12)	0.3 (± 1.25)
Cycle 8 Day 1-4.0 (\pm 99999)0.5 (\pm 0.71)1.5 (\pm 2.12)-0.1 (\pm 2.34)Cycle 9 Day 1199999 (\pm 0.0 (\pm 90999)0.0 (\pm 99999)0.0 (\pm 99999)0.3 (\pm 1.70)Cycle 12 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.6 (\pm 2.19)99999)0.8 (\pm 1.79)Cycle 13 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.3 (\pm 3.20)99999)0.3 (\pm 3.20)Cycle 15 Day 1199999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.3 (\pm 3.20)99999)-0.2 (\pm 2.49)Cycle 16 Day 1199999 (\pm 0.0 (\pm 1.41199999 (\pm 0.3 (\pm 1.79)99999)-0.2 (\pm 2.429Cycle 17 Day 1199999 (\pm -0.5 (\pm 0.71)99999 (\pm 0.8 (\pm 1.79)99999)0.8 (\pm 1.79)Cycle 20 Day 1199999 (\pm -0.5 (\pm 0.71)99999 (\pm 0.6 (\pm 1.41)Cycle 21 Day 1199999 (\pm 0.0 (\pm 0.00)999999)0.0 (\pm 1.41Cycle 22 Day 1199999 (\pm 0.0 (\pm 0.71)999999 (\pm 0.0 (\pm 1.72)Cycle 23 Day 1199999 (\pm 0.5 (\pm 0.71)999999 (\pm 0.0 (\pm 1.79)Cycle 24 Day 1199999 (\pm 0.5 (\pm 0.71)999999 (\pm 0.6 (\pm 1.79)Cycle 25 Day 1199999 (\pm 0.5 (\pm 0.71)999999 (\pm 0.6 (\pm 1.79)<					
Cycle 9 Day 1 9999 (±) 9999) $0.0 (\pm 9099)$ $1.0 (\pm 2.31)$ Cycle 10 Day 1 $-5.0 (\pm 99999)$ $0.5 (\pm 0.71)$ $0.0 (\pm 99999)$ $0.0 (\pm 99999)$ Cycle 11 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ $0.0 (\pm 99999)$ $0.0 (\pm 99999)$ Cycle 12 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ $99999 (\pm)$ 99999) $0.6 (\pm 2.19)$ Cycle 13 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ $99999 (\pm)$ 99999 (±) $0.6 (\pm 2.19)$ Cycle 14 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ $99999 (\pm)$ 99999 (±) $0.3 (\pm 3.20)$ 99999 (±)Cycle 15 Day 1 99999 (±) 99999 (±) $0.0 (\pm 1.41)$ 99999 (±) $0.2 (\pm 2.49)$ Cycle 17 Day 1 99999 (±) 99999 (±) $0.0 (\pm 1.41)$ 99999 (±) $0.6 (\pm 1.95)$ 99999)Cycle 18 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) 99999) $0.6 (\pm 1.79)$ 99999 (±)Cycle 20 Day 1 99999 (±) 99999 (±) $0.0 (\pm 1.41)$ 99999 (±) 99999) $0.0 (\pm 1.41)$ 99999 (±) 99999)Cycle 22 Day 1 99999 (±) 99999 (±) 99999 (±) $0.0 (\pm 1.41)$ 99999 (±) 99999 (±) 99999 (±) $0.0 (\pm 1.41)$ 99999 (±) 99999 (±) 99999 (±) $0.0 (\pm 1.41)$ Cycle 24 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) 99999 (±) $0.0 (\pm 0.00)$ 99999					
Cycle 10 Day 1 Cycle 11 Day 1 5.0 (\pm 99999)0.5 (\pm 0.71)0.0 (\pm 99999)0.0 (\pm 0.00)Cycle 12 Day 1 99999(\pm 99999(\pm 99999(\pm -0.5 (\pm 0.71) 99999(\pm 99999)0.0 (\pm 99999)-0.6 (\pm 2.19)Cycle 13 Day 1 99999(\pm 99999(\pm 99999(\pm 9999)0.5 (\pm 0.71) 99999(\pm 99999)9999(\pm 9999)-0.6 (\pm 2.19)Cycle 14 Day 1 99999(\pm 99999)99999(\pm 9999)0.5 (\pm 0.71) 99999(\pm 99999)90.8 (\pm 1.79) 99999(\pm 99999)Cycle 15 Day 1 99999(\pm 99999)99999(\pm 99999)0.5 (\pm 0.71) 99999(\pm 99999)90.3 (\pm 3.20) 99999)Cycle 16 Day 1 99999(\pm 99999)90.6 (\pm 1.41) 99999(\pm 99999)0.3 (\pm 3.20) 99999)Cycle 17 Day 1 99999(\pm 99999)90.6 (\pm 1.71) 99999(\pm 99999)90.6 (\pm 1.77) 99999(\pm 99999)Cycle 20 Day 1 99999(\pm 99999)90.6 (\pm 0.71) 99999(\pm 99999)90.6 (\pm 1.71) 99999(\pm 99999)Cycle 21 Day 1 99999(\pm 99999)90.6 (\pm 0.71) 99999(\pm 99999)90.6 (\pm 1.41) 99999(\pm 99999)Cycle 22 Day 1 99999(\pm 99999)0.0 (\pm 0.01 99999(\pm 99999)0.0 (\pm 1.41) 99999(\pm 99999)Cycle 25 Day 1 99999(\pm 99999(\pm 99999)0.5 (\pm 0.71) 999999(\pm 99999)99999(\pm 99999)Cycle 26 Day 1 99999(\pm 9999900.5 (\pm 0.71) 999999(\pm 999990999999(\pm 99999)0.8 (\pm 1.79) 999991Cycle 27 Day 1 999999(\pm 9999990.5 (\pm 0.71) 999999(\pm <br< td=""><td></td><td></td><td></td><td></td><td>-0.1 (± 2.34)</td></br<>					-0.1 (± 2.34)
Cycle 11 Day 1 9999 (± 99999) $-0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ $0.6 (\pm 2.19)$ 99999 (± 99999) $0.6 (\pm 2.19)$ 99999 (± 99999)Cycle 13 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ 99999 (± 99999)99999 (± $0.3 (\pm 1.79)$ 99999 (± 99999) $0.6 (\pm 2.19)$ 99999 (± $99999)$ Cycle 14 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ 99999 (± $99999)$ 99999 (± $0.3 (\pm 3.20)$ 99999)Cycle 15 Day 1 99999 (±) 99999 (±) $0.5 (\pm 0.71)$ 99999 (± $99999)$ 90.6 (\pm 1.95) 99999)Cycle 16 Day 1 99999 (±)99999 (±) 99999 (±) $99999 (±)$ $0.0 (\pm 1.41)$ $99999 (±)$ $99999 (±)$ $0.6 (\pm 1.95)$ $99999 (±)$ $0.8 (\pm 1.79)$ $99999 (±)$ $99999 (±)$ Cycle 17 Day 1 99999 (±) Cycle 20 Day 1 99999 (±) 99999 (±) $0.0 (\pm 0.00)$ $99999 (±)$ $99999 (±)$ $0.0 (\pm 1.41)$ $99999 (±)$ $90.6 (\pm 0.71)$ $99999 (±)$ $99999 (±)$ $0.0 (\pm 1.41)$ $99999 (±)$ $0.0 (\pm 1$	Cycle 9 Day 1	99999)			
Sector99999 9999 99990.5 (± 0.71) 99999 (± 0.5 (± 0.71) 99999 9999) 99990.5 (± 0.71) 99999 (± 0.5 (± 0.71) 99999 9999) 99990.8 (± 1.79) 99999 90.8 (± 1.79) 99999 90.8 (± 1.79) 99999 90.7 (± 0.71) 99999 (± 0.5 (± 0.71) 99999 (± 0.2 (± 2.49) 99999 90.6 (± 1.41) 99999 (± 0.5 (± 0.71) 99999 (± 0.2 (± 2.49) 99999 90.6 (± 1.41) 99999 (± 0.5 (± 0.71) 99999 (± 0.2 (± 2.49) 99999 90.6 (± 1.41) 99999 (± 0.5 (± 0.71) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 0.00) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 0.00) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 0.00) 99999 (± 0.6 (± 1.41) 99999 (± 0.6 (± 0.00) 99999 (± 0.6 (± 1.41) <td></td> <td>. ,</td> <td></td> <td>0.0 (± 99999)</td> <td>0.0 (± 0.00)</td>		. ,		0.0 (± 99999)	0.0 (± 0.00)
Cycle 13 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.6 (\pm 2.19)$ Cycle 14 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 15 Day 199999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999)Cycle 16 Day 199999 (± $90.5 (\pm 0.71)$ 99999 (± $0.2 (\pm 2.49)$ Cycle 17 Day 199999 (± $0.0 (\pm 1.41)$ 99999 (± $0.6 (\pm 1.95)$ Cycle 18 Day 199999 (± $-0.5 (\pm 0.71)$ 99999 (± $0.6 (\pm 1.79)$ Cycle 19 Day 199999 (± $-0.5 (\pm 0.71)$ 99999 (± $0.6 (\pm 1.79)$ Cycle 20 Day 199999 (± $0.0 (\pm 0.00)$ 99999 (± $0.0 (\pm 1.41)$ Cycle 21 Day 199999 (± $0.0 (\pm 0.00)$ 99999 (± $0.0 (\pm 1.41)$ Cycle 22 Day 199999 (± $0.0 (\pm 0.00)$ 99999 (± $0.0 (\pm 1.41)$ Cycle 24 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.4 (\pm 1.52)$ Cycle 25 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.4 (\pm 0.89)$ Cycle 26 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 27 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 28 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 27 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 28 Day 199999 (± $0.0 (\pm 0.00)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 29 Day 199999 (± $0.5 (\pm 0.71)$ 99999 (± $0.6 (\pm 0.79)$ <td< td=""><td>Cycle 11 Day 1 </td><td></td><td>-0.5 (± 0.71)</td><td>0.0 (± 99999)</td><td>0.3 (± 1.70)</td></td<>	Cycle 11 Day 1		-0.5 (± 0.71)	0.0 (± 99999)	0.3 (± 1.70)
Cycle 14 Day 1 99999)Cycle 15 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.3 (\pm 1.79)$ Cycle 15 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $-0.3 (\pm 3.20)$ Cycle 16 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $-1.7 (\pm 5.43)$ Gycle 17 Day 1 99999 (±) $-2.0 (\pm 2.83)$ 99999 (±) $-0.2 (\pm 2.49)$ Cycle 17 Day 1 99999 (±) $-2.0 (\pm 2.83)$ 99999 (±) $0.6 (\pm 1.95)$ Cycle 19 Day 1 99999 (±) $-0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 20 Day 1 99999 (±) $-0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 21 Day 1 99999 (±) $-0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 1.41)$ Cycle 22 Day 1 99999 (±) $-0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 1.41)$ Cycle 22 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 1.41)$ Cycle 23 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 1.41)$ Cycle 25 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 25 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 26 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 26 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.5 (\pm 1.73)$ Gycle 29 Day 1 99	Cycle 12 Day 1			99999)	-0.6 (± 2.19)
Cycle 15 Day 1 99999)C t \cdot 99999 (±-0.3 (± 5.d)Cycle 16 Day 1 99999 (±0.5 (± 0.71)99999 (±-1.7 (± 5.43)9999199999 (±0.0 (± 1.41)99999 (±-0.2 (± 2.49)Cycle 17 Day 1 99999 (±-2.0 (± 2.83)99999 (±-0.2 (± 2.49)9999299999 (±-0.5 (± 0.71)99999 (±-0.6 (± 1.95)Cycle 19 Day 1 99999 (±-0.5 (± 0.71)99999 (±0.6 (± 1.79)9999999999 (±-0.5 (± 0.71)99999 (±0.0 (± 1.41)Cycle 20 Day 1 99999 (±-0.5 (± 0.71)99999 (±0.0 (± 1.41)Cycle 21 Day 1 99999 (±-0.5 (± 0.71)99999 (±0.0 (± 1.41)Cycle 22 Day 1 99999 (±0.0 (± 0.00)99999 (±0.0 (± 1.41)Cycle 23 Day 1 99999 (±0.5 (± 0.71)99999 (±-0.4 (± 0.89)Cycle 24 Day 1 99999 (±0.5 (± 0.71)99999 (±-0.4 (± 0.89)Cycle 25 Day 1 99999 (±0.5 (± 0.71)99999 (±-0.4 (± 0.89)Cycle 26 Day 1 99999 (±0.5 (± 0.71)99999 (±-0.4 (± 0.89)Cycle 27 Day 1 99999 (±0.5 (± 0.71)99999 (±0.8 (± 1.79)Cycle 27 Day 1 99999 (±0.5 (± 0.71)99999 (±0.8 (± 1.79)Cycle 28 Day 1 99999 (±0.5 (± 0.71)99999 (±0.5 (± 1.73)99999 (±99999 (±0.5 (± 0.71)99999 (±0.5 (± 1.73)Cycle 27 Day 1 99999 (±0.5 (± 0.71)99999 (±0.5 (± 1.73)<	Cycle 13 Day 1		0.5 (± 0.71)		0.8 (± 1.79)
Cycle 16 Day 1 99999 99999 $0.0 (\pm 1.41)$ 99999 (\pm 99999) $0.2 (\pm 2.43)$ Cycle 17 Day 1 99999 (\pm 99999) $0.0 (\pm 1.41)$ 99999 (\pm 	Cycle 14 Day 1		0.5 (± 0.71)		-0.3 (± 3.20)
99999 99999 $0.2 (\pm 2.4.9)$ Cycle 17 Day 1 $99999 (\pm 9999) (\pm 9999)$ $-2.0 (\pm 2.83)$ $99999 (\pm 9999) (\pm 9999) (\pm 99999)$ $0.6 (\pm 1.95)$ Cycle 18 Day 1 $99999 (\pm 9999) (\pm 99999) (\pm 0.0 (\pm 0.00) 99999 (\pm 99999) (\pm 0.0 (\pm 1.41) 99999) (\pm 0.0 (\pm 0.00) 99999 (\pm 99999) (\pm 99999) (\pm 0.0 (\pm 1.41) 99999) (\pm 1.5 (\pm 0.71) 99999 (\pm 1.5 (\pm 0.71) 99999 (\pm 1.5 (\pm 0.71) 99999 (\pm 0.0 (\pm 1.41) 99999) (\pm 0.4 (\pm 0.89) 99999) (\pm 0.4 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.8 (\pm 1.79) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.5 (\pm 1.73) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.5 (\pm 1.73) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.5 (\pm 1.73) 99999) (\pm 0.5 (\pm 0.71) 99999 (\pm 0.5 (\pm 0.71) 99999 (\pm 0.5 (\pm 0.71) 99999 (\pm 0.3 (\pm 2.55) 99999) (\pm 0.6 (\pm 0.00) 99999 (\pm 0.3 (\pm 2.51) 99999 (\pm 0.3 (\pm 0.00) 99999 (\pm 0.3 (\pm 2.51) 99999 (\pm 0.3 (\pm 0.00) 99999 (\pm 0.3 (\pm 0.00)$	Cycle 15 Day 1		0.5 (± 0.71)		-1.7 (± 5.43)
99999)99999 (± 99999)99999 (± 99999)900 (± 99999)0.0 (± 1.3) 99999 (± 99999)0.8 (± 1.79) 99999 (± 99999)Cycle 19 Day 1 99999 (± 99999) $-0.5 (\pm 0.71)$ 99999 (± 99999)99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 1.41)$ 99999 (± 99999)Cycle 21 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 1.41)$ 99999 (± 99999) $0.0 (\pm 1.41)$ 99999 (± 99999)Cycle 22 Day 1 99999 (± 99999) 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 1.41)$ 99999 (± 99999)Cycle 23 Day 1 99999 (± 99999)99999 (± 99999) ($5. (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 1.41)$ 99999 (± 99999)Cycle 24 Day 1 99999 (± 99999)99999 (± $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 1.41)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 25 Day 1 99999 (± 99999)99999 (± $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ 99999 (± $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999)99999 (± $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ $0.9 (\pm 1.0 (\pm 2.00)$ 99999)Cycle 29 Day 1 99999 (± 99999)99999 (± $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.73)$ $0.9 (\pm 1.0 (\pm 2.65)$ $0.9 (\pm 1.3 (\pm 2.31)$ $99999 (\pm 0.5 (\pm 0.71)$ $99999 (\pm 0.0 (\pm 0.00)$ $99999 (\pm 0.0 (\pm 0.00)$ $99999 (\pm 0.0 (\pm 0.00)$ $99999 (\pm 0.0 (\pm 0.00)$ $99999 (\pm 0$	Cycle 16 Day 1		0.0 (± 1.41)		-0.2 (± 2.49)
Cycle 19 Day 1 99999 (± 99999) $-0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 20 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 1.41)$ Cycle 21 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 1.41)$ Cycle 22 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 1.41)$ Cycle 23 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 1.41)$ Cycle 24 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 1.41)$ Cycle 25 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 26 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 20 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 20 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 30 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999)Cycle 31 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm$	Cycle 17 Day 1		-2.0 (± 2.83)		0.6 (± 1.95)
Cycle 20 Day 1 99999)99999 (\pm 0.0 (\pm 0.00)99999)0.0 (\pm 1.41)Cycle 21 Day 1 99999 (\pm 0.0 (\pm 0.01)99999 (\pm 0.0 (\pm 1.41)Cycle 21 Day 1 99999 (\pm 0.0 (\pm 0.01)99999 (\pm 0.0 (\pm 1.41)Cycle 22 Day 1 99999 (\pm 0.0 (\pm 0.00)99999 (\pm 0.0 (\pm 1.41)Cycle 23 Day 1 99999 (\pm 0.0 (\pm 0.01)99999 (\pm 0.4 (\pm 1.52)Cycle 24 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.41)Cycle 25 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 1.79)Cycle 26 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.8 (\pm 1.79)Cycle 27 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.8 (\pm 1.79)Cycle 28 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.8 (\pm 1.79)Cycle 29 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.8 (\pm 1.79)Cycle 29 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.5 (\pm 1.73)Cycle 30 Day 1 99999 (\pm 0.0 (\pm 0.00)99999 (\pm 0.8 (\pm 1.50)Cycle 31 Day 1 99999 (\pm 0.0 (\pm 0.00)99999 (\pm 1.0 (\pm 2.65)Cycle 32 Day 1 99999 (\pm 0.0 (\pm 0.00)99999 (\pm 1.3 (\pm 2.31)Cycle 33 Day 1 99999 (\pm 0.0 (\pm 0.00)99999 (\pm 1.3 (\pm 2.31)Cycle 35 Day 1 99999 (\pm 0.5 (\pm 0.71)99999 (\pm 0.0 (\pm 0.00)Cycle 35 Day 1 99999	Cycle 18 Day 1		-0.5 (± 0.71)	99999)	0.8 (± 1.79)
Cycle 21 Day 1 9999999999 $(-0.5 (\pm 0.71)$ 9999999999 $(-0.6 (\pm 1.41)$ Cycle 22 Day 1 9999999999 $(-0.5 (\pm 0.71)$ 99999 $(-0.6 (\pm 1.41)$ Cycle 22 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.6 (\pm 1.41)$ Cycle 23 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.6 (\pm 1.41)$ Cycle 24 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.4 (\pm 0.89)$ Cycle 25 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.4 (\pm 0.89)$ Cycle 26 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.4 (\pm 0.89)$ Cycle 27 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.8 (\pm 1.79)$ Cycle 28 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.8 (\pm 1.79)$ Cycle 29 Day 1 99999 $(-1.5 (\pm 2.12)$ 99999 $(-0.6 (\pm 0.70)$ Cycle 20 Day 1 99999 $(-1.5 (\pm 2.12)$ 99999 $(-0.6 (\pm 1.73)$ Cycle 30 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.6 (\pm 0.70)$ Cycle 31 Day 1 99999 $(-0.6 (\pm 0.00)$ 99999 $(-0.6 (\pm 0.00)$ Cycle 32 Day 1 99999 $(-0.6 (\pm 0.00)$ 99999 $(-0.6 (\pm 0.00)$ Cycle 33 Day 1 99999 $(-0.6 (\pm 0.71)$ 99999 $(-0.6 (\pm 0.00)$ Cycle 34 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.6 (\pm 0.00)$ Cycle 35 Day 1 99999 $(-0.5 (\pm 0.71)$ 99999 $(-0.6 (\pm 0.00)$ </td <td>Cycle 19 Day 1 </td> <td></td> <td>-0.5 (± 0.71)</td> <td></td> <td>0.8 (± 1.79)</td>	Cycle 19 Day 1		-0.5 (± 0.71)		0.8 (± 1.79)
Cycle 22 Day 1 99999 (± 99999)0.0 (± 0.00) 99999 (± 99999)99999 (± 99999)0.0 (± 1.41) 99999 (± 99999)Cycle 23 Day 1 99999 (± 99999)0.5 (± 0.71) 99999 (± 99999)99999 (± 99999)0.0 (± 1.41) 99999 (± 99999)Cycle 24 Day 1 99999 (± 99999)0.5 (± 0.71) 99999 (± 99999)99999 (± 99999)0.0 (± 0.00) 99999 (± 99999)Cycle 25 Day 1 99999 (± 99999)0.0 (± 0.00) 99999 (± 99999)99999 (± 99999)0.8 (± 1.79) 99999 (± 99999)Cycle 26 Day 1 99999 (± 99999)90.5 (± 0.71) 99999 (± 99999)99999 (± 99999)0.8 (± 1.79) 99999 (± 99999)Cycle 27 Day 1 99999 (± 99999)90.5 (± 0.71) 99999 (± 99999)99999 (± 99999)0.8 (± 1.79) 99999 (± 99999)Cycle 29 Day 1 99999 (± 99999)90.5 (± 0.71) 99999 (± 99999)99999 (± 99999)0.5 (± 1.73) 99999 (± 99999)Cycle 30 Day 1 99999 (± 99999)90.6 (± 0.00) 99999 (± 99999)99999 (± 99999)0.6 (± 2.65) 99999)Cycle 31 Day 1 99999 (± 99999)99999 (± 99999)0.0 (± 0.00) 99999 (± 99999)99999 (± 99999)1.3 (± 2.31) 99999 (± 99999)Cycle 32 Day 1 99999 (± 99999)99999 (± 99999)0.0 (± 0.00) 99999 (± 99999)99999 (± 99999)Cycle 33 Day 1 99999 (± 99999)99999 (± 99999)0.0 (± 0.00) 99999 (± 99999)99999 (± 99999)Cycle 35 Day 1 99999 (± 99999)99999 (± 99999)0.0 (± 0.00) 99999 (± <b< td=""><td>Cycle 20 Day 1 </td><td></td><td>0.0 (± 0.00)</td><td></td><td>0.0 (± 1.41)</td></b<>	Cycle 20 Day 1		0.0 (± 0.00)		0.0 (± 1.41)
Cycle 23 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 1.41)$ Cycle 24 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 1.41)$ Cycle 25 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.4 (\pm 0.89)$ Cycle 25 Day 1 99999 (±) $0.0 (\pm 0.00)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 26 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 28 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 29 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.8 (\pm 1.79)$ Cycle 29 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.5 (\pm 1.73)$ Cycle 30 Day 1 99999 (±) $0.0 (\pm 0.00)$ 99999 (±) $0.5 (\pm 1.73)$ Cycle 31 Day 1 99999 (±) $0.0 (\pm 0.00)$ 99999 (±) $1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (±) $0.0 (\pm 0.00)$ 99999 (±) $1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (±) $0.0 (\pm 0.00)$ 99999 (±) $1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±) $0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (±) $0.5 (\pm 0.71)$ 99999 (±)	Cycle 21 Day 1		-0.5 (± 0.71)		0.0 (± 1.41)
Cycle 24 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) 99999 (± 99999) $0.6 (\pm 1.41)$ Cycle 25 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 26 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 28 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.73)$ Cycle 29 Day 1 99999 (± 99999) $-1.5 (\pm 2.12)$ 99999 (± 99999) $0.5 (\pm 1.73)$ Cycle 30 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.8 (\pm 1.50)$ Cycle 31 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (± 99999) $0.0 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 36 Day 1 99999 (± 99999) $0.0 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 9$	Cycle 22 Day 1		0.0 (± 0.00)		0.4 (± 1.52)
99999)99999)99999 (± 0.0) Cycle 25 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 26 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 28 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 29 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.5 (\pm 1.73)$ Cycle 30 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.8 (\pm 1.50)$ Cycle 31 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (± 99999) $0.0 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 36 Day 1 99999 (± 99999) $0.0 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 99999)$	Cycle 23 Day 1		0.5 (± 0.71)		0.0 (± 1.41)
Cycle 26 Day 1 99999 99999 $0.5 (\pm 0.71)$ 99999 (± 99999) 99999 $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) 99999) $0.8 (\pm 1.79)$ Cycle 27 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) 99999) $0.8 (\pm 1.79)$ Cycle 28 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 999999 ($\pm 2.00)$ $0.8 (\pm 1.73)$ Cycle 29 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 999999 ($\pm 2.00)$ $0.5 (\pm 1.73)$ Cycle 30 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.8 (\pm 1.50)$ Cycle 31 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 999999 ($\pm 1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 999999 ($\pm 1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 ($\pm 0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (± 99999 $0.0 (\pm 0.71)$ 99999 ($\pm 0.0 (\pm 0.71)$ Cycle 37 Day 1 99999 ($\pm 0.0 (\pm 0.00)$ 99999 ($\pm -10 (\pm 99999)$ Cycle 37 Day 1 99999 ($\pm 0.0 (\pm 0.00)$ 99999 ($\pm -10 (\pm 99999)$	Cycle 24 Day 1		0.5 (± 0.71)	99999)	-0.4 (± 0.89)
Cycle 27 Day 1 99999)99999 ($\pm \\ 99999$)0.5 (± 0.71)99999 ($\pm \\ 99999$)0.8 (± 1.79)Cycle 28 Day 1 99999 ($\pm \\ 99999$)0.5 (± 0.71)99999 ($\pm \\ 99999$)1.0 (± 2.00)Cycle 29 Day 1 99999 ($\pm \\ 99999$)-1.5 (± 2.12)99999 ($\pm \\ 99999$)0.5 (± 1.73)Cycle 30 Day 1 99999 ($\pm \\ 99999$)0.0 (± 0.00)99999 ($\pm \\ 99999$)0.8 (± 1.50)Cycle 31 Day 1 99999 ($\pm \\ 99999$)0.5 (± 0.71)99999 ($\pm \\ 99999$)0.8 (± 1.50)Cycle 32 Day 1 99999 ($\pm \\ 99999$)0.0 (± 0.00)99999 ($\pm \\ 99999$)1.0 (± 2.65)Cycle 32 Day 1 99999 ($\pm \\ 99999$)0.0 (± 0.00)99999 ($\pm \\ 99999$)1.3 (± 2.31)Cycle 33 Day 1 99999 ($\pm \\ 99999$)0.0 (± 0.00)99999 ($\pm \\ 99999$)1.3 (± 2.31)Cycle 34 Day 1 99999 ($\pm \\ 99999$)0.0 (± 0.00)99999 ($\pm \\ 99999$)0.0 (± 0.00)Cycle 35 Day 1 99999 ($\pm \\ 99999$)0.5 (± 0.71)99999 ($\pm \\ 99999$)0.0 (± 99999)Cycle 36 Day 1 99999 ($\pm \\ 99999$)-0.5 (± 0.71)99999 ($\pm \\ 99999$)0.0 (± 99999)Cycle 37 Day 1 99999 ($\pm \\ 99999$)-0.5 (± 0.71)99999 ($\pm \\ -1.0$ (± 99999)	Cycle 25 Day 1				0.8 (± 1.79)
Cycle 28 Day 1 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.8 (\pm 1.79)$ Cycle 29 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $1.0 (\pm 2.00)$ Cycle 29 Day 1 99999 (± 99999) $-1.5 (\pm 2.12)$ 99999 (± 99999) $0.5 (\pm 1.73)$ Cycle 30 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.8 (\pm 1.50)$ Cycle 31 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 999999 ($\pm 1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 1.3 (\pm 2.31)$ Cycle 35 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 ($\pm 0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm -1.0 (\pm 99999)$ Cycle 37 Day 1 99999 ($\pm 0.0 (\pm 0.00)$ 99999 ($\pm -1.0 (\pm 99999)$	Cycle 26 Day 1		0.5 (± 0.71)	99999)	0.8 (± 1.79)
Cycle 29 Day 1 99999) $-1.5 (\pm 2.12)$ 99999 (± 99999) $1.0 (\pm 2.00)$ Cycle 30 Day 1 99999 (± 99999) $-1.5 (\pm 2.12)$ 999999 (± 99999) $0.5 (\pm 1.73)$ Cycle 30 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 999999 (± 99999) $0.8 (\pm 1.50)$ Cycle 31 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 999999 ($\pm 1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 ($\pm 0.0 (\pm 0.00)$ Cycle 36 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 ($\pm 0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 ($\pm 0.0 (\pm 99999)$ Cycle 37 Day 1 99999 ($\pm 0.0 (\pm 0.00)$ 99999 ($\pm 0.0 (\pm 99999)$		99999)	0.5 (± 0.71)		0.8 (± 1.79)
Cycle 30 Day 1 99999)99999) $(1, 73)$ Cycle 30 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (±99999) $0.0 (\pm 0.00)$ 99999 (±Cycle 31 Day 1 99999 (± $0.5 (\pm 0.71)$ 99999 (±99999) $0.5 (\pm 0.71)$ 99999 (±Cycle 32 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (±99999) $0.0 (\pm 0.00)$ 99999 (±Cycle 33 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (±Cycle 34 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (±99999) $0.0 (\pm 0.00)$ 99999 (± $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± $0.5 (\pm 0.71)$ 99999 (±99999) $0.5 (\pm 0.71)$ 99999 (± $0.0 (\pm 9999)$ Cycle 36 Day 1 99999 (± $-0.5 (\pm 0.71)$ 99999 (±99999 (± $0.0 (\pm 0.00)$ 99999 (± $-1.0 (\pm 9999)$ Cycle 37 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (±		99999)		99999)	1.0 (± 2.00)
Cycle 31 Day 1 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.5 (\pm 1.30)$ Cycle 32 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 36 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ $99999 (\pm 0.0 (\pm 0.71)$ $99999 (\pm 0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999 (± 99999) (± $0.0 (\pm 0.00)$ $99999 (\pm -10 (\pm 99999)$	Cycle 29 Day 1			99999)	0.5 (± 1.73)
Cycle 32 Day 1 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.0 (\pm 2.65)$ Cycle 32 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 33 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (± 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 36 Day 1 99999 (± 99999) $-0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999 (± 99999) (± $0.0 (\pm 0.00)$ 99999 (± 99999) $-1.0 (\pm 99999)$	Cycle 30 Day 1		0.0 (± 0.00)	99999)	0.8 (± 1.50)
Cycle 33 Day 1 99999) $0.0 (\pm 0.00)$ 99999 (± $0.0 (\pm 2.31)$ Cycle 33 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (± $1.3 (\pm 2.31)$ Cycle 34 Day 1 99999 (± $0.0 (\pm 0.00)$ 99999 (± $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± $0.5 (\pm 0.71)$ 99999 (± $0.0 (\pm 9999)$ Cycle 36 Day 1 99999 (± $-0.5 (\pm 0.71)$ 99999 (± $0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± $0.0 (\pm 0.00)$ $99999 (\pm -1.0 (\pm 99999)$	Cycle 31 Day 1		0.5 (± 0.71)		1.0 (± 2.65)
Cycle 34 Day 1 99999) $0.0 (\pm 0.00)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± 99999) $0.0 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 0.00)$ Cycle 35 Day 1 99999 (± 99999) $0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 36 Day 1 99999 (± 99999) $-0.5 (\pm 0.71)$ 99999 (± 99999) $0.0 (\pm 99999)$ Cycle 37 Day 1 99999 (± 99999 (± $0.0 (\pm 0.00)$ 99999 (± 99999 (± 99999 (± $-1.0 (\pm 99999)$	Cycle 32 Day 1		0.0 (± 0.00)		1.3 (± 2.31)
Subscript{1} 99999 99999 99999 $0.0 (\pm 0.00)$ Cycle 35 Day 1 $99999 (\pm 99999)$ $0.5 (\pm 0.71)$ $99999 (\pm 99999)$ $0.0 (\pm 99999)$ Cycle 36 Day 1 $99999 (\pm 99999)$ $-0.5 (\pm 0.71)$ $99999 (\pm 99999)$ $0.0 (\pm 99999)$ Cycle 37 Day 1 $99999 (\pm 99999) (\pm 99999) (\pm 99999) (\pm 100 (\pm 99999))$ $-1.0 (\pm 99999)$	Cycle 33 Day 1		0.0 (± 0.00)		1.3 (± 2.31)
99999) 99999) 99999) 0.0 (± 99999) Cycle 36 Day 1 99999 (± 99999) -0.5 (± 0.71) 99999 (± 99999) 0.0 (± 99999) Cycle 37 Day 1 99999 (± 99999 (± 0.0 (± 0.00) 99999 (± -1.0 (± 99999) -1.0 (± 99999)	Cycle 34 Day 1		0.0 (± 0.00)		0.0 (± 0.00)
99999) 99999) 99999) 0.0 (± 99999) Cycle 37 Day 1 999999 (± 0.0 (± 0.00) 999999 (±	Cycle 35 Day 1		0.5 (± 0.71)		0.0 (± 99999)
	Cycle 36 Day 1		-0.5 (± 0.71)		0.0 (± 99999)
	Cycle 37 Day 1		0.0 (± 0.00)		-1.0 (± 99999)

Cycle 38 Day 1	99999 (± 99999)	0.0 (± 0.00)	99999 (± 99999)	0.0 (± 99999)
Cycle 39 Day 1	99999 (± 99999)	0.0 (± 99999)	99999 (± 99999)	0.0 (± 99999)
Cycle 40 Day 1	99999 (± 99999)	0.5 (± 0.71)	99999 (± 99999)	-1.0 (± 99999)
Cycle 41 Day 1	99999 (± 99999)	0.5 (± 0.71)	99999 (± 99999)	0.0 (± 99999)
Cycle 42 Day 1	99999 (± 99999)	-0.5 (± 0.71)	99999 (± 99999)	0.0 (± 99999)
Cycle 43 Day 1	99999 (± 99999)	0.0 (± 0.00)	99999 (± 99999)	0.0 (± 99999)
Cycle 44 Day 1	99999 (± 99999)	1.0 (± 99999)	99999 (± 99999)	-1.0 (± 99999)
Cycle 45 Day 1	99999 (± 99999)	1.0 (± 99999)	99999 (± 99999)	0.0 (± 99999)
Cycle 46 Day 1	99999 (± 99999)	0.0 (± 99999)	99999 (± 99999)	-1.0 (± 99999)
Cycle 47 Day 1	99999 (± 99999)	0.0 (± 99999)	99999 (± 99999)	0.0 (± 99999)
Cycle 48 Day 1	99999 (± 99999)	-3.0 (± 99999)	99999 (± 99999)	0.0 (± 99999)
Cycle 49 Day 1	99999 (± 99999)	0.5 (± 0.71)	99999 (± 99999)	99999 (± 99999)
Cycle 50 Day 1	99999 (± 99999)	-3.0 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 51 Day 1	99999 (± 99999)	-0.5 (± 0.71)	99999 (± 99999)	99999 (± 99999)
Cycle 52 Day 1	999999 (± 99999)	1.0 (± 99999)	99999 (± 99999)	99999 (± 99999)
End of treatment	-8.0 (± 99999)	99999 (± 99999)	0.7 (± 1.15)	-2.0 (± 99999)

[51] - Not all subjects had evaluable data at each time point.

[52] - Not all subjects had evaluable data at each time point.

[53] - Not all subjects had evaluable data at each time point.

[54] - Not all subjects had evaluable data at each time point.

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	16 ^[55]	3 ^[56]	2 ^[57]	2 ^[58]
Units: units on a score				
arithmetic mean (standard deviation)				
Cycle 1 Day 1	0.8 (± 1.39)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 2 Day 1	0.0 (± 1.79)	4.7 (± 8.08)	4.0 (± 4.24)	0.0 (± 0.00)
Cycle 3 Day 1	0.2 (± 1.52)	5.0 (± 8.49)	3.0 (± 2.83)	99999 (± 99999)
Cycle 4 Day 1	0.0 (± 1.47)	2.0 (± 6.24)	-0.5 (± 3.54)	99999 (± 99999)
Cycle 5 Day 1	-0.2 (± 1.72)	4.7 (± 8.14)	0.5 (± 6.36)	99999 (± 99999)
Cycle 6 Day 1	0.3 (± 0.90)	4.3 (± 5.86)	2.0 (± 4.24)	99999 (± 99999)
Cycle 7 Day 1	0.4 (± 0.90)	4.7 (± 8.33)	3.0 (± 4.24)	99999 (± 99999)
Cycle 8 Day 1	0.2 (± 1.34)	3.0 (± 7.81)	4.0 (± 4.24)	99999 (± 99999)

r				
Cycle 9 Day 1	0.3 (± 2.10)	6.0 (± 8.49)	6.0 (± 99999)	99999 (± 99999)
Cycle 10 Day 1	-0.1 (± 0.88)	6.5 (± 9.19)	6.0 (± 99999)	99999 (± 99999)
Cycle 11 Day 1	-0.2 (± 1.53)	7.0 (± 8.49)	3.5 (± 3.54)	99999 (± 99999)
Cycle 12 Day 1	-0.2 (± 2.33)	6.5 (± 9.19)	3.5 (± 3.54)	99999 (± 99999)
Cycle 13 Day 1	0.5 (± 2.22)	5.5 (± 7.78)	3.0 (± 4.24)	99999 (± 99999)
Cycle 14 Day 1	0.3 (± 0.79)	6.0 (± 8.49)	2.5 (± 3.54)	99999 (± 99999)
Cycle 15 Day 1	0.1 (± 1.36)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 16 Day 1	-0.2 (± 1.99)	1.0 (± 99999)	1.5 (± 6.36)	99999 (± 99999)
Cycle 17 Day 1	0.1 (± 1.17)	-3.0 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 18 Day 1	0.0 (± 1.73)	-2.0 (± 99999)	3.0 (± 4.24)	99999 (± 99999)
Cycle 19 Day 1	-0.6 (± 2.65)	0.0 (± 99999)	3.5 (± 4.95)	99999 (± 99999)
Cycle 20 Day 1	0.7 (± 2.12)	0.0 (± 99999)	3.5 (± 3.54)	99999 (± 99999)
Cycle 21 Day 1	0.1 (± 2.09)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 22 Day 1	0.1 (± 1.45)	0.0 (± 99999)	3.5 (± 3.54)	99999 (± 99999)
Cycle 23 Day 1	0.1 (± 1.81)	-1.0 (± 99999)	1.5 (± 3.54)	99999 (± 99999)
Cycle 24 Day 1	0.6 (± 0.74)	1.0 (± 99999)	1.5 (± 4.95)	99999 (± 99999)
Cycle 25 Day 1	-0.9 (± 2.27)	-2.0 (± 99999)	2.5 (± 4.95)	99999 (± 99999)
Cycle 26 Day 1	-0.4 (± 2.77)	-1.0 (± 99999)	2.0 (± 4.24)	99999 (± 99999)
Cycle 27 Day 1	-0.1 (± 2.67)	-1.0 (± 99999)	3.5 (± 3.54)	99999 (± 99999)
Cycle 28 Day 1	0.7 (± 0.76)	-2.0 (± 99999)	3.0 (± 2.83)	99999 (± 99999)
Cycle 29 Day 1	0.1 (± 1.81)	0.0 (± 99999)	3.5 (± 3.54)	99999 (± 99999)
Cycle 30 Day 1	0.4 (± 0.55)	0.0 (± 99999)	3.0 (± 2.83)	99999 (± 99999)
Cycle 31 Day 1	0.7 (± 0.82)	0.0 (± 99999)	3.0 (± 4.24)	99999 (± 99999)
Cycle 32 Day 1	0.4 (± 0.55)	99999 (± 99999)	3.5 (± 3.54)	99999 (± 99999)
Cycle 33 Day 1	0.5 (± 0.58)	99999 (± 99999)	3.5 (± 3.54)	99999 (± 99999)
Cycle 34 Day 1	0.3 (± 0.50)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 35 Day 1	0.3 (± 0.50)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 36 Day 1	0.0 (± 0.00)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 37 Day 1	0.0 (± 0.00)	99999 (± 99999)	3.5 (± 4.95)	99999 (± 99999)
Cycle 38 Day 1	0.0 (± 0.00)	99999 (± 99999)	3.0 (± 2.83)	99999 (± 99999)
Cycle 39 Day 1	-0.5 (± 0.71)	99999 (± 99999)	3.5 (± 4.95)	999999 (± 99999)

Cycle 40 Day 1	0.0 (± 99999)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 41 Day 1	0.0 (± 99999)	99999 (± 99999)	1.5 (± 6.36)	99999 (± 99999)
Cycle 42 Day 1	0.0 (± 99999)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 43 Day 1	99999 (± 99999)	99999 (± 99999)	4.0 (± 4.24)	99999 (± 99999)
Cycle 44 Day 1	99999 (± 99999)	99999 (± 99999)	3.0 (± 4.24)	99999 (± 99999)
Cycle 45 Day 1	99999 (± 99999)	99999 (± 99999)	1.0 (± 99999)	99999 (± 99999)
Cycle 46 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 47 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 48 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 49 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 50 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 51 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
Cycle 52 Day 1	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)
End of treatment	-2.3 (± 5.19)	99999 (± 99999)	99999 (± 99999)	99999 (± 99999)

[55] - Not all subjects had evaluable data at each time point.

[56] - Not all subjects had evaluable data at each time point.

[57] - Not all subjects had evaluable data at each time point.

[58] - Not all subjects had evaluable data at each time point.

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	3 ^[59]	4 ^[60]	
Units: units on a score			
arithmetic mean (standard deviation)			
Cycle 1 Day 1	0.0 (± 99999)	0.0 (± 99999)	
Cycle 2 Day 1	0.0 (± 0.00)	-0.3 (± 1.15)	
Cycle 3 Day 1	0.0 (± 99999)	-1.0 (± 1.00)	
Cycle 4 Day 1	0.0 (± 99999)	-0.7 (± 1.15)	
Cycle 5 Day 1	0.0 (± 99999)	-0.5 (± 0.71)	
Cycle 6 Day 1	0.0 (± 99999)	-1.3 (± 2.31)	
Cycle 7 Day 1	0.0 (± 99999)	-0.7 (± 1.15)	
Cycle 8 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 9 Day 1	99999 (± 99999)	-0.3 (± 0.58)	
Cycle 10 Day 1	0.0 (± 99999)	-1.7 (± 1.53)	
Cycle 11 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 12 Day 1	0.0 (± 99999)	-0.7 (± 0.58)	
Cycle 13 Day 1	0.0 (± 99999)	-0.5 (± 0.71)	
Cycle 14 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 15 Day 1	0.0 (± 99999)	-0.3 (± 0.58)	
Cycle 16 Day 1	0.0 (± 99999)	0.0 (± 0.00)	

r	1		
Cycle 17 Day 1	0.0 (± 99999)	-1.3 (± 1.53)	
Cycle 18 Day 1	999999 (± 99999)	0.0 (± 0.00)	
Cycle 19 Day 1	0.0 (± 99999)	-0.5 (± 0.71)	
Cycle 20 Day 1	0.0 (± 99999)	-0.5 (± 0.71)	
Cycle 21 Day 1	0.0 (± 99999)	-0.5 (± 0.71)	
Cycle 22 Day 1	-1.0 (± 99999)	-0.3 (± 0.58)	
Cycle 23 Day 1	0.0 (± 99999)	-2.3 (± 4.04)	
Cycle 24 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 25 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 26 Day 1	0.0 (± 99999)	-0.3 (± 0.58)	
Cycle 27 Day 1	0.0 (± 99999)	-1.0 (± 1.41)	
Cycle 28 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 29 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 30 Day 1	0.0 (± 99999)	-1.0 (± 1.00)	
Cycle 31 Day 1	99999 (± 99999)	0.0 (± 0.00)	
Cycle 32 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 33 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 34 Day 1	0.0 (± 99999)	0.0 (± 0.00)	
Cycle 35 Day 1	0.0 (± 99999)	0.0 (± 99999)	
Cycle 36 Day 1	0.0 (± 99999)	0.0 (± 99999)	
Cycle 37 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 38 Day 1	0.0 (± 99999)	99999 (± 99999)	
Cycle 39 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 40 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 41 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 42 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 43 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 44 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 45 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 46 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 47 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 48 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 49 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 50 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 51 Day 1	99999 (± 99999)	99999 (± 99999)	
Cycle 52 Day 1	99999 (± 99999)	99999 (± 99999)	
End of treatment	-15.0 (± 99999)	0.0 (± 99999)	

- [59] Not all subjects had evaluable data at each time point.
- [60] Not all subjects had evaluable data at each time point.

Statistical analyses

No statistical analyses for this end point

Secondary: Time to Tumor Response (TTR) and Intracranial TTR (Phase 2)

End point title	Time to Tumor Response (TTR) and Intracranial TTR (Phase

End point description:

Time to tumor response (TTR) was defined as the time from the first dose of study treatment to the first documentation of objective tumor response (CR or PR). For subjects whose objective response proceeded from PR to CR, the onset of PR was taken as the onset of response. TTR was only calculated for the subgroup of subjects with a confirmed objective tumor response. Intracranial TTR was only calculated for subjects with confirmed intracranial objective response. Results presented here were based on independent central review.

End point type	Secondary
End point timeframe:	
3 years	

Notes:

[61] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	27 ^[62]	20 ^[63]	30 ^[64]	27 ^[65]
Units: months				
median (full range (min-max))				
TTRI	1.4 (1.2 to 5.4)	1.4 (1.2 to 11.0)	1.4 (1.1 to 5.7)	2.6 (1.2 to 9.9)
Intracranial TTR	2.1 (1.2 to 2.8)	1.4 (1.2 to 1.5)	1.4 (1.1 to 5.7)	1.5 (1.2 to 6.2)

Notes:

[62] - Number of subjects analyzed for intracranial TTR is 6.

[63] - Number of subjects analyzed for intracranial TTR is 10.

[64] - Number of subjects analyzed for intracranial TTR is 20.

[65] - Number of subjects analyzed for intracranial TTR is 25.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	16 ^[66]	17 ^[67]	
Units: months			
median (full range (min-max))			
TTR	1.4 (1.2 to 4.0)	1.4 (1.3 to 4.2)	
Intracranial TTR	1.4 (1.2 to 3.3)	1.4 (1.2 to 5.5)	

- [66] Number of subjects analyzed for intracranial TTR is 15.
- [67] Number of subjects analyzed for intracranial TTR is 14.

Statistical analyses

No statistical analyses for this end point

Secondary: Duration of Response (DOR) and Intracranial DOR (Phase 2)

End point title

Duration of Response (DOR) and Intracranial DOR (Phase 2)^[68]

Duration of Response (DOR) was defined as the time from the first documentation of objective tumor

- [73] Number of subjects analyzed for intracranial DOR is 15.
- [74] Number of subjects analyzed for intracranial DOR is 14.

Statistical analyses

No statistical analyses for this end point

Secondary: Percentage of Subjects Achieving Disease Control and Intracranial Disease Control at 12 Weeks (Phase 2)

End point title	Percentage of Subjects Achieving Disease Control and
	Intracranial Disease Control at 12 Weeks (Phase 2) ^[75]

End point description:

Tumor response was evaluated according to RECIST version 1.1, and disease control was defined as confirmed complete response (CR), confirmed partial response (PR), or stable disease (SD). Intracranial assessment was only performed for subjects with CNS metastases. Results presented here were based on independent central review.

End point type	Secondary
End point timeframe:	
12 weeks	

Notes:

[75] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30 ^[76]	27 ^[77]	59 ^[78]	65 ^[79]
Units: percentage of subjects				
number (confidence interval 95%)				
Disease control rate	93.3 (77.9 to 99.2)	85.2 (66.3 to 95.8)	67.8 (54.4 to 79.4)	63.1 (50.2 to 74.7)
Intra-cranial disease control rate	87.5 (47.3 to 99.7)	94.1 (71.3 to 99.9)	75.0 (56.6 to 88.5)	77.8 (62.9 to 88.8)

Notes:

[76] - Number of subjects analyzed for intracranial disease control is 8.

[77] - Number of subjects analyzed for intracranial disease control is 17.

[78] - Number of subjects analyzed for intracranial disease control is 32.

[79] - Number of subjects analyzed for intracranial disease control is 45.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	46 ^[80]	47 ^[81]	
Units: percentage of subjects			
number (confidence interval 95%)			
Disease control rate	52.2 (36.9 to 67.1)	63.8 (48.5 to 77.3)	
Intra-cranial disease control rate	68.4 (51.3 to 82.5)	72.0 (50.6 to 87.9)	

- [80] Number of subjects analyzed for intracranial disease control is 38.
- [81] Number of subjects analyzed for intracranial disease control is 25.

Statistical analyses

No statistical analyses for this end point

Secondary: Time to Progression (TTP) on the Last Prior Therapy (Phase 2)

End point title	Time to Progression (TTP) on the Last Prior Therapy (Phase

End point description:

TTP on the last prior therapy was defined as time from the first dose date of the last prior treatment regimen to the date of progression.

End point type	Secondary
End point timeframe:	
3 years	

Notes:

[82] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	27	59	65	46
Units: months				
median (confidence interval 95%)				
Prior systemic therapy before PF- 06463922	11.5 (7.2 to 19.6)	12.8 (9.2 to 16.9)	10.2 (7.6 to 14.9)	3.7 (2.1 to 6.4)
Prior ALK+/ROS1+ TKI treatment	11.5 (7.2 to 19.6)	12.9 (11.2 to 18.1)	12.1 (7.9 to 16.4)	3.7 (2.1 to 6.6)
Prior systemic therapy other than ALK+/ROS1+ TKI	19.6 (16.1 to 30.7)	8.5 (5.0 to 12.6)	5.0 (3.1 to 10.8)	5.6 (4.7 to 11.2)

Statistical analyses

No statistical analyses for this end point

Secondary: Time to Tumor Progression (Phase 2)

End point title	Time to Tumor Progression (Phase 2) ^[83]

End point description:

Time to progression (TTP) was defined as the time from the first dose of study treatment to the first documentation of objective disease progression. Intracranial TTP was defined as the time from the first dose of study treatment to the date of the first documentation of objective progression of intracranial disease, based on either new brain metastases or progression of existing brain metastases. Results presented here were based on independent central review. ITT analysis set was used for TTP determination and included all enrolled subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922; ITT subjects with CNS metastases were analyzed for intracranial TTP. "99999" represents "not applicable" or "non evaluable" data.

End	point	type

Secondary

End point timeframe:

3 years

Notes:

[83] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30 ^[84]	27 ^[85]	59 ^[86]	65 ^[87]
Units: months				
median (confidence interval 95%)				
ТТРЈ	99999 (11.4 to 99999)	99999 (99999 to 99999)	9.0 (5.5 to 99999)	8.4 (5.6 to 13.7)
Intracranial	11.4 (9.6 to 11.4)	99999 (99999 to 99999)	99999 (6.9 to 99999)	15.7 (11.0 to 15.7)

Notes:

- [84] Number of subjects analyzed for intracranial TTP is 8.
- [85] Number of subjects analyzed for intracranial TTP is 17.

[86] - Number of subjects analyzed for intracranial TTP is 32.

[87] - Number of subjects analyzed for intracranial TTP is 45.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	46 ^[88]	47 ^[89]	
Units: months			
median (confidence interval 95%)			
TTPJ	7.1 (4.1 to 12.5)	12.5 (8.2 to 99999)	
Intracranial	99999 (8.3 to 99999)	99999 (99999 to 99999)	

Notes:

[88] - Number of subjects analyzed for intracranial TTP is 38.

[89] - Number of subjects analyzed for intracranial TTP is 25.

Statistical analyses

No statistical analyses for this end point

Secondary: Probability of First Event Being a Central Nervous System (CNS) Progression, Non CNS Progression, or Death (Phase 2)

End point title	Probability of First Event Being a Central Nervous System
	(CNS) Progression, Non CNS Progression, or Death (Phase 2)

End point description:

The probability of the first event being a CNS progression, a non-CNS progression, or death was evaluated with a competing risk approach by estimating cumulative incidence functions (range: 0-1) relative to the analysis set. The time to first event being a Competing Event (either "CNS progression" or "non CNS progression" or "Death") was defined as time from first dose until the date of that specific event. Subjects not known to have any of the Competing Events were censored on the date they were last assessed for disease status for PFS. Subjects who presented one type of event were counted as a competing cause of failure for the analysis of other type of events. For each type of event, the cumulative incidence function corresponding to the nearest time point preceding 1 year is presented. The results are based on independent central review.

End point type	Secondary

End point timeframe:

3 years

End point values	Phase 2 ITT Population		
Subject group type	Subject analysis set		
Number of subjects analysed	274		
Units: not applicable			
number (not applicable)			
CNS progression	0.179		
Non CNS progression	0.325		
Death	0.055		

Statistical analyses

No statistical analyses for this end point

Secondary: Progression-Free Survival (PFS) (Phase 2)

End point title	Progression-Free Survival (PFS) (Phase 2) ^[90]

End point description:

PFS was defined as the time from the first dose of study treatment to the first documentation of objective disease progression or to death on study due to any cause, whichever came first. Results presented here were based on independent central review. PFS analysis set included all subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

3 years

Notes:

[90] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30 ^[91]	27 ^[92]	59 ^[93]	65 ^[94]
Units: months				
median (confidence interval 95%)	99999 (11.4 to 99999)	99999 (99999 to 99999)	8.2 (5.5 to 99999)	7.3 (5.4 to 11.0)

Notes:

[91] - Number of subjects with objective progression or death is 7; others were censored.

[92] - Number of subjects with objective progression or death is 8; others were censored.

[93] - Number of subjects with objective progression or death is 30; others were censored.

[94] - Number of subjects with objective progression or death is 36; others were censored.

End point values EXP-5	Phase EXP-6 (Phase
------------------------	--------------------

	2)	2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	46 ^[95]	47 ^[96]	
Units: months			
median (confidence interval 95%)	5.6 (4.0 to 12.5)	9.6 (4.7 to 99999)	

[95] - Number of subjects with objective progression or death is 26; others were censored.

[96] - Number of subjects with objective progression or death is 21; others were censored.

Statistical analyses

No statistical analyses for this end point

Secondary: Overall Survival (Phase 2)	
End point title	Overall Survival (Phase 2) ^[97]

End point description:

OS was defined as the time from first dose to the date of death due to any cause. For subjects still alive at the time of analysis, the OS time was censored on the last date the subjects were known to be alive. Estimates of OS and its 95% confidence interval were determined using Kaplan-Meier method. ITT set was used for OS analysis, and it included all enrolled subjects with documented ALK or ROS1 rearrangement who received at least 1 dose of PF-06463922. "99999" represents "not applicable" or "non evaluable" data.

 End point type
 Secondary

 End point timeframe:
 3 years

Notes:

[97] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30 ^[98]	27 ^[99]	59 ^[100]	65 ^[101]
Units: months				
median (confidence interval 95%)	99999 (99999 to 99999)	99999 (12.1 to 99999)	99999 (14.4 to 99999)	99999 (14.7 to 99999)

Notes:

[98] - Number of death is 1; others were censored.

[99] - Number of death is 4; others were censored.

[100] - Number of death is 14; others were censored.

[101] - Number of death is 20; others were censored.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	46 ^[102]	47 ^[103]	
Units: months			
median (confidence interval 95%)	99999 (9.7 to 99999)	99999 (99999 to 99999)	

Notes:

[102] - Number of death is 15; others were censored.

No statistical analyses for this end point

Secondary: Maximum Observed Plasma Concentration (Cmax) of PF-06463922 (Phase 2)

End point title	Maximum Observed Plasma Concentration (Cmax) of PF-
	06463922 (Phase 2)

End point description:

Maximum observed plasma concentration (Cmax) of PF-06463922 was observed directly from data. PK concentration analysis set of PF-06463922 included all subjects treated who had at least 1 concentration of PF-06463922.

End point type	Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	22 ^[104]		
Units: ng/mL			
geometric mean (geometric coefficient of variation)			
Day -7	695.2 (± 40)		
Cycle 1 Day 15	576.5 (± 42)		

Notes:

[104] - Number of subjects contributing to Day -7 data is 19.

Statistical analyses

No statistical analyses for this end point

Secondary: Time for Cmax (Tmax) of PF-06463922 (Phase 2)

End point title	Time for Cmax (Tmax) of PF-06463922 (Phase 2)

End point description:

Tmax of PF-06463922 was observed directly from data as time of first occurrence. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

End point values	Phase 2 and Japan LIC PK Analysis Set	
Subject group type	Subject analysis set	
Number of subjects analysed	22 ^[105]	
Units: hours		
median (full range (min-max))		
Day -7	1.15 (0.50 to 4.02)	
Cycle 1 Day 15	1.96 (0.50 to 22.7)	

[105] - Number of subjects contributing to Day -7 data is 19.

Statistical analyses

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time Profile from Time Zero Extrapolated to Infinite Time (AUCinf) of PF-06463922 (Phase 2)

End point title	Area under the Plasma Concentration-Time Profile from Time
	Zero Extrapolated to Infinite Time (AUCinf) of PF-06463922
	(Phase 2)

End point description:

AUCinf was calculated as AUClast + (Clast*/kel), where AUClast was the area under the plasma concentration-time profile from time 0 to the time of the last quantifiable concentration, Clast* was the predicted plasma concentration at the last quantifiable time point estimated from the log-linear regression analysis, and kel was the rate constant for terminal phase. PK parameter analysis set for PF-06463922 included all enrolled subjectswho received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type	Secondary
End point timeframe:	
Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48,	72, 96 and 120 hours post-dose on Day -7

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	16		
Units: ng*hour/mL			
geometric mean (geometric coefficient of variation)	9088 (± 35)		

Statistical analyses

No statistical analyses for this end point

Secondary: Area under the Plasma Concentration-Time profile from Time Zero to Time Tau (AUCtau) of PF-06463922 (Phase 2)

End point title

Area under the Plasma Concentration-Time profile from Time Zero to Time Tau (AUCtau) of PF-06463922 (Phase 2)

End point description:

Tau refers to the dosing interval, and it equals to 24 hours for QD dosing which was adopted in Phase 2. AUCtau was determined using linear/log trapezoidal method. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type

Secondary

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	22 ^[106]		
Units: ng*hour/mL			
geometric mean (geometric coefficient of variation)			
Day -7	5308 (± 36)		
Cycle 1 Day 15	5650 (± 39)		

Notes:

[106] - Number of subjects contributing to Day -7 data is 19.

Statistical analyses

No statistical analyses for this end point

Secondary: Apparent Oral Clearance (CL/F) of PF-06463922 (Phase 2)

End point title

Apparent Oral Clearance (CL/F) of PF-06463922 (Phase 2)

End point description:

Clearance of a drug is a measure of the rate at which a drug is metabolized or eliminated by normal biological processes. CL/F was calculated as dose/AUCinf, where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922

End point type	Secondary
End point timoframo:	

End point timeframe:

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7 and pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	22 ^[107]		
Units: liter/hour			
geometric mean (geometric coefficient of variation)			
Day -7	11.01 (± 35)		
Cycle 1 Day 15	17.70 (± 39)		

[107] - Number of subjects contributing to Day -7 data is 16.

Statistical analyses

No statistical analyses for this end point

Secondary: Apparent Volume of Distribution (Vz/F) of PF-06463922 (Phase 2)

End point title	Apparent Volume of Distribution (Vz/F) of PF-06463922 (Phase
	2)

End point description:

Vz/F was defined as the theoretical volume in which the total amount of drug would need to be uniformly distributed to produce the desired plasma concentration of a drug, and calculated as dose/(AUCinf*kel), where AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time, kel was the rate constant for terminal phase. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type	Secondary
End point timeframe:	
Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48.	, 72, 96 and 120 hours post-dose on Day -7

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	16		
Units: liters			
geometric mean (geometric coefficient of variation)	351.5 (± 37)		

Statistical analyses

No statistical analyses for this end point

Secondary: Terminal Half-Life of PF-06463922 (Phase 2)

End point title

Terminal Half-Life of PF-06463922 (Phase 2)

End point description:

Terminal plasma half-life was defined as the time measured for the plasma concentration to decrease by one half, and calculated as loge(2)/kel, where kel was the rate constant for terminal phase. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of

PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9, 24, 48, 72, 96 and 120 hours post-dose on Day -7

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	16		
Units: hours			
arithmetic mean (standard deviation)	23.58 (± 9.3743)		

Statistical analyses

No statistical analyses for this end point

Secondary: Observed Accumulation Ratio (Rac) of PF-06463922 Following Multiple Oral Doses (Phase 2)

End point title	Observed Accumulation Ratio (Rac) of PF-06463922 Following
	Multiple Oral Doses (Phase 2)

End point description:

Rac was calculated as Day 15 AUCtau/Day -7 AUCtau, where AUCtau was the area under the plasma concentration-time profile from time 0 to time tau (24 hours for QD dosing regimen which was adopted in Phase 2). PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF-06463922.

End point typeSecondaryEnd point timeframe:Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

End point values	Phase 2 and Japan LIC PK Analysis Set	
Subject group type	Subject analysis set	
Number of subjects analysed	20	
Units: ratio		

Secondary: Steady State Accumulation Ratio (Rss) of PF-06463922 Following Multiple Oral Doses (Phase 2)

End point title	Steady State Accumulation Ratio (Rss) of PF-06463922
	Following Multiple Oral Doses (Phase 2)

End point description:

Rss was calculated as Day 15 AUCtau/Day -7 AUCinf, where AUCtau was the area under the plasma concentration-time profile from time 0 to time tau (24 hours for QD dosing regimen which was adopted in Phase 2), and AUCinf was the area under the plasma concentration-time profile from time 0 extrapolated to infinite time. PK parameter analysis set for PF-06463922 included all enrolled subjects who received at least 1 dose of PF-06463922 and had sufficient information to estimate at least one of the PK parameters of interest for PF- 06463922.

End point type	Secondary
End point timeframe:	

Pre-dose, 0.5, 1, 2, 3, 4, 6, 8, 9 and 24 hours post-dose on Cycle 1 Day 15

End point values	Phase 2 and Japan LIC PK Analysis Set		
Subject group type	Subject analysis set		
Number of subjects analysed	14		
Units: ratio			
arithmetic mean (standard deviation)	0.6577 (± 0.28627)		

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with ALK Mutation Based on Plasma CNA Analysis (Phase 2)

End point title	Number of Subjects with ALK Mutation Based on Plasma CNA
· · · · · · · · · · · · · · · · · · ·	Analysis (Phase 2) ^[108]

End point description:

Plasma CNA samples were analyzed for ALK kinase domain mutations by Next Generation Sequencing (NGS). Number of subjects with one or more ALK mutations is presented. CNA peripheral blood analysis set included all subjects of the ITT analysis set who had at least 1 molecular biomarker assayed.

End point type	Secondary
End point timeframe:	

Screening

Notes:

[108] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30	26	58	61
Units: subjects	1	6	8	17

End point values	EXP-5 (Phase 2)		
Subject group type	Reporting group		
Number of subjects analysed	45		
Units: subjects	14		

No statistical analyses for this end point

Secondary: Number of Subjects with ALK Mutation Based on Tumor Tissue Analysis (Phase 2)

End point title	Number of Subjects with ALK Mutation Based on Tumor Tissue
· · · · · · · · · · · · · · · · · · ·	Analysis (Phase 2) ^[109]

End point description:

Tumor tissues from archived tissue specimens and/or a de novo biopsy were analyzed for ALK kinase domain mutations. Number of subjects with one or more ALK mutations is presented. Tumor Tissue analysis set included all subjects of the ITT analysis set who had at least 1 molecular tumor biomarker assayed from either the screening archival or screening de novo tumor biopsy sample (or both).

End point type	Secondary
End point timeframe:	

End point timeframe:

Screening

Notes:

[109] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	26	26	52	48
Units: subjects	0	7	8	11

End point values	EXP-5 (Phase 2)		
Subject group type	Reporting group		
Number of subjects analysed	33		
Units: subjects	13		

No statistical analyses for this end point

Secondary: Number of Subjects Who Improved, Worsened or Remained Stable in EORTC QLQ-C30 (Phase 2)

End point title	Number of Subjects Who Improved, Worsened or Remained
	Stable in EORTC QLQ-C30 (Phase 2) ^[110]

End point description:

European Organisation for Research and Treatment of Cancer Core Quality of Life Questionaires (EORTC QLQ)-C30 (v3.0) consists of 30 questions for 5 functional domains (physical, role, emotional, cognitive, social), global quality of life (QoL), disease/treatment related symptoms (fatigue, nausea/vomiting, pain, dyspnea, insomnia, appetite loss, constipation, diarrhea), and the perceived financial impact of disease. Each scale was transformed to a range of 0 to 100 using EORTC algorithm. For global QoL and functional scales, higher score means better performance, improvement was an increase of at least 10 points, worsening was a decrease of at least 10 points. For symptom scales, higher score means worse symptoms, improvement was a decrease of at least 10 points, worsening was an increase of at least 10 points. Patient reported outcome (PRO) set included all subjects who received at least 1 dose of PF-06463922, completed a baseline and at least 1 post-baseline assessment.

End point type	Secondary
End point timeframe:	
3 years	
- /	

Notes:

[110] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30	26	55	60
Units: subjects				
Improved in global QoL	17	11	18	25
Stable in global QoL	10	13	26	22
Worsened in global QoL	3	2	11	13
Improved in physical functioning	10	7	14	23
Stable in physical functioning	14	19	37	27
Worsened in physical functioning	6	0	4	10
Improved in role functioning	12	8	18	25
Stable in role functioning	11	15	31	19
Worsened in role functioning	7	3	6	16
Improved in emotional functioning	12	12	18	21
Stable in emotional functioning	14	14	29	32
Worsened in emotional functioning	4	0	8	7
Improved in cognitive functioning	10	3	11	13
Stable in cognitive functioning	12	15	31	35
Worsened in cognitive functioning	8	8	13	12
Improved in social functioning	14	7	18	22

	1			,
Stable in social functioning	13	17	32	28
Worsened in social functioning	3	2	5	10
Improved in fatigue	17	14	22	29
Stable in fatigue	9	11	25	22
Worsened in fatigue	4	1	8	9
Improved in nausea and vomiting	8	4	11	16
Stable in nausea and vomiting	22	22	43	38
Worsened in nausea and vomiting	0	0	1	6
Improved in pain	14	9	19	23
Stable in pain	11	15	27	26
Worsened in pain	5	2	9	11
Improved in dyspnea	15	9	10	21
Stable in dyspnea	11	14	34	22
Worsened in dyspnea	4	3	11	17
Improved in insomnia	19	8	19	28
Stable in insomnia	10	14	28	23
Worsened in insomnia	1	4	8	9
Improved in appetite loss	14	4	17	29
Stable in appetite loss	16	22	37	26
Worsened in appetite loss	0	0	1	5
Improved in constipation	10	6	9	15
Stable in constipation	13	18	36	33
Worsened in constipation	7	2	10	12
Improved in diarrhea	5	3	8	9
Stable in diarrhea	19	22	42	40
Worsened in diarrhea	6	1	5	11
Improved in financial difficulties	10	6	11	13
Stable in financial difficulties	18	18	33	38
Worsened in financial difficulties	2	2	11	9

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	43	40 ^[111]	
Units: subjects			
Improved in global QoL	18	20	
Stable in global QoL	17	13	
Worsened in global QoL	8	7	
Improved in physical functioning	8	11	
Stable in physical functioning	25	24	
Worsened in physical functioning	10	5	
Improved in role functioning	16	17	
Stable in role functioning	16	19	
Worsened in role functioning	11	3	
Improved in emotional functioning	18	17	
Stable in emotional functioning	20	20	
Worsened in emotional functioning	5	3	
Improved in cognitive functioning	13	12	
Stable in cognitive functioning	16	22	

Worsened in cognitive functioning	14	6	
Improved in social functioning	12	13	
Stable in social functioning	23	22	
Worsened in social functioning	8	5	
Improved in fatigue	26	17	
Stable in fatigue	11	19	
Worsened in fatigue	6	4	
Improved in nausea and vomiting	14	10	
Stable in nausea and vomiting	28	28	
Worsened in nausea and vomiting	1	2	
Improved in pain	18	21	
Stable in pain	20	12	
Worsened in pain	5	7	
Improved in dyspnea	14	13	
Stable in dyspnea	21	19	
Worsened in dyspnea	8	8	
Improved in insomnia	22	19	
Stable in insomnia	14	18	
Worsened in insomnia	7	3	
Improved in appetite loss	22	20	
Stable in appetite loss	21	20	
Worsened in appetite loss	0	0	
Improved in constipation	11	13	
Stable in constipation	28	23	
Worsened in constipation	4	4	
Improved in diarrhea	11	8	
Stable in diarrhea	26	28	
Worsened in diarrhea	6	4	
Improved in financial difficulties	11	10	
Stable in financial difficulties	22	26	
Worsened in financial difficulties	10	4	

[111] - Number of subjects analyzed for role functioning is 39.

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects Who Improved, Worsened or Remained Stable in EORTC QLQ-LC13 (Phase 2)

End point title	Number of Subjects Who Improved, Worsened or Remained
	Stable in EORTC QLQ-LC13 (Phase 2) ^[112]

End point description:

EORTC QLQ-LC13 is the lung cancer module of EORTC QLQ-C30 and includes questions specific to the disease associated symptoms (dyspnea, cough, hemoptysis, and site specific pain), treatment-related symptoms (sore mouth, dysphagia, neuropathy and alopecia), and analgesic use of lung cancer patients. The scale was transformed to a range of 0 to 100 using standard EORTC algorithm. Higher score indicates worse symptoms, and improvement was defined as a decrease of at least 10 points, worsening was defined as an increase of at least 10 points. All scales which had not improved nor worsened were considered stable. Patient reported outcome (PRO) set included all subjects who received at least 1 dose of PF-06463922, completed a baseline and at least 1 post-baseline assessment.

End point type	Secondary
End point timeframe:	

3 years

[112] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	30	26	55 ^[113]	60
Units: subjects				
Improved in dyspnea	11	5	11	20
Stable in dyspnea	16	19	36	26
Worsened in dyspnea	3	2	8	14
Improved in coughing	18	9	22	27
Stable in coughing	9	14	26	27
Worsened in coughing	3	3	7	6
Improved in hemoptysis	4	0	7	5
Stable in hemoptysis	24	26	47	53
Worsened in hemoptysis	2	0	1	2
Improved in sore mouth	0	2	4	10
Stable in sore mouth	24	21	45	39
Worsened in sore mouth	6	3	6	11
Improved in dysphagia	3	1	5	7
Stable in dysphagia	24	25	44	47
Worsened in dysphagia	3	0	6	6
Improved in peripheral neuropathy	2	4	9	5
Stable in peripheral neuropathy	10	13	25	32
Worsened in peripheral neuropathy	18	9	21	23
Improved in alopecia	1	1	2	10
Stable in alopecia	19	22	41	38
Worsened in alopecia	10	3	12	12
Improved in chest pain	11	5	14	18
Stable in chest pain	15	19	36	33
Worsened in chest pain	4	2	4	9
Improved in arm or shoulder pain	9	4	13	14
Stable in arm or shoulder pain	16	18	33	37
Worsened in arm or shoulder pain	5	4	9	9
Improved in pain in other parts	10	5	18	19
Stable in pain in other parts	14	12	23	25
Worsened in pain in other parts	6	9	14	16

Notes:

[113] - Number of subjects analyzed for chest pain is 54.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	42	41	
Units: subjects			
Improved in dyspnea	12	13	
Stable in dyspnea	22	22	
Worsened in dyspnea	8	6	

Improved in coughing	18	17	
Stable in coughing	15	17	
Worsened in coughing	9	7	
Improved in hemoptysis	5	4	
Stable in hemoptysis	34	36	
Worsened in hemoptysis	3	1	
Improved in sore mouth	2	5	
Stable in sore mouth	32	28	
Worsened in sore mouth	8	8	
Improved in dysphagia	4	5	
Stable in dysphagia	33	30	
Worsened in dysphagia	5	6	
Improved in peripheral neuropathy	6	8	
Stable in peripheral neuropathy	23	19	
Worsened in peripheral neuropathy	13	14	
Improved in alopecia	8	9	
Stable in alopecia	27	26	
Worsened in alopecia	7	6	
Improved in chest pain	14	14	
Stable in chest pain	25	22	
Worsened in chest pain	3	5	
Improved in arm or shoulder pain	12	12	
Stable in arm or shoulder pain	21	21	
Worsened in arm or shoulder pain	9	8	
Improved in pain in other parts	14	17	
Stable in pain in other parts	11	17	
Worsened in pain in other parts	16	7	

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Treatment-Emergent Adverse Events (Phase 1 and Phase 2)

Number of Subjects with Treatment-Emergent Adverse Events (Phase 1 and Phase 2) ^[114]

End point description:

AE was any untoward medical occurrence in a clinical investigation subject administered a product or medical device, regardless of the causal relationship to study treatment. Treatment-emergent AEs (TEAEs) were AEs which occurred for the first time during the effective duration of treatment or AEs that increased in severity during treatment. Serious AEs (SAEs) were any untoward medical occurrence at any dose that resulted in death; was life-threatening; required inpatient hospitalization or caused prolongation of existing hospitalization; resulted in persistent or significant disability/incapacity. AEs included SAEs and non-serious AEs. Causality to study treatment was determined by the investigator. Severity was graded according to National Cancer Institute (NCI) Common Terminology Criteria for Adverse Events (CTCAE) v4.03. The safety analysis set included all enrolled subjects who received at least 1 dose of PF-06463922.

End point type	Secondary
End point timeframe:	
3 years	

[114] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: subjects				
AEs (all causality)	3	3	3	12
AEs (treatment-related)	3	3	3	11
SAEs (all causality)	3	1	1	4
SAEs (treatment-related)	1	0	0	1
Grade 1 (all causality)	0	0	1	1
Grade 2 (all causality)	0	1	2	4
Grade 3 (all causality)	2	0	0	5
Grade 4 (all causality)	0	1	0	1
Grade 5 (all causality)	1	1	0	1

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	17	3	3	3
Units: subjects				
AEs (all causality)	17	3	3	3
AEs (treatment-related)	16	3	3	1
SAEs (all causality)	9	3	1	2
SAEs (treatment-related)	1	3	0	0
Grade 1 (all causality)	0	0	0	0
Grade 2 (all causality)	5	0	1	1
Grade 3 (all causality)	8	0	2	1
Grade 4 (all causality)	1	1	0	1
Grade 5 (all causality)	3	2	0	0

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	4	30	27
Units: subjects				
AEs (all causality)	3	4	30	27
AEs (treatment-related)	3	4	30	27
SAEs (all causality)	2	2	8	5
SAEs (treatment-related)	0	1	3	0
Grade 1 (all causality)	0	0	3	0
Grade 2 (all causality)	1	0	12	11
Grade 3 (all causality)	0	1	12	12

Grade 4 (all causality)	1	3	3	3
Grade 5 (all causality)	1	0	0	1

End point values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)	EXP-6 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	60	65	46	47
Units: subjects				
AEs (all causality)	59	65	46	47
AEs (treatment-related)	55	61	43	45
SAEs (all causality)	18	24	18	16
SAEs (treatment-related)	5	4	5	2
Grade 1 (all causality)	5	3	3	0
Grade 2 (all causality)	20	19	11	12
Grade 3 (all causality)	24	28	20	26
Grade 4 (all causality)	3	7	4	3
Grade 5 (all causality)	7	8	8	6

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Laboratory Abnormalities (Phase 1 and Phase 2) – Hematology

End point title	Number of Subjects with Laboratory Abnormalities (Phase 1
	and Phase 2) – Hematology ^[115]

End point description:

Hematology evaluation included hemoglobin, platelets, white blood cell, absolute neutrophils, absolute lymphocytes, absolute monocytes, absolute eosinophils and absolute basophils. The safety analysis set included all enrolled subjects who received at least 1 dose of PF-06463922.

End point type	Secondary
End point timeframe:	

3 years

Notes:

[115] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD	25 mg QD	50 mg QD	75 mg QD
	(Phase 1)	(Phase 1)	(Phase 1)	(Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group

Number of subjects analysedGrade 1 (all

10 mg QD

Platelet count decreased	2	2	0	4
White blood cell decreased	2	0	0	4

[116] - Not all subjects had evaluable data for each parameter.

[117] - Not all subjects had evaluable data for each parameter.

[118] - Not all subjects had evaluable data for each parameter.

[119] - Not all subjects had evaluable data for each parameter.

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	17 ^[120]	3 ^[121]	3 ^[122]	3 ^[123]
Units: subjects				
Anemia	16	3	3	3
Hemoglobin increased	0	0	0	0
Lymphocyte count decreased	4	3	3	0
Lymphocyte count increased	3	1	0	0
Neutrophil count decreased	2	0	0	0
Platelet count decreased	5	1	0	0
White blood cell decreased	2	2	1	0

Notes:

[120] - Not all subjects had evaluable data for each parameter.

[121] - Not all subjects had evaluable data for each parameter.

[122] - Not all subjects had evaluable data for each parameter.

[123] - Not all subjects had evaluable data for each parameter.

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3 ^[124]	4 ^[125]	30 ^[126]	27 ^[127]
Units: subjects				
Anemia	3	4	20	14
Hemoglobin increased	0	0	0	0
Lymphocyte count decreased	0	2	9	9
Lymphocyte count increased	0	0	3	3
Neutrophil count decreased	0	1	5	2
Platelet count decreased	0	1	6	9
White blood cell decreased	0	1	6	3

Notes:

[124] - Not all subjects had evaluable data for each parameter.

[125] - Not all subjects had evaluable data for each parameter.

[126] - Not all subjects had evaluable data for each parameter.

[127] - Not all subjects had evaluable data for each parameter.

End point values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)	EXP-6 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	60 ^[128]	64 ^[129]	45 ^[130]	47 ^[131]
Units: subjects				
Anemia	50	48	35	32
Hemoglobin increased	1	3	1	1
Lymphocyte count decreased	21	29	18	21
Lymphocyte count increased	6	4	2	1

Neutrophil count decreased	7	6	1	5
Platelet count decreased	13	9	10	11
White blood cell decreased	6	9	5	8

[128] - Not all subjects had evaluable data for each parameter.

[129] - Not all subjects had evaluable data for each parameter.

[130] - Not all subjects had evaluable data for each parameter.

[131] - Not all subjects had evaluable data for each parameter.

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Laboratory Abnormalities (Phase 1 and Phase 2) – Chemistry

End point title	Number of Subjects with Laboratory Abnormalities (Phase 1
	and Phase 2) – Chemistry ^[132]

End point description:

Chemistry evaluation included alanine aminotransferase (ALT), aspartate aminotransferase (AST), alkaline phosphatase, sodium, potassium, magnesium, chloride, total calcium, total bilirubin, blood urea nitrogen (BUN) or urea, creatinine, uric acid, glucose (non-fasted), albumin, phosphorus or phosphate, serum total amylase and serum lipase. The safety analysis set included all enrolled subjects who received at least 1 dose of PF-06463922.

End point type	Secondary
End point timeframe:	

3 years

Notes:

[132] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3 ^[133]	3 ^[134]	3 ^[135]	12 ^[136]
Units: subjects				
ALT increased	2	1	1	4
Alkaline phosphatase increased	1	1	3	4
AST increased	2	2	2	3
Blood bilirubin increased	1	0	0	1
CPK increased	0	0	0	0
Creatinine increased	3	2	3	9
GGT increased	0	0	0	0
Hypercalcemia	0	0	0	0
Hyperglycemia	3	2	2	6
Hyperkalemia	0	1	2	2
Hypermagnesemia	2	0	0	1
Hypernatremia	0	1	0	0
Hypoalbuminemia	2	1	3	4
Hypocalcemia	1	0	1	3
Hypoglycemia	0	0	1	3
Hypokalemia	0	0	2	3
Hypomagnesemia	0	1	2	4

Hyponatremia	2	1	1	1
Hypophosphatemia	1	2	0	3
Lipase increased	3	1	0	8
Serum amylase increased	3	0	0	2

[133] - Not all subjects had evaluable data for each parameter.

[134] - Not all subjects had evaluable data for each parameter.

[135] - Not all subjects had evaluable data for each parameter.

[136] - Not all subjects had evaluable data for each parameter.

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	17 ^[137]	3 ^[138]	3 ^[139]	3 ^[140]
Units: subjects				
ALT increased	7	2	2	0
Alkaline phosphatase increased	9	3	1	0
AST increased	7	2	2	0
Blood bilirubin increased	0	0	0	0
CPK increased	1	1	0	0
Creatinine increased	13	3	3	2
GGT increased	1	0	1	0
Hypercalcemia	1	1	0	0
Hyperglycemia	8	2	1	1
Hyperkalemia	6	1	1	1
Hypermagnesemia	2	0	0	0
Hypernatremia	4	2	0	0
Hypoalbuminemia	6	3	1	1
Hypocalcemia	3	2	1	0
Hypoglycemia	4	0	1	0
Hypokalemia	3	3	1	1
Hypomagnesemia	1	3	0	1
Hyponatremia	4	1	1	0
Hypophosphatemia	3	2	1	1
Lipase increased	6	0	1	0
Serum amylase increased	5	0	1	0

Notes:

[137] - Not all subjects had evaluable data for each parameter.

[138] - Not all subjects had evaluable data for each parameter.

[139] - Not all subjects had evaluable data for each parameter.

[140] - Not all subjects had evaluable data for each parameter.

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3 ^[141]	4 ^[142]	30 ^[143]	27 ^[144]
Units: subjects				
ALT increased	0	3	11	11
Alkaline phosphatase increased	2	3	6	8
AST increased	1	3	15	12
Blood bilirubin increased	0	1	0	0
CPK increased	1	0	0	0
Creatinine increased	2	3	26	21

GGT increased	0	2	0	1
Hypercalcemia	0	1	4	3
Hyperglycemia	2	0	11	16
Hyperkalemia	1	2	8	7
Hypermagnesemia	0	0	2	1
Hypernatremia	0	1	3	1
Hypoalbuminemia	3	1	16	15
Hypocalcemia	0	1	2	4
Hypoglycemia	1	0	1	2
Hypokalemia	0	2	6	1
Hypomagnesemia	1	3	4	8
Hyponatremia	2	2	8	6
Hypophosphatemia	2	1	3	6
Lipase increased	2	2	9	5
Serum amylase increased	0	2	9	5

[141] - Not all subjects had evaluable data for each parameter.

 $\left[142\right]$ - Not all subjects had evaluable data for each parameter.

 $\left[143\right]$ - Not all subjects had evaluable data for each parameter.

[144] - Not all subjects had evaluable data for each parameter.

End point values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)	EXP-6 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	60 ^[145]	64 ^[146]	45 ^[147]	47 ^[148]
Units: subjects				
ALT increased	23	17	12	13
Alkaline phosphatase increased	21	21	21	14
AST increased	31	27	17	17
Blood bilirubin increased	2	0	1	1
CPK increased	3	0	0	2
Creatinine increased	37	44	32	34
GGT increased	2	1	0	1
Hypercalcemia	4	4	3	1
Hyperglycemia	30	41	31	29
Hyperkalemia	14	11	5	5
Hypermagnesemia	2	2	1	3
Hypernatremia	2	4	2	4
Hypoalbuminemia	34	42	29	27
Hypocalcemia	11	9	3	9
Hypoglycemia	8	7	5	3
Hypokalemia	9	9	6	13
Hypomagnesemia	20	17	13	11
Hyponatremia	10	19	9	6
Hypophosphatemia	17	14	7	14
Lipase increased	11	15	14	16
Serum amylase increased	14	18	10	13

Notes:

[145] - Not all subjects had evaluable data for each parameter.

[146] - Not all subjects had evaluable data for each parameter.

[147] - Not all subjects had evaluable data for each parameter.

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Laboratory Abnormalities (Phase 1 and Phase 2) – Coagulation, Lipids and Urinalysis

End point title	Number of Subjects with Laboratory Abnormalities (Phase 1
	and Phase 2) – Coagulation, Lipids and Urinalysis ^[149]

End point description:

Coagulation evaluation included activated partial thromboplastin time, international normalized ratio (INR), and prothrombin time. Lipid evaluation included total cholesterol, low density lipoprotein (LDL), high density lipoprotein (HDL) and triglycerides. Urinalysis included urine protein and urine blood. The safety analysis set included all enrolled subjects who received at least 1 dose of PF-06463922.

End point type	Secondary
End point timeframe:	

3 years

Notes:

[149] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3 ^[150]	3 ^[151]	3 ^[152]	12 ^[153]
Units: subjects				
Activated partial thromboplastin time prolonged	1	0	1	3
Cholesterol high	2	2	2	10
Hypertriglyceridemia	0	2	2	10
INR increased	2	0	1	2
Proteinuria	2	0	0	0
Prothrombin time	2	0	1	3

Notes:

[150] - Not all subjects had evaluable data for each parameter.

[151] - Not all subjects had evaluable data for each parameter.

[152] - Not all subjects had evaluable data for each parameter.

[153] - Not all subjects had evaluable data for each parameter.

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	17 ^[154]	3 ^[155]	3 ^[156]	3 ^[157]
Units: subjects				
Activated partial thromboplastin time prolonged	2	0	0	0
Cholesterol high	16	2	3	3
Hypertriglyceridemia	16	2	3	2

INR increased	2	1	0	0
Proteinuria	4	3	0	0
Prothrombin time	3	1	0	0

[154] - Not all subjects had evaluable data for each parameter.

[155] - Not all subjects had evaluable data for each parameter.

[156] - Not all subjects had evaluable data for each parameter.

[157] - Not all subjects had evaluable data for each parameter.

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3 ^[158]	4 ^[159]	30 ^[160]	27 ^[161]
Units: subjects				
Activated partial thromboplastin time prolonged	0	0	1	0
Cholesterol high	2	3	30	26
Hypertriglyceridemia	1	3	30	25
INR increased	0	0	0	0
Proteinuria	1	0	1	0
Prothrombin time	1	1	0	1

Notes:

[158] - Not all subjects had evaluable data for each parameter.

[159] - Not all subjects had evaluable data for each parameter.

[160] - Not all subjects had evaluable data for each parameter.

[161] - Not all subjects had evaluable data for each parameter.

End point values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)	EXP-6 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	60 ^[162]	65 ^[163]	46 ^[164]	47 ^[165]
Units: subjects				
Activated partial thromboplastin time prolonged	1	0	1	4
Cholesterol high	57	64	45	44
Hypertriglyceridemia	56	60	45	42
INR increased	1	4	0	6
Proteinuria	2	2	2	4
Prothrombin time	4	4	2	5

Notes:

[162] - Not all subjects had evaluable data for each parameter.

[163] - Not all subjects had evaluable data for each parameter.

[164] - Not all subjects had evaluable data for each parameter.

[165] - Not all subjects had evaluable data for each parameter.

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Vital Signs Data Meeting Pre-defined Criteria (Phase 1 and Phase 2)

End point title

Number of Subjects with Vital Signs Data Meeting Pre-defined Criteria (Phase 1 and Phase 2)^[166]

End point description:

Blood pressure (BP), including systolic BP (SBP) and diastolic BP (DBP), and pulse rate were recorded in sitting position. Body weight was also measured. The safety analysis set included all enrolled subjects who received at least 1 dose of PF-06463922.

End point type	Secondary
End point timeframe:	
3 years	

Notes:

[166] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: subjects				
Sitting pulse rate <50 bpm	0	1	0	0
Sitting pulse rate >120 bpm	0	0	1	1
Increase in weight: 10% to <20%	1	1	0	6
Increase in weight: >=20%	0	1	1	1
Increase in sitting SBP >=40 mmHg	0	0	0	0
Increase in sitting SBP >=60 mmHg	0	0	0	0
Increase in sitting DBP >=20 mmHg	0	2	0	0
Increase in sitting DBP >=40 mmHg	0	0	0	0
Increase in sitting pulse rate >=30 bpm	0	1	0	1
Decrease in weight >=10%	0	0	0	0
Decrease in SBP >=40 mmHg	0	0	0	3
Decrease in SBP >=60 mmHg	0	0	0	0
Decrease in DBP >=20 mmHg	2	1	0	4
Decrease in DBP >=40 mmHg	0	0	0	0
Decrease in sitting pulse rate >=30 bpm	0	0	1	2

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	17	3	3	3
Units: subjects				
Sitting pulse rate <50 bpm	0	0	0	0
Sitting pulse rate >120 bpm	2	2	0	0
Increase in weight: 10% to <20%	6	2	2	0
Increase in weight: >=20%	4	1	0	0
Increase in sitting SBP >=40 mmHg	1	2	0	0
Increase in sitting SBP >=60 mmHg	0	0	0	0
Increase in sitting DBP >=20 mmHg	7	3	1	0
Increase in sitting DBP >=40 mmHg	0	0	0	0
Increase in sitting pulse rate >=30 bpm	3	1	0	0
Decrease in weight $>=10\%$	0	0	0	0

Decrease in SBP >=40 mmHg	2	1	0	0
Decrease in SBP >=60 mmHg	0	0	0	0
Decrease in DBP >=20 mmHg	3	2	2	0
Decrease in DBP >=40 mmHg	0	0	0	0
Decrease in sitting pulse rate >=30 bpm	0	1	0	1

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	4	30	26
Units: subjects				
Sitting pulse rate <50 bpm	0	0	0	0
Sitting pulse rate >120 bpm	0	0	0	0
Increase in weight: 10% to <20%	1	0	9	12
Increase in weight: >=20%	0	1	8	1
Increase in sitting SBP >=40 mmHg	0	0	5	3
Increase in sitting SBP >=60 mmHg	0	0	0	0
Increase in sitting DBP >=20 mmHg	0	0	9	9
Increase in sitting DBP >=40 mmHg	0	0	0	1
Increase in sitting pulse rate >=30 bpm	0	1	0	2
Decrease in weight $>=10\%$	0	1	1	0
Decrease in SBP >=40 mmHg	0	0	0	1
Decrease in SBP >=60 mmHg	0	0	0	0
Decrease in DBP >=20 mmHg	1	2	5	3
Decrease in DBP >=40 mmHg	0	0	0	0
Decrease in sitting pulse rate >=30 bpm	1	1	7	2

End point values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)	EXP-6 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	60	65	45	46
Units: subjects				
Sitting pulse rate <50 bpm	3	1	0	2
Sitting pulse rate >120 bpm	4	8	3	2
Increase in weight: 10% to <20%	14	18	15	12
Increase in weight: >=20%	4	9	3	8
Increase in sitting SBP >=40 mmHg	4	5	5	3
Increase in sitting SBP >=60 mmHg	0	1	0	0
Increase in sitting DBP >=20 mmHg	16	12	10	11
Increase in sitting DBP >=40 mmHg	0	0	0	2
Increase in sitting pulse rate >=30 bpm	10	15	12	13
Decrease in weight >=10%	6	4	1	1
Decrease in SBP >=40 mmHg	2	1	1	3
Decrease in SBP >=60 mmHg	0	0	0	0

Decrease in DBP >=20 mmHg	12	8	5	6
Decrease in DBP >=40 mmHg	0	0	0	0
Decrease in sitting pulse rate >=30 bpm	4	5	3	5

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Maximum Decrease from Baseline Greater than or Equal to 20 Percent in Left Ventricular Ejection Fraction (LVEF) (Phase 1 and Phase 2)

End point title	Number of Subjects with Maximum Decrease from Baseline
	Greater than or Equal to 20 Percent in Left Ventricular Ejection
	Fraction (LVEF) (Phase 1 and Phase 2) ^[167]

End point description:

Left Ventricular Ejection Fraction (LVEF) was determined by electrocardiogram (ECG) measurement. Baseline was defined as the measurement prior to the first dose of study treatment. The safety analysis set included all enrolled subjects who received at least 1 dose of PF-06463922.

End point type	Secondary
End point timeframe:	

3 years Notes:

[167] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)	75 mg QD (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	3	3	12
Units: subjects	1	0	1	3

End point values	100 mg QD (Phase 1)	150 mg QD (Phase 1)	200 mg QD (Phase 1)	35 mg BID (Phase 1)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	17	3	3	3
Units: subjects	4	2	1	0

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	4	30	27
Units: subjects	0	2	3	1

QTcF: 450 to <480 ms	1	1	0	2
QTcF: 480 to <500 ms	0	0	0	0
QTcF: >=500 ms	0	0	0	0
QTcF Increase: 30 to <60 ms	3	0	0	1
QTcF: >=60 ms	0	0	0	0

End point values	75 mg BID (Phase 1)	100 mg BID (Phase 1)	EXP-1 (Phase 2)	EXP-2 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	3	4	30	27
Units: subjects				
QTcF: 450 to <480 ms	0	0	4	7
QTcF: 480 to <500 ms	0	1	1	1
QTcF: >=500 ms	0	0	0	0
QTcF Increase: 30 to <60 ms	0	0	8	8
QTcF: >=60 ms	0	1	0	0

End point values	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)	EXP-6 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	60	65	46	47
Units: subjects				
QTcF: 450 to <480 ms	11	9	13	8
QTcF: 480 to <500 ms	3	0	1	1
QTcF: >=500 ms	0	1	1	0
QTcF Increase: 30 to <60 ms	17	20	7	11
QTcF: >=60 ms	0	1	3	1

Statistical analyses

No statistical analyses for this end point

Secondary: Number of Subjects with Suicidal Ideation and Suicidal Behavior (Phase 2)

End point title Number of Subjects with Suicidal Ideation and Suicidal Behavior (Phase 2) ^[169]	End point title	Number of Subjects with Suicidal Ideation and Suicidal Behavior (Phase 2) ^[169]
--	-----------------	--

End point description:

The Columbia Suicide Severity Rating Scale (C-SSRS) was used to analyze subjects' suicidal ideation and behavior, and it is a unique, simple and short method of assessing both behavior and ideation that tracks all suicidal events and provides a summary of suicidality. It assesses the lethality of attempts and other features of ideation (frequency, duration, controllability, reasons for ideation and deterrents), all of which are significantly predictive of completed suicide. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment.

 End point type
 Secondary

 End point timeframe:
 3 years

[169] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: All other reporting arms are not applicable to this end point.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	26	24	52	43
Units: subjects				
Suicidal ideation	1	0	2	1
Suicidal behavior	0	0	0	0

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	30	25	
Units: subjects			
Suicidal ideation	1	2	
Suicidal behavior	0	1	

Statistical analyses

No statistical analyses for this end point

Secondary: Change from Baseline in Total Scores for Beck Depression Inventory (BDI)-II (Mood Assessment) (Phase 2)

End point title	Change from Baseline in Total Scores for Beck Depression
	Inventory (BDI)-II (Mood Assessment) (Phase 2) ^[170]

End point description:

The Beck Depression Inventory (BDI)-II is a 21-item self-report scale, with each item rated by subjects on a 4-point scale (ranging from 0-3). The scale includes items capturing mood, (loss of pleasure, sadness, and irritability), suicidal ideation, and cognitive signs (punitive thoughts, self-criticism, selfdislike, pessimism, and poor concentration) as well as somatic signs (appetite, sleep, fatigue and libido). Scores were obtained by adding up the total points from the series of answers. Higher total scores indicate more severe depressive symptoms. The standardized cutoffs are as follows: 0-13: minimal depression; 14-19: mild depression; 20-28: moderate depression; 29-63: severe depression. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe	

End point timeframe:

3 years

Notes:

[170] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	24 ^[171]	24 ^[172]	53 ^[173]	41 ^[174]
Units: units on score				
least squares mean (confidence interval 95%)				
Cycle 2 Day 1	-0.37)	-3.27 (-5.52 to -1.01)	-0.76)	-0.46)
Cycle 3 Day 1	-3.34 (-5.57 to	-3.18 (-5.43 to	-3.03 (-4.55 to	-3.10 (-4.85 to
	-1.12)	-0.93)	-1.51)	-1.35)
Cycle 4 Day 1	-3.84 (-6.07 to	-4.10 (-6.38 to	-2.59 (-4.14 to	-1.95 (-3.72 to
	-1.62)	-1.82)	-1.05)	-0.19)
Cycle 5 Day 1	-4.47 (-6.69 to	-3.96 (-6.27 to	-2.75 (-4.33 to	-3.03 (-4.82 to
	-2.24)	-1.66)	-1.16)	-1.25)
Cycle 6 Day 1	-3.51 (-5.73 to	-4.25 (-6.56 to	-3.31 (-4.90 to	-3.79 (-5.61 to
	-1.28)	-1.94)	-1.72)	-1.98)
Cycle 8 Day 1	-4.17 (-6.41 to	-4.86 (-7.23 to	-2.26 (-3.86 to	-4.06 (-5.90 to
	-1.92)	-2.50)	-0.66)	-2.22)
Cycle 10 Day 1	-3.09 (-5.38 to	-4.92 (-7.28 to	-1.94 (-3.54 to	-4.27 (-6.14 to
	-0.80)	-2.55)	-0.34)	-2.39)
Cycle 12 Day 1	-3.95 (-6.30 to	-5.60 (-7.97 to	-0.72 (-2.40 to	-4.80 (-6.83 to
	-1.61)	-3.24)	0.95)	-2.77)
Cycle 14 Day 1	-3.81 (-6.18 to	-5.80 (-8.35 to	-2.58 (-4.41 to	-4.29 (-6.41 to
	-1.43)	-3.25)	-0.76)	-2.17)
Cycle 16 Day 1	-1.75 (-4.40 to	-4.61 (-7.51 to	-2.15 (-4.35 to	-4.65 (-6.90 to
	0.89)	-1.71)	0.06)	-2.41)
Cycle 18 Day 1	-4.49 (-7.49 to	-7.02 (-10.59	-1.96 (-4.22 to	-2.86 (-5.21 to
	-1.49)	to -3.46)	0.31)	-0.51)
Cycle 20 Day 1	-5.01 (-8.55 to	-5.17 (-9.06 to	-1.82 (-4.70 to	-3.63 (-6.31 to
	-1.46)	-1.29)	1.06)	-0.95)
Cycle 22 Day 1	-2.93 (-6.79 to	-4.63 (-9.00 to	-2.36 (-5.68 to	-5.50 (-8.87 to
	0.94)	-0.26)	0.96)	-2.12)
Cycle 24 Day 1	-7.31 (-11.66 to -2.96)	,	-2.88 (-7.04 to 1.28)	-
Cycle 26 Day 1	-5.50 (-10.67 to -0.33)	,	-3.03 (-10.01 to 3.95)	-4.30 (-11.31 to 2.70)
End of treatment		-0.73 (-5.61 to 4.15)	-	,

[171] - Not all subjects had evaluable data at each time point.

[172] - Not all subjects had evaluable data at each time point.

[173] - Not all subjects had evaluable data at each time point.

[174] - Not all subjects had evaluable data at each time point.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	28 ^[175]	26 ^[176]	
Units: units on score			
least squares mean (confidence interval 95%)			
Cycle 2 Day 1	-1.52 (-3.60 to 0.56)	-2.43 (-4.57 to -0.29)	
Cycle 3 Day 1	-0.46 (-2.61 to 1.69)	-1.24 (-3.37 to 0.90)	
Cycle 4 Day 1	-1.19 (-3.38 to 1.01)	-1.94 (-4.12 to 0.24)	
Cycle 5 Day 1	-1.51 (-3.74 to 0.72)	-1.25 (-3.46 to 0.95)	

Cycle 6 Day 1	-0.42 (-2.64 to 1.81)	-0.29 (-2.54 to 1.96)	
Cycle 8 Day 1	-1.09 (-3.34 to 1.17)	0.17 (-2.10 to 2.45)	
Cycle 10 Day 1	-2.97 (-5.29 to -0.66)	-0.19 (-2.60 to 2.22)	
Cycle 12 Day 1	-1.94 (-4.29 to 0.42)	-1.40 (-3.81 to 1.01)	
Cycle 14 Day 1	-	-0.08 (-2.59 to 2.42)	
Cycle 16 Day 1	-2.22 (-5.50 to 1.07)	-	
Cycle 18 Day 1	-1.11 (-8.25 to 6.03)	1.88 (-1.66 to 5.41)	
Cycle 20 Day 1	99999 (99999 to 99999)	1.88 (-1.66 to 5.41)	
Cycle 22 Day 1	99999 (99999 to 99999)	-2.39 (-6.73 to 1.94)	
Cycle 24 Day 1	99999 (99999 to 99999)	2.27 (-2.06 to 6.61)	
Cycle 26 Day 1	99999 (99999 to 99999)	99999 (99999 to 99999)	
End of treatment	0.74 (-2.70 to 4.17)	-2.08 (-5.65 to 1.50)	

[175] - Not all subjects had evaluable data at each time point.

[176] - Not all subjects had evaluable data at each time point.

Statistical analyses

No statistical analyses for this end point

Secondary: Change from Baseline in Total Scores for Detection Test (Cognitive Function Assessment) (Phase 2)

End point title	Change from Baseline in Total Scores for Detection Test
	(Cognitive Function Assessment) (Phase 2) ^[177]

End point description:

The Detection Test is a measure of psychomotor function and uses a well validated simple reaction time paradigm with playing card stimuli. In this test, the playing cards all depict the same joker. The subject is asked to press the Yes key as soon as the card in the center of the screen turns face up. The speed and accuracy of each response are recorded and mean of the log10 transformed reaction times for correct responses is calculated. Lower scores indicate better performance. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	
•	

3 years

Notes:

[177] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	24 ^[178]	26 ^[179]	50 ^[180]	46 ^[181]
Units: units on a score				
least squares mean (confidence interval 95%)				
Cycle 2 Day 1	0.01 (-0.04 to	0.04 (-0.01 to	-0.01 (-0.04 to	0.02 (-0.01 to
	0.05)	0.08)	0.02)	0.05)
Cycle 3 Day 1	-0.01 (-0.05 to	0.01 (-0.03 to	0.01 (-0.02 to	-0.01 (-0.04 to
	0.03)	0.05)	0.04)	0.02)
Cycle 4 Day 1	0.03 (-0.02 to	0.00 (-0.04 to	-0.03 (-0.06 to	-0.02 (-0.05 to
	0.07)	0.04)	0.00)	0.01)
Cycle 5 Day 1	-0.01 (-0.05 to	-0.01 (-0.06 to	-0.00 (-0.03 to	0.00 (-0.03 to
	0.03)	0.03)	0.03)	0.03)
Cycle 6 Day 1	-0.03 (-0.07 to	0.01 (-0.03 to	-0.02 (-0.05 to	-0.00 (-0.04 to
	0.01)	0.06)	0.01)	0.03)
Cycle 8 Day 1	-0.02 (-0.06 to	0.00 (-0.04 to	-0.02 (-0.05 to	-0.03 (-0.06 to
	0.02)	0.05)	0.01)	0.01)
Cycle 10 Day 1	-0.02 (-0.06 to	0.03 (-0.01 to	-0.02 (-0.06 to	-0.01 (-0.05 to
	0.02)	0.08)	0.01)	0.02)
Cycle 12 Day 1	-0.04 (-0.08 to	-0.00 (-0.05 to	-0.02 (-0.06 to	-0.03 (-0.06 to
	0.01)	0.04)	0.02)	0.01)
Cycle 14 Day 1	0.02 (-0.04 to	0.02 (-0.03 to	-0.05 (-0.09 to	-0.04 (-0.08 to
	0.07)	0.08)	-0.01)	-0.00)
Cycle 16 Day 1	-0.03 (-0.09 to	0.01 (-0.05 to	0.02 (-0.03 to	-0.03 (-0.08 to
	0.03)	0.07)	0.07)	0.01)
Cycle 18 Day 1	0.09 (0.01 to	-0.02 (-0.09 to	-0.03 (-0.09 to	-0.06 (-0.11 to
	0.18)	0.05)	0.02)	-0.01)
Cycle 20 Day 1	0.07 (-0.03 to	0.02 (-0.06 to	0.01 (-0.06 to	-0.09 (-0.16 to
	0.17)	0.09)	0.08)	-0.03)
Cycle 22 Day 1	-0.02 (-0.12 to	-0.02 (-0.10 to	0.00 (-0.08 to	-0.08 (-0.16 to
	0.08)	0.07)	0.08)	0.00)
Cycle 24 Day 1	0.03 (-0.11 to	99999 (99999	99999 (99999	-0.06 (-0.20 to
	0.16)	to 99999)	to 99999)	0.07)
End of treatment	-0.04 (-0.13 to	-0.01 (-0.10 to	-0.02 (-0.08 to	-0.05 (-0.10 to
	0.04)	0.08)	0.04)	-0.00)

[178] - Not all subjects had evaluable data at each time point.

[179] - Not all subjects had evaluable data at each time point.

[180] - Not all subjects had evaluable data at each time point.

[181] - Not all subjects had evaluable data at each time point.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	38 ^[182]	29 ^[183]	
Units: units on a score			
least squares mean (confidence interval 95%)			
Cycle 2 Day 1	-0.02 (-0.05 to 0.02)	0.01 (-0.03 to 0.05)	
Cycle 3 Day 1	-0.01 (-0.05 to 0.02)	-0.01 (-0.05 to 0.03)	
Cycle 4 Day 1	-0.04 (-0.07 to -0.00)	-0.01 (-0.06 to 0.03)	
Cycle 5 Day 1	-0.04 (-0.08 to -0.01)	-0.04 (-0.08 to 0.00)	
Cycle 6 Day 1	-0.01 (-0.05 to 0.02)	-0.02 (-0.07 to 0.02)	

Cycle 8 Day 1	-0.04 (-0.07 to 0.00)	0.00 (-0.04 to 0.05)	
Cycle 10 Day 1	-0.05 (-0.09 to -0.01)	-0.04 (-0.08 to 0.01)	
Cycle 12 Day 1	-0.08 (-0.13 to -0.04)	-0.01 (-0.05 to 0.04)	
Cycle 14 Day 1	-0.02 (-0.07 to 0.04)	0.01 (-0.05 to 0.06)	
Cycle 16 Day 1	-0.04 (-0.14 to 0.06)	-0.01 (-0.07 to 0.06)	
Cycle 18 Day 1	-0.09 (-0.23 to 0.04)	-0.01 (-0.08 to 0.05)	
Cycle 20 Day 1	99999 (99999 to 99999)	-0.03 (-0.11 to 0.04)	
Cycle 22 Day 1	99999 (99999 to 99999)	-0.05 (-0.13 to 0.03)	
Cycle 24 Day 1	99999 (99999 to 99999)	99999 (99999 to 99999)	
End of treatment	-0.07 (-0.14 to -0.01)	-0.05 (-0.12 to 0.03)	

[182] - Not all subjects had evaluable data at each time point.

[183] - Not all subjects had evaluable data at each time point.

Statistical analyses

No statistical analyses for this end point

Secondary: Change from Baseline in Total Scores for Identification Test (Cognitive Function Assessment) (Phase 2)

End point title	Change from Baseline in Total Scores for Identification Test
	(Cognitive Function Assessment) (Phase 2) ^[184]

End point description:

The Identification Test is a measure of visual attention and uses a well validated choice reaction time paradigm with playing card stimuli. In this task, the playing cards are all either red or black jokers. The subject is asked whether the card displayed in the center of the screen is red. The patient responds by pressing the Yes key when the joker card is red and No when it is black. The speed and accuracy of each response are recorded and mean of the log10 transformed reaction times for correct responses is calculated. Lower scores indicate better performance. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

3 years

Notes:

[184] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	24 ^[185]	26 ^[186]	50 ^[187]	46 ^[188]
Units: units on a score				
least squares mean (confidence interval 95%)				
Cycle 2 Day 1	-0.02 (-0.05 to 0.01)	-0.02 (-0.05 to 0.01)	-0.01 (-0.03 to 0.00)	-0.01 (-0.03 to 0.01)

Cycle 3 Day 1	0.02)	0.02)	0.00)	-0.02 (-0.04 to 0.00)
Cycle 4 Day 1	-0.02 (-0.05 to	-0.01 (-0.04 to	-0.02 (-0.04 to	-0.03 (-0.05 to
	0.01)	0.01)	0.00)	-0.01)
Cycle 5 Day 1	-0.03 (-0.06 to	-0.02 (-0.05 to	-0.03 (-0.05 to	-0.02 (-0.04 to
	-0.00)	0.01)	-0.00)	0.01)
Cycle 6 Day 1	-0.04 (-0.07 to	-0.02 (-0.05 to	-0.02 (-0.04 to	-0.03 (-0.06 to
	-0.01)	0.01)	0.00)	-0.01)
Cycle 8 Day 1	-0.03 (-0.06 to	-0.02 (-0.05 to	-0.03 (-0.05 to	-0.03 (-0.05 to
	-0.00)	0.01)	-0.01)	-0.01)
Cycle 10 Day 1	-0.03 (-0.06 to	-0.01 (-0.04 to	-0.03 (-0.05 to	-0.02 (-0.05 to
	0.00)	0.02)	-0.01)	0.00)
Cycle 12 Day 1	-0.05 (-0.08 to	-0.04 (-0.07 to	-0.04 (-0.06 to	-0.04 (-0.07 to
	-0.02)	-0.01)	-0.01)	-0.01)
Cycle 14 Day 1	-0.04 (-0.08 to	-0.04 (-0.07 to	-0.03 (-0.06 to	-0.04 (-0.07 to
	0.00)	-0.00)	-0.00)	-0.01)
Cycle 16 Day 1	-0.09 (-0.13 to	-0.00 (-0.04 to	-0.03 (-0.07 to	-0.03 (-0.06 to
	-0.05)	0.04)	0.01)	0.01)
Cycle 18 Day 1	-0.01 (-0.06 to	-0.05 (-0.09 to	-0.04 (-0.08 to	-0.07 (-0.10 to
	0.05)	0.00)	0.00)	-0.03)
Cycle 20 Day 1	-0.03 (-0.10 to	-0.01 (-0.06 to	-0.03 (-0.08 to	-0.10 (-0.15 to
	0.04)	0.04)	0.02)	-0.06)
Cycle 22 Day 1	0.04 (-0.03 to	-0.01 (-0.07 to	-0.06 (-0.11 to	-0.05 (-0.11 to
	0.11)	0.05)	0.00)	0.00)
Cycle 24 Day 1	0.08 (-0.01 to	99999 (99999	99999 (99999	-0.06 (-0.15 to
	0.18)	to 99999)	to 99999)	0.04)
End of treatment	-0.07 (-0.13 to	-0.03 (-0.10 to	-0.02 (-0.06 to	-0.03 (-0.06 to
	-0.02)	0.03)	0.02)	0.01)

[185] - Not all subjects had evaluable data at each time point.

[186] - Not all subjects had evaluable data at each time point.

[187] - Not all subjects had evaluable data at each time point.

[188] - Not all subjects had evaluable data at each time point.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	38 ^[189]	29 ^[190]	
Units: units on a score			
least squares mean (confidence interval 95%)			
Cycle 2 Day 1	-0.02 (-0.04 to 0.01)	-0.01 (-0.04 to 0.02)	
Cycle 3 Day 1	-0.02 (-0.05 to 0.00)	-0.01 (-0.04 to 0.02)	
Cycle 4 Day 1	-0.05 (-0.08 to -0.03)	-0.02 (-0.04 to 0.01)	
Cycle 5 Day 1	-0.05 (-0.07 to -0.02)	-0.02 (-0.05 to 0.00)	
Cycle 6 Day 1	-0.03 (-0.06 to -0.01)	-0.03 (-0.06 to -0.00)	
Cycle 8 Day 1	-0.05 (-0.07 to -0.02)	-0.03 (-0.06 to 0.00)	
Cycle 10 Day 1	-0.05 (-0.08 to -0.02)	-0.03 (-0.06 to 0.00)	
Cycle 12 Day 1	-0.06 (-0.09 to -0.03)	-0.03 (-0.06 to 0.00)	
Cycle 14 Day 1	-0.04 (-0.08 to -0.00)	-0.02 (-0.06 to 0.02)	

Cycle 16 Day 1	-0.07 (-0.13 to 0.00)	-0.06 (-0.10 to -0.01)	
Cycle 18 Day 1	-0.19 (-0.29 to -0.09)	-0.01 (-0.05 to 0.04)	
Cycle 20 Day 1	99999 (99999 to 99999)	-0.03 (-0.08 to 0.02)	
Cycle 22 Day 1	99999 (99999 to 99999)	-0.08 (-0.14 to -0.03)	
Cycle 24 Day 1	99999 (99999 to 99999)	99999 (99999 to 99999)	
End of treatment	-0.09 (-0.14 to -0.05)	-0.06 (-0.11 to -0.01)	

[189] - Not all subjects had evaluable data at each time point.

[190] - Not all subjects had evaluable data at each time point.

Statistical analyses

No statistical analyses for this end point

Secondary: Change from Baseline in Total Scores for One Back Test (Cognitive Function Assessment) (Phase 2)

End point title	Change from Baseline in Total Scores for One Back Test
	(Cognitive Function Assessment) (Phase 2) ^[191]

End point description:

The One Back Test is a measure of working memory and uses a well validated n back paradigm with playing card stimuli. In this task, the playing cards are identical to those found in a standard deck of 52 playing cards (without the joker cards). The patient is asked whether the card displayed in the center of the screen is the same as the card presented immediately previously. The patient responds by pressing the Yes or No key. Because no card has been presented yet on the first trial, a correct first response is always No. The speed and accuracy of each response are recorded and mean of the log10 transformed reaction times for correct responses is calculated. Lower scores indicate better performance. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

nt timeframe:

3 years Notes:

[191] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	24 ^[192]	26 ^[193]	50 ^[194]	46 ^[195]
Units: units on a score				
least squares mean (confidence interval 95%)				
Cycle 2 Day 1	0.01 (-0.02 to 0.05)	0.02 (-0.01 to 0.05)	0.02 (0.00 to	

Cycle 6 Day 1	0.03 (-0.01 to	0.03 (-0.00 to	0.03 (0.01 to	0.01 (-0.02 to
	0.06)	0.07)	0.06)	0.04)
Cycle 8 Day 1	0.03 (-0.01 to	0.02 (-0.02 to	0.03 (0.00 to	0.01 (-0.02 to
	0.06)	0.06)	0.05)	0.03)
Cycle 10 Day 1	0.07 (0.03 to	0.03 (-0.00 to	0.03 (0.00 to	0.02 (-0.01 to
	0.11)	0.07)	0.05)	0.05)
Cycle 12 Day 1	0.05 (0.01 to	0.01 (-0.03 to	0.02 (-0.01 to	0.01 (-0.02 to
	0.08)	0.05)	0.05)	0.04)
Cycle 14 Day 1	0.00 (-0.05 to	0.03 (-0.01 to	0.03 (-0.01 to	-0.00 (-0.04 to
	0.05)	0.07)	0.07)	0.03)
Cycle 16 Day 1	0.03 (-0.03 to	0.05 (-0.01 to	0.05 (0.00 to	-0.02 (-0.05 to
	0.08)	0.10)	0.09)	0.02)
Cycle 18 Day 1	0.02 (-0.06 to	0.01 (-0.04 to	0.06 (0.02 to	-0.02 (-0.06 to
	0.09)	0.07)	0.11)	0.03)
Cycle 20 Day 1	-0.06 (-0.15 to	0.07 (0.00 to	0.02 (-0.05 to	-0.01 (-0.06 to
	0.03)	0.13)	0.08)	0.05)
Cycle 22 Day 1	0.02 (-0.07 to	0.05 (-0.02 to	0.04 (-0.03 to	-0.07 (-0.14 to
	0.11)	0.12)	0.11)	0.00)
Cycle 24 Day 1	0.09 (-0.03 to	99999 (99999	99999 (99999	0.01 (-0.11 to
	0.21)	to 99999)	to 99999)	0.13)
End of treatment	-0.03 (-0.10 to	0.03 (-0.05 to	0.03 (-0.02 to	0.01 (-0.04 to
	0.05)	0.11)	0.07)	0.05)

[192] - Not all subjects had evaluable data at each time point.

[193] - Not all subjects had evaluable data at each time point.

[194] - Not all subjects had evaluable data at each time point.

[195] - Not all subjects had evaluable data at each time point.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	38 ^[196]	29 ^[197]	
Units: units on a score			
least squares mean (confidence interval 95%)			
Cycle 2 Day 1	0.02 (-0.01 to 0.05)	0.01 (-0.02 to 0.04)	
Cycle 3 Day 1	-0.01 (-0.04 to 0.02)	-0.00 (-0.04 to 0.03)	
Cycle 4 Day 1	-0.02 (-0.05 to 0.01)	-0.01 (-0.05 to 0.02)	
Cycle 5 Day 1	-0.02 (-0.05 to 0.01)	0.02 (-0.01 to 0.05)	
Cycle 6 Day 1	-0.00 (-0.03 to 0.03)	0.01 (-0.03 to 0.04)	
Cycle 8 Day 1	-0.01 (-0.04 to 0.02)	0.01 (-0.02 to 0.05)	
Cycle 10 Day 1	-0.01 (-0.05 to 0.02)	0.01 (-0.02 to 0.05)	
Cycle 12 Day 1	-0.00 (-0.04 to 0.03)	0.03 (-0.01 to 0.07)	
Cycle 14 Day 1	0.01 (-0.04 to 0.06)	0.02 (-0.03 to 0.07)	
Cycle 16 Day 1	-0.01 (-0.10 to 0.08)	0.03 (-0.03 to 0.08)	
Cycle 18 Day 1	-0.18 (-0.30 to -0.06)	-	
Cycle 20 Day 1	99999 (99999 to 99999)	0.02 (-0.04 to 0.09)	

Cycle 22 Day 1	99999 (99999 to 99999)	0.03 (-0.04 to 0.11)	
Cycle 24 Day 1	99999 (99999 to 99999)	99999 (99999 to 99999)	
End of treatment	-0.03 (-0.08 to 0.02)	0.02 (-0.05 to 0.08)	

[196] - Not all subjects had evaluable data at each time point.

[197] - Not all subjects had evaluable data at each time point.

Statistical analyses

No statistical analyses for this end point

Secondary: Change from Baseline in Total Scores for International Shopping List Test (Cognitive Function Assessment) (Phase 2)

Change from Baseline in Total Scores for International
Shopping List Test (Cognitive Function Assessment) (Phase 2) ^[198]

End point description:

The International Shopping List Test is a measure of verbal learning and uses a well validated list learning paradigm. Total number of correct responses remembering the word list on 3 consecutive trials at a single assessment was recorded. Higher scores indicate better performance. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
End point timeframe:	

3 years

Notes:

[198] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase 2)	EXP-2 (Phase 2)	EXP-3 (Phase 2)	EXP-4 (Phase 2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	24 ^[199]	26 ^[200]	50 ^[201]	46 ^[202]
Units: units on a score				
least squares mean (confidence interval 95%)				
Cycle 2 Day 1	-0.02 (-1.89 to	-1.13 (-2.90 to	0.25 (-1.01 to	-0.45 (-1.76 to
	1.84)	0.64)	1.52)	0.86)
Cycle 3 Day 1	0.19 (-1.66 to	-0.81 (-2.58 to	0.14 (-1.15 to	-1.04 (-2.36 to
	2.03)	0.96)	1.43)	0.29)
Cycle 4 Day 1	0.58 (-1.26 to	0.26 (-1.54 to	0.28 (-1.05 to	0.24 (-1.12 to
	2.42)	2.05)	1.61)	1.60)
Cycle 5 Day 1	1.30 (-0.51 to	-0.66 (-2.53 to	0.59 (-0.77 to	-0.94 (-2.33 to
	3.12)	1.21)	1.95)	0.45)
Cycle 6 Day 1	0.18 (-1.64 to	0.81 (-1.06 to	0.50 (-0.87 to	0.08 (-1.31 to
	1.99)	2.68)	1.87)	1.47)
Cycle 8 Day 1	0.84 (-1.00 to	0.60 (-1.30 to	1.69 (0.29 to	0.15 (-1.27 to
	2.68)	2.50)	3.08)	1.57)
Cycle 10 Day 1	0.26 (-1.68 to	2.59 (0.65 to	0.86 (-0.56 to	0.13 (-1.46 to
	2.21)	4.52)	2.27)	1.72)
Cycle 12 Day 1	2.87 (0.86 to	0.02 (-2.06 to	0.11 (-1.52 to	0.69 (-0.98 to
	4.88)	2.10)	1.73)	2.35)
Cycle 14 Day 1	1.91 (-0.71 to	1.46 (-0.85 to	2.27 (0.36 to	0.94 (-0.86 to
	4.53)	3.78)	4.17)	2.73)

Cycle 16 Day 1	4.52 (1.58 to	0.87 (-2.06 to	1.36 (-1.11 to	1.04 (-0.99 to
	7.46)	3.79)	3.84)	3.07)
Cycle 18 Day 1	4.77 (0.82 to	0.66 (-2.50 to	-0.27 (-2.89 to	-0.52 (-2.77 to
	8.73)	3.81)	2.36)	1.73)
Cycle 20 Day 1	-2.72 (-7.47 to	-1.44 (-4.91 to	0.56 (-2.81 to	1.20 (-1.84 to
	2.03)	2.03)	3.92)	4.24)
Cycle 22 Day 1	-5.72 (-10.47	-0.28 (-4.22 to	2.17 (-1.68 to	-0.36 (-4.21 to
	to -0.97)	3.66)	6.01)	3.48)
Cycle 24 Day 1	-8.49 (-15.06	99999 (99999	99999 (99999	-3.35 (-9.86 to
	to -1.92)	to 99999)	to 99999)	3.16)
End of treatment	1.02 (-2.99 to	-1.62 (-5.95 to	0.80 (-1.80 to	-0.27 (-2.47 to
	5.04)	2.71)	3.40)	1.92)

[199] - Not all subjects had evaluable data at each time point.

[200] - Not all subjects had evaluable data at each time point.

[201] - Not all subjects had evaluable data at each time point.

[202] - Not all subjects had evaluable data at each time point.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	38 ^[203]	29 ^[204]	
Units: units on a score			
least squares mean (confidence interval 95%)			
Cycle 2 Day 1	0.96 (-0.50 to 2.43)	0.16 (-1.51 to 1.83)	
Cycle 3 Day 1	-0.08 (-1.59 to 1.44)	-0.56 (-2.21 to 1.09)	
Cycle 4 Day 1	1.30 (-0.26 to 2.86)	-0.87 (-2.59 to 0.84)	
Cycle 5 Day 1	1.23 (-0.36 to 2.82)	0.74 (-0.97 to 2.45)	
Cycle 6 Day 1	0.82 (-0.83 to 2.46)	-0.51 (-2.31 to 1.29)	
Cycle 8 Day 1	0.44 (-1.23 to 2.11)	1.70 (-0.11 to 3.50)	
Cycle 10 Day 1	2.29 (0.53 to 4.05)	0.97 (-0.99 to 2.93)	
Cycle 12 Day 1	1.74 (-0.25 to 3.72)	3.10 (1.06 to 5.14)	
Cycle 14 Day 1	-4.43 (-7.11 to -1.75)	2.67 (0.09 to 5.25)	
Cycle 16 Day 1	3.46 (-1.26 to 8.18)	1.97 (-0.93 to 4.87)	
Cycle 18 Day 1	-0.35 (-6.90 to 6.21)	3.13 (0.00 to 6.27)	
Cycle 20 Day 1	99999 (99999 to 99999)	0.56 (-2.89 to 4.01)	
Cycle 22 Day 1	99999 (99999 to 99999)	3.99 (0.07 to 7.91)	
Cycle 24 Day 1	99999 (99999 to 99999)	-	
End of treatment	2.37 (-0.54 to 5.27)	-0.60 (-4.09 to 2.89)	

Notes:

[203] - Not all subjects had evaluable data at each time point.

[204] - Not all subjects had evaluable data at each time point.

No statistical analyses for this end point

Secondary: Change from Baseline in Total Scores for International Shopping List Test-Delayed Recall (Cognitive Function Assessment) (Phase 2)

Fnd	point	title
L 110	ponie	cicic

Change from Baseline in Total Scores for International Shopping List Test-Delayed Recall (Cognitive Function Assessment) (Phase 2)^[205]

End point description:

The International Shopping List Test-Delayed Recall is a measure of memory and uses a well validated list learning paradigm. Total number of correct responses made in remembering the word list after a delay was recorded. Higher scores indicate better performance. The analysis set included all enrolled subjects who received study treatment, had a baseline test assessment and at least 1 on-study test assessment. "99999" represents "not applicable" or "non evaluable" data.

End point type	Secondary
Find watch the officers of	

End point timeframe:

3 years

Notes:

[205] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

End point values	EXP-1 (Phase	EXP-2 (Phase	EXP-3 (Phase	EXP-4 (Phase
	2)	2)	2)	2)
Subject group type	Reporting group	Reporting group	Reporting group	Reporting group
Number of subjects analysed	24 ^[206]	26 ^[207]	50 ^[208]	46 ^[209]
Units: units on a score				
least squares mean (confidence interval 95%)				
Cycle 2 Day 1	0.10 (-0.85 to	-0.84 (-1.76 to	-0.12 (-0.77 to	-0.59 (-1.28 to
	1.06)	0.08)	0.53)	0.09)
Cycle 3 Day 1	-0.33 (-1.28 to	-1.32 (-2.24 to	-0.14 (-0.81 to	-0.77 (-1.46 to
	0.62)	-0.40)	0.52)	-0.07)
Cycle 4 Day 1	-0.44 (-1.38 to	-0.91 (-1.86 to	0.03 (-0.66 to	-0.25 (-0.97 to
	0.50)	0.03)	0.72)	0.47)
Cycle 5 Day 1	-0.35 (-1.29 to	-0.57 (-1.54 to	0.02 (-0.69 to	-0.46 (-1.20 to
	0.59)	0.40)	0.73)	0.27)
Cycle 6 Day 1	0.48 (-0.46 to	-0.38 (-1.35 to	0.12 (-0.59 to	-0.22 (-0.95 to
	1.42)	0.59)	0.84)	0.52)
Cycle 8 Day 1	0.56 (-0.38 to	-0.24 (-1.23 to	0.02 (-0.70 to	-0.49 (-1.24 to
	1.50)	0.75)	0.74)	0.25)
Cycle 10 Day 1	0.29 (-0.74 to	0.80 (-0.22 to	0.54 (-0.20 to	0.23 (-0.61 to
	1.31)	1.82)	1.28)	1.08)
Cycle 12 Day 1	0.90 (-0.15 to	0.13 (-0.95 to	0.22 (-0.63 to	0.19 (-0.70 to
	1.95)	1.21)	1.07)	1.07)
Cycle 14 Day 1	0.38 (-0.99 to	0.06 (-1.15 to	1.06 (0.06 to	0.11 (-0.85 to
	1.75)	1.27)	2.06)	1.07)
Cycle 16 Day 1	0.89 (-0.66 to	0.52 (-1.02 to	0.68 (-0.62 to	-0.12 (-1.22 to
	2.43)	2.05)	1.98)	0.98)
Cycle 18 Day 1	1.06 (-1.02 to	0.68 (-0.98 to	0.38 (-1.00 to	-0.24 (-1.54 to
	3.14)	2.34)	1.76)	1.07)
Cycle 20 Day 1	-1.22 (-3.73 to	0.16 (-1.67 to	-0.24 (-2.01 to	-0.18 (-1.78 to
	1.28)	1.98)	1.53)	1.43)
Cycle 22 Day 1	-3.22 (-5.73 to	0.68 (-1.40 to	0.80 (-1.23 to	-0.64 (-2.67 to
	-0.72)	2.76)	2.83)	1.39)
Cycle 24 Day 1	-2.43 (-5.89 to	99999 (99999	99999 (99999	-0.80 (-4.25 to
	1.04)	to 99999)	to 99999)	2.64)

End of treatment	-0.87 (-2.99 to	-2.31 (-4.58 to	0.52 (-0.84 to	-0.85 (-2.06 to
	1.24)	-0.04)	1.89)	0.35)

[206] - Not all subjects had evaluable data at each time point.

[207] - Not all subjects had evaluable data at each time point.

[208] - Not all subjects had evaluable data at each time point.

[209] - Not all subjects had evaluable data at each time point.

End point values	EXP-5 (Phase 2)	EXP-6 (Phase 2)	
Subject group type	Reporting group	Reporting group	
Number of subjects analysed	38 ^[210]	29 ^[211]	
Units: units on a score			
least squares mean (confidence interval 95%)			
Cycle 2 Day 1	-0.22 (-0.96 to 0.53)	-0.25 (-1.11 to 0.62)	
Cycle 3 Day 1	-0.87 (-1.64 to -0.10)	-0.30 (-1.15 to 0.56)	
Cycle 4 Day 1	-0.02 (-0.82 to 0.78)	-1.06 (-1.95 to -0.18)	
Cycle 5 Day 1	0.09 (-0.74 to 0.92)	0.17 (-0.72 to 1.05)	
Cycle 6 Day 1	0.30 (-0.55 to 1.15)	-0.28 (-1.21 to 0.66)	
Cycle 8 Day 1	-1.08 (-1.94 to -0.22)	-0.16 (-1.10 to 0.77)	
Cycle 10 Day 1	0.25 (-0.67 to 1.16)	-0.00 (-1.02 to 1.02)	
Cycle 12 Day 1	0.60 (-0.43 to 1.64)	0.42 (-0.64 to 1.49)	
Cycle 14 Day 1	-1.80 (-3.31 to -0.30)	0.35 (-1.00 to 1.71)	
Cycle 16 Day 1	0.40 (-2.09 to 2.88)	-0.22 (-1.75 to 1.30)	
Cycle 18 Day 1	-0.39 (-3.85 to 3.07)	-0.33 (-1.97 to 1.32)	
Cycle 20 Day 1	99999 (99999 to 99999)	-0.70 (-2.52 to 1.11)	
Cycle 22 Day 1	99999 (99999 to 99999)	0.37 (-1.70 to 2.43)	
Cycle 24 Day 1	99999 (99999 to 99999)	99999 (99999 to 99999)	
End of treatment	-0.19 (-1.71 to 1.34)	0.11 (-1.72 to 1.95)	

Notes:

[210] - Not all subjects had evaluable data at each time point.

[211] - Not all subjects had evaluable data at each time point.

Statistical analyses

No statistical analyses for this end point

Adverse events information Timeframe for reporting adverse events:

3 years

Adverse event reporting additional description:

The same event may appear as both an AE and a SAE. However, what is presented are distinct events. An event may be categorized as serious in one subject and as non-serious in another subject, or one subject may have experienced both a serious and non-serious event during the study.

	a serious and non-serious event during the study.
Assessment type	Non-systematic
Dictionary used	
Dictionary name	MedDRA
Dictionary version	20.0
Reporting groups	
Reporting group title	10 mg QD (Phase 1)
Reporting group description:	
	en once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ss clinical benefit was still achievable), unacceptable toxicity, death
Reporting group title	25 mg QD (Phase 1)
Reporting group description:	
progression of disease (unless clinic	en once daily (QD) in 21-day cycles from Cycle 1 Day 1 until cal benefit was still achievable), unacceptable toxicity, death or ng was orally given QD on Day -7 and Cycle 1 Day 15.
Reporting group title	50 mg QD (Phase 1)
Reporting group description:	
	en once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ss clinical benefit was still achievable), unacceptable toxicity, death
Reporting group title	75 mg QD (Phase 1)
Reporting group description:	
	en once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ss clinical benefit was still achievable), unacceptable toxicity, death
Reporting group title	100 mg QD (Phase 1)
Reporting group description:	- ·
	ven once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ss clinical benefit was still achievable), unacceptable toxicity, death
Reporting group title	150 mg QD (Phase 1)
Reporting group description:	
progression of disease (unless clinic	ven once daily (QD) in 21-day cycles from Cycle 1 Day 1 until cal benefit was still achievable), unacceptable toxicity, death or ng was orally given QD on Day -7 and Cycle 1 Day 15.
Reporting group title	200 mg QD (Phase 1)
Reporting group description:	
	ven once daily (QD) on Day -7 and in 21-day cycles from Cycle 1 Day ss clinical benefit was still achievable), unacceptable toxicity, death
Reporting group title	35 mg BID (Phase 1)
Reporting group description:	
	en twice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day ss clinical benefit was still achievable), unacceptable toxicity, death

Reporting group title 75 mg BID (Phase 1)

Reporting group description:

PF-06463922 75 mg was orally given twice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title EXP-1 (Phase 2)	Reporting group title EXF	-1 (Phase 2)
---------------------------------------	---------------------------	--------------

Reporting group description:

Treatment-naïve subjects with advanced ALK-positive NSCLC with or without asymptomatic central nervous system (CNS) metastases were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title100 mg BID (Phase 1)	Reporting group title	
---	-----------------------	--

Reporting group description:

PF-06463922 100 mg was orally given twice daily (BID) on Day -7 and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title	EXP-2 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after only crizotinib therapy were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title	EXP-3 (Phase 2)
Descriptions and a solution of	

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after crizotinib therapy and 1 or 2 prior regimens of chemotherapy given before or after crizotinib therapy, or subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 1 ALK inhibitor therapy other than crizotinib with or without any number of prior chemotherapy regimens in any disease setting were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title	EXP-4 (Phase 2)
Departing group descriptions	

Reporting group description:

subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 2 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title

EXP-5 (Phase 2)

Reporting group description:

Subjects with advanced ALK-positive NSCLC with or without asymptomatic CNS metastases relapsing after 3 prior lines of ALK inhibitor therapies were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Reporting group title	EXP-6 (Phase 2)

Reporting group description:

Subjects with advanced ROS1-positive NSCLC who were treatment naïve or had any number of prior cancer therapies with or without asymptomatic CNS metastases were given PF-06463922 100 mg orally once daily (QD) on Day -7 (only for subjects scheduled for pharmacokinetic evaluation) and in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal.

Japan Lead-In Cohort (LIC)

Reporting	group	title
-----------	-------	-------

Reporting group description:

Few Japanese participants were given PF-06463922 100 mg orally twice daily (BID) in 21-day cycles from Cycle 1 Day 1 until progression of disease (unless clinical benefit was still achievable), unacceptable toxicity, death or consent withdrawal to evaluate safety of PF-06463922 in Japanese participants, in order to support inclusion of Japanese participants in Phase 2.

10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1
3 / 3 (100.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
1	1	0
0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
0 / 0	0/1	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
	3 / 3 (100.00%) 1 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0	1 1 0 / 3 (0.00%) 1 / 3 (33.33%) 0 / 0 0 / 1 0 / 0 0 / 1 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Thrombosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General disorders and administration site conditions			
Disease progression			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/1	0/1	0 / 0
deaths causally related to treatment / all	0/1	0/1	0 / 0
Pyrexia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fatigue			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General physical health deterioration			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Generalised oedema			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral swelling			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory, thoracic and mediastinal disorders			
Dyspnoea			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 3	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypoxia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleural effusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Haemoptysis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute pulmonary oedema			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute respiratory failure			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chronic obstructive pulmonary disease			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Dyspnoea exertional			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Epistaxis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Interstitial lung disease			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleuritic pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonitis			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary congestion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary embolism			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary hypertension			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory distress			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory failure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders			
Confusional state			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Mental status changes			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Delirium			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hallucination			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			
Aspartate aminotransferase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lipase increased			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Alanine aminotransferase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood cholesterol increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood creatine phosphokinase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ejection fraction decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural			

complications	1		
Subdural haematoma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fall			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Femoral neck fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hip fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Humerus fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pelvic fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Post procedural haemorrhage			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Rib fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Road traffic accident			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to	0/0	0 / 0	0 / 0
treatment / all		0,0	
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Toxicity to various agents			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cardiac disorders			
Cardiac arrest			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pericardial effusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrial fibrillation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrioventricular block complete			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Myocardial infarction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sinus node dysfunction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Supraventricular tachycardia			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
ervous system disorders			
Haemorrhage intracranial			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Headache			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Presyncope			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cerebrovascular accident			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Seizure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain compression			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain oedema			
subjects affected / exposed		0 / 2 / 0 000/)	
occurrences causally related to	0 / 3 (0.00%) 0 / 0	0 / 3 (0.00%) 0 / 0	0 / 3 (0.00%) 0 / 0
treatment / all deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
			0,0

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to	0 / 0	0 / 0	0 / 0
treatment / all		0,0	0,0
deaths causally related to treatment / all	0/0	0 / 0	0 / 0
Hydrocephalus			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ischaemic stroke			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lacunar stroke			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Partial seizures			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Syncope			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vagus nerve disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ear and labyrinth disorders			
Vertigo			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye disorders			
Cataract			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blepharitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Crohn's disease			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ileus			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intestinal perforation			· ·
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Large intestinal obstruction			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Abdominal pain upper			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Abdominal wall haematoma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastric volvulus			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastritis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Glossitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intestinal obstruction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nausea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vomiting			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatobiliary disorders Biloma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Jaundice			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Skin and subcutaneous tissue disorders			
Dermatomyositis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Musculoskeletal and connective tissue disorders			
Back pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intervertebral disc protrusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Spinal pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

ections and infestations			
Influenza			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lower respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Bronchitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyelonephritis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urinary tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Diverticulitis			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Erysipelas			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung abscess			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sepsis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Septic shock			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Upper respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vestibular neuronitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypercalcaemia			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperuricaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertriglyceridaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Serious adverse events	75 mg QD (Phase 1)	100 mg QD (Phase 1)	150 mg QD (Phase 1)
Total subjects affected by serious adverse events			
subjects affected / exposed	4 / 12 (33.33%)	9 / 17 (52.94%)	3 / 3 (100.00%)
number of deaths (all causes)	1	3	3
number of deaths resulting from adverse events			
Vascular disorders			
Embolism			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Embolism venous			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Aortic dissection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Deep vein thrombosis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Hypertensive crisis			I
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral artery occlusion subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Superior vena cava syndrome			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Thrombosis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General disorders and administration site conditions			
Disease progression			
subjects affected / exposed	1 / 12 (8.33%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0/1	0 / 3	0/1
deaths causally related to treatment / all	0/1	0 / 3	0/1
Ругехіа			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthenia			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chest pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Fatigue

laemoptysis subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute pulmonary oedema subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute respiratory failure			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthma			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chronic obstructive pulmonary lisease			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Dyspnoea exertional			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
pistaxis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
nterstitial lung disease			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0/0	0 / 0	0 / 0

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleuritic pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary congestion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary embolism			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary hypertension			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory distress			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory failure			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders			
Confusional state			

		1	
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Mental status changes			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0/1	1/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Delirium			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	2 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hallucination			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			
Aspartate aminotransferase increased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lipase increased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Alanine aminotransferase increased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood cholesterol increased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood creatine phosphokinase increased			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ejection fraction decreased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications Subdural haematoma			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fall			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Femoral neck fracture			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hip fracture			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Humerus fracture			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pelvic fracture			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Post procedural haemorrhage			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Rib fracture			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Road traffic accident			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Toxicity to various agents			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cardiac disorders			
Cardiac arrest			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pericardial effusion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrial fibrillation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrioventricular block complete			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Myocardial infarction			i İ

Subjects allected / Exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 Sinus node dysfunction 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 Nervous system disorders 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 Haemorrhage intraconalia subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 deaths causally related to treatment / all 0 / 0 0 /	whice to effected (eveneed	1	I	I I
treatment / allo / 0o / 0deaths causally related to treatment / all0 / 00 / 0Sinus node dysfunction subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Supraventricular tachycardia subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Nervous system disorders Haemorrhage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 0 <tr< td=""><td>subjects affected / exposed</td><td>0 / 12 (0.00%)</td><td>0 / 17 (0.00%)</td><td>0 / 3 (0.00%)</td></tr<>	subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
treatment / ali 0 / 0 0 / 0 0 / 0 Sinus node dysfunction subjects affected / exposed occurrences causally related to treatment / all 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Supraventricular tachycardia subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Nervous system disorders 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) 0 / 1 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Nervous system disorders 0 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 Headache subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 >		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Suppraventricular tachycardia subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Nervous system disorders Haemorrhage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0ccurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to 		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Supraventricular tachycardia subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Nervous system disorders Haemorrhage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Or eaths causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 0 <td>Sinus node dysfunction</td> <td></td> <td></td> <td></td>	Sinus node dysfunction			
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Supraventricular tachycardia subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Memorrhage intracnalial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Memorrhage intracnalial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (3.0.00%)occurrences causally related to tre	subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
treatment / ali 0 / 0 0 / 0 0 / 0 Supraventricular tachycardia subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 Nervous system disorders 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) 0 occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 Heedache subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / ali 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / ali <td< td=""><td></td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td></td<>		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Mervous system disorders Haemornage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to tr		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Nervous system disorders Haemorrhage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 0 <td< td=""><td>Supraventricular tachycardia</td><td></td><td></td><td></td></td<>	Supraventricular tachycardia			
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Nervous system disorders Haemorrhage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0 <t< td=""><td>subjects affected / exposed</td><td>0 / 12 (0.00%)</td><td>0 / 17 (0.00%)</td><td>0 / 3 (0.00%)</td></t<>	subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
treatment / all 0 / 0 0 / 0 0 / 0 Nervous system disorders Haemorrhage intracranial 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 1 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Headache 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Presyncope 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0		0 / 0	0 / 0	0 / 0
Haemorrhage intracranial subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (3.33%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 /		0 / 0	0 / 0	0 / 0
subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 1 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 Headache subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 Presyncope subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 cerebrovascular accident subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (3.33%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Seizure subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%)	Nervous system disorders			
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 1Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 00 / 0Occurrences causally related to treatment / all0 / 00 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 /				
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0	subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
treatment / ali0 / 00 / 00 / 0Headache subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / ali0 / 00 / 00 / 00 / 0deaths causally related to treatment / ali0 / 00 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / ali0 / 00 / 00 / 00 / 0occurrences causally related to treatment / ali0 / 00 / 00 / 00 / 0deaths causally related to treatment / ali0 / 00 / 00 / 00 / 0cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / ali0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / ali0 / 00 / 00 / 1deaths causally related to treatment / ali0 / 00 / 00 / 1deaths causally related to treatment / ali0 / 00 / 00 / 1deaths causally related to treatment / ali0 / 00 / 00 / 1deaths causally related to treatment / ali0 / 00 / 00 / 1deaths causally related to treatment / ali0 / 00 / 00 / 1		0 / 0	0 / 0	0/1
subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0	Headache			
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Presyncope subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1	subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
treatment / all 0 / 0 0 / 0 0 / 0 Presyncope subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to 0 / 0 0 / 0 0 / 0 0 / 0 deaths causally related to 0 / 0 0 / 0 0 / 0 0 / 0 Cerebrovascular accident 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to 0 / 12 (0.00%) 0 / 17 (0.00%) 0 / 3 (0.00%) occurrences causally related to 0 / 0 0 / 0 0 / 0 occurrences causally related to 0 / 0 0 / 0 0 / 0 treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to 0 / 0 0 / 0 0 / 0 treatment / all 0 / 0 0 / 0 0 / 0 Seizure subjects affected / exposed 0 / 12 (0.00%) 0 / 17 (0.00%) 1 / 3 (33.33%) occurrences causally related to 0 / 0 0 / 0 0 / 0 0 / 1 treatment / all 0 / 0 0 / 0 0 / 0 0 / 1 deaths causally related to 0 / 0 <	· · ·	0 / 0	0 / 0	0 / 0
subjects affected / exposed $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ Cerebrovascular accident subjects affected / exposed $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ Seizure subjects affected / exposed $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $1 / 3 (33.33\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$		0 / 0	0 / 0	0 / 0
subjects affected / exposed $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ Cerebrovascular accident subjects affected / exposed $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ Seizure subjects affected / exposed $0 / 12 (0.00\%)$ $0 / 17 (0.00\%)$ $1 / 3 (33.33\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 1$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$	Presyncope			
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1		0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
deaths causally related to treatment / all0 / 00 / 00 / 0Cerebrovascular accident subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0				
subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1	Cerebrovascular accident			
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0	subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
deaths causally related to treatment / all0 / 00 / 0Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 1				
Seizure subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 1	deaths causally related to	0 / 0	0 / 0	0/0
subjects affected / exposed0 / 12 (0.00%)0 / 17 (0.00%)1 / 3 (33.33%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 0	1 · · ·		•	· · ·
occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0		0 / 12 (0 00%)	0 / 17 (0 00%)	1 / 3 (33 33%)
deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0	occurrences causally related to			
	deaths causally related to	0 / 0	0 / 0	0 / 0
	I			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain oedema			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cognitive disorder			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hydrocephalus			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ischaemic stroke			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lacunar stroke			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Partial seizures			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Syncope			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vagus nerve disorder			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye disorders			
Cataract			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blepharitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Crohn's disease			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Ileus			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intestinal perforation			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Large intestinal obstruction			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Abdominal pain upper			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Abdominal wall haematoma			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastric volvulus			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastritis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
	0 / 0	0 / 0	0 / 0
treatment / all	0 / 0 0 / 12 (0.00%)	0 / 0 0 / 17 (0.00%)	0 / 0 0 / 3 (0.00%)
treatment / all Glossitis			
treatment / all Glossitis subjects affected / exposed occurrences causally related to	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to			
treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nausea			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vomiting			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatobiliary disorders			
Biloma			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Jaundice			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Skin and subcutaneous tissue disorders			
Dermatomyositis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	2 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Musculoskeletal and connective tissue disorders			
Back pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Intervertebral disc protrusion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Spinal pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Infections and infestations			
Influenza			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lower respiratory tract infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory tract infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Bronchitis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyelonephritis			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urinary tract infection			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Diverticulitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Erysipelas			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung abscess			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sepsis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Septic shock			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Upper respiratory tract infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vestibular neuronitis			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypercalcaemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperuricaemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertriglyceridaemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Serious adverse events	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)
Total subjects affected by serious adverse events			
subjects affected / exposed	1 / 3 (33.33%)	2 / 3 (66.67%)	2 / 3 (66.67%)
number of deaths (all causes)	0	0	1
number of deaths resulting from adverse events			
Vascular disorders			
Embolism			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Embolism venous			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Aortic dissection		l	
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Deep vein thrombosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertensive crisis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral artery occlusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Superior vena cava syndrome			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Thrombosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General disorders and administration site conditions			
Disease progression			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0/1
Pyrexia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Asthenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fatigue			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General physical health deterioration			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Generalised oedema			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral swelling			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory, thoracic and mediastinal disorders			
Dyspnoea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Hypoxia			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleural effusion			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Haemoptysis			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute pulmonary oedema			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute respiratory failure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chronic obstructive pulmonary disease			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Dyspnoea exertional			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Interstitial lung disease			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung disorder			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleuritic pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonitis			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary congestion			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary embolism			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary hypertension			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory distress			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory failure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders			
Confusional state			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Mental status changes			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Delirium			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hallucination			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			
Aspartate aminotransferase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lipase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Alanine aminotransferase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood cholesterol increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood creatine phosphokinase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ejection fraction decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications			
Subdural haematoma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fall			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Femoral neck fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hip fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Humerus fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pelvic fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Post procedural haemorrhage			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Rib fracture			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Road traffic accident			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Toxicity to various agents			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cardiac disorders			
Cardiac arrest			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pericardial effusion			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 2	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrial fibrillation			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to	0 / 0	0 / 0	0/0
treatment / all	.,	0,0	.,
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrioventricular block complete			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Myocardial infarction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sinus node dysfunction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Supraventricular tachycardia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nervous system disorders			
Haemorrhage intracranial			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Headache			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Presyncope			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cerebrovascular accident			

subjects affected / exposed $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ Seizure subjects affected / exposed $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ ccurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ 0				
treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 Seizure subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 Brain compression subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all	subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
treatment / ali0 / 00 / 00 / 0Seizure0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)subjects affected / exposed0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Brain compression subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Brain compression subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Brain oedema subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0Cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0 <td></td> <td>0 / 0</td> <td>0 / 0</td> <td>0 / 0</td>		0 / 0	0 / 0	0 / 0
subjects affected / exposed $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ Brain compression subjects affected / exposed $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ Brain oedema subjects affected / exposed $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ $0 / 3 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to 		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all0 / 00 / 00 / 0Brain compression subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Brain compression subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occ	Seizure			
treatment / all0 / 00 / 0deaths causally related to treatment / all0 / 00 / 0Brain compression subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Brain compression subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Brain cedema subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0 <td>subjects affected / exposed</td> <td>0 / 3 (0.00%)</td> <td>0 / 3 (0.00%)</td> <td>0 / 3 (0.00%)</td>	subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
treatment / ali 0 / 0 0 / 0 0 / 0 Brain compression subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 Brain compression subjects affected / exposed 0 / 0 0 / 0 0 / 0 0 / 0 Brain codema subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / ali 0 / 0 0 / 0 0 / 0 0 / 0 cognitive disorder subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / ali 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / ali 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / ali 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / ali <td></td> <td>0 / 0</td> <td>0 / 0</td> <td>0 / 0</td>		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Brain oedema subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0cocurrences causally related to treatment / all0 / 00 / 00 / 0cocurrences causally related to treatment / all0 / 00 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to treatment / all0 / 00 / 00 / 0ocurrences causally related to		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Brain oedema subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurre	Brain compression			
treatment / all0 / 00 / 00 / 0Brain oedema0 / 00 / 00 / 00 / 0subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00	subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
treatment / ali 0 / 0 0 / 0 0 / 0 Brain oedema subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Cognitive disorder subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Hydrocephalus subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 Ischaemic stroke subjects affected / exposed 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) occurrences causally related to treatment / all 0 / 0 0 / 0 0 / 0 0 / 0 ucaths causally related to treatment / all 0 / 0 </td <td></td> <td>0 / 0</td> <td>0 / 0</td> <td>0 / 0</td>		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0locaths causally related to treatment / all0 / 00 / 00 / 00 / 0locaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 3 (0.00%)0		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / allo / o (0,0)o / o (0,0)o / o (0,0)deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 0	Brain oedema			
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0 </td <td>subjects affected / exposed</td> <td>0 / 3 (0.00%)</td> <td>0 / 3 (0.00%)</td> <td>0 / 3 (0.00%)</td>	subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
treatment / ali0 / 00 / 00 / 0Cognitive disorder subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0lschaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally r		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0lschaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 0lschaemic stroke subjects affected / exposed0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0<		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0lschaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0<	Cognitive disorder			
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 0	subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
treatment / all0 / 00 / 00 / 0Hydrocephalus subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 0Lacunar stroke subjects affected / exposed0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0	Hydrocenhalus			
occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0		0 / 3 (0.00%)	0/3(0.00%)	0/3(0.00%)
treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0				
treatment / all0 / 00 / 00 / 0Ischaemic stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 0	·			
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 00 / 0		0 / 0	0 / 0	0 / 0
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 0	Ischaemic stroke			
treatment / all0 / 00 / 0deaths causally related to treatment / all0 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 0	subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
treatment / all0 / 00 / 00 / 0Lacunar stroke subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 0		0 / 0	0 / 0	0 / 0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 0		0 / 0	0 / 0	0/0
subjects affected / exposed0 / 3 (0.00%)0 / 3 (0.00%)0 / 3 (0.00%)occurrences causally related to treatment / all deaths causally related to0 / 00 / 00 / 0	Lacunar stroke			
treatment / all deaths causally related to		0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
		0 / 0	0 / 0	0 / 0
		0 / 0	0 / 0	0 / 0
Partial seizures	Partial seizures			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Syncope			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vagus nerve disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye disorders			
Cataract			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blepharitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			

0 / 3 (0.00%) 0 / 0 0 / 0	0 / 3 (0.00%) 0 / 0	1 / 3 (33.33%) 0 / 1
	0 / 0	0/1
0 / 0		
	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0/3(0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0	0 / 0
0 / 0	0 / 0	0 / 0
	0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0	0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 3 (0.00%) 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Glossitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intestinal obstruction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nausea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vomiting			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatobiliary disorders Biloma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Jaundice			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Dermatomyositis

l

Respiratory tract infection			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Bronchitis			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyelonephritis			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urinary tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Diverticulitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Erysipelas			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung abscess			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sepsis			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Upper respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vestibular neuronitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypercalcaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperuricaemia			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertriglyceridaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Serious adverse events	EXP-1 (Phase 2)	100 mg BID (Phase 1)	EXP-2 (Phase 2)
Total subjects affected by serious adverse events			
subjects affected / exposed	8 / 30 (26.67%)	2 / 4 (50.00%)	5 / 27 (18.52%)
number of deaths (all causes)	0	0	1
number of deaths resulting from adverse events			

Vascular disorders			
Embolism			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Embolism venous			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Aortic dissection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Deep vein thrombosis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertensive crisis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral artery occlusion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Superior vena cava syndrome			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Thrombosis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General disorders and administration			

site conditions			
Disease progression			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyrexia			
subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 3	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthenia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chest pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fatigue			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General physical health deterioration			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Generalised oedema			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral swelling			

subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory, thoracic and mediastinal disorders			
Dyspnoea			
subjects affected / exposed	1 / 30 (3.33%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0/1	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Нурохіа			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleural effusion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Haemoptysis			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute pulmonary oedema			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute respiratory failure			l İ
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthma			· · ·
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chronic obstructive pulmonary disease			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Dyspnoea exertional			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Epistaxis			
subjects affected / exposed	1 / 30 (3.33%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Interstitial lung disease			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleuritic pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary congestion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary embolism			

	1		1
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary hypertension			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory distress			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 1
Respiratory failure			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders			
Confusional state			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Mental status changes			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Delirium			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hallucination			l İ
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0/0	0/0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			

Aspartate aminotransferase increased			
subjects affected / exposed	1 / 30 (3.33%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	1/1	1/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lipase increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Alanine aminotransferase increased			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood cholesterol increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood creatine phosphokinase increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ejection fraction decreased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications			
Subdural haematoma			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fall			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Femoral neck fracture			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hip fracture			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Humerus fracture			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pelvic fracture			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Post procedural haemorrhage			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Rib fracture			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Road traffic accident			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Toxicity to various agents			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
ardiac disorders			
Cardiac arrest			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pericardial effusion			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrial fibrillation			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Atrioventricular block complete			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Myocardial infarction			
, subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sinus node dysfunction			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
		0,0	
Supraventricular tachycardia subjects affected / exposed			
occurrences causally related to	0 / 30 (0.00%) 0 / 0	0 / 4 (0.00%) 0 / 0	0 / 27 (0.00%)
treatment / all			
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Haemorrhage intracranial			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Headache			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	1/3	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Presyncope			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cerebrovascular accident			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Seizure			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	1/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain compression			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain oedema			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cognitive disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0/0	0 / 0	0 / 0
deaths causally related to	0 / 0	0 / 0	0 / 0
treatment / all	0,0	070	0,0

subjects affected / exposed		0 / / /0 000/)	
	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ischaemic stroke			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lacunar stroke			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Partial seizures			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Syncope			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vagus nerve disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
ar and labyrinth disorders Vertigo			
subjects affected / exposed	1 / 30 (3.33%)	0/4(0.00%)	0 / 27 (0.00%)
	· · · · · /	, , , ,	

Cataract			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye pain			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blepharitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Crohn's disease			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ileus			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intestinal perforation			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Large intestinal obstruction			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Abdominal pain upper			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Abdominal wall haematoma			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastric volvulus			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastritis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Glossitis			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Intestinal obstruction			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nausea			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/0
deaths causally related to	0 / 0	0 / 0	0 / 0

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatobiliary disorders			
Biloma			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Jaundice			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Skin and subcutaneous tissue disorders			
Dermatomyositis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Musculoskeletal and connective tissue disorders			
Back pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0/0	0 / 0	0 / 0
Intervertebral disc protrusion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Spinal pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Infections and infestations Influenza			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lower respiratory tract infection			
subjects affected / exposed	1 / 30 (3.33%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 2	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung infection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonia			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences causally related to treatment / all	2 / 2	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory tract infection			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Bronchitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyelonephritis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urinary tract infection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
	0 / 0	0 / 0	0 / 0

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Erysipelas			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung abscess			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sepsis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Septic shock			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Upper respiratory tract infection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vestibular neuronitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypercalcaemia			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperuricaemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertriglyceridaemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Serious adverse events	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)
Total subjects affected by serious adverse events			
subjects affected / exposed	18 / 60 (30.00%)	24 / 65 (36.92%)	18 / 46 (39.13%)
number of deaths (all causes)	4	8	4
number of deaths resulting from adverse events			
Vascular disorders			
Embolism			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0/1
Embolism venous			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Aortic dissection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Deep vein thrombosis			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertensive crisis			

subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral artery occlusion			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0/1	0 / 0
Superior vena cava syndrome			
subjects affected / exposed	0 / 60 (0.00%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Thrombosis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	2 / 46 (4.35%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General disorders and administration site conditions			
Disease progression			
subjects affected / exposed	6 / 60 (10.00%)	6 / 65 (9.23%)	5 / 46 (10.87%)
occurrences causally related to treatment / all	0 / 6	0 / 6	0 / 5
deaths causally related to treatment / all	0 / 2	0 / 4	0/1
Pyrexia			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 1	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthenia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chest pain			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fatigue			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to	0 / 0	0 / 0	0 / 0
treatment / all	0,0	0,0	0,0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
General physical health deterioration			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Generalised oedema			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral swelling			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory, thoracic and mediastinal disorders			
Dyspnoea			
subjects affected / exposed	1 / 60 (1.67%)	3 / 65 (4.62%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0/1	0 / 3	0 / 2
deaths causally related to treatment / all	0/1	0 / 0	0 / 1
Нурохіа			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleural effusion			l İ
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 2	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Haemoptysis			

subjects affected (expected		_ / /	_ / /
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Acute pulmonary oedema			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 1	0 / 0	0 / 0
Acute respiratory failure			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	1/1	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Asthma			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Chronic obstructive pulmonary disease			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Dyspnoea exertional			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Epistaxis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Interstitial lung disease			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung disorder			

subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pleuritic pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumonitis			
subjects affected / exposed	0 / 60 (0.00%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary congestion			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary embolism			
subjects affected / exposed	0 / 60 (0.00%)	2 / 65 (3.08%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary hypertension			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory distress			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory failure			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 1	1/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders			
Confusional state			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Mental status changes			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0/1	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Delirium			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hallucination			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			
Aspartate aminotransferase increased			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lipase increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Alanine aminotransferase increased			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood cholesterol increased			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood creatine phosphokinase increased			

subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ejection fraction decreased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications Subdural haematoma			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Fall			i i
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Femoral neck fracture			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hip fracture			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Humerus fracture			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pelvic fracture			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Post procedural haemorrhage			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Rib fracture			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Road traffic accident			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all			0 / 0

	I	I	
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sinus node dysfunction			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Supraventricular tachycardia			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nervous system disorders			
Haemorrhage intracranial			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Headache			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Presyncope			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cerebrovascular accident	I		
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Seizure			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 48 (0.00%)
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain compression			-, -
	I	I	

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Brain oedema			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cognitive disorder			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hydrocephalus			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ischaemic stroke			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lacunar stroke			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Partial seizures			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Syncope			

subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to	0 / 1	0 / 0	0 / 0
treatment / all	071	070	070
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vagus nerve disorder			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	1/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye disorders			
Cataract			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blepharitis			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Crohn's disease			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

subjects affected / exposed $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $0 / 46 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ Intestinal perforation subjects affected / exposed $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $0 / 46 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $0 / 46 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ deaths causally related to treatment / all $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $0 / 46 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ Abdominal pain upper subjects affected / exposed $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $1 / 46 (2.17\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ Abdominal wall haematoma subjects affected / exposed $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $0 / 46 (0.00\%)$ occurrences causally related to treatment / all $0 / 0$ $0 / 0$ $0 / 0$ $0 / 0$ Abdominal wall haematoma subjects affected / exposed $0 / 60 (0.00\%)$ $0 / 65 (0.00\%)$ $0 / 60 (0.00\%)$ occurrences causally related to treatment / all
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Intestinal perforation subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Large intestinal obstruction subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to
treatment / all0 / 00 / 00 / 0Intestinal perforation subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Large intestinal obstruction subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0<
subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Large intestinal obstruction subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 1Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0 <t< td=""></t<>
occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Large intestinal obstruction subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 00 / 1Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Large intestinal obstruction subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 0
treatment / all0 / 00 / 00 / 0Large intestinal obstruction subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 00 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 00 / 0
subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 00 / 0
occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 00 / 0
treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
treatment / all0 / 00 / 00 / 0Abdominal pain upper subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)1 / 46 (2.17%)occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
occurrences causally related to treatment / all0 / 00 / 00 / 1deaths causally related to treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
treatment / all0 / 00 / 0deaths causally related to treatment / all0 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
treatment / all0 / 00 / 00 / 0Abdominal wall haematoma subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
subjects affected / exposed0 / 60 (0.00%)0 / 65 (0.00%)0 / 46 (0.00%)occurrences causally related to treatment / all0 / 00 / 00 / 0deaths causally related to treatment / all0 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 0
occurrences causally related to treatment / all deaths causally related to treatment / all0 / 00 / 00 / 0Gastric volvulus0 / 00 / 00 / 00 / 0
treatment / all deaths causally related to treatment / all Gastric volvulus
treatment / all 0 / 0 0 / 0 Gastric volvulus 0 / 0 0 / 0
subjects affected / exposed $0.460000000 = 0.4600000000000000000000000000000000000$
subjects affected / exposed 0 / 60 (0.00%) 0 / 65 (0.00%) 0 / 46 (0.00%)
occurrences causally related to 0 / 0 0 / 0 0 / 0 0 / 0
deaths causally related to treatment / all0 / 00 / 00 / 0
Gastritis
subjects affected / exposed 0 / 60 (0.00%) 0 / 65 (0.00%) 1 / 46 (2.17%)
occurrences causally related to treatment / all0 / 00 / 01 / 1
deaths causally related to treatment / all0 / 00 / 00 / 0
Glossitis
subjects affected / exposed 0 / 60 (0.00%) 0 / 65 (0.00%) 0 / 46 (0.00%)
occurrences causally related to 0 / 0 0 / 0 0 / 0 0 / 0
deaths causally related to treatment / all 0 / 0 0 / 0 0 / 0

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to	0/0	0 / 0	0/0
treatment / all	-,-	-,-	-, -
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nausea			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	1/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vomiting			
subjects affected / exposed	0 / 60 (0.00%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatobiliary disorders			
Biloma			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Jaundice			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Skin and subcutaneous tissue disorders			
Dermatomyositis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Musculoskeletal and connective tissue disorders			
Back pain			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Clinical trial results 2013-002620-17 version 1

Intervertebral disc protrusion	I	I	
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to	0 / 0	0 / 0	0 / 40 (0.00%)
treatment / all deaths causally related to	<u> </u>	a (a	0.40
treatment / all	0/0	0 / 0	0/0
Spinal pain			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Infections and infestations			
Influenza			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lower respiratory tract infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 1
Pneumonia			
subjects affected / exposed	0 / 60 (0.00%)	3 / 65 (4.62%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 6	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory tract infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Bronchitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyelonephritis			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urinary tract infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Diverticulitis			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Erysipelas			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	1/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lung abscess			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Sepsis			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Septic shock			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Upper respiratory tract infection			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0/1	0/0	0 / 0
			1

subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0/1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypercalcaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperuricaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertriglyceridaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1/1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Serious adverse events	EXP-6 (Phase 2)	Japan Lead-In Cohort (LIC)	
Total subjects affected by serious adverse events			
subjects affected / exposed	16 / 47 (34.04%)	0 / 3 (0.00%)	
number of deaths (all causes)	5	0	
number of deaths resulting from adverse events			
Vascular disorders			
Embolism			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Embolism venous			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Aartia discostion		
Aortic dissection subjects affected / exposed	1 / 47 /2 120/	0 / 2 / 0 000/)
	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Deep vein thrombosis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hypertensive crisis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Peripheral artery occlusion		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Superior vena cava syndrome		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Thrombosis	I I	
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to	0 / 0	0 / 0
treatment / all	0,0	0,0
deaths causally related to treatment / all	0 / 0	0 / 0
General disorders and administration site conditions		
Disease progression		
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 5	0 / 0
deaths causally related to treatment / all	0 / 4	0 / 0
Pyrexia		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0

A ship such	I	I	
Asthenia subjects affected / exposed			
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chest pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fatigue			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
General physical health deterioration			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Generalised oedema			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral swelling			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0/0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
espiratory, thoracic and mediastinal sorders			
Dyspnoea			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Чурохіа		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pleural effusion		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
laemoptysis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Acute pulmonary oedema		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Acute respiratory failure		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Asthma		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Chronic obstructive pulmonary lisease		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
yspnoea exertional		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Epistaxis		

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Interstitial lung disease		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lung disorder		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pleuritic pain		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumonitis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary congestion		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary embolism		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pulmonary hypertension		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
	0 / 0	0 / 0
occurrences causally related to treatment / all		

subjects affected / exposed

Alanine aminotransferase increased		I
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Blood cholesterol increased		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Blood creatine phosphokinase increased		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ejection fraction decreased		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Injury, poisoning and procedural complications		
Subdural haematoma		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Fall		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Femoral neck fracture		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hip fracture		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0

Humerus fracture		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pelvic fracture		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Post procedural haemorrhage		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Rib fracture		
subjects affected / exposed	1 / 47 (2.13%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Road traffic accident		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Toxicity to various agents		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to	0 / 0	0 / 0
treatment / all deaths causally related to		
treatment / all	0 / 0	0 / 0
ardiac disorders Cardiac arrest		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pericardial effusion		-,-
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Atrial fibrillation		·
	ı I	

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to	0 / 0	0 / 0	
treatment / all		0 / 0	
Atrioventricular block complete subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences causally related to	0 / 1	0 / 0	
treatment / all	0 / 1	070	
deaths causally related to treatment / all	0 / 0	0 / 0	
Myocardial infarction			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0/1	0 / 0	
deaths causally related to treatment / all	0 / 1	0 / 0	
Sinus node dysfunction			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Supraventricular tachycardia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
lervous system disorders			
Haemorrhage intracranial			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Headache			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Presyncope			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	1/1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
	•	1	

subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Seizure		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Brain compression		
subjects affected / exposed	1 / 47 (2.13%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Brain oedema		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Cognitive disorder		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hydrocephalus		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ischaemic stroke		
subjects affected / exposed	1 / 47 (2.13%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lacunar stroke		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0/0	0 / 0

subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0/1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Syncope			
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vagus nerve disorder			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye disorders			
Cataract			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blepharitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to			
treatment / all	0 / 0	0 / 0	

0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0	0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0
0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0	0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0
0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0	0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0
0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 0 0 / 0	0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0
0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0
0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0
0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0
0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0 0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0
0 / 0 0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0 0 / 3 (0.00%) 0 / 0 0 / 0 0 / 3 (0.00%)
0 / 47 (0.00%) 0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 3 (0.00%) 0 / 0 0 / 0 0 / 0
0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0 0 / 0 0 / 3 (0.00%)
0 / 0 0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0 0 / 0 0 / 3 (0.00%)
0 / 0 0 / 47 (0.00%) 0 / 0	0 / 0
0 / 47 (0.00%) 0 / 0	0 / 3 (0.00%)
0 / 0	
0 / 0	
·	0 / 0
0 / 0	
0/0	0 / 0
0 / 47 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0
0 / 0	0 / 0
1 / 47 (2.13%)	0 / 3 (0.00%)
0/1	0 / 0
0 / 0	0 / 0
0 / 47 (0.00%)	0 / 3 (0.00%)
0 / 0	0 / 0
	1
	0 / 0

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Glossitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intestinal obstruction			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nausea			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancreatitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0/0	0 / 0	
deaths causally related to treatment / all	0/0	0 / 0	
Vomiting			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
epatobiliary disorders			
Biloma			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Jaundice			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0/0	0 / 0	
deaths causally related to			

Dermatomyositis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal and connective tissue disorders			
Back pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc protrusion			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infections and infestations			
Influenza			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lower respiratory tract infection			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lung infection			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pneumonia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
ronchitis		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
yelonephritis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
rinary tract infection		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
viverticulitis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
rysipelas		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
ung abscess		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
epsis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
eptic shock		

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Upper respiratory tract infection			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vestibular neuronitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypercalcaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperuricaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertriglyceridaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences causally related to treatment / all	0 / 0	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Frequency threshold for reporting non-serious adverse events: 5 %

Non-serious adverse events	10 mg QD (Phase 1)	25 mg QD (Phase 1)	50 mg QD (Phase 1)
Total subjects affected by non-serious			
adverse events	2 (2 (100 000()	3 / 3 (100.00%)	3 / 3 (100.00%)
subjects affected / exposed Neoplasms benign, malignant and	3 / 3 (100.00%)	3/3(100.00%)	3 / 3 (100.00%)
unspecified (incl cysts and polyps)			
Melanocytic naevus			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Tumour pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Vascular disorders			
Hypertension			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Deep vein thrombosis			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Haematoma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Haemorrhage			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hot flush			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
		0	0
Hypotension			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Shock			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
General disorders and administration site conditions		<u> </u>	
Asthenia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	2 / 3 (66.67%)
occurrences (all)	1	0	2

Chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Face oedema			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Fatigue			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Gait disturbance			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	1	2	2
Mucosal inflammation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ŭ	Ŭ
Oedema			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	0	1	1
Oedema peripheral			
subjects affected / exposed	3 / 3 (100.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	3	1	1
Pain			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Deriphoral swelling			
Peripheral swelling subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	1	0	0
Pyrexia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Axillary pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Catheter site extravasation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Chest discomfort subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Dysphonia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Dyspnoea			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	1	1	1
Dyspnoea exertional			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Epistaxis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haemoptysis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Нурохіа			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Pleural effusion subjects affected / exposed		_ / _ /	
	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Wheezing			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Acute respiratory failure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Bronchitis chronic			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Laryngeal inflammation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Nasal congestion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	U U	U U	U U

Oropharyngeal pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pleuritic pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Productive cough			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary embolism			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences (all)	1	0	0
Pulmonary hypertension			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary oedema			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rales			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Respiratory tract congestion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rhinorrhoea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sinus congestion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Psychiatric disorders			
Affect lability			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Anxiety			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Insomnia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Irritability			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Abnormal dreams			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Agitation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Attention deficit/hyperactivity disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Bradyphrenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Confusional state			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Depressed mood			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hallucination			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Mental status changes			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	1	0	0
occurrences (all)	Ţ		
occurrences (all) Nightmare	Ţ		
	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)

Reading disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sleep disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Depression			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Mood swings			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hallucination, auditory			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Amylase increased			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	3	0	0
Aspartate aminotransferase			
increased			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	0	1	1
Blood cholesterol increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Blood creatine phosphokinase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Blood triglycerides increased			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Electrocardiogram QT prolonged			

subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Lipase increased			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
			-
Weight increased subjects affected / exposed			
occurrences (all)	0 / 3 (0.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (air)	0	1	1
Blood alkaline phosphatase increased			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Blood creatinine increased			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Blood phosphorus decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ŭ	C C
Candida test positive subjects affected / exposed			
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	0	0	0
Ejection fraction decreased			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Gamma-glutamyltransferase			
increased		_ / _ /	
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Glucose urine present			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
International normalised ratio increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Lipids increased			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Liver function test increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	0	U	0
Transaminases increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Weight decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Electrocardiogram PR prolongation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Injury, poisoning and procedural			
complications Fall			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	0	Ū	0
Contusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Incision site pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
			-
Joint dislocation			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Laceration			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Ligament sprain subjects affected / exposed			
	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Limb injury			

subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Toxicity to various agents			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Procedural pain			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Cardiac disorders			
Tachycardia			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Atrial fibrillation			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Ventricular dysfunction			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Pericardial effusion			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nervous system disorders			
Amnesia			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Aphasia			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Cognitive disorder			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Disturbance in attention			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dizziness			

subjects affected / exposed occurrences (all)	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
	1	2	0
Dysgeusia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Headache			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Memory impairment			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Neuropathy peripheral			
subjects affected / exposed	2 / 3 (66.67%)	0/3(0.00%)	1 / 3 (33.33%)
occurrences (all)	2	0	1
Paraesthesia			
subjects affected / exposed	0 / 3 (0.00%)	2 / 3 (66.67%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Presyncope			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Slow speech			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	2
Ataxia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Balance disorder			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Carpal tunnel syndrome			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dysaesthesia			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Dysarthria			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	4	0
Formication			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hemiparesis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypoaesthesia			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Mental impairment			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Migraine			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nervous system disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neuralgia			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Neurotoxicity			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Partial seizures			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Peroneal nerve palsy			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Psychomotor hyperactivity			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Seizure			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Sensory disturbance			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Speech disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Tremor			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Thrombocytopenia			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Febrile neutropenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haemorrhagic diathesis			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Iron deficiency anaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Leukocytosis			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neutropenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	<u> </u>	-	

Thrombocytosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Ear and labyrinth disorders			
Tinnitus			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	3
Ear discomfort			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Hypoacusis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Vertigo			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Vertigo positional			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Eye disorders			
Vision blurred			
subjects affected / exposed			0 / 3 (0.00%)

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dry eye			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Photophobia subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	0	0	0
Photopsia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Presbyopia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Retinal vein occlusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Visual acuity reduced			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Eye irritation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorders			
Abdominal distension			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Abdominal pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Construction .			
Constipation subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
	Ť	-	Ť
Diarrhoea subjects affected / exposed			
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
	0	0	1

Dyspepsia	I		l
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dysphagia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrooesophageal reflux disease			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nausea			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Vomiting			
subjects affected / exposed	0 / 3 (0.00%)	2 / 3 (66.67%)	1 / 3 (33.33%)
occurrences (all)	0	2	1
Abdominal discomfort			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Abdominal pain upper			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Ascites			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Crohn's disease subjects affected / exposed			
	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dry mouth			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Faeces discoloured			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Gastrointestinal disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	
(U	0

Intestinal obstruction subjects affected / exposed	0 / 3 (0.00%)	0 / 2 (0 000/)	0 / 2 (0 00%)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
	0	0	0
Swollen tongue			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Odynophagia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Stomatitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Toothache			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Line to be the terms of the standards			
Hepatobiliary disorders Hepatocellular injury			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Skin and subcutaneous tissue disorders			
Alopecia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dry skin			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hyperhidrosis subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 5 (0.00 /0)	0 / 5 (0.00 /0)	0
	Ŭ	Ŭ	0
Pruritus			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Rash			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Dermatitis acneiform			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	1 / 3 (33.33%) 1	0 / 3 (0.00%)
	Ū	Ĩ	0
Dermatitis contact subjects affected / exposed			
occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
	0	0	0
Dermatomyositis			- / - //
subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	0	0	0
Night sweats			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Photosensitivity reaction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash erythematous			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash maculo-papular			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash pruritic			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rosacea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Seborrhoeic dermatitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Skin lesion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Swelling face			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Erythema			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
anal and urinany disorders			
Renal and urinary disorders Haematuria			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Chronic kidney disease			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hydronephrosis			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Micturition urgency			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Pollakiuria			
subjects affected / exposed	1 / 3 (33.33%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Proteinuria			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Urinary incontinence			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
ndocrine disorders			
Cushingoid			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hyperparathyroidism			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypothyroidism			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Arthralgia	I	l	l
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	2	1	0
Back pain			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Bone pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Joint swelling			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Muscle spasms			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Muscular weakness			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Musculoskeletal chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal pain			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Myalgia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pain in extremity			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Arthritis			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Bone lesion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ι	I	l

Flank pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Limb discomfort			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal discomfort			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neck pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Osteoarthritis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Osteoporosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences (all)	0	0	0
Pain in jaw			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Plantar fasciitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Torticollis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal stiffness			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Infections and infestations			
Bronchitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Influenza			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Lung infection subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Pneumonia subjects affected / exposed		0 (2 (0 00%)	1 (2 (22 220))
occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	1 / 3 (33.33%) 1
Rhinitis subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sinusitis subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Upper respiratory tract infection subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	2
Viral upper respiratory tract infection subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Bacterial infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Candida infection			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Cellulitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Chronic sinusitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Clostridium difficile colitis subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Enteritis infectious			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
	0	0	0
Enterococcal bacteraemia subjects affected / exposed			
occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
	0	0	0
Gastroenteritis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Helicobacter infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Herpes virus infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Laryngitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Lower respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nasopharyngitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Oral candidiasis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Periodontitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pharyngitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Soft tissue infection			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
			C C
Tooth abscess			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Urinary tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ŭ	J
Viral rhinitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Conjunctivitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Herpes zoster			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypercholesterolaemia			
subjects affected / exposed	1 / 3 (33.33%)	2 / 3 (66.67%)	1 / 3 (33.33%)
occurrences (all)	1	6	2
	1	0	2
Hyperglycaemia			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	5	0
Hyperlipidaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ū	0
Hypertriglyceridaemia			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	0	9	4
Hyperuricaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
、 、	U	U	0
	-	-	. 1

Hypokalaemia subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Hypomagnesaemia subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	0	2	1
Hypophosphataemia			
subjects affected / exposed	1 / 3 (33.33%)	2 / 3 (66.67%)	0 / 3 (0.00%)
occurrences (all)	1	5	0
Dehydration			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Fluid retention			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypercalcaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypocalcaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypocholesterolaemia			
subjects affected / exposed			0 / 3 (0.00%)

Melanocytic naevus			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Tumour pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Vascular disorders			
Hypertension			
subjects affected / exposed	2 / 12 (16.67%)	1 / 17 (5.88%)	1 / 3 (33.33%)
occurrences (all)	3	1	1
Deep vein thrombosis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haematoma			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haemorrhage subjects affected / exposed			
	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Hot flush			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypotension			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
	U	U	Ţ
Shock			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
General disorders and administration			
site conditions Asthenia			
subjects affected / exposed	3 / 12 (25.00%)	3 / 17 (17.65%)	0 / 3 (0.00%)
occurrences (all)	7	3	0
	/	5	U
Chest pain			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Face oedema			

subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Fatigue			
subjects affected / exposed	4 / 12 (33.33%)	4 / 17 (23.53%)	2 / 3 (66.67%)
occurrences (all)	4	5	4
Gait disturbance			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Mucosal inflammation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Oedema			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	3	0	0
Oedema peripheral			
subjects affected / exposed	3 / 12 (25.00%)	9 / 17 (52.94%)	3 / 3 (100.00%)
occurrences (all)	4	16	7
Pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Peripheral swelling			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	4	0	0
Pyrexia			
subjects affected / exposed	0 / 12 (0.00%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences (all)	0	3	1
Axillary pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Catheter site extravasation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Chest discomfort			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Chills			

subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Disease progression			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Generalised oedema			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Non-cardiac chest pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Performance status decreased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Swelling			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Immune system disorders			
Hypersensitivity			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Reproductive system and breast disorders			
Menstruation irregular			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Vaginal haemorrhage			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Respiratory, thoracic and mediastinal disorders			
Cough			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Dysphonia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dyspnoea			

subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	3 / 17 (17.65%) 3	0 / 3 (0.00%) 0
Dyspnoea exertional subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	1 / 17 (5.88%) 1	0 / 3 (0.00%) 0
Epistaxis subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	1 / 17 (5.88%) 1	1 / 3 (33.33%) 1
Haemoptysis subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
Hypoxia subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
Pleural effusion subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
Wheezing subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
Acute respiratory failure subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	1 / 3 (33.33%) 1
Bronchitis chronic subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	1 / 17 (5.88%) 1	0 / 3 (0.00%) 0
Laryngeal inflammation subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
Nasal congestion subjects affected / exposed occurrences (all)	1 / 12 (8.33%) 1	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
Oropharyngeal pain subjects affected / exposed occurrences (all)	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
Pleuritic pain		1	U U U U U U U U U U U U U U U U U U U

subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Productive cough subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0 / 12 (0.00 /0)	0 0	1
Pulmonary embolism subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary hypertension subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary oedema subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rales subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Respiratory tract congestion subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Rhinorrhoea			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sinus congestion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Psychiatric disorders			
Affect lability subjects affected / exposed	3 / 12 (25.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	5	0	0
Anxiety			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Insomnia			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1

Irritability			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Abnormal dreams			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Agitation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Attention deficit/hyperactivity disorder			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0/3(0.00%)
occurrences (all)	0	1	0
Bradyphrenia			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences (all)	1	0	0
Confusional state			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	1 / 3 (33.33%)
occurrences (all)	0	2	1
Depressed mood			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences (all)	1	0	0
Hallucination			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	2
Mental status changes			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nightmare			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0/3(0.00%)
occurrences (all)	0	0	0
Reading disorder			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0/3(0.00%)
occurrences (all)	0	1	0
Sleep disorder			

subjects affected / exposed			
	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Depression			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Mood swings			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hallucination, auditory			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Investigations Alanine aminotransferase increased			
subjects affected / exposed	2 / 12 (16.67%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	4		0
	4	3	0
Amylase increased			
subjects affected / exposed	1 / 12 (8.33%)	4 / 17 (23.53%)	0 / 3 (0.00%)
occurrences (all)	3	11	0
Aspartate aminotransferase			
increased			
subjects affected / exposed	2 / 12 (16.67%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	5	3	0
Blood cholesterol increased			
subjects affected / exposed	6 / 12 (50.00%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences (all)	9	8	1
	5	0	Ť
Blood creatine phosphokinase increased			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	4	0
	Ũ	•	Ŭ
Blood triglycerides increased			
subjects affected / exposed	2 / 12 (16.67%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences (all)	3	8	1
Electrocardiogram QT prolonged			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
	Ŭ	Ŭ	÷
Lipase increased			

subjects affected / exposed	2 / 12 (16.67%)	5 / 17 (29.41%)	0 / 3 (0.00%)
occurrences (all)	5	20	0
Weight increased			
subjects affected / exposed	3 / 12 (25.00%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences (all)	7	5	1
Blood alkaline phosphatase increased subjects affected / exposed		1 / 17 / 5 000/)	
occurrences (all)	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
	1	1	0
Blood creatinine increased			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	2 / 3 (66.67%)
occurrences (all)	3	0	2
Blood phosphorus decreased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Candida test positive			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Ejection fraction decreased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	2 / 3 (66.67%)
occurrences (all)	0	0	2
Gamma-glutamyltransferase increased			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	3	0	0
Glucose urine present			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
International normalised ratio			
increased			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Lipids increased			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Liver function test increased			

subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Transaminases increased			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
	Ŭ	1	U
Weight decreased			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Electrocardiogram PR prolongation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Injury, poisoning and procedural			
complications Fall			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Contusion			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Incision site pain			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Joint dislocation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ũ	Ū	U
Laceration			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Ligament sprain			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Limb injung			
Limb injury subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 12 (0.00%)	0 / 1 / (0.00%)	0 / 3 (0.00%)
	U	U	U
Toxicity to various agents			

subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Procedural pain subjects affected / exposed			
	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Cardiac disorders			
Tachycardia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Atrial fibrillation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
		-	-
Ventricular dysfunction			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pericardial effusion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nervous system disorders			
Amnesia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
A - 1			
Aphasia subjects affected / exposed	0 / 12 /0 000/)	0 (17 (0 000()	0 / 2 /0 00%)
	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Cognitive disorder			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	2 / 3 (66.67%)
occurrences (all)	2	0	2
Disturbance in attention			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2 / 12 (10.07 /0)	0	0
	۷	U	U
Dizziness			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	2	0
Dysgeusia			

subjects affected / exposed occurrences (all)	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (an)	2	0	0
Headache			
subjects affected / exposed	3 / 12 (25.00%)	1 / 17 (5.88%)	1 / 3 (33.33%)
occurrences (all)	3	2	1
Memory impairment			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	2	0
Neuropathy peripheral			
subjects affected / exposed	5 / 12 (41.67%)	2 / 17 (11.76%)	1 / 3 (33.33%)
occurrences (all)	7	2	3
Paraesthesia			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	4	2	0
Peripheral sensory neuropathy			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Presyncope			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Slow speech			
subjects affected / exposed	1 / 12 (8.33%)	3 / 17 (17.65%)	0 / 3 (0.00%)
occurrences (all)	1	4	0
Ataxia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Balance disorder			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Carpal tunnel syndrome			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Dysaesthesia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Dysarthria			

subjects affected / exposed occurrences (all)	1 / 12 (8.33%)	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
	1	0	0
Formication subjects affected / exposed			
occurrences (all)	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (an)	0	0	0
Hemiparesis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Hypoaesthesia			
subjects affected / exposed	3 / 12 (25.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	3	1	0
Mental impairment			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Migraine			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Nervous system disorder			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Neuralgia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neurotoxicity			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0/3(0.00%)
occurrences (all)	0	5	0
Partial seizures			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Peroneal nerve palsy			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Psychomotor hyperactivity			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Seizure			

subjects affected / exposed occurrences (all)	0 / 12 (0.00%)	0 / 17 (0.00%) 0	0 / 3 (0.00%)
	0	0	0
Sensory disturbance subjects affected / exposed	0 (12 (0 00%)	0 / 17 /0 00%)	1 / 2 / 22 220/)
occurrences (all)	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
	0	0	1
Speech disorder			
subjects affected / exposed	2 / 12 (16.67%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	2	1	0
Tremor			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Blood and lymphatic system disorders			
Anaemia		- / · ·	,
subjects affected / exposed	2 / 12 (16.67%)	6 / 17 (35.29%)	3 / 3 (100.00%)
occurrences (all)	3	14	5
Thrombocytopenia			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	2	0
Febrile neutropenia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haemorrhagic diathesis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Iron deficiency anaemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Leukocytosis			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Neutropenia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Thrombocytosis subjects affected / exposed	0 / 12 /0 000/		0 (2 (0 000))
occurrences (all)	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
	0	1	0

Ear and labyrinth disorders			
Tinnitus			
subjects affected / exposed	3 / 12 (25.00%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences (all)	4	3	1
Ear discomfort			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypoacusis			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	2	1	0
Vertigo			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Vertigo positional			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ũ	Ũ
Eye disorders			
Vision blurred			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Visual impairment			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	3
	Ť	0	5
Asthenopia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Astigmatism subjects affected / exposed			
	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Conjunctival oedema			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
	-	_	-
Diplopia			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Dry eye			

subjects affected / exposed occurrences (all)	0 / 12 (0.00%) 0	0 / 17 (0.00%) 0	0 / 3 (0.00%) 0
	0	0	0
Photophobia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Photopsia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Presbyopia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Retinal vein occlusion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Visual acuity reduced			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Eye irritation			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorders			
Abdominal distension			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Abdominal pain			
subjects affected / exposed	2 / 12 (16.67%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	2	1	0
Constipation			
subjects affected / exposed	3 / 12 (25.00%)	3 / 17 (17.65%)	0 / 3 (0.00%)
occurrences (all)	3	4	0
Diamhaan			
Diarrhoea subjects affected / exposed	3 / 12 (25.00%)	3 / 17 (17.65%)	1 / 3 (33.33%)
occurrences (all)	6	4	1
	ž		-
Dyspepsia			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
	I		l I

Dysphagia subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Gastrooesophageal reflux disease subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	2	0
Nausea			
subjects affected / exposed	2 / 12 (16.67%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	2	3	0
Vomiting			
subjects affected / exposed	1 / 12 (8.33%)	3 / 17 (17.65%)	0 / 3 (0.00%)
occurrences (all)	1	4	0
Abdominal discomfort			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Abdominal pain upper			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Ascites			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Crohn's disease			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dry mouth			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Faeces discoloured			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorder			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Intestinal obstruction			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
	I	I	l

Swollen tongue			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Odynophagia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Stomatitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Toothache			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hepatobiliary disorders			
Hepatocellular injury			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Skin and subcutaneous tissue disorders			
Alopecia subjects affected / exposed			
	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Dry skin			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Hyperhidrosis			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Pruritus			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash			
subjects affected / exposed	3 / 12 (25.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	4	1	0
Dormatitie acreiferre			
Dermatitis acneiform subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Dermatitis contact			

subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Dermatomyositis subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0 / 12 (0.00 %)	0 (0.00%)	2
	0	0	2
Night sweats			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Photosensitivity reaction			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash erythematous			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash maculo-papular			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Rash pruritic			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Rosacea			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Seborrhoeic dermatitis			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Skin lesion			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Swelling face			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Erythema			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Renal and urinary disorders			

Haematuria	l		
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
	Ŭ	L	U
Chronic kidney disease			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Under a school de			
Hydronephrosis subjects affected / exposed	0 / 12 /0 000/)	1 / 17 / E 990/)	0 / 2 (0 000/)
	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Micturition urgency			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Pollakiuria			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Proteinuria			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 / E 990/)	1 / 2 / 22 220/)
		1 / 17 (5.88%)	1 / 3 (33.33%)
occurrences (all)	0	1	1
Urinary incontinence			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	1 / 3 (33.33%)
occurrences (all)	0	1	1
Endocrine disorders			
Cushingoid subjects affected / exposed	0 / 10 /0 000/)		
	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Hyperparathyroidism			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
			-
Hypothyroidism			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Musculoskeletal and connective tissue			
disorders			
Arthralgia			
subjects affected / exposed	2 / 12 (16.67%)	4 / 17 (23.53%)	0 / 3 (0.00%)
occurrences (all)	3	5	0
Rack pain			
Back pain	l		

subjects affected / exposed	2 / 12 (16.67%)	6 / 17 (35.29%)	0 / 3 (0.00%)
occurrences (all)	2	7	0
Bone pain			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Joint swelling			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Muscle spasms			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Muscular weakness			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Musculoskeletal chest pain			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Musculoskeletal pain			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Myalgia			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	2	0
Pain in extremity			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	1 / 3 (33.33%)
occurrences (all)	1	1	1
Arthritis			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Bone lesion			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Flank pain			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Limb discomfort			

subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
	_		
Musculoskeletal discomfort			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Neck pain			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	2	0
Osteoarthritis			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Octooneric			
Osteoporosis subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ũ	U U
Pain in jaw			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Plantar fasciitis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Torticollis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal stiffness			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	<u> </u>		
Infections and infestations Bronchitis			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	1 / 3 (33.33%)
occurrences (all)	0	3	1
			-
Influenza			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Lung infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1

Pneumonia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rhinitis			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Sinusitis			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Upper respiratory tract infection subjects affected / exposed	2 / 12 (16.67%)	4 / 17 (23.53%)	1 / 3 (33.33%)
occurrences (all)	6	6	1
Viral upper respiratory tract infection subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Bacterial infection subjects affected / exposed	0 / 10 /0 000/)	1 / 17 / 5 000/)	
occurrences (all)	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
	0	2	0
Candida infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Cellulitis			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Chuania ainvaitia			
Chronic sinusitis subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 12 (0.00 %)	0 / 17 (0.00 %)	0 / 3 (0.00%)
	0	0	0
Clostridium difficile colitis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Enteritis infectious			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Enterococcal bacteraemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1

Gastroenteritis		l	
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Helicobacter infection			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Herpes virus infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Laryngitis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Lower respiratory tract infection			
subjects affected / exposed	1 / 12 (8.33%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Nasopharyngitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Oral candidiasis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Periodontitis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
	0	±	0
Pharyngitis			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Respiratory tract infection			
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	1	3	0
Soft tissue infection			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Tooth abscess			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Urinary tract infection	I		
subjects affected / exposed	1 / 12 (8.33%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)		3	0
	-	5	Ũ
Viral rhinitis			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Conjunctivitis subjects affected / exposed			
	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Herpes zoster			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypercholesterolaemia			
subjects affected / exposed	7 / 12 (58.33%)	12 / 17 (70.59%)	2 / 3 (66.67%)
occurrences (all)	25	38	4
Hyperglycaemia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	6	0
	0	0	0
Hyperlipidaemia			
subjects affected / exposed	0 / 12 (0.00%)	2 / 17 (11.76%)	0 / 3 (0.00%)
occurrences (all)	0	4	0
Hypertriglyceridaemia			
subjects affected / exposed	4 / 12 (33.33%)	6 / 17 (35.29%)	1 / 3 (33.33%)
occurrences (all)	9	27	1
Hyperuricaemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)			
	0	0	1
Hypokalaemia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	2 / 3 (66.67%)
occurrences (all)	0	1	7
	-		
Hypomagnesaemia			

subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	3 / 3 (100.00%)
occurrences (all)	0	0	5
Hypophosphataemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	4
Dehydration			
subjects affected / exposed	1 / 12 (8.33%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	1	1	0
Fluid retention			
subjects affected / exposed	2 / 12 (16.67%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
University of the second second second second second second second second second second second second second s			
Hypercalcaemia subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypocalcaemia		- / / / .	
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	4
Hypocholesterolaemia			
subjects affected / exposed	0 / 12 (0.00%)	1 / 17 (5.88%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Hypoalbuminaemia			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Increased appetite			
subjects affected / exposed	0 / 12 (0.00%)	0 / 17 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Non-serious adverse events	200 mg QD (Phase 1)	35 mg BID (Phase 1)	75 mg BID (Phase 1)
Total subjects affected by non-serious adverse events			
subjects affected / exposed	3 / 3 (100.00%)	3 / 3 (100.00%)	3 / 3 (100.00%)
Neoplasms benign, malignant and unspecified (incl cysts and polyps) Melanocytic naevus subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Tumour pain			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Vascular disorders			
Hypertension			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Deep vein thrombosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haematoma			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haemorrhage			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hot flush			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Hypotension			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Shock			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
General disorders and administration site conditions Asthenia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Face oedema			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Fatigue			

subjects affected / exposed occurrences (all)	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
	2	0	1
Gait disturbance			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Mucosal inflammation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	2
Oedema			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Oedema peripheral			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	2 / 3 (66.67%)
occurrences (all)	1	0	3
Pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Peripheral swelling			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Pyrexia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Axillary pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Catheter site extravasation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Chest discomfort			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Chills			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Disease progression			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%) 0	0 / 3 (0.00%)
	Ŭ	Ū	0
Generalised oedema subjects affected / exposed	0 / 2 (0 00%)	0 / 2 /0 00%)	0 (2 (0 0 0 %)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	0	0	0
Non-cardiac chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Performance status decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Swelling			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Immune system disorders			
Hypersensitivity			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Reproductive system and breast disorders			
Menstruation irregular			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Vaginal haemorrhage subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0 / 5 (0.00 /0)	0
	0	0	0
Respiratory, thoracic and mediastinal disorders Cough			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Dysphonia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	-	-	-
Dysphoea subjects affected (exposed			
subjects affected / exposed	0 / 3 (0.00%)	2 / 3 (66.67%)	1 / 3 (33.33%)
occurrences (all)	0	3	3
Dyspnoea exertional			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
- · · · ·			
Epistaxis subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Haemoptysis			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Нурохіа			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pleural effusion			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Wheezing			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Acute respiratory failure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Bronchitis chronic			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Laryngeal inflammation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nasal congestion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Oropharyngeal pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pleuritic pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Productive cough			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary embolism			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary hypertension subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pulmonary oedema subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Rales			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Respiratory tract congestion subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rhinorrhoea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sinus congestion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Psychiatric disorders			
Affect lability subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1 / 5 (35.33%)	073(0.00%)	0 / 3 (0.00%)
	I	0	0
Anxiety subjects affected / exposed			
occurrences (all)	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
	0	2	0
Insomnia subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Irritability			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0

Abnormal dreams subjects affected / exposed			
	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Agitation			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	2	0
Attention deficit/hyperactivity disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Bradyphrenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Confusional state			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Depressed mood			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Hallucination			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Mental status changes			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nightmare			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Reading disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sleep disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Depression			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Mood swings subjects affected / exposed	0 / 2 /0 000/)	0 / 2 /0 00%)	0 / 2 /0 00%)
	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hallucination, auditory			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Amylase increased subjects affected / exposed			
	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Aspartate aminotransferase increased			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Blood cholesterol increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Blood creatine phosphokinase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Blood triglycerides increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	U	Ū	Ū
Electrocardiogram QT prolonged			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Lipase increased			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Weight increased			

subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Blood alkaline phosphatase increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Blood creatinine increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Blood phosphorus decreased			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Candida test positive			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Ejection fraction decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gamma-glutamyltransferase			
increased			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Glucose urine present			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
International normalised ratio increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Lipids increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Liver function test increased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Transaminases increased			

subjects affected / exposed	0/3(0.00%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences (all)	0	0	0
Weight decreased			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0/3(0.00%)
occurrences (all)	0	0	0
Electrocardiogram PR prolongation			
subjects affected / exposed	0/3(0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
I			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Cardiac disorders			
Tachycardia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Atrial fibrillation			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Ventricular dysfunction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pericardial effusion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nervous system disorders			
Amnesia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Aphasia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Cognitive disorder			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	3	0	0
Disturbance in attention			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Dizziness			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dysgeusia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Headache			

subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	1	1	1
Memory impairment subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neuropathy peripheral			
subjects affected / exposed occurrences (all)	2 / 3 (66.67%) 4	0 / 3 (0.00%)	1 / 3 (33.33%)
	4	0	1
Paraesthesia subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	1	1	1
Peripheral sensory neuropathy			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Presyncope subjects affected / exposed	0 / 2 /0 000/)		
occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Claw anoth			
Slow speech subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Ataxia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Balance disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Carpal tunnel syndrome			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Dysaesthesia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dysarthria			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Formication			

subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Hemiparesis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypoaesthesia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Mental impairment			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Migraine			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nervous system disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neuralgia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neurotoxicity			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Partial seizures			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Peroneal nerve palsy			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Psychomotor hyperactivity			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Seizure			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Sensory disturbance			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Speech disorder			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Tremor subjects affected / exposed	0 / 2 (0 00%)	0 / 2 / 0 00%)	0 / 3 (0.00%)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	
	0	0	0
Blood and lymphatic system disorders			
Anaemia subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	2 / 3 (66.67%)
occurrences (all)	1 1 1	1 / 5 (55.55%)	2 / 3 (00.07%)
	T	I	4
Thrombocytopenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Febrile neutropenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Haemorrhagic diathesis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Iron deficiency anaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Leukocytosis subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	0	Ū	
Neutropenia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Thrombocytosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Ear and labyrinth disorders			
Tinnitus			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Ear discomfort subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Hypoacusis subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Vertigo subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Vertigo positional subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Eye disorders Vision blurred subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Visual impairment subjects affected / exposed occurrences (all)	1 / 3 (33.33%) 1	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Asthenopia subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	1 / 3 (33.33%) 1
Astigmatism subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
Conjunctival oedema subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
Diplopia subjects affected / exposed	0	0 0 / 3 (0.00%)	0 0 / 3 (0.00%)
occurrences (all) Dry eye subjects affected / exposed occurrences (all)	0 0 / 3 (0.00%) 0	0 0 / 3 (0.00%) 0	0 0 / 3 (0.00%) 0

Photophobia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Photopsia			
subjects affected / exposed	0 / 3 (0.00%)	0/3(0.00%)	0/3(0.00%)
occurrences (all)	0	0	0
Presbyopia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Retinal vein occlusion			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Visual acuity reduced			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Eye irritation			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorders			
Abdominal distension			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Abdominal pain			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Constipation			
subjects affected / exposed	2 / 3 (66.67%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	2	1	1
Diarrhoea			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	4	0	0
Dyspepsia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dysphagia			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrooesophageal reflux disease subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nausea			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Vomiting			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Abdominal discomfort			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Abdominal pain upper			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	0	1	1
Ascites			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Crohn's disease			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dry mouth			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Faeces discoloured			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorder			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Intestinal obstruction			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Swollen tongue			

subjects affected / exposed occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	0	0	0
Odynophagia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Stomatitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Toothache			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hepatobiliary disorders			
Hepatocellular injury			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Skin and subcutaneous tissue disorders			
Alopecia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Dry skin			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Hyperhidrosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Pruritus			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	-	-	-
Dermatitis acneiform			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dermatitis contact			

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dermatomyositis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Night sweats			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Photosensitivity reaction			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Rash erythematous			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	1	0	0
Rash maculo-papular			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rash pruritic			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rosacea			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Seborrhoeic dermatitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Skin lesion			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Swelling face			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Erythema			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Renal and urinary disorders			

Clinical trial results 2013-002620-17 version 1

Haematuria subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Chronic kidney disease subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hydronephrosis subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Micturition urgency subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Pollakiuria subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Proteinuria subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Urinary incontinence subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Endocrine disorders Cushingoid subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hyperparathyroidism subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	1 / 3 (33.33%) 1	0 / 3 (0.00%) 0
Hypothyroidism subjects affected / exposed occurrences (all)	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0	0 / 3 (0.00%) 0
Musculoskeletal and connective tissue			
disorders Arthralgia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	1	0	1
Back pain			

subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	4	0	1
Bone pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
• · · · · · ·			
Joint swelling			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Muscle spasms			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Muscular weakness			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal chest pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Myalgia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Dain in autromity			
Pain in extremity subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	2
Arthritis			
subjects affected / exposed	1	l	 0 / 3 (0.00%)

subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal discomfort subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Neck pain			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Osteoarthritis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Osteoporosis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pain in jaw			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Plantar fasciitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Torticollis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	0	1
Musculoskeletal stiffness			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Infections and infestations			
Bronchitis subjects affected / exposed			
occurrences (all)	1 / 3 (33.33%)	0 / 3 (0.00%)	1 / 3 (33.33%)
	1	0	3
Influenza			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Lung infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Pneumonia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Rhinitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ŭ	Ŭ
Sinusitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Upper respiratory tract infection			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Viral upper respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Bacterial infection subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
	0	0	0
Candida infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Cellulitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Chronic sinusitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Clostridium difficile colitis subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 3 (0.00%)	0 / 3 (0.00%)	
	0	0	0
Enteritis infectious			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Enterococcal bacteraemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Gastroenteritis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Helicobacter infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Herpes virus infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Laryngitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Lower respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Nasopharyngitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Oral candidiasis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Periodontitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Pharyngitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Respiratory tract infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Soft tissue infection			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Tooth abscess			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Urinary tract infection subjects affected / exposed			
	2 / 3 (66.67%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	3	0	0
Viral rhinitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Conjunctivitis			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Herpes zoster			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Metabolism and nutrition disorders Decreased appetite			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)			
	0	0	0
Hypercholesterolaemia			
subjects affected / exposed	3 / 3 (100.00%)	1 / 3 (33.33%)	1 / 3 (33.33%)
occurrences (all)	18	1	5
		_	
Hyperglycaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hyperlipidaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypertriglyceridaemia			
subjects affected / exposed	2 / 3 (66.67%)	0 / 3 (0.00%)	1 / 3 (33.33%)
occurrences (all)			
	10	0	2
Hyperuricaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
	-	-	-
Hypokalaemia			
subjects affected / exposed	1 / 3 (33.33%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	11	1	0
Hypomagnesaemia			

subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Hypophosphataemia			
subjects affected / exposed	1 / 3 (33.33%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	2	0	0
Dehydration			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Fluid retention			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Hypercalcaemia			
subjects affected / exposed	0 / 3 (0.00%)	1 / 3 (33.33%)	0 / 3 (0.00%)
occurrences (all)	0	1	0
Hypocalcaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypocholesterolaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Hypoalbuminaemia			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0
Increased appetite			
subjects affected / exposed	0 / 3 (0.00%)	0 / 3 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0	0

Non-serious adverse events	EXP-1 (Phase 2)	100 mg BID (Phase 1)	EXP-2 (Phase 2)
Total subjects affected by non-serious adverse events			
subjects affected / exposed	30 / 30 (100.00%)	4 / 4 (100.00%)	27 / 27 (100.00%)
Neoplasms benign, malignant and unspecified (incl cysts and polyps) Melanocytic naevus subjects affected / exposed occurrences (all)	0 / 30 (0.00%) 0	0 / 4 (0.00%) 0	0 / 27 (0.00%) 0
Tumour pain			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Vascular disorders			
Hypertension			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	2	0	1
Deep vein thrombosis			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Haematoma			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Haemorrhage			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hot flush			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Hypotension			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Shock			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
General disorders and administration site conditions			
Asthenia subjects affected / exposed			
occurrences (all)	3 / 30 (10.00%) 3	0 / 4 (0.00%) 0	2 / 27 (7.41%)
		U	
Chest pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	2
Face oedema			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Fatigue			

subjects affected / exposed	8 / 30 (26.67%)	3 / 4 (75.00%)	4 / 27 (14.81%)
occurrences (all)	11	5	7
Gait disturbance			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Mucosal inflammation			
subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	3	0	0
Oedema			
subjects affected / exposed	4 / 30 (13.33%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	6	1	6
Oedema peripheral			
subjects affected / exposed	12 / 30 (40.00%)	3 / 4 (75.00%)	12 / 27 (44.44%)
occurrences (all)	17	7	18
Pain			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Peripheral swelling			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	0	0	2
Pyrexia			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	4	0	2
Axillary pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Catheter site extravasation			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Chest discomfort			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Chills			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Disease progression			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Generalised oedema subjects affected / exposed	0 / 20 /0 000/)	0 / 4 /0 00%)	0 / 27 (0 00%)
occurrences (all)	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
	0	0	0
Non-cardiac chest pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Performance status decreased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Swelling			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Immune system disorders Hypersensitivity			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	U	0	0
Reproductive system and breast disorders			
Menstruation irregular			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Vaginal haemorrhage subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0 00%)
occurrences (all)			0 / 27 (0.00%)
	0	0	0
Respiratory, thoracic and mediastinal disorders			
Cough subjects affected / exposed	9 / 30 (30.00%)	2 / 4 (50.00%)	3 / 27 (11.11%)
occurrences (all)	9730 (30.00%) 13	2 / 4 (30.00%)	5
	51	2	5
Dysphonia			
subjects affected / exposed	1 / 30 (3.33%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	1	1	0
Dyspnoea			
subjects affected / exposed	7 / 30 (23.33%)	2 / 4 (50.00%)	3 / 27 (11.11%)
occurrences (all)	8	5	3
Dyspnoea exertional			

subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	1	0	1
Epistaxis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	0	0	2
Haemoptysis			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	3	0	0
Нурохіа			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Pleural effusion			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	1	0	0
Wheezing			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	1	0	0
Acute respiratory failure			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Bronchitis chronic			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Laryngeal inflammation			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Nasal congestion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Oropharyngeal pain			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Pleuritic pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Productive cough			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0 / 50 (0.00 %)	0 7 4 (0.00 %)	0
	U	0	U
Pulmonary embolism			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Pulmonary hypertension			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	2	0
Pulmonary oedema			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Rales			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Respiratory tract congestion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Rhinorrhoea			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Sinus congestion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Psychiatric disorders			
Affect lability			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Anxiety			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	2 / 27 (7.41%)
occurrences (all)	0	1	2
Insomnia			
subjects affected / exposed	4 / 30 (13.33%)	0 / 4 (0.00%)	3 / 27 (11.11%)
occurrences (all)	5	0	3
Irritability			
subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	3	0	1

Abnormal dreams			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Agitation			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Attention deficit/hyperactivity disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Bradyphrenia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Confusional state			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Depressed mood			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hallucination			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Mental status changes			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Nightmare			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Reading disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Sleep disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Depression			

subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	1	0	5
Mood swings			
subjects affected / exposed	2 / 30 (6.67%)	0/4(0.00%)	1 / 27 (3.70%)
occurrences (all)	2	0	1
Hallucination, auditory			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	5 / 30 (16.67%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	6	5	1
Amylase increased			
subjects affected / exposed	1 / 30 (3.33%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Aspartate aminotransferase increased			
subjects affected / exposed	7 / 30 (23.33%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	9	7	1
Blood cholesterol increased			
subjects affected / exposed	13 / 30 (43.33%)	1 / 4 (25.00%)	13 / 27 (48.15%)
occurrences (all)	41	3	55
Blood creatine phosphokinase increased			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	3	0	1
Blood triglycerides increased			
subjects affected / exposed	2 / 30 (6.67%)	1 / 4 (25.00%)	2 / 27 (7.41%)
occurrences (all)	2	6	4
Electrocardiogram QT prolonged			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	0	1	2
Lipase increased			
subjects affected / exposed	3 / 30 (10.00%)	1 / 4 (25.00%)	4 / 27 (14.81%)
occurrences (all)	5	2	6
Weight increased			

subjects affected / exposed	4 / 30 (13.33%)	2 / 4 (50.00%)	4 / 27 (14.81%)
occurrences (all)	11	3	6
Blood alkaline phosphatase increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Blood creatinine increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Diand phoephowie despected			
Blood phosphorus decreased subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Candida test positive subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
	0	0	0
Ejection fraction decreased			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	2	0
Gamma-glutamyltransferase increased			
subjects affected / exposed	0 / 30 (0.00%)	2 / 4 (50.00%)	0 / 27 (0.00%)
occurrences (all)	0	12	0
Glucose urine present			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
International normalised ratio increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Lipids increased			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Liver function test increased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Transaminases increased			

	1	1	
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Weight decreased			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	U	0	0
Electrocardiogram PR prolongation			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Injury, poisoning and procedural			
complications Fall			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0		
	0	0	0
Contusion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Incision site pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Joint dislocation			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Laceration			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Ligament sprain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Limb injury			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Toxicity to various agents			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Procedural pain			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Cardiac disorders			
Tachycardia			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	1
Atrial fibrillation			
subjects affected / exposed	0 (20 (0 00%)	0 / 4 /0 000/)	
	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Ventricular dysfunction			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
		-	
Pericardial effusion			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Nervous system disorders			
Amnesia			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Aphasia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	0	0	2
Cognitive disorder			
subjects affected / exposed	1 / 30 (3.33%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)			
	1	1	3
Disturbance in attention			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Dizziness			
subjects affected / exposed	6 / 30 (20.00%)	1 / 4 (25.00%)	4 / 27 (14.81%)
occurrences (all)	12	1	12
	12	Ţ	
Dysgeusia			
subjects affected / exposed	2 / 30 (6.67%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	2	1	0
			1

subjects affected / exposed	5 / 30 (16.67%)	2 / 4 (50.00%)	6 / 27 (22.22%)
occurrences (all)	8	3	7
Memory impairment subjects affected / exposed	2 / 30 (6.67%)	1 / 4 (25.00%)	3 / 27 (11.11%)
occurrences (all)	2	2	3
Neuropathy peripheral subjects affected / exposed	5 / 30 (16.67%)	0 / 4 (0.00%)	3 / 27 (11.11%)
occurrences (all)	6	0 / 4 (0.00%)	4
Paraesthesia			
subjects affected / exposed	3 / 30 (10.00%)	2 / 4 (50.00%)	4 / 27 (14.81%)
occurrences (all)	5	4	7
Peripheral sensory neuropathy subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	3 / 27 (11.11%)
occurrences (all)	3	0	4
Presyncope			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Slow speech			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Ataxia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Balance disorder			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Carpal tunnel syndrome			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Dysaesthesia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Dysarthria			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Formication			

subjects affected / exposed occurrences (all)	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
	0	0	0
Hemiparesis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hypoaesthesia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Mental impairment			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Migraine			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Nervous system disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Neuralgia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Neurotoxicity			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Partial seizures			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Peroneal nerve palsy			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Psychomotor hyperactivity			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Seizure			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Sensory disturbance			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Speech disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	C C		
Tremor	- / /	- / . //	
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	5 / 30 (16.67%)	2 / 4 (50.00%)	1 / 27 (3.70%)
occurrences (all)	9	2	1
Thrombocytopenia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	1
Febrile neutropenia			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
	C .	_	
Haemorrhagic diathesis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Iron deficiency anaemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Leukocytosis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Neutropenia subjects affected / exposed	0 / 20 /0 000/)	0 / 4 (0 00%)	0 / 27 /0 000/)
occurrences (all)	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
	0	0	0
Thrombocytosis			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Ear and labyrinth disorders			
Tinnitus			

subjects affected / exposed	2 / 30 (6.67%)	1 / 4 (25.00%)	2 / 27 (7.41%)
occurrences (all)	2	1	8
Ear discomfort			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hypoacusis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Vertigo			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Vertigo positional			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Eye disorders			
Vision blurred			
subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	3	0	2
Visual impairment			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	1
Asthenopia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Astigmatism			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Conjunctival oedema			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Diplopia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Dry eye			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0

Photophobia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Photopsia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Presbyopia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Retinal vein occlusion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	, , , , , , , , , , , , , , , , , , ,	C C	, , , , , , , , , , , , , , , , , , ,
Visual acuity reduced			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Eye irritation			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Gastrointestinal disorders			
Abdominal distension			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	2	0	1
Abdominal pain			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	0	3	1
Constipation			
subjects affected / exposed	8 / 30 (26.67%)	0 / 4 (0.00%)	5 / 27 (18.52%)
occurrences (all)	9	0	6
Diarrhoea			
subjects affected / exposed	7 / 30 (23.33%)	3 / 4 (75.00%)	4 / 27 (14.81%)
occurrences (all)	13	5	6
Dyspepsia			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	1	0	1
Dysphagia			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	1
Gastrooesophageal reflux disease subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	1	0	0
Nausea			
subjects affected / exposed	4 / 30 (13.33%)	2 / 4 (50.00%)	3 / 27 (11.11%)
occurrences (all)	4	4	4
Vomiting			
subjects affected / exposed	4 / 30 (13.33%)	2 / 4 (50.00%)	0 / 27 (0.00%)
occurrences (all)	7	6	0
Abdominal discomfort			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Abdominal pain upper			
subjects affected / exposed	0 / 30 (0.00%)	2 / 4 (50.00%)	0 / 27 (0.00%)
occurrences (all)	0	2	0
Ascites			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Crohn's disease			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Dry mouth			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Faeces discoloured			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorder			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Intestinal obstruction			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Swollen tongue			

subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Odynophagia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	0	0	2
Stomatitis subjects affected / exposed	1 / 20 / 2 220/)	0 / 4 /0 00%)	
occurrences (all)	1 / 30 (3.33%) 1	0 / 4 (0.00%) 0	2 / 27 (7.41%) 3
	T	0	5
Toothache			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Hepatobiliary disorders			
Hepatocellular injury			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Skin and subcutaneous tissue disorders			
Alopecia			
subjects affected / exposed	2 / 30 (6.67%)	1 / 4 (25.00%)	2 / 27 (7.41%)
occurrences (all)	2	1	2
Dry skin			
subjects affected / exposed	3 / 30 (10.00%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	3	1	1
Hyperhidrosis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	1
Pruritus			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Rash subjects affected / exposed			
	5 / 30 (16.67%)	0 / 4 (0.00%)	3 / 27 (11.11%)
occurrences (all)	9	0	4
Dermatitis acneiform			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Dermatitis contact			

Haematuria			
subjects affected / exposed	2 / 30 (6.67%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Chronic kidney disease			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Hydronephrosis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Micturition urgency			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Pollakiuria			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Proteinuria			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Urinary incontinence subjects affected / exposed			
	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Endocrine disorders			
Cushingoid			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hyperparathyroidism			
subjects affected / exposed	0 / 30 (0.00%)	0/4(0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hupothuroidiam			
Hypothyroidism subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)			
	0	0	0
Musculoskeletal and connective tissue disorders			
Arthralgia			
subjects affected / exposed	5 / 30 (16.67%)	1 / 4 (25.00%)	4 / 27 (14.81%)
occurrences (all)	9	1	4
Pack pain			
Back pain			

subjects affected / exposed	2 / 30 (6.67%)	2 / 4 (50.00%)	5 / 27 (18.52%)
occurrences (all)	2	2	6
Bone pain			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	1	0	0
Joint swelling			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	3
Muscle spasms			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Muscular weakness			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Musculoskeletal chest pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal pain			
subjects affected / exposed	4 / 30 (13.33%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	5	0	3
Myalgia			
subjects affected / exposed	3 / 30 (10.00%)	1 / 4 (25.00%)	2 / 27 (7.41%)
occurrences (all)	3	1	2
Pain in extremity			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	8 / 27 (29.63%)
occurrences (all)	4	0	10
Arthritis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Bone lesion			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Flank pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Limb discomfort			

subjects affected (expected			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal discomfort			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Neck pain			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Osteoarthritis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Osteoporosis			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)			
	0	1	0
Pain in jaw			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Plantar fasciitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Torticollis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)			
	0	0	0
Musculoskeletal stiffness			
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	1	0	0
Infections and infestations			
Bronchitis subjects affected / exposed			
	1 / 30 (3.33%)	1 / 4 (25.00%)	2 / 27 (7.41%)
occurrences (all)	1	1	2
Influenza			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	2	0	1
	۷	0	-
Lung infection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	0	0	2

Pneumonia		l	l
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)	0	1	1
	C .	_	_
Rhinitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	0	0	1
Sinusitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)			0
	0	0	0
Upper respiratory tract infection			
subjects affected / exposed	5 / 30 (16.67%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	6	0	2
Viral upper respiratory tract infection		_ / . //	
subjects affected / exposed	1 / 30 (3.33%)	0 / 4 (0.00%)	3 / 27 (11.11%)
occurrences (all)	1	0	4
Bacterial infection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	C C		
Candida infection			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Cellulitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	0	U	Ū
Chronic sinusitis			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Clostridium difficile colitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)			
	0	0	0
Enteritis infectious			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Entrance and the second second			
Enterococcal bacteraemia subjects affected / exposed	0 / 20 /0 000/	0 / 4 /0 0000	
	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
			l

subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Helicobacter infection subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Herpes virus infection subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Laryngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Laryngitis subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) occurrences (all) 0 1 0 0 Nasopharyngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) <t< th=""><th>Gastroenteritis</th><th></th><th></th><th></th></t<>	Gastroenteritis			
Helicobacter infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Herpes virus infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 0 / 27 (0.00%) 0 Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0	subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Herpes virus infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) <td>occurrences (all)</td> <td>0</td> <td>0</td> <td>0</td>	occurrences (all)	0	0	0
occurrences (all) D/ L (1000) D/ L (1000) D/ L (1000) Herpes virus infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) <td< td=""><td>Helicobacter infection</td><td></td><td></td><td></td></td<>	Helicobacter infection			
Herpes virus infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 0 / 27 (0.00%) 0 Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 / 27 (0.00%)	subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 / 27 (0.00%) 0	occurrences (all)	0	0	0
subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 / 27 (0.00%) 0	Herpes virus infection			
Laryngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 1 0 / 27 (0.00%) 0 Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 0 / 27 (0.00%) 0 Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 / 27 (0.00%)	•	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth absceses subjects affected / exposed 0 / 30 (0.00%)<	occurrences (all)	0	0	0
subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Lower respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%)	Laryngitis			
occurrences (all) 0 0 0 Lower respiratory tract infection subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Occurrences (all) 0 1 0 0 Oral candidiasis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Periodontitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Pharyngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Respiratory tract infection subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Tooth absces		0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0	occurrences (all)			0
subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Nasopharyngitis 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) occurrences (all) 0 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Oral candidiasis 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 occurrences (all) 0 0 0 0 0 Periodontitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Pharyngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0	Lower recriptory tract infection			
occurrences (all) 0 1 0 Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Or J 27 (0.00%) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 0 0 0 0 0 0		0 / 30 (0 00%)	1 / 4 (25 00%)	0 / 27 (0 00%)
Nasopharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)				
subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%) occurrences (all) 0 1 0 Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Or due to the exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) O / 30 (0.00%) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)		0	L L	0
occurrences (all)010Oral candidiasis subjects affected / exposed occurrences (all)0 / 30 (0.00%) 00 / 4 (0.00%) 00 / 27 (0.00%) 0Periodontitis subjects affected / exposed occurrences (all)0 / 30 (0.00%) 00 / 4 (0.00%) 00 / 27 (0.00%) 0Periodontitis subjects affected / exposed occurrences (all)0 / 30 (0.00%) 00 / 4 (0.00%) 00 / 27 (0.00%) 0Pharyngitis subjects affected / exposed occurrences (all)0 / 30 (0.00%) 00 / 4 (0.00%) 00 / 27 (0.00%) 0Respiratory tract infection subjects affected / exposed occurrences (all)0 / 30 (0.00%) 00 / 4 (0.00%) 00 / 27 (0.00%) 0Soft tissue infection subjects affected / exposed occurrences (all)0 / 30 (0.00%) 00 / 4 (0.00%) 00 / 27 (0.00%) 0Tooth abscess subjects affected / exposed occurrences (all)0 / 30 (0.00%) 01 / 4 (25.00%)0 / 27 (0.00%)				
Oral candidiasis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 / 27 (0.00%)	subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Periodontitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%)	occurrences (all)	0	1	0
occurrences (all) 0 0 0 0 Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	Oral candidiasis			
Periodontitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 0 / 4 (0.00%) 0 0 / 27 (0.00%) 0 Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 0 1 / 4 (25.00%) 0 / 27 (0.00%)	subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Pharyngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	occurrences (all)	0	0	0
occurrences (all) 0 0 0 0 Pharyngitis subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Respiratory tract infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 occurrences (all) 0 0 0 0 0 Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 occurrences (all) 0 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	Periodontitis			
Pharyngitis subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) O 0 0 0 0 0 0 Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) O / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) 0 0 Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)		0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 Respiratory tract infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	occurrences (all)	0	0	0
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 Respiratory tract infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)				
occurrences (all) 0 0 0 0 Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)				
Respiratory tract infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Soft tissue infection subjects affected / exposed occurrences (all) 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)				
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	occurrences (an)	0	0	0
occurrences (all) 0 0 0 0 Soft tissue infection subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 0 Tooth abscess subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	Respiratory tract infection			
Soft tissue infection 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	occurrences (all)	0	0	0
subjects affected / exposed 0 / 30 (0.00%) 0 / 4 (0.00%) 0 / 27 (0.00%) occurrences (all) 0 0 0 0 Tooth abscess 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	Soft tissue infection			
occurrences (all)000Tooth abscess subjects affected / exposed0 / 30 (0.00%)1 / 4 (25.00%)0 / 27 (0.00%)		0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	occurrences (all)			
subjects affected / exposed 0 / 30 (0.00%) 1 / 4 (25.00%) 0 / 27 (0.00%)	Tooth shoos-			

Urinary tract infection			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
	U	I	0
Viral rhinitis			
subjects affected / exposed	0 / 30 (0.00%)	1 / 4 (25.00%)	0 / 27 (0.00%)
occurrences (all)	0	1	0
Conjunctivitis			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Herpes zoster		- / / //	
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	4 / 30 (13.33%)	2 / 4 (50.00%)	1 / 27 (3.70%)
occurrences (all)	4	3	1
	4	5	Ţ
Hypercholesterolaemia			
subjects affected / exposed	14 / 30 (46.67%)	1 / 4 (25.00%)	11 / 27 (40.74%)
occurrences (all)	61	5	39
	01	J	
Hyperglycaemia			
subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	1 / 27 (3.70%)
occurrences (all)	7	0	1
Hyperlipidaemia			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	2	0	0
Hypertriglyceridaemia subjects affected / exposed			
	20 / 30 (66.67%)	1 / 4 (25.00%)	12 / 27 (44.44%)
occurrences (all)	106	3	34
Hyperuricaemia			
subjects affected / exposed	2 / 30 (6.67%)	1 / 4 (25.00%)	1 / 27 (3.70%)
occurrences (all)			
	2	1	1
Hypokalaemia			
subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	4	0	0
		-	-
Hypomagnesaemia			

subjects affected / exposed	2 / 30 (6.67%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	3	0	0
Hypophosphataemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	2 / 27 (7.41%)
occurrences (all)	0	0	2
Dehydration			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Fluid retention subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0 00%)	
occurrences (all)	0 / 30 (0.00%)	0 / 4 (0.00%) 0	0 / 27 (0.00%) 0
	0	0	0
Hypercalcaemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hypocalcaemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hypocholesterolaemia			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
Hypoalbuminaemia			
subjects affected / exposed	3 / 30 (10.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	5	0	0
Increased appetite			
subjects affected / exposed	0 / 30 (0.00%)	0 / 4 (0.00%)	0 / 27 (0.00%)
occurrences (all)	0	0	0
	Ű	Ű	ÿ

Non-serious adverse events	EXP-3 (Phase 2)	EXP-4 (Phase 2)	EXP-5 (Phase 2)
Total subjects affected by non-serious adverse events			
subjects affected / exposed	59 / 60 (98.33%)	65 / 65 (100.00%)	45 / 46 (97.83%)
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Melanocytic naevus			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Tumour pain			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Vascular disorders			
Hypertension			
subjects affected / exposed	2 / 60 (3.33%)	8 / 65 (12.31%)	4 / 46 (8.70%)
occurrences (all)	6	17	11
Deep vein thrombosis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Haematoma			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Haemorrhage			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hot flush			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hypotension			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Shock			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
General disorders and administration			
site conditions Asthenia			
subjects affected / exposed	8 / 60 (13.33%)	6 / 65 (9.23%)	5 / 46 (10.87%)
occurrences (all)	10	12	7
Chest pain			
subjects affected / exposed	2 / 60 (3.33%)	6 / 65 (9.23%)	5 / 46 (10.87%)
occurrences (all)	2	6	6
Face oedema			
subjects affected / exposed	2 / 60 (3.33%)	1 / 65 (1.54%)	1 / 46 (2.17%)
occurrences (all)	2	1	1
Fatigue			

subjects affected / exposed	3 / 60 (5.00%)	11 / 65 (16.92%)	4 / 46 (8.70%)
occurrences (all)	4	22	4
Gait disturbance			
subjects affected / exposed	0 / 60 (0.00%)	5 / 65 (7.69%)	3 / 46 (6.52%)
occurrences (all)	0	5	5
Mucosal inflammation			
subjects affected / exposed	1 / 60 (1.67%)	2 / 65 (3.08%)	1 / 46 (2.17%)
occurrences (all)	1	2	1
Oedema			
subjects affected / exposed	4 / 60 (6.67%)	6 / 65 (9.23%)	4 / 46 (8.70%)
occurrences (all)	4	7	4
Oedema peripheral			
subjects affected / exposed	29 / 60 (48.33%)	21 / 65 (32.31%)	15 / 46 (32.61%)
occurrences (all)	43	37	24
Pain			
subjects affected / exposed	1 / 60 (1.67%)	4 / 65 (6.15%)	2 / 46 (4.35%)
occurrences (all)	1	8	2
Peripheral swelling			
subjects affected / exposed	1 / 60 (1.67%)	7 / 65 (10.77%)	4 / 46 (8.70%)
occurrences (all)	1	12	5
Pyrexia			
subjects affected / exposed	5 / 60 (8.33%)	7 / 65 (10.77%)	1 / 46 (2.17%)
occurrences (all)	6	7	1
Axillary pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Catheter site extravasation			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Chest discomfort			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Chills			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Disease progression			

subjects affected / exposed occurrences (all)	0 / 60 (0.00%)	0 / 65 (0.00%) 0	0 / 46 (0.00%)
	0	U	U
Generalised oedema			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Non-cardiac chest pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Performance status decreased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Swelling			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Immune system disorders			
Hypersensitivity			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Reproductive system and breast disorders			
Menstruation irregular			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Vaginal haemorrhage			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Respiratory, thoracic and mediastinal			
disorders Cough			
subjects affected / exposed	7 / 60 (11.67%)	11 / 65 (16.92%)	8 / 46 (17.39%)
occurrences (all)	10	14	12
Dysphonia			
subjects affected / exposed	4 / 60 (6.67%)	2 / 65 (3.08%)	2 / 46 (4.35%)
occurrences (all)	4	2	2
Dyspnoea			
subjects affected / exposed	14 / 60 (23.33%)	13 / 65 (20.00%)	9 / 46 (19.57%)
occurrences (all)	16	14	11
Dyspnoea exertional			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Pulmonary embolism			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Pulmonary hypertension subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Pulmonary oedema subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Rales			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Respiratory tract congestion subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Rhinorrhoea			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Sinus congestion			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Psychiatric disorders			
Affect lability subjects affected / exposed			
	2 / 60 (3.33%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences (all)	4	3	0
Anxiety			
subjects affected / exposed	1 / 60 (1.67%)	7 / 65 (10.77%)	1 / 46 (2.17%)
occurrences (all)	1	7	1
Insomnia subjects affected / exposed			
	5 / 60 (8.33%)	3 / 65 (4.62%)	3 / 46 (6.52%)
occurrences (all)	6	3	3
Irritability			
subjects affected / exposed	3 / 60 (5.00%)	2 / 65 (3.08%)	6 / 46 (13.04%)
occurrences (all)	4	2	6

Abnormal dreams			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Agitation			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Attention deficit/hyperactivity disorder			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Bradyphrenia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Confusional state			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Depressed mood			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hallucination			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Mental status changes			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Nightmare			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Reading disorder			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Sleep disorder			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Depression			

	1		
subjects affected / exposed	6 / 60 (10.00%)	1 / 65 (1.54%)	1 / 46 (2.17%)
occurrences (all)	7	1	1
Mood swings			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Hallucination, auditory			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	6 / 60 (10.00%)	5 / 65 (7.69%)	5 / 46 (10.87%)
occurrences (all)	12	13	7
Amylase increased subjects affected / exposed			
	4 / 60 (6.67%)	7 / 65 (10.77%)	2 / 46 (4.35%)
occurrences (all)	5	17	3
Aspartate aminotransferase increased			
subjects affected / exposed	7 / 60 (11.67%)	7 / 65 (10.77%)	6 / 46 (13.04%)
occurrences (all)	11	9	8
Blood cholesterol increased			
subjects affected / exposed	18 / 60 (30.00%)	17 / 65 (26.15%)	16 / 46 (34.78%)
occurrences (all)	67	44	42
Blood creatine phosphokinase increased			
subjects affected / exposed	5 / 60 (8.33%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	10	0	0
Blood triglycerides increased subjects affected / exposed			
	4 / 60 (6.67%)	3 / 65 (4.62%)	3 / 46 (6.52%)
occurrences (all)	8	3	4
Electrocardiogram QT prolonged			
subjects affected / exposed	3 / 60 (5.00%)	4 / 65 (6.15%)	9 / 46 (19.57%)
occurrences (all)	7	4	10
Lipase increased			
subjects affected / exposed	1 / 60 (1.67%)	7 / 65 (10.77%)	5 / 46 (10.87%)
occurrences (all)	1	14	6
Weight increased			

subjects affected / exposed	11 / 60 (18.33%)	18 / 65 (27.69%)	10 / 46 (21.74%)
occurrences (all)	18	23	12
Blood alkaline phosphatase increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Blood creatinine increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Blood phosphorus decreased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Candida test positive			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Ejection fraction decreased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Gamma-glutamyltransferase increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Glucose urine present			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
International normalised ratio increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Lipids increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Liver function test increased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Transaminases increased			

		1	
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Weight decreased			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)		0	
	0	0	0
Electrocardiogram PR prolongation			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Injury, poisoning and procedural complications			
Fall subjects affected / exposed			2 / 46 (4 250()
	0 / 60 (0.00%)	5 / 65 (7.69%)	2 / 46 (4.35%)
occurrences (all)	0	11	5
Contusion			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Incision site pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Joint dislocation subjects affected / exposed		_ / / /	
	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Laceration			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Ligament sprain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Limb injury			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Toxicity to various agents			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Procedural pain			

subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences (all)	0	1	0
Cardiac disorders			
Tachycardia			
subjects affected / exposed	0 / 60 (0.00%)	5 / 65 (7.69%)	2 / 46 (4.35%)
occurrences (all)	0	6	2
Atrial fibrillation			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Ventricular dysfunction			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Pericardial effusion			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	3 / 46 (6.52%)
occurrences (all)	0	0	4
Vervous system disorders			
Amnesia			
subjects affected / exposed	6 / 60 (10.00%)	6 / 65 (9.23%)	2 / 46 (4.35%)
occurrences (all)	6	10	4
Aphasia			
subjects affected / exposed	0 / 60 (0.00%)	2 / 65 (3.08%)	2 / 46 (4.35%)
occurrences (all)	0	2	2
Cognitive disorder			
subjects affected / exposed	5 / 60 (8.33%)	6 / 65 (9.23%)	2 / 46 (4.35%)
occurrences (all)	5	7	2
Disturbance in attention			
subjects affected / exposed	1 / 60 (1.67%)	2 / 65 (3.08%)	1 / 46 (2.17%)
occurrences (all)	1	13	1
Dizziness			
subjects affected / exposed	5 / 60 (8.33%)	9 / 65 (13.85%)	7 / 46 (15.22%)
occurrences (all)	5	12	8
Dysgeusia			
subjects affected / exposed	1 / 60 (1.67%)	6 / 65 (9.23%)	2 / 46 (4.35%)
occurrences (all)	1	6	2
Headache			

subjects affected / exposed occurrences (all)	8 / 60 (13.33%) 10	11 / 65 (16.92%) 15	10 / 46 (21.74%) 11
			
Memory impairment subjects affected / exposed	4 / 60 (6.67%)	6 / 65 (9.23%)	2 / 46 (4.35%)
occurrences (all)	5	12	2
Neuropathy peripheral			
subjects affected / exposed	6 / 60 (10.00%)	7 / 65 (10.77%)	5 / 46 (10.87%)
occurrences (all)	7	7	5
Paraesthesia			
subjects affected / exposed	11 / 60 (18.33%)	9 / 65 (13.85%)	5 / 46 (10.87%)
occurrences (all)	13	9	6
Peripheral sensory neuropathy			
subjects affected / exposed	7 / 60 (11.67%)	3 / 65 (4.62%)	4 / 46 (8.70%)
occurrences (all)	14	3	4
Presyncope			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	1	0	0
Slow speech			
subjects affected / exposed	5 / 60 (8.33%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences (all)	9	2	0
Ataxia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Balance disorder			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Carpal tunnel syndrome			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Dysaesthesia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Dysarthria			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Formication			

subjects affected / exposed occurrences (all)	0 / 60 (0.00%) 0	0 / 65 (0.00%) 0	0 / 46 (0.00%) 0
Hemiparesis subjects affected / exposed	0 / 60 /0 00%)	0 / 65 (0 00%)	0 / 46 (0 00%)
occurrences (all)	0 / 60 (0.00%) 0	0 / 65 (0.00%) 0	0 / 46 (0.00%) 0
Hypoaesthesia subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Mental impairment subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Migraine subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Nervous system disorder subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Neuralgia subjects affected / exposed			
occurrences (all)	0 / 60 (0.00%) 0	0 / 65 (0.00%) 0	0 / 46 (0.00%) 0
Neurotoxicity			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Partial seizures subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Peroneal nerve palsy subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Psychomotor hyperactivity subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Seizure subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Sensory disturbance			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Speech disorder subjects affected / exposed			0 / 46 (0 00%)
occurrences (all)	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
	0	0	0
Tremor			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	3 / 60 (5.00%)	12 / 65 (18.46%)	7 / 46 (15.22%)
occurrences (all)	3	18	8
Thrombocytopenia			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences (all)	1	1	0
	±	±	Ū
Febrile neutropenia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Haemorrhagic diathesis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Iron deficiency anaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Leukocytosis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Neutroponia			
Neutropenia subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0 / 00 (0.00%)	0 / 03 (0.00%)	0 / 48 (0.00%)
	U		U
Thrombocytosis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Ear and labyrinth disorders			
Tinnitus			

subjects affected / exposed occurrences (all)	3 / 60 (5.00%) 3	7 / 65 (10.77%) 10	4 / 46 (8.70%) 4
Ear discomfort subjects affected / exposed			0 / 46 (0 00%)
occurrences (all)	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
	0	0	0
Hypoacusis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Vertigo			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Vertigo positional			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Eye disorders			
Vision blurred			
subjects affected / exposed	0 / 60 (0.00%)	3 / 65 (4.62%)	3 / 46 (6.52%)
occurrences (all)	0	3	3
Visual impairment			
subjects affected / exposed	1 / 60 (1.67%)	3 / 65 (4.62%)	3 / 46 (6.52%)
occurrences (all)	1	3	3
Asthenopia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Astigmatism			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
	Ŭ	Ŭ	v
Conjunctival oedema			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Diplopia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Dry eye			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
		-	-

Photophobia subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0

Photopsia

subjects affected / exposed	3 / 60 (5.00%)	4 / 65 (6.15%)	2 / 46 (4.35%)
occurrences (all)	3	4	2
Gastrooesophageal reflux disease subjects affected / exposed	4 / 60 (6.67%)	1 / 65 (1.54%)	2 / 46 (4.35%)
occurrences (all)	4	1	4
Nausea			
subjects affected / exposed	4 / 60 (6.67%)	15 / 65 (23.08%)	7 / 46 (15.22%)
occurrences (all)	4	16	9
Vomiting			
subjects affected / exposed	5 / 60 (8.33%)	7 / 65 (10.77%)	3 / 46 (6.52%)
occurrences (all)	5	10	3
Abdominal discomfort			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Abdominal pain upper			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Ascites			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Crohn's disease			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Dry mouth			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Faeces discoloured			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Gastrointestinal disorder			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Intestinal obstruction			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Swollen tongue			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Odynophagia			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences (all)	1	0	1
Stomatitis			
subjects affected / exposed	2 / 60 (3.33%)	2 / 65 (3.08%)	1 / 46 (2.17%)
occurrences (all)	2	2	1
	_	_	-
Toothache			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences (all)	1	0	1
Hepatobiliary disorders			
Hepatocellular injury			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Skin and subcutaneous tissue disorders			
Alopecia subjects affected / exposed			
	2 / 60 (3.33%)	2 / 65 (3.08%)	3 / 46 (6.52%)
occurrences (all)	2	2	3
Dry skin			
subjects affected / exposed	2 / 60 (3.33%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	2	0	0
Hyperhidrosis			
subjects affected / exposed	2 / 60 (3.33%)	5 / 65 (7.69%)	1 / 46 (2.17%)
occurrences (all)	2	5	1
Pruritus			
subjects affected / exposed	0 / 60 (0.00%)	1 / 65 (1.54%)	4 / 46 (8.70%)
occurrences (all)	0	1	4
Rash			
subjects affected / exposed	2 / 60 (3.33%)	7 / 65 (10.77%)	2 / 46 (4.35%)
occurrences (all)	2	7	2
Dermatitis acneiform			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
		U	U
Dermatitis contact			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Dermatomyositis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Night sweats			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Photosensitivity reaction			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Rash erythematous			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Rash maculo-papular			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Rash pruritic			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Rosacea			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Seborrhoeic dermatitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Skin lesion			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Swelling face			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Erythema			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences (all)	1	1	0
Renal and urinary disorders			

Haematuria			
subjects affected / exposed	1 / 60 (1.67%)	1 / 65 (1.54%)	0 / 46 (0.00%)
occurrences (all)	1	1	0
Chronic kidney disease			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hydronephrosis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Micturition urgency			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Pollakiuria			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Proteinuria			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Urinary incontinence			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Endesvine disendere			
Endocrine disorders Cushingoid			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hyperparathyroidism			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hypothyroidism			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal and connective tissue			
disorders			
Arthralgia subjects affected / exposed	9 / 60 (15.00%)	11 / 65 (16.92%)	11 / 46 (23.91%)
occurrences (all)	12	11 / 05 (10.92 %)	13
Back pain			

subjects affected / exposed	2 / 60 (3.33%)	10 / 65 (15.38%)	5 / 46 (10.87%)
occurrences (all)	2	10	5
Bone pain			
subjects affected / exposed	1 / 60 (1.67%)	0 / 65 (0.00%)	3 / 46 (6.52%)
occurrences (all)	1	0	3
Joint swelling			
subjects affected / exposed	0 / 60 (0.00%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences (all)	0	3	0
Muscle spasms			
subjects affected / exposed	3 / 60 (5.00%)	1 / 65 (1.54%)	3 / 46 (6.52%)
occurrences (all)	3	2	3
Muscular weakness			
subjects affected / exposed	6 / 60 (10.00%)	3 / 65 (4.62%)	1 / 46 (2.17%)
occurrences (all)	6	5	1
Musculoskeletal chest pain			
subjects affected / exposed	3 / 60 (5.00%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences (all)	3	0	1
Musculoskeletal pain			
subjects affected / exposed	3 / 60 (5.00%)	3 / 65 (4.62%)	2 / 46 (4.35%)
occurrences (all)	4	3	2
Myalgia			
subjects affected / exposed	5 / 60 (8.33%)	6 / 65 (9.23%)	5 / 46 (10.87%)
occurrences (all)	5	7	5
Pain in extremity			
subjects affected / exposed	4 / 60 (6.67%)	6 / 65 (9.23%)	4 / 46 (8.70%)
occurrences (all)	8	6	4
Arthritis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Bone lesion			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Flank pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Limb discomfort			

subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Musculoskeletal discomfort			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Neck pain			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Osteoarthritis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Osteoporosis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Pain in jaw			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Plantar fasciitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Torticollis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Musculoskeletal stiffness			
subjects affected / exposed	0 / 60 (0.00%)	3 / 65 (4.62%)	1 / 46 (2.17%)
occurrences (all)	0	3	1
Infections and infestations			
Bronchitis			
subjects affected / exposed	1 / 60 (1.67%)	3 / 65 (4.62%)	0 / 46 (0.00%)
occurrences (all)	1	4	0
Influenza			
subjects affected / exposed	1 / 60 (1.67%)	3 / 65 (4.62%)	0 / 46 (0.00%)
occurrences (all)	1	3	0
Lung infection			
subjects affected / exposed	3 / 60 (5.00%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences (all)	3	2	0

Pneumonia			
subjects affected / exposed	0 / 60 (0.00%)	8 / 65 (12.31%)	1 / 46 (2.17%)
occurrences (all)	0	8	1
Rhinitis			
subjects affected / exposed	5 / 60 (8.33%)	2 / 65 (3.08%)	0 / 46 (0.00%)
occurrences (all)	7	3	0
Sinusitis			
subjects affected / exposed	2 / 60 (3.33%)	0 / 65 (0.00%)	1 / 46 (2.17%)
occurrences (all)	3	0	1
Upper respiratory tract infection			
subjects affected / exposed	2 / 60 (3.33%)	6 / 65 (9.23%)	1 / 46 (2.17%)
occurrences (all)	3	7	1
Viral upper respiratory tract infection			
subjects affected / exposed	2 / 60 (3.33%)	2 / 65 (3.08%)	2 / 46 (4.35%)
occurrences (all)	4	2	3
Bacterial infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Candida infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Cellulitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Chronic sinusitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Clostridium difficile colitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Enteritis infectious			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Enterococcal bacteraemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0

Gastroenteritis	1		
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Helicobacter infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Herpes virus infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Laryngitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Lower respiratory tract infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Nasopharyngitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Oral candidiasis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Periodontitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
		Ŭ	Ŭ
Pharyngitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Respiratory tract infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Soft tissue infection			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Tooth abscess			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0

Urinary tract infection	I	l	
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
	0	0	0
Viral rhinitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Conjunctivitis			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Herpes zoster			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)			
	0	0	0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 60 (0.00%)	5 / 65 (7.69%)	2 / 46 (4.35%)
occurrences (all)	0	5	2
Hypercholesterolaemia			
subjects affected / exposed	33 / 60 (55.00%)	37 / 65 (56.92%)	25 / 46 (54.35%)
occurrences (all)	126	102	62
Hyperglycaemia			
subjects affected / exposed	2 / 60 (3.33%)	3 / 65 (4.62%)	6 / 46 (13.04%)
occurrences (all)			
	7	9	23
Hyperlipidaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	2 / 46 (4.35%)
occurrences (all)	0	0	2
		-	
Hypertriglyceridaemia			
subjects affected / exposed	27 / 60 (45.00%)	44 / 65 (67.69%)	29 / 46 (63.04%)
occurrences (all)	99	135	100
Huppruricación			
Hyperuricaemia subjects affected / exposed	2/60/2220/1		2/16/6 520/1
	2 / 60 (3.33%)	1 / 65 (1.54%)	3 / 46 (6.52%)
occurrences (all)	2	1	3
Hypokalaemia			
subjects affected / exposed	4 / 60 (6.67%)	4 / 65 (6.15%)	2 / 46 (4.35%)
occurrences (all)	4	6	2
		Ŭ	-
Hypomagnesaemia			

subjects affected / exposed	2 / 60 (3.33%)	1 / 65 (1.54%)	3 / 46 (6.52%)
occurrences (all)	2	1	3
Hypophosphataemia			
subjects affected / exposed	2 / 60 (3.33%)	1 / 65 (1.54%)	3 / 46 (6.52%)
occurrences (all)	2	1	4
Dehydration			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
	Ũ	Ũ	Ũ
Fluid retention			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hypercalcaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hypocalcaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hypocholesterolaemia			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0
Hypoalbuminaemia			
subjects affected / exposed	3 / 60 (5.00%)	4 / 65 (6.15%)	4 / 46 (8.70%)
occurrences (all)	6	5	6
	5	5	5
Increased appetite			
subjects affected / exposed	0 / 60 (0.00%)	0 / 65 (0.00%)	0 / 46 (0.00%)
occurrences (all)	0	0	0

Non-serious adverse events	EXP-6 (Phase 2)	Japan Lead-In Cohort (LIC)	
Total subjects affected by non-serious adverse events			
subjects affected / exposed	47 / 47 (100.00%)	3 / 3 (100.00%)	
Neoplasms benign, malignant and unspecified (incl cysts and polyps) Melanocytic naevus subjects affected / exposed occurrences (all)	0 / 47 (0.00%)	0 / 3 (0.00%)	
Tumour pain			

subjects affected / exposed	7 / 47 (14.89%)	0 / 3 (0.00%)	
occurrences (all)	9	0	
Gait disturbance			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Mucosal inflammation subjects affected / exposed	0 (47 (0 00%)	0 / 2 (0 00%)	
occurrences (all)	0 / 47 (0.00%) 0	0 / 3 (0.00%)	
	U	0	
Oedema			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Oedema peripheral			
subjects affected / exposed	24 / 47 (51.06%)	1 / 3 (33.33%)	
occurrences (all)	30	1	
Pain			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
Peripheral swelling			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
_			
Pyrexia subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)	
occurrences (all)	5	0	
	5	0	
Axillary pain			
subjects affected / exposed occurrences (all)	0 / 47 (0.00%)	0 / 3 (0.00%)	
	0	0	
Catheter site extravasation			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Chest discomfort			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Chills			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Disease progression			

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
	0	0	
Generalised oedema			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Non-cardiac chest pain subjects affected / exposed	0 / 47 (0 000()		
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Performance status decreased			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Swelling			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Immune system disorders			
Hypersensitivity			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Reproductive system and breast disorders			
Menstruation irregular			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Vaginal haemorrhage			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Respiratory, thoracic and mediastinal			
disorders			
Cough			
subjects affected / exposed	9 / 47 (19.15%)	0 / 3 (0.00%)	
occurrences (all)	12	0	
Dysphonia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
		Ŭ	
Dyspnoea			
subjects affected / exposed	14 / 47 (29.79%)	1 / 3 (33.33%)	
occurrences (all)	20	1	
Dyspnoea exertional			
	l l		I

subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
Epistaxis			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
Haemoptysis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
	, , , , , , , , , , , , , , , , , , ,		
Нурохіа			
subjects affected / exposed	1 / 47 (2.13%)	0/3(0.00%)	
occurrences (all)	2	0	
Pleural effusion			
subjects affected / exposed	4 / 47 (8.51%)	0 / 3 (0.00%)	
occurrences (all)	4	0	
		J J	
Wheezing			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
Acute respiratory failure			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
		-	
Bronchitis chronic			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Laryngeal inflammation			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Nasal congestion			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Oropharyngeal pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Pleuritic pain subjects affected / exposed			
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Productive cough			
		•	

subjects affected / exposed		0 / 2 /0 000/)
occurrences (all)	0 / 47 (0.00%)	0 / 3 (0.00%)
	0	0
Pulmonary embolism		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Pulmonary hypertension subjects affected / exposed	0 / 47 (0 000()	
	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Pulmonary oedema		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Rales subjects affected / exposed		0 / 2 / 0 000/)
	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Respiratory tract congestion		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Dhinowhere		
Rhinorrhoea subjects affected / exposed	0 / 47 (0 000/)	0 / 2 /0 000/)
occurrences (all)	0 / 47 (0.00%)	0 / 3 (0.00%)
	0	0
Sinus congestion		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Deveniatria dicardara		
Psychiatric disorders Affect lability		
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)
occurrences (all)	3	0
	-	-
Anxiety		
subjects affected / exposed	4 / 47 (8.51%)	0 / 3 (0.00%)
occurrences (all)	6	0
Insomnia		
subjects affected / exposed	4 / 47 (8.51%)	0 / 3 (0.00%)
occurrences (all)	4	0
		Ŭ
Irritability		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences (all)	1	0

Abnormal dreams subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Agitation		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Attention deficit/hyperactivity disorder		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Bradyphrenia		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Confusional state		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Depressed mood		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Hallucination		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Mental status changes		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Nightmare		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Reading disorder		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Sleep disorder		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Depression		

subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
Mood swings			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hallucination, auditory			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	7 / 47 (14.89%)	2 / 3 (66.67%)	
occurrences (all)	7	2	
Amylase increased			
subjects affected / exposed	7 / 47 (14.89%)	0 / 3 (0.00%)	
occurrences (all)	11	0	
Aspartate aminotransferase increased			
subjects affected / exposed	4 / 47 (8.51%)	1 / 3 (33.33%)	
occurrences (all)	4	1	
Dia ad ab ala shavel in susana d			
Blood cholesterol increased subjects affected / exposed	19 / 47 (29 2004)	2 / 2 (100 00%)	
occurrences (all)	18 / 47 (38.30%)	3 / 3 (100.00%)	
	49	10	
Blood creatine phosphokinase increased			
subjects affected / exposed	2 / 47 (4.26%)	2 / 3 (66.67%)	
occurrences (all)	2	16	
Blood triglycerides increased			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	8	0	
Electrocardiogram QT prolonged			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
Lipase increased			
subjects affected / exposed	6 / 47 (12.77%)	1 / 3 (33.33%)	
occurrences (all)	12	4	
Weight increased			
weight muleased	l l		I

subjects affected / exposed	10 / 47 (21.28%)	1 / 3 (33.33%)
occurrences (all)	17	2
Blood alkaline phosphatase increased subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Blood creatinine increased subjects affected / exposed	0 / 47 (0 000()	
	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Blood phosphorus decreased subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
	Ū	Ū
Candida test positive		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Ejection fraction decreased		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Gamma-glutamyltransferase increased		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Glucose urine present		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
International normalised ratio increased		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Lipids increased		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Liver function test increased		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Transaminases increased		

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Weight decreased			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)			
	0	0	
Electrocardiogram PR prolongation			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Injury, poisoning and procedural			
complications			
Fall subjects affected / exposed	2 / 47 (4 260/)	0 / 3 (0.00%)	
	2 / 47 (4.26%)		
occurrences (all)	3	0	
Contusion			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Incision site pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Joint dislocation			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Laceration			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Ligament sprain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Limb injury			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Toxicity to various agents			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Procedural pain			

subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	4	0	
Cardiac disorders Tachycardia			
subjects affected / exposed	2 / 47 (6 2004)	0 / 3 (0.00%)	
	3 / 47 (6.38%)		
occurrences (all)	3	0	
Atrial fibrillation			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
		C C	
Ventricular dysfunction			
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)	
occurrences (all)	0	0	
Device whether the terms			
Pericardial effusion subjects affected / exposed			
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Nervous system disorders			
Amnesia			
subjects affected / exposed	2 / 47 (4.26%)	0/3(0.00%)	
occurrences (all)	2	0	
Aphasia			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
Cognitive disorder			
subjects affected / exposed	3 / 47 (6.38%)	0/3(0.00%)	
occurrences (all)	6	0	
Disturbance in attention			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
	5	0	
Dizziness			
subjects affected / exposed	11 / 47 (23.40%)	0 / 3 (0.00%)	
occurrences (all)	20	0	
Dysgeusia			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
		č	
Headache			

subjects affected / exposed	2 / 47 (4.26%)	1 / 3 (33.33%)	
occurrences (all)	2	1	
Memory impairment			
subjects affected / exposed	7 / 47 (14.89%)	0 / 3 (0.00%)	
occurrences (all)	16	0	
Neuropathy peripheral			
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)	
occurrences (all)	8	0	
Paraesthesia			
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)	
occurrences (all)	6	0	
Peripheral sensory neuropathy			
subjects affected / exposed	2 / 47 (4.26%)	2 / 3 (66.67%)	
occurrences (all)	2	2	
Presyncope			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Slow speech			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Ataxia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Balance disorder			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Carpal tunnel syndrome			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Dysaesthesia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Dysarthria			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Formication			

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Hemiparesis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Hypoaesthesia		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Mental impairment		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Migraine		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Nervous system disorder		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Neuralgia		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Neurotoxicity		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Partial seizures		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Peroneal nerve palsy		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Psychomotor hyperactivity		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Seizure		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Sensory disturbance		

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Speech disorder			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Tremor			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Plead and lymphotic system disorders			
Blood and lymphatic system disorders Anaemia			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	8	0	
Thrombocytopenia			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	8	0	
Febrile neutropenia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Haemorrhagic diathesis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
	U	0	
Iron deficiency anaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Leukocytosis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Neutropenia subjects affected / exposed			
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Thrombocytosis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Ear and labyrinth disorders			
Ear and labyrinth disorders Tinnitus			
1	1	I	I

subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
	_	-	
Ear discomfort			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hypoacusis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Vertigo subjects affected / exposed			
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Vertigo positional			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Eye disorders Vision blurred			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2 / 4 / (4.20%)		
	Z	0	
Visual impairment			
subjects affected / exposed	2 / 47 (4.26%)	0/3(0.00%)	
occurrences (all)	4	0	
Asthenopia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)			
	0	0	
Astigmatism			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Conjunctival and are			
Conjunctival oedema subjects affected / exposed	0 / 47 (0.00%)	0 / 2 / 0 000/)	
		0 / 3 (0.00%)	
occurrences (all)	0	0	
Diplopia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Dry eye			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
l			

Photophohia		
Photophobia subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 (0.00 %)	0 / 5 (0.00 %)
(,		U
Photopsia		
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)
occurrences (all)	0	1
Prochyopia		
Presbyopia subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)		
	0	0
Retinal vein occlusion		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Viewal aquity reduced		
Visual acuity reduced subjects affected / exposed	0 / 47 (0.00%)	
		0 / 3 (0.00%)
occurrences (all)	0	0
Eye irritation		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Gastrointestinal disorders Abdominal distension		
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)
occurrences (all)	5	0
	5	0
Abdominal pain		
subjects affected / exposed	1 / 47 (2.13%)	0/3(0.00%)
occurrences (all)	1	0
Constipation		
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)
occurrences (all)	5	0
	_	-
Diarrhoea		
subjects affected / exposed	7 / 47 (14.89%)	0/3(0.00%)
occurrences (all)	7	0
Dyspepsia		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences (all)	1	0
Dysphagia		

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Gastrooesophageal reflux disease		
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)
occurrences (all)	3	0
Nausea		
subjects affected / exposed	6 / 47 (12.77%)	1 / 3 (33.33%)
occurrences (all)	8	1
Vomiting		
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)
occurrences (all)	5	0
Abdominal discomfort		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Abdominal pain upper		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Ascites		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Crohn's disease		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Dry mouth		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Faeces discoloured		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Gastrointestinal disorder		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Intestinal obstruction		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Swollen tongue		

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Odynophagia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Stomatitis			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
	_	Ŭ	
Toothache			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
Hepatobiliary disorders			
Hepatocellular injury			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Skin and subcutaneous tissue disorders			
Alopecia subjects affected / exposed	2 / 47 (4 260()	1 / 2 / 22 220/)	
occurrences (all)	2 / 47 (4.26%)	1 / 3 (33.33%)	
	2	1	
Dry skin			
subjects affected / exposed	1 / 47 (2.13%)	1 / 3 (33.33%)	
occurrences (all)	1	1	
Hyperhidrosis subjects affected / exposed			
	4 / 47 (8.51%)	0 / 3 (0.00%)	
occurrences (all)	4	0	
Pruritus			
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)	
occurrences (all)	1	0	
		-	
Rash			
subjects affected / exposed	4 / 47 (8.51%)	0 / 3 (0.00%)	
occurrences (all)	4	0	
Dermatitis acneiform			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
		-	
Dermatitis contact			

	1		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Dermatomyositis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Night sweats			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Photosensitivity reaction			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Rash erythematous			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Rash maculo-papular			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Rash pruritic			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Rosacea			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Seborrhoeic dermatitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Skin lesion			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Swelling face			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Erythema			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
enal and urinary disorders			

Clinical trial results 2013-002620-17 version 1

Haematuria	1 1		1
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
	_		
Chronic kidney disease			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hydronephrosis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
	Ŭ	U U	
Micturition urgency			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Pollakiuria			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
	Ŭ	ç	
Proteinuria			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Urinary incontinence			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Endocrine disorders			
Cushingoid subjects affected / exposed	0 / 47 (0 00%)	0 / 2 /0 00%)	
	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hyperparathyroidism			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
l lum akhu wa idi sus			
Hypothyroidism subjects affected / exposed	0 / 47 (0 00%)	0 / 3 (0 00%)	
occurrences (all)	0 / 47 (0.00%)	0 / 3 (0.00%)	
	0	0	
Ausculoskeletal and connective tissue			
lisorders Arthralgia			
subjects affected / exposed	14 / 47 (29.79%)	0 / 3 (0.00%)	
occurrences (all)	17	0	
		J	
Back pain			

subjects affected / exposed	3 / 47 (6.38%)	1 / 3 (33.33%)	
occurrences (all)	3	1	
Bone pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Joint swelling			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Muscle spasms			
subjects affected / exposed	5 / 47 (10.64%)	0 / 3 (0.00%)	
occurrences (all)	5	0	
Muscular weakness			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Musculoskeletal chest pain			
subjects affected / exposed	4 / 47 (8.51%)	0 / 3 (0.00%)	
occurrences (all)	4	0	
Musculoskeletal pain			
subjects affected / exposed	2 / 47 (4.26%)	1 / 3 (33.33%)	
occurrences (all)	2	1	
Myalgia			
subjects affected / exposed	6 / 47 (12.77%)	2 / 3 (66.67%)	
occurrences (all)	7	2	
Pain in extremity			
subjects affected / exposed	8 / 47 (17.02%)	0 / 3 (0.00%)	
occurrences (all)	9	0	
Arthritis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Bone lesion			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Flank pain			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Limb discomfort			

subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0 / 47 (0.00%)	073(0.00%)
	U	0
Musculoskeletal discomfort		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Neck pain		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
O the south life		
Osteoarthritis subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0 / 5 (0.00 /0)
	U	0
Osteoporosis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Pain in jaw		
subjects affected / exposed	0 / 47 (0.00%)	0/3(0.00%)
occurrences (all)	0	0
Plantar fasciitis		
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)
occurrences (all)	0	0
Torticollis subjects affected / exposed	0 / 47 (0 000/)	0 / 2 / 0 000/)
occurrences (all)	0 / 47 (0.00%)	0 / 3 (0.00%)
	0	0
Musculoskeletal stiffness		
subjects affected / exposed	4 / 47 (8.51%)	0/3(0.00%)
occurrences (all)	4	0
Infections and infestations		
Bronchitis		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences (all)	2	0
Influenza		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences (all)	1	0
Lung infection		
subjects affected / exposed	1 / 47 (2.13%)	0 / 3 (0.00%)
occurrences (all)	1	0
		-

Pneumonia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Rhinitis			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Sinusitis			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Upper requiratory tract infection			
Upper respiratory tract infection subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
		Ŭ Î	
Viral upper respiratory tract infection			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Bacterial infection			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Candida infection			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Cellulitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Chronic sinusitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Clostridium difficile colitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Enteritis infectious			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Enterococcal bacteraemia subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)			
	0	0	

RFFXUUHQFHV DOO			
+HOLFREDFWHU LQIHFWL	RQ		
VXEMHFWV DIIHFWHG	H[SRVHG		
RFFXUUHQFHV DOO			
+HUSHV YLUXV LQIHFWLR	Q		
VXEMHFWV DIIHFWHG	H[SRVHG		
RFFXUUHQFHV DOO			
/ D U \ Q J L W L V			
VXEMHFWV DIIHFWHG	H [S R V H G		
RFFXUUHQFHV DOO			
/RZHU UHVSLUDWRU\ WU[DFW LQIHFWLR	Q	
VXEMHFWV DIIHFWHG	H[SRVHG		
RFFXUUHQFHV DOO			
1 D V R S K D U \ Q J L W L V			
	H[SRVHG		
RFFXUUHQFHV DOO			
2UDO FDQGLGLDVLV			
VXEMHFWV DIIHFWHG	H[SRVHG		
RFFXUUHQFHV DOO			
3 H U L R G R Q W L W L V			
VXEMHFWV DIIHFWHG	H[SRVHG		
RFFXUUHQFHV DOO			
3 K D U \ Q J L W L V			
	H [S R V H G		
RFFXUUHQFHV DOO			
5HVSLUDWRU\ WUDFW LQ	IHFWLRQ		
	H[SRVHG		
RFFXUUHQFHV DOO			
6RIW WLVVXH LQIHFWLRG			
	H[SRVHG		
RFFXUUHQFHV DOO			
7RRWK DEVFHVV			
VXEMHFWV DIIHFWHG	H[SRVHG		
RFFXUUHQFHV DOO			

Urinary tract infection			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Viral rhinitis			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Conjunctivitis			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Herpes zoster			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
Hypercholesterolaemia			
subjects affected / exposed	25 / 47 (53.19%)	0 / 3 (0.00%)	
occurrences (all)	60	0	
Hyperglycaemia			
subjects affected / exposed	5 / 47 (10.64%)	3 / 3 (100.00%)	
occurrences (all)	8	11	
Hyperlipidaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hypertriglyceridaemia			
subjects affected / exposed	23 / 47 (48.94%)	0 / 3 (0.00%)	
occurrences (all)	78	0	
Hyperuricaemia			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Hypokalaemia			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	3	0	
Hypomagnesaemia			

subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	4	0	
Hypophosphataemia			
subjects affected / exposed	3 / 47 (6.38%)	0 / 3 (0.00%)	
occurrences (all)	5	0	
Dehydration			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Fluid retention			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hypercalcaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hypocalcaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hypocholesterolaemia			
subjects affected / exposed	0 / 47 (0.00%)	0 / 3 (0.00%)	
occurrences (all)	0	0	
Hypoalbuminaemia			
subjects affected / exposed	2 / 47 (4.26%)	0 / 3 (0.00%)	
occurrences (all)	2	0	
Increased appetite			
subjects affected / exposed	0 / 47 (0.00%)	1 / 3 (33.33%)	
occurrences (all)	0	1	

Substantial protocol amendments (globally)

Date	Amendment
17 September 2013	Added left ventricular ejection fraction (LVEF) evaluation, exclusion criterion about LVEF, secondary efficacy measures, specific DLT definition and dose modification in case of toxicity.
28 March 2014	Updated Schedule of Activities; revised inclusion and exclusion criteria; updated DLT definition and clarified intra-subject dose escalation.
29 October 2014	Added lipid testing, a food effect substudy, neurological assessment, BID dosing, Japanese LIC; revised inclusion and exclusion criteria.
22 July 2015	Revised inclusion and exclusion criteria; removed midazolam, food effect and some other assessments from Phase 2; added cognition, mood and suicidal ideation and behavior assessment in Phase 2.
11 March 2016	Excluded subjects with PR interval >220 msec, or 2nd or 3rd degree atrioventricular block within 3 months prior to study entry; added dose modification for subjects with PR interval prolongation.
15 July 2016	Added Drug Drug Interaction, Holter Monitoring; updated dose modification for those with 1st, 2nd degree or complete heart block; deleted restriction for taking proton pump inhibitors with study drug.

Were there any global substantial amendments to the protocol? Yes

Notes:

Interruptions (globally)

Were there any global interruptions to the trial? No

Limitations and caveats

Limitations of the trial such as small numbers of subjects analysed or technical problems leading to unreliable data.

The study is still ongoing. This report reflects data collected up to 15 Mar 2017, and will be updated after completion of the whole study.

Notes: