

The changes in metabolic markers**Total cholesterol**

	Total=60					
	Median (IQR)					
	Baseline	Week 4	Week 12	Week 24	Week 36	Week 48
mmol/L	Arm 1: Truvada® (200mg/245mg film coated tablets) one tablet once daily + Raltegravir 400mg (one tablet) twice daily N=20					
Total cholesterol	N=20 4.7(3.8 to 5.5) Range: 2.8 to 7.6	N=19 4.2(3.6 to 5.5) Range: 2.6 to 6.6	N=17 4.5(3.6 to 5.3) Range: 2.8 to 6.3	N=18 4.0(3.7 to 5.0) Range: 3.1 to 6.7	N=18 4.4(3.3 to 4.8) Range: 3.0 to 6.8	N=18 4.6(3.9 to 5.2) Range: 2.8 to 7.0
	Arm 2: Truvada® (200mg/245mg film coated tablets) one tablet once daily + Dolutegravir 50mg once daily N=20					
Total cholesterol	N=19 4.3(3.6 to 5.1) Range: 3.1 to 5.8	N=20 4.1(3.6 to 5.0) Range: 2.9 to 5.5	N=20 4.1(3.5 to 4.8) Range: 2.9 to 5.8	N=18 4.4(3.3 to 4.9) Range: 2.8 to 6.3	N=20 4.1(3.7 to 4.8) Range: 3.2 to 6.0	N=19 4.3(3.8 to 4.9) Range: 3.1 to 6.0
	Arm 3: Stribild®150mg/150mg/200mg/245mg tablet once daily N=20					
Total cholesterol	N=20 4.1(3.9 to 5.1) Range: 3.2 to 7.8	N=20 4.2(3.8 to 5.3) Range: 3.2 to 7.5	N=17 4.3(4.1 to 5.0) Range: 3.1 to 5.8	N=18 4.5(4.3 to 5.6) Range: 3.2 to 7.3	N=19 4.3(3.8 to 5.2) Range: 3.5 to 8.3	N=19 4.4(3.9 to 4.8) Range: 3.2 to 7.4