
## 14.2.2 Secondary endpoints

## 14.2.2.7 Incidence of acute GVHD after allogeneic stem cell therapy

**Figure 14.2.2.7.1: Cumulative incidence of any acute GvHD and death before any acute GvHD after SCT - Full Analysis Population allocated to SCT arm**




SCT: Allogeneic stem cell transplantation.


**Table 14.2.2.7.1: Cumulative incidence of any acute GvHD and death before any acute GvHD at 100 days after SCT - Full Analysis Population allocated to SCT arm**

| Timepoint | Event | Cumulative incidence Function Estimate | Standard Error | 95% Lower confidence interval | 95% Upper confidence interval |
|---|---|---|---|---|---|
| 100 days | Any cute GvHD | 0.411 | 0.067 | 0.28 | 0.536 |
| | Death before any acute GvHD | 0.000 | 0.000 | - | - |

GvHD: Graft-versus-Host Disease. SCT: Allogeneic Stem cell transplantation. All numerical values are rounded to 3 decimal places.

Page 1 of 1

**Figure 14.2.2.7.2: Cumulative incidence of acute GvHD of grade 0-II and death before acute GvHD of grade 0-II after SCT - Full Analysis Population allocated to SCT arm**




SCT: Allogeneic stem cell transplantation.


**Table 14.2.2.7.2: Cumulative incidence of acute GvHD of grade 0-II and death before acute GvHD of grade 0-II at 100 days after SCT - Full Analysis Population allocated to SCT arm**

| Timepoint | Event | Cumulative incidence Function Estimate | Standard Error | 95% Lower confidence interval | 95% Upper confidence interval |
|---|---|---|---|---|---|
| 100 days | Acute GvHD of grade 0-II | 0.357 | 0.065 | 0.234 | 0.482 |
| | Death before acute GvHD of grade 0-II | 0.018 | 0.018 | 0.001 | 0.085 |

GvHD: Graft-versus-Host Disease. SCT: Allogeneic Stem cell transplantation. All numerical values are rounded to 3 decimal places.

Page 1 of 1

**Figure 14.2.2.7.3: Cumulative incidence of acute GvHD of grade III/IV and death before acute GvHD of grade III/IV after SCT - Full Analysis Population allocated to SCT arm**




SCT: Allogeneic stem cell transplantation.


**Table 14.2.2.7.3: Cumulative incidence of acute GvHD of grade III/IV and death before acute GvHD of grade III/IV at 100 days after SCT - Full Analysis Population allocated to SCT arm**

| Timepoint | Event | Cumulative incidence Function Estimate | Standard Error | 95% Lower confidence interval | 95% Upper confidence interval |
|---|---|---|---|---|---|
| 100 days | Acute GvHD of grade III-IV | 0.071 | 0.035 | 0.023 | 0.159 |
| | Death before acute GvHD of grade III-IV | 0.000 | 0.000 | - | - |

GvHD: Graft-versus-Host Disease. SCT: Allogeneic Stem cell transplantation. All numerical values are rounded to 3 decimal places.

Page 1 of 1

**Figure 14.2.2.7.4: Cumulative incidence of acute GvHD of grade II-IV and death before acute GvHD of grade II-IV after SCT - Full Analysis Population allocated to SCT arm**




SCT: Allogeneic stem cell transplantation.

**Table 14.2.2.7.4: Cumulative incidence of acute GvHD of grade II-IV and death before acute GvHD of grade II-IV at 100 days and 3 years after SCT - Full Analysis Population allocated to SCT arm**

| Timepoint | Event | Cumulative incidence Function Estimate | Standard Error | 95% Lower confidence interval | 95% Upper confidence interval |
|---|---|---|---|---|---|
| 100 days | Acute GvHD of grade II-IV | 0.268 | 0.060 | 0.159 | 0.389 |
| | Death before acute GvHD of grade II-IV | 0.000 | 0.000 | - | - |
| 3 years | Acute GvHD of grade II-IV | 0.375 | 0.065 | 0.249 | 0.501 |
| | Death before acute GvHD of grade II-IV | 0.090 | 0.039 | 0.033 | 0.185 |

GvHD: Graft-versus-Host Disease. SCT: Allogeneic Stem cell transplantation. All numerical values are rounded to 3 decimal places.

Page 1 of 1