



## Clinical trial results:

**A 12-month randomized, multiple dose, open-label, study evaluating safety, tolerability, pharmacokinetics/pharmacodynamics (PK/PD) and efficacy of an anti-CD40 monoclonal antibody, CFZ533, in combination with mycophenolate mofetil (MMF) and corticosteroids (CS), with and without tacrolimus (Tac), in de novo renal transplant recipients**

### Summary

EudraCT number	2015-000925-36
Trial protocol	DE NL ES
Global end of trial date	29 November 2017

### Results information

Result version number	v1 (current)
This version publication date	12 December 2018
First version publication date	12 December 2018

### Trial information

#### Trial identification

Sponsor protocol code	CCFZ533X2201
-----------------------	--------------

#### Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT02217410
WHO universal trial number (UTN)	-

Notes:

### Sponsors

Sponsor organisation name	Novartis Pharma AG
Sponsor organisation address	CH-4002, Basel, Switzerland,
Public contact	Clinical Disclosure Office, Novartis Pharma AG, 41 613241111, Novartis.email@novartis.com
Scientific contact	Clinical Disclosure Office, Novartis Pharma AG, 41 613241111, Novartis.email@novartis.com

Notes:

### Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

---

**Results analysis stage**

---

Analysis stage	Final
Date of interim/final analysis	29 November 2017
Is this the analysis of the primary completion data?	No

---

Global end of trial reached?	Yes
Global end of trial date	29 November 2017
Was the trial ended prematurely?	No

---

Notes:

---

**General information about the trial**

---

Main objective of the trial:

To assess the safety, tolerability and PK of multiple IV and SC doses of CFZ533 in combination with MMF, CS, and Tac (standard exposure) in de novo renal transplant patients over the treatment and follow-up period.

Protection of trial subjects:

The study was in compliance with the ethical principles derived from the Declaration of Helsinki and the International Conference on Harmonization (ICH) Good Clinical Practice (GCP) guidelines. All the local regulatory requirements pertinent to safety of trial subjects were also followed during the conduct of the trial.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	05 February 2015
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	Yes

---

Notes:

---

**Population of trial subjects**

---

**Subjects enrolled per country**

---

Country: Number of subjects enrolled	United States: 19
Country: Number of subjects enrolled	Netherlands: 11
Country: Number of subjects enrolled	Germany: 22
Country: Number of subjects enrolled	Brazil: 7
Worldwide total number of subjects	59
EEA total number of subjects	33

---

Notes:

---

**Subjects enrolled per age group**

---

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0

---

Adults (18-64 years)	47
From 65 to 84 years	12
85 years and over	0

## Subject disposition

### Recruitment

Recruitment details:

In Part 1, patients were enrolled into Arm 1. In Part 2, patients were randomized (2:1) to Arms 2A and 2B.

### Pre-assignment

Screening details:

Study Part 1 focused on measuring the multiple-dose safety, tolerability, PK, and PD of both IV and SC CFZ533 when administered with the SoC treatment regimen. Study Part 2 investigated efficacy, safety, tolerability, PK and PD of CFZ533 in the absence of Tac.

### Period 1

Period 1 title	Overall Study (overall period)
Is this the baseline period?	Yes
Allocation method	Randomised - controlled
Blinding used	Not blinded

### Arms

Are arms mutually exclusive?	Yes
<b>Arm title</b>	CFZ533 + TAC + MMF (part 1)

Arm description:

CFZ533 (3 mg/kg SC) administered with the contemporary standard of care (SoC) consists of concentration-controlled tacrolimus (Tac), combined with mycophenolate mofetil (MMF) and corticosteroids (CS).

Arm type	Experimental
Investigational medicinal product name	CFZ533
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Concentrate for cutaneous solution, Concentrate for solution for injection/infusion
Routes of administration	Intravascular use , Intravenous use

Dosage and administration details:

CFZ533 was supplied as 150 mg/mL lyophilized open-label bulk medication requiring reconstitution. 3 mg/kg CFZ533 was administered IV pre-transplant or intra-operatively on Day 1 and subsequently CFZ533 SC was administered for a period of 3 months. MMF (CellCept® or Generics) was taken as 2 tablets of 500 mg or 4 capsules of 250 mg BID (2 g/day) or as per local practice. For patients who remained intubated >24 hours posttransplant and/or whom were otherwise unable to swallow oral medication, IV MMF was substituted until oral conversion was possible. The first dose of MMF was administered within 24 hours after graft reperfusion of the allograft or according to local practice.

<b>Arm title</b>	CFZ533 + MMF (part 2)
------------------	-----------------------

Arm description:

CFZ533 (10mg/kg IV) administered with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction

Arm type	Experimental
Investigational medicinal product name	CFZ533
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Concentrate for cutaneous solution, Concentrate for solution for injection/infusion
Routes of administration	Intravascular use , Intravenous use

Dosage and administration details:

CFZ533 was supplied as 150 mg/mL lyophilized open-label bulk medication requiring reconstitution. CFZ533 150 mg/mL concentrate for solution for infusion/ solution for injection (liquid in vial) was introduced in Part 2. 10 mg/kg CFZ533 was administered IV pre-transplant or intra-operatively on Day 1

and subsequently CFZ533 IV was administered for 12 months. MMF (CellCept® or Generics) was taken as 2 tablets of 500 mg or 4 capsules of 250 mg BID (2 g/day) or as per local practice. For patients who remained intubated >24 hours post-transplant and/or whom were otherwise unable to swallow oral medication, IV MMF was substituted until oral conversion was possible. The first dose of MMF was administered within 24 hours after graft reperfusion of the allograft or according to local practice.

<b>Arm title</b>	Tac + MMF (part 2)
Arm description:	
Standard of care (SoC) [concentration-controlled tacrolimus (Tac) combined with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction]	
Arm type	Active comparator
Investigational medicinal product name	Either Prograf® or Generics
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Capsule
Routes of administration	Oral use

**Dosage and administration details:**

Tac was administered as taken by mouth (PO) capsules twice a day (BID) and adjusted to maintain within the target ranges of 4-11 ng/mL. Tac was initiated within 24 hours after reperfusion of the graft. MMF (CellCept® or Generics) was taken as 2 tablets of 500 mg or 4 capsules of 250 mg BID (2 g/day) or as per local practice. For patients who remained intubated >24 hours post-transplant and/or whom were otherwise unable to swallow oral medication, IV MMF was substituted until oral conversion was possible. The first dose of MMF was administered within 24 hours after graft reperfusion of the allograft or according to local practice.

<b>Number of subjects in period 1</b>	CFZ533 + TAC + MMF (part 1)	CFZ533 + MMF (part 2)	Tac + MMF (part 2)
Started	7	34	18
Completed	6	30	13
Not completed	1	4	5
Physician decision	1	3	-
Graft Loss	-	-	2
Consent withdrawn by subject	-	-	2
Lost to follow-up	-	-	1
Lack of efficacy	-	1	-

## Baseline characteristics

### Reporting groups

Reporting group title	CFZ533 + TAC + MMF (part 1)
Reporting group description: CFZ533 (3 mg/kg SC) administered with the contemporary standard of care (SoC) consists of concentration-controlled tacrolimus (Tac), combined with mycophenolate mofetil (MMF) and corticosteroids (CS).	
Reporting group title	CFZ533 + MMF (part 2)
Reporting group description: CFZ533 (10mg/kg IV) administered with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction	
Reporting group title	Tac + MMF (part 2)
Reporting group description: Standard of care (SoC) [concentration-controlled tacrolimus (Tac) combined with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction]	

Reporting group values	CFZ533 + TAC + MMF (part 1)	CFZ533 + MMF (part 2)	Tac + MMF (part 2)
Number of subjects	7	34	18
Age categorical Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	6	30	11
From 65-84 years	1	4	7
85 years and over	0	0	0
Age Continuous Units: years			
arithmetic mean	48.1	49.0	53.4
standard deviation	± 9.30	± 15.79	± 18.01
Sex: Female, Male Units: Subjects			
Female	3	8	6
Male	4	26	12
Ethnicity (NIH/OMB) Units: Subjects			
Hispanic or Latino	0	1	0
Not Hispanic or Latino	2	20	9
Unknown or Not Reported	5	13	9
Reporting group values	Total		
Number of subjects	59		

Age categorical			
Units: Subjects			
In utero	0		
Preterm newborn infants (gestational age < 37 wks)	0		
Newborns (0-27 days)	0		
Infants and toddlers (28 days-23 months)	0		
Children (2-11 years)	0		
Adolescents (12-17 years)	0		
Adults (18-64 years)	47		
From 65-84 years	12		
85 years and over	0		
Age Continuous			
Units: years			
arithmetic mean			
standard deviation	-		
Sex: Female, Male			
Units: Subjects			
Female	17		
Male	42		
Ethnicity (NIH/OMB)			
Units: Subjects			
Hispanic or Latino	1		
Not Hispanic or Latino	31		
Unknown or Not Reported	27		

## End points

### End points reporting groups

Reporting group title	CFZ533 + TAC + MMF (part 1)
Reporting group description: CFZ533 (3 mg/kg SC) administered with the contemporary standard of care (SoC) consists of concentration-controlled tacrolimus (Tac), combined with mycophenolate mofetil (MMF) and corticosteroids (CS).	
Reporting group title	CFZ533 + MMF (part 2)
Reporting group description: CFZ533 (10mg/kg IV) administered with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction	
Reporting group title	Tac + MMF (part 2)
Reporting group description: Standard of care (SoC) [concentration-controlled tacrolimus (Tac) combined with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction]	
Subject analysis set title	sCD40 (part I)
Subject analysis set type	Safety analysis
Subject analysis set description: CFZ533 (3 mg/kg SC) administered with the contemporary standard of care (SoC) consists of concentration-controlled tacrolimus (Tac), combined with mycophenolate mofetil (MMF) and corticosteroids (CS).	
Subject analysis set title	sCD154
Subject analysis set type	Safety analysis
Subject analysis set description: CFZ533 (3 mg/kg SC) administered with the contemporary standard of care (SoC) consists of concentration-controlled tacrolimus (Tac), combined with mycophenolate mofetil (MMF) and corticosteroids (CS).	
Subject analysis set title	Free CD40 on whole blood B ceels
Subject analysis set type	Sub-group analysis
Subject analysis set description: CFZ533 (10mg/kg IV) administered with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction	
Subject analysis set title	Total CD40 on whole blood B cells
Subject analysis set type	Sub-group analysis
Subject analysis set description: CFZ533 (10mg/kg IV) administered with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction	

### Primary: Mean Cmax Pharmacokinetic Parameter- Part I

End point title	Mean Cmax Pharmacokinetic Parameter- Part I <sup>[1][2]</sup>
End point description: Pharmacokinetics as defined by the systemic concentrations and Cmax of certain immunosuppressant medications used in Part I	
End point type	Primary
End point timeframe: Day 1	

#### Notes:

[1] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: descriptive statistics

[2] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics



<b>End point values</b>	CFZ533 + TAC + MMF (part 1)			
Subject group type	Reporting group			
Number of subjects analysed	7			
Units: ug/mL				
arithmetic mean (standard deviation)	66.3 (± 12.3)			

## Statistical analyses

No statistical analyses for this end point

### Primary: Mean Tmax Pharmacokinetic Parameter - Part I

End point title	Mean Tmax Pharmacokinetic Parameter - Part I <sup>[3]</sup> <sup>[4]</sup>
-----------------	--

End point description:

Quantify pharmacokinetics of CFZ533 in combination with MMF, CS, and tacrolimus in de novo renal transplant patients during the treatment and follow-up periods.

End point type	Primary
----------------	---------

End point timeframe:

Day 1

Notes:

[3] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: descriptive statistics

[4] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

<b>End point values</b>	CFZ533 + TAC + MMF (part 1)			
Subject group type	Reporting group			
Number of subjects analysed	7			
Units: day				
median (full range (min-max))	0.237 (0 to 1.02)			

## Statistical analyses

No statistical analyses for this end point

### Primary: Mean AUClast Pharmacokinetic Parameter - Part I

End point title	Mean AUClast Pharmacokinetic Parameter - Part I <sup>[5]</sup> <sup>[6]</sup>
-----------------	---

End point description:

Quantify pharmacokinetics of CFZ533 in combination with MMF, CS, and tacrolimus in de novo renal transplant patients during the treatment and follow-up periods.

End point type	Primary
----------------	---------

End point timeframe:

Day 1

Notes:

[5] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: descriptive statistics

[6] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

End point values	CFZ533 + TAC + MMF (part 1)			
Subject group type	Reporting group			
Number of subjects analysed	7			
Units: day*ug/mL				
arithmetic mean (standard deviation)	367 (± 52.0)			

## Statistical analyses

No statistical analyses for this end point

### Primary: Efficacy as defined by the frequency and severity (Banff classification) of treated biopsy proven acute rejection (tBPAR) adjudicated data - Part II

End point title	Efficacy as defined by the frequency and severity (Banff classification) of treated biopsy proven acute rejection (tBPAR) adjudicated data - Part II <sup>[7]</sup>
-----------------	---

End point description:

To assess the activity of the investigational arm as compared to the standard of care control arm in de novo renal transplant patients as measured by the frequency and severity of tBPAR as measured on the Banff classification scale. An adjudication was performed on all on cause renal biopsies by an independent expert committee blinded to therapy.

End point type	Primary
----------------	---------

End point timeframe:

3, 6, 9, and 12 months

Notes:

[7] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

End point values	CFZ533 + MMF (part 2)	Tac + MMF (part 2)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	33	18		
Units: events				
Month 3	6	2		
Month 6	7	3		
Month 9	7	3		
Month 12	7	3		

## Statistical analyses

<b>Statistical analysis title</b>	Frequency and severity of tBPAR-adjudicated data
Statistical analysis description:	
Banff classification	
Comparison groups	CFZ533 + MMF (part 2) v Tac + MMF (part 2)
Number of subjects included in analysis	51
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.8976
Method	Bayesian posterior probability
Parameter estimate	Mean difference (final values)
Point estimate	0.095
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.067
upper limit	0.263

<b>Statistical analysis title</b>	Frequency and severity of tBPAR-adjudicated data
Statistical analysis description:	
Banff classification	
Comparison groups	CFZ533 + MMF (part 2) v Tac + MMF (part 2)
Number of subjects included in analysis	51
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.8836
Method	Bayesian posterior probability
Parameter estimate	Mean difference (final values)
Point estimate	0.093
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.084
upper limit	0.271

<b>Statistical analysis title</b>	Frequency and severity of tBPAR-adjudicated data
Statistical analysis description:	
Banff classification	
Comparison groups	CFZ533 + MMF (part 2) v Tac + MMF (part 2)
Number of subjects included in analysis	51
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.8822
Method	Bayesian posterior probability
Parameter estimate	Mean difference (final values)
Point estimate	0.093

Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.085
upper limit	0.272

<b>Statistical analysis title</b>	Frequency and severity of tBPAR-adjudicated data
Statistical analysis description:	
Banff classification	
Comparison groups	CFZ533 + MMF (part 2) v Tac + MMF (part 2)
Number of subjects included in analysis	51
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.8821
Method	Bayesian posterior probability
Parameter estimate	Mean difference (final values)
Point estimate	0.093
Confidence interval	
level	95 %
sides	2-sided
lower limit	-0.087
upper limit	0.273

## Secondary: Total soluble CD40 and total soluble CD154 concentrations in plasma - Part 1

End point title	Total soluble CD40 and total soluble CD154 concentrations in plasma - Part 1
End point description:	
To quantify the change from baseline and recovery of peripheral blood total soluble CD40 and total soluble CD154	
End point type	Secondary
End point timeframe:	
Baseline to end of study (Day 1, Day 29, Day 337)	

End point values	sCD40 (part I)	sCD154		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	7	7		
Units: ng/ml				
arithmetic mean (standard deviation)				
Baseline	4.03 (± 4.08)	0.125 (± 0.007)		
Day 1	8.86 (± 0.0585)	0.0585 (± 0.0711)		
Day 2	16.7 (± 4.51)	0.139 (± 0.193)		

Day 3	24.8 (± 4.47)	0.157 (± 0.235)		
Day 4	31.3 (± 6.34)	0.241 (± 0.418)		
Day 8	54.0 (± 11.2)	0.399 (± 0.636)		
Day 15	84.1 (± 13.8)	0.0879 (± 0.139)		
Day 22	102 (± 13.9)	0.0500 (± 0.132)		
Day 29	120 (± 15.7)	0.225 (± 0.504)		
Day 36	128 (± 19.2)	0.116 (± 0.2)		
Day 43	145 (± 25.6)	0.0193 (± 0.0474)		
Day 50	156 (± 6.35)	0.0478 (± 0.0687)		
Day 57	161 (± 21.2)	0 (± 0)		
Day 64	163 (± 24.2)	0.0316 (± 0.0492)		
Day 71	156 (± 19.2)	0.0148 (± 0.0363)		
Day 85	168 (± 21.4)	0.0139 (± 0.0340)		
Day 99	155 (± 23.3)	0 (± 0)		
Day 113	85.7 (± 47.9)	0.0668 (± 0.164)		
Day 127	12.2 (± 15.7)	0.0488 (± 0.0697)		
EoS	0.918 (± 0.330)	0.0184 (± 0.0411)		

### Statistical analyses

No statistical analyses for this end point

### Secondary: Free CD40 and total CD40 on B cells - Part II

End point title	Free CD40 and total CD40 on B cells - Part II
End point description:	
The magnitude and duration of peripheral blood CD40 occupancy. MESF: molecules of equivalent soluble fluorochrome	
End point type	Secondary
End point timeframe:	
Baseline to end of study (Day 1/predose)	

End point values	Free CD40 on whole blood B cells	Total CD40 on whole blood B cells		
Subject group type	Subject analysis set	Subject analysis set		
Number of subjects analysed	26	29		
Units: MESF				
arithmetic mean (standard deviation)				

CFZ553 + MMF (Baseline)	30836.00 (± 13648.69)	12778.80 (± 7873.76)		
CFZ553 + MMF (D1 - 6h post dose)	1623.81 (± 1359.85)	13806.90 (± 7185.66)		
CFZ553 + MMF (D15)	799.62 (± 762.38)	15160.38 (± 7398.57)		
CFZ553 + MMF (D 29)	817.63 (± 1540.16)	13299.60 (± 6330.89)		
CFZ553 + MMF (D 57)	597.13 (± 523.55)	12234.38 (± 6943.13)		
CFZ553 + MMF (D 85)	635.47 (± 614.68)	9330.86 (± 8484.46)		
CFZ553 + MMF (D 197)	3699.0 (± 7298.98)	2820.72 (± 2347.11)		
CFZ553 + MMF (253)	2667.38 (± 6146.86)	1427.14 (± 740.48)		
CFZ553 + MMF (EoS)	176.17 (± 266.82)	1069.67 (± 809.12)		
Tac + MMF (Baseline)	31508.33 (± 12759.49)	14581.43 (± 9342.79)		
Tac + MMF (D1 - 6h post dose)	26437.65 (± 11930.50)	13715.00 (± 8293.33)		
Tac + MMF (D15)	24441.67 (± 9125.93)	13707.14 (± 6770.14)		
Tac + MMF (D29)	27840.00 (± 12106.72)	12698.75 (± 6002.96)		
Tac + MMF (D57)	27994.29 (± 12004.57)	12583.85 (± 6210.07)		
Tac + MMF (D85)	25044.00 (± 10896.65)	8701.54 (± 4183.00)		
Tac + MMF (D197)	21360.00 (± 3155.67)	2067.60 (± 1617.28)		
Tac + MMF (D253)	15752.75 (± 7145.32)	1750.50 (± 1005.84)		
Tac + MMF (EoS)	21200.00 (± 4407.95)	6276.17 (± 11271.20)		

## Statistical analyses

No statistical analyses for this end point

## Secondary: Anti-CFZ533 antibodies - Part I

End point title	Anti-CFZ533 antibodies - Part I <sup>[8]</sup>
-----------------	--

End point description:

To evaluate the immunogenicity of CFZ533 via the quantitative analysis of anti-CFZ533 antibodies

End point type	Secondary
----------------	-----------

End point timeframe:

Baseline to end of study

Notes:

[8] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

<b>End point values</b>	CFZ533 + TAC + MMF (part 1)			
Subject group type	Reporting group			
Number of subjects analysed	7			
Units: anti-CFZ533 antibodies	0			

## Statistical analyses

No statistical analyses for this end point

## Secondary: Anti-CFZ533 antibodies - Part II

End point title	Anti-CFZ533 antibodies - Part II <sup>[9]</sup>
-----------------	---

End point description:

To evaluate the immunogenicity of CFZ533 via the quantitative analysis of anti-CFZ533 antibodies

End point type	Secondary
----------------	-----------

End point timeframe:

Baseline to end of study (screening, baseline, Day 141, Day 225, Day 309, Study Completion)

Notes:

[9] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

<b>End point values</b>	CFZ533 + MMF (part 2)	Tac + MMF (part 2)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	34	18		
Units: anti-CFZ533 antibodies				
Screening	0	0		
Baseline	0	0		
Day 141	0	0		
Day 225	0	0		
Day 309	0	0		
Study Completion	0	0		

## Statistical analyses

No statistical analyses for this end point

## Secondary: eGFR - Part II

End point title	eGFR - Part II <sup>[10]</sup>
-----------------	--------------------------------

End point description:

Renal function as assessed by MDRD (Modification of Diet in Renal Disease) formula. eGFR: Estimated glomerular filtration rate

End point type	Secondary
----------------	-----------

End point timeframe:

Day 1, Day 29, Day 337,

Notes:

[10] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

End point values	CFZ533 + MMF (part 2)	Tac + MMF (part 2)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	32	18		
Units: ml/min				
arithmetic mean (confidence interval 90%)				
Day 1	9.8 (8.3 to 11.3)	9.7 (7.7 to 11.8)		
Day 29	55.6 (50.4 to 60.7)	44.3 (37.2 to 51.4)		
Day 337	58.2 (52.2 to 64.2)	44.2 (36.1 to 52.3)		

## Statistical analyses

No statistical analyses for this end point

## Secondary: CFZ533 plasma PK concentrations - Part II

End point title	CFZ533 plasma PK concentrations - Part II <sup>[11]</sup>
-----------------	---

End point description:

Quantify the systemic concentrations of CFZ533 in combination with MMF, CS, and tacrolimus in de novo renal transplant patients during the treatment and follow-up periods. A full pharmacokinetic analysis can be performed on the concentration-time data to evaluate the impact of renal transplantation on the various medications used in the treatment regimen.

End point type	Secondary
----------------	-----------

End point timeframe:

throughout study period (day 1 to day 336)

Notes:

[11] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

End point values	CFZ533 + MMF (part 2)			
Subject group type	Reporting group			
Number of subjects analysed	32			
Units: ug/mL				
arithmetic mean (standard deviation)				
Day 1	150 (± 42.8)			
Day 2	148 (± 77.5)			
Day 3	277 (± 91.3)			
Day 14	262 (± 59.8)			
Day 28	258 (± 52.8)			
Day 56	306 (± 61.0)			
Day 84	247 (± 58.2)			



Day 112	211 (± 51.8)			
Day 140	178 (± 54.9)			
Day 168	157 (± 57.4)			
Day 196	148 (± 53.1)			
Day 224	147 (± 53.8)			
Day 252	151 (± 35.2)			
Day 280	160 (± 87.7)			
Day 308	132 (± 42.5)			
Day 336	156 (± 85.2)			
End of study	133 (± 57.8)			

## Statistical analyses

No statistical analyses for this end point

### Secondary: Total sCD40 plasma concentrations - Part II

End point title	Total sCD40 plasma concentrations - Part II <sup>[12]</sup>
End point description: To quantify the change from baseline and recovery of peripheral blood total soluble CD40	
End point type	Secondary
End point timeframe: 12 months	

Notes:

[12] - The end point is not reporting statistics for all the arms in the baseline period. It is expected all the baseline period arms will be reported on when providing values for an end point on the baseline period.

Justification: descriptive statistics

End point values	CFZ533 + MMF (part 2)	Tac + MMF (part 2)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	32	17		
Units: ng/mL				
arithmetic mean (standard deviation)				
Baseline	3.02 (± 2.44)	3.67 (± 2.15)		
Day 1	6.95 (± 4.29)	1.16 (± 1.15)		
Day 4	24.6 (± 11.0)	1.16 (± 1.15)		
Day 15	69.6 (± 21.5)	0.869 (± 1.55)		
Day 29	101 (± 18.9)	0.362 (± 0.0746)		
Day 57	140 (± 17.4)	0.438 (± 0.316)		
Day 85	189 (± 76.4)	0.429 (± 0.324)		
Day 113	215 (± 75.5)	0.391 (± 0.129)		
Day 141	237 (± 93.1)	0.453 (± 0.271)		
Day 169	238 (± 80.3)	0.537 (± 0.215)		
Day 197	253 (± 81.3)	0.423 (± 0.0908)		

Day 225	258 (± 77.7)	0.452 (± 0.119)		
Day 253	236 (± 36.5)	0.457 (± 0.0800)		
Day 281	273 (± 71.3)	0.455 (± 0.0789)		
Day 309	286 (± 66.0)	0.454 (± 0.0957)		
Day 337	298 (± 57.4)	0.411 (± 0.0581)		
End of Study	303 (± 59.7)	0.959 (± 1.88)		

## Statistical analyses

No statistical analyses for this end point

## Adverse events

### Adverse events information

Timeframe for reporting adverse events:

Adverse Events (AEs) are collected from First Patient First Visit (FPFV) until Last Patient Last Visit (LPLV). All AEs reported in this record are from date of First Patient First Treatment until Last Patient Last Visit) up to approximately 3 years.

Assessment type	Systematic
-----------------	------------

### Dictionary used

Dictionary name	MedDRA
Dictionary version	20.1

### Reporting groups

Reporting group title	CFZ533 + TAC + MMF (part 1)
-----------------------	-----------------------------

Reporting group description:

CFZ533 (3 mg/kg SC) administered with the contemporary standard of care (SoC) consists of concentrationcontrolled tacrolimus (Tac), combined with mycophenolate mofetil (MMF) and corticosteroids (CS)

Reporting group title	CFZ533 + MMF (part 2)
-----------------------	-----------------------

Reporting group description:

CFZ533 (10mg/kg IV) administered with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction

Reporting group title	Tac + MMF (part 2)
-----------------------	--------------------

Reporting group description:

Standard of care (SoC) [concentration-controlled tacrolimus (Tac) combined with mycophenolate mofetil (MMF) and corticosteroids (CS) with anti-IL2 induction]

Reporting group title	Total
-----------------------	-------

Reporting group description:

Total

Serious adverse events	CFZ533 + TAC + MMF (part 1)	CFZ533 + MMF (part 2)	Tac + MMF (part 2)
Total subjects affected by serious adverse events			
subjects affected / exposed	4 / 7 (57.14%)	21 / 34 (61.76%)	12 / 18 (66.67%)
number of deaths (all causes)	0	0	0
number of deaths resulting from adverse events	0	0	0
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Basosquamous carcinoma			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	3 / 3
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Squamous cell carcinoma			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Vascular disorders			
Deep vein thrombosis			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertension			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hypertensive crisis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Lymphocele			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pelvic venous thrombosis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Immune system disorders			
Kidney transplant rejection			
subjects affected / exposed	0 / 7 (0.00%)	5 / 34 (14.71%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	5 / 6	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Transplant rejection			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Respiratory, thoracic and mediastinal disorders			
Cough			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumothorax			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pulmonary embolism			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	1 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Psychiatric disorders			
Mental status changes			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Investigations			
Amylase increased			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood creatinine increased			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 1	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
White blood cell count decreased			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications			
Arteriovenous fistula aneurysm			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Complications of transplanted kidney			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences causally related to treatment / all	0 / 1	1 / 1	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Delayed graft function			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Graft loss			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Incarcerated incisional hernia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Incisional hernia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Transplant dysfunction			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Transplant failure			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cardiac disorders			
Atrial fibrillation			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Tricuspid valve incompetence			

subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nervous system disorders			
Headache			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Blood and lymphatic system disorders			
Leukopenia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancytopenia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Eye disorders			
Photophobia			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vision blurred			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Diarrhoea			

subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 1	1 / 1	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Diarrhoea haemorrhagic			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal inflammation			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Inguinal hernia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Mouth ulceration			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nausea			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Retroperitoneal haematoma			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Vomiting			



subjects affected / exposed	2 / 7 (28.57%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 2	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal and urinary disorders			
Acute kidney injury			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal tubular necrosis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urinary retention			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Infections and infestations			
Bacteraemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cytomegalovirus infection			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	2 / 18 (11.11%)
occurrences causally related to treatment / all	0 / 0	2 / 3	1 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Encephalitis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Enterobacter bacteraemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastroenteritis			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	1 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal infection			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hepatitis C			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pneumocystis jirovecii pneumonia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Polyomavirus-associated nephropathy			
subjects affected / exposed	0 / 7 (0.00%)	4 / 34 (11.76%)	1 / 18 (5.56%)
occurrences causally related to treatment / all	0 / 0	2 / 4	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pyelonephritis			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	3 / 18 (16.67%)
occurrences causally related to treatment / all	0 / 0	1 / 2	3 / 4
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal cyst infection			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Urosepsis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Metabolism and nutrition disorders			
Dehydration			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperglycaemia			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Hyperkalaemia			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

<b>Serious adverse events</b>	Total		
Total subjects affected by serious adverse events			
subjects affected / exposed	37 / 59 (62.71%)		
number of deaths (all causes)	0		
number of deaths resulting from adverse events	0		
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Basosquamous carcinoma			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	3 / 3		
deaths causally related to treatment / all	0 / 0		
Squamous cell carcinoma			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Vascular disorders			
Deep vein thrombosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Hypertension			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Hypertensive crisis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Lymphocele			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Pelvic venous thrombosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Immune system disorders			
Kidney transplant rejection			
subjects affected / exposed	6 / 59 (10.17%)		
occurrences causally related to treatment / all	5 / 7		
deaths causally related to treatment / all	0 / 0		
Transplant rejection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	1 / 2		
deaths causally related to treatment / all	0 / 0		
Respiratory, thoracic and mediastinal disorders			
Cough			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Pneumothorax			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		

Pulmonary embolism			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Psychiatric disorders			
Mental status changes			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Investigations			
Amylase increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Blood creatinine increased			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	1 / 2		
deaths causally related to treatment / all	0 / 0		
White blood cell count decreased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Injury, poisoning and procedural complications			
Arteriovenous fistula aneurysm			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Complications of transplanted kidney			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences causally related to treatment / all	1 / 4		
deaths causally related to treatment / all	0 / 0		
Delayed graft function			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Graft loss			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	1 / 2		
deaths causally related to treatment / all	0 / 0		
Incarcerated incisional hernia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Incisional hernia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Transplant dysfunction			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Transplant failure			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Cardiac disorders			
Atrial fibrillation			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Tricuspid valve incompetence			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Nervous system disorders			

Headache			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Blood and lymphatic system disorders			
Leukopenia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Pancytopenia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Eye disorders			
Photophobia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Vision blurred			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Diarrhoea			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences causally related to treatment / all	2 / 3		
deaths causally related to treatment / all	0 / 0		
Diarrhoea haemorrhagic			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Gastrointestinal inflammation			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Inguinal hernia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Mouth ulceration			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Nausea			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Pancreatitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Retroperitoneal haematoma			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Vomiting			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Renal and urinary disorders			
Acute kidney injury			



subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Renal tubular necrosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Urinary retention			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Infections and infestations			
Bacteraemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Cytomegalovirus infection			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences causally related to treatment / all	3 / 5		
deaths causally related to treatment / all	0 / 0		
Encephalitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Enterobacter bacteraemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Gastroenteritis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		
Gastrointestinal infection			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Hepatitis C			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Pneumocystis jirovecii pneumonia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Polyomavirus-associated nephropathy			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences causally related to treatment / all	2 / 5		
deaths causally related to treatment / all	0 / 0		
Pyelonephritis			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences causally related to treatment / all	4 / 6		
deaths causally related to treatment / all	0 / 0		
Renal cyst infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Urosepsis			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Metabolism and nutrition disorders			
Dehydration			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Hyperglycaemia			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Hyperkalaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		

Frequency threshold for reporting non-serious adverse events: 2 %

<b>Non-serious adverse events</b>	CFZ533 + TAC + MMF (part 1)	CFZ533 + MMF (part 2)	Tac + MMF (part 2)
Total subjects affected by non-serious adverse events			
subjects affected / exposed	7 / 7 (100.00%)	33 / 34 (97.06%)	18 / 18 (100.00%)
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Basal cell carcinoma			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Vascular disorders			
Deep vein thrombosis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Haematoma			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Hot flush			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Hypertension			
subjects affected / exposed	1 / 7 (14.29%)	13 / 34 (38.24%)	6 / 18 (33.33%)
occurrences (all)	1	13	7
Hypotension			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	3 / 18 (16.67%)
occurrences (all)	0	2	3
Lymphocele			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Orthostatic hypotension			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Poor venous access			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
General disorders and administration site conditions			
Asthenia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Catheter site pain			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	2
Chills			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	0 / 18 (0.00%)
occurrences (all)	0	3	0
Cyst			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Fatigue			
subjects affected / exposed	1 / 7 (14.29%)	5 / 34 (14.71%)	5 / 18 (27.78%)
occurrences (all)	1	5	5
Generalised oedema			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Impaired healing			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	1
Influenza like illness			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Infusion site swelling			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Malaise			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Oedema peripheral			
subjects affected / exposed	2 / 7 (28.57%)	7 / 34 (20.59%)	6 / 18 (33.33%)
occurrences (all)	3	11	8
Pain			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Peripheral swelling			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Pyrexia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	2
Secretion discharge			
subjects affected / exposed	3 / 7 (42.86%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	3	0	0
Swelling			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Immune system disorders			
Drug hypersensitivity			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Kidney transplant rejection			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Reproductive system and breast disorders			
Benign prostatic hyperplasia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Dysmenorrhoea			

subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	2
Erectile dysfunction			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Menorrhagia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Penile oedema			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Penile pain			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Prostatomegaly			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Scrotal swelling			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Vulvovaginal pain			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Respiratory, thoracic and mediastinal disorders			
Cough			
subjects affected / exposed	0 / 7 (0.00%)	10 / 34 (29.41%)	2 / 18 (11.11%)
occurrences (all)	0	13	2
Dyspnoea			
subjects affected / exposed	3 / 7 (42.86%)	2 / 34 (5.88%)	3 / 18 (16.67%)
occurrences (all)	3	3	3
Dyspnoea exertional			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Lung infiltration			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Nasal congestion			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Oropharyngeal pain			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	0 / 18 (0.00%)
occurrences (all)	0	3	0
Pleural effusion			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Productive cough			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Respiratory distress			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Rhinorrhoea			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Sleep apnoea syndrome			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Wheezing			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Psychiatric disorders			
Anxiety			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Delirium			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Insomnia			
subjects affected / exposed	1 / 7 (14.29%)	11 / 34 (32.35%)	5 / 18 (27.78%)
occurrences (all)	1	12	5

Mood swings subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Phonophobia subjects affected / exposed occurrences (all)	1 / 7 (14.29%) 1	0 / 34 (0.00%) 0	0 / 18 (0.00%) 0
Restlessness subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Investigations			
Alanine aminotransferase increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Amylase increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	3 / 34 (8.82%) 3	1 / 18 (5.56%) 1
Aspartate aminotransferase increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Blood creatine phosphokinase increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	1 / 18 (5.56%) 1
Blood creatinine increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	3 / 34 (8.82%) 3	1 / 18 (5.56%) 1
Blood glucose increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Blood lactate dehydrogenase increased subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Blood phosphorus decreased subjects affected / exposed occurrences (all)	1 / 7 (14.29%) 1	0 / 34 (0.00%) 0	0 / 18 (0.00%) 0
Blood phosphorus increased			



subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
C-reactive protein increased			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Cardiac murmur			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Cytomegalovirus test positive			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Drug level decreased			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Electrocardiogram ST segment abnormal			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Electrocardiogram T wave abnormal			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Gamma-glutamyltransferase increased			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	1
Haemoglobin decreased			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Heart rate irregular			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Lipase increased			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Polyomavirus test positive			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Vitamin D decreased			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Weight decreased			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Weight increased			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	1
White blood cell count decreased			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
White blood cell count increased			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	0 / 18 (0.00%)
occurrences (all)	0	3	0
Injury, poisoning and procedural complications			
Animal bite			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Arterial injury			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Arteriovenous fistula site complication			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Arthropod bite			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Complications of transplant surgery			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Complications of transplanted kidney			

subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	2 / 18 (11.11%)
occurrences (all)	0	6	2
Delayed graft function			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	3 / 18 (16.67%)
occurrences (all)	0	3	3
Fall			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Graft complication			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Incision site complication			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Incision site erythema			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Incision site haemorrhage			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Incision site pain			
subjects affected / exposed	3 / 7 (42.86%)	6 / 34 (17.65%)	2 / 18 (11.11%)
occurrences (all)	3	6	2
Incisional hernia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Joint injury			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Ligament sprain			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Lip injury			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Post procedural complication			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Post procedural haemorrhage			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Post procedural swelling			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Postoperative wound complication			
subjects affected / exposed	0 / 7 (0.00%)	5 / 34 (14.71%)	1 / 18 (5.56%)
occurrences (all)	0	6	1
Procedural pain			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	6 / 18 (33.33%)
occurrences (all)	0	3	8
Radius fracture			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Seroma			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Transplant dysfunction			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	3 / 18 (16.67%)
occurrences (all)	0	2	3
Wound complication			
subjects affected / exposed	0 / 7 (0.00%)	11 / 34 (32.35%)	8 / 18 (44.44%)
occurrences (all)	0	11	8
Wound dehiscence			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Wound haematoma			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Congenital, familial and genetic disorders			
Hydrocele			

subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Cardiac disorders			
Angina pectoris			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Arrhythmia			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	1
Atrial fibrillation			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	2
Bradycardia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Extrasystoles			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Myocardial infarction			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Palpitations			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Sinus tachycardia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Tachycardia			
subjects affected / exposed	2 / 7 (28.57%)	4 / 34 (11.76%)	1 / 18 (5.56%)
occurrences (all)	2	4	1
Tricuspid valve incompetence			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Nervous system disorders			
Ataxia			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Burning sensation			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Dizziness			
subjects affected / exposed	1 / 7 (14.29%)	2 / 34 (5.88%)	3 / 18 (16.67%)
occurrences (all)	1	2	3
Dizziness postural			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	1	0	1
Headache			
subjects affected / exposed	1 / 7 (14.29%)	6 / 34 (17.65%)	4 / 18 (22.22%)
occurrences (all)	1	7	4
Hypoaesthesia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Migraine			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Paraesthesia			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	1	0	1
Peroneal nerve palsy			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Polyneuropathy			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Tremor			
subjects affected / exposed	2 / 7 (28.57%)	3 / 34 (8.82%)	6 / 18 (33.33%)
occurrences (all)	2	3	8
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	1 / 7 (14.29%)	3 / 34 (8.82%)	4 / 18 (22.22%)
occurrences (all)	1	3	4

Iron deficiency anaemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Leukocytosis			
subjects affected / exposed	1 / 7 (14.29%)	3 / 34 (8.82%)	2 / 18 (11.11%)
occurrences (all)	1	4	2
Leukopenia			
subjects affected / exposed	1 / 7 (14.29%)	13 / 34 (38.24%)	3 / 18 (16.67%)
occurrences (all)	1	18	3
Lymphopenia			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Microcytic anaemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Nephrogenic anaemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Neutropenia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2
Normocytic anaemia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Pancytopenia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Polycythaemia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Thrombocytopenia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Thrombocytosis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0

Ear and labyrinth disorders Ear discomfort subjects affected / exposed occurrences (all)  Vertigo subjects affected / exposed occurrences (all)	  0 / 7 (0.00%) 0    0 / 7 (0.00%) 0	  1 / 34 (2.94%) 1    1 / 34 (2.94%) 1	  0 / 18 (0.00%) 0    0 / 18 (0.00%) 0
Eye disorders Chalazion subjects affected / exposed occurrences (all)  Dry eye subjects affected / exposed occurrences (all)  Eye movement disorder subjects affected / exposed occurrences (all)  Ocular hyperaemia subjects affected / exposed occurrences (all)  Retinal vein occlusion subjects affected / exposed occurrences (all)	  0 / 7 (0.00%) 0    0 / 7 (0.00%) 0    2 / 7 (28.57%) 2    0 / 7 (0.00%) 0    0 / 7 (0.00%) 0	  1 / 34 (2.94%) 1    1 / 34 (2.94%) 1    0 / 34 (0.00%) 0    1 / 34 (2.94%) 1    1 / 34 (2.94%) 1	  0 / 18 (0.00%) 0    0 / 18 (0.00%) 0    0 / 18 (0.00%) 0    0 / 18 (0.00%) 0    0 / 18 (0.00%) 0
Gastrointestinal disorders Abdominal discomfort subjects affected / exposed occurrences (all)  Abdominal distension subjects affected / exposed occurrences (all)  Abdominal pain subjects affected / exposed occurrences (all)  Abdominal pain lower subjects affected / exposed occurrences (all)  Abdominal pain upper	  0 / 7 (0.00%) 0    1 / 7 (14.29%) 1    1 / 7 (14.29%) 1    0 / 7 (0.00%) 0   	  1 / 34 (2.94%) 1    0 / 34 (0.00%) 0    3 / 34 (8.82%) 3    1 / 34 (2.94%) 1	  1 / 18 (5.56%) 1    0 / 18 (0.00%) 0    3 / 18 (16.67%) 3    1 / 18 (5.56%) 1



subjects affected / exposed	0 / 7 (0.00%)	5 / 34 (14.71%)	0 / 18 (0.00%)
occurrences (all)	0	6	0
Anal fissure			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Aphthous ulcer			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Colitis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Constipation			
subjects affected / exposed	1 / 7 (14.29%)	14 / 34 (41.18%)	8 / 18 (44.44%)
occurrences (all)	1	17	8
Diarrhoea			
subjects affected / exposed	2 / 7 (28.57%)	8 / 34 (23.53%)	10 / 18 (55.56%)
occurrences (all)	2	9	15
Duodenogastric reflux			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Dyspepsia			
subjects affected / exposed	2 / 7 (28.57%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	3	1	1
Dysphagia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Flatulence			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2
Gastric polyps			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Gastritis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Gastritis haemorrhagic			

subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Gingival pain			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Gingival recession			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Gingival swelling			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	2
Haemorrhoids			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2
Ileus			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Inguinal hernia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Mouth ulceration			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Nausea			
subjects affected / exposed	4 / 7 (57.14%)	10 / 34 (29.41%)	9 / 18 (50.00%)
occurrences (all)	4	10	13
Odynophagia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Oesophagitis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Paraesthesia oral			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Stomatitis			

subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	2 / 18 (11.11%) 3
Tongue discomfort subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Vomiting subjects affected / exposed occurrences (all)	3 / 7 (42.86%) 3	8 / 34 (23.53%) 8	4 / 18 (22.22%) 5
Hepatobiliary disorders Hepatic function abnormal subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Hepatitis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Hepatomegaly subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Skin and subcutaneous tissue disorders Acne subjects affected / exposed occurrences (all)	1 / 7 (14.29%) 1	0 / 34 (0.00%) 0	0 / 18 (0.00%) 0
Alopecia subjects affected / exposed occurrences (all)	1 / 7 (14.29%) 1	2 / 34 (5.88%) 2	2 / 18 (11.11%) 2
Decubitus ulcer subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Dermatitis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	2 / 34 (5.88%) 2	0 / 18 (0.00%) 0
Hyperhidrosis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	3 / 34 (8.82%) 3	0 / 18 (0.00%) 0
Lipohypertrophy			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Night sweats			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	1
Pityriasis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Pruritus			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2
Rash			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	3 / 18 (16.67%)
occurrences (all)	0	0	3
Skin lesion			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Urticaria			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Renal and urinary disorders			
Bladder pain			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Bladder spasm			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	0 / 18 (0.00%)
occurrences (all)	0	3	0
Chronic kidney disease			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Dysuria			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Haematuria			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2

Leukocyturia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Micturition urgency			
subjects affected / exposed	1 / 7 (14.29%)	0 / 34 (0.00%)	0 / 18 (0.00%)
occurrences (all)	1	0	0
Nocturia			
subjects affected / exposed	1 / 7 (14.29%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	1	1	0
Perinephric collection			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Perinephric oedema			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Polyuria			
subjects affected / exposed	0 / 7 (0.00%)	5 / 34 (14.71%)	0 / 18 (0.00%)
occurrences (all)	0	5	0
Proteinuria			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	3	2
Renal impairment			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	3
Renal tubular acidosis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Renal tubular injury			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Renal tubular necrosis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	2
Sterile pyuria			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1

Tubulointerstitial nephritis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Urethral pain subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Urinary incontinence subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	2 / 18 (11.11%) 2
Urinary retention subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Urinary tract disorder subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Urinary tract obstruction subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Endocrine disorders Hyperparathyroidism subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Hyperparathyroidism secondary subjects affected / exposed occurrences (all)	2 / 7 (28.57%) 2	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Musculoskeletal and connective tissue disorders Arthralgia subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	2 / 34 (5.88%) 2	0 / 18 (0.00%) 0
Back pain subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	5 / 34 (14.71%) 5	1 / 18 (5.56%) 1
Bursitis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Flank pain			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Groin pain			
subjects affected / exposed	1 / 7 (14.29%)	3 / 34 (8.82%)	1 / 18 (5.56%)
occurrences (all)	1	5	2
Hypercreatinaemia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Joint effusion			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Muscle spasms			
subjects affected / exposed	1 / 7 (14.29%)	6 / 34 (17.65%)	1 / 18 (5.56%)
occurrences (all)	1	8	1
Muscle twitching			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Muscular weakness			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Musculoskeletal discomfort			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Myalgia			
subjects affected / exposed	0 / 7 (0.00%)	4 / 34 (11.76%)	0 / 18 (0.00%)
occurrences (all)	0	4	0
Neck pain			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Osteochondrosis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Pain in extremity			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	2 / 18 (11.11%)
occurrences (all)	0	3	4
Pain in jaw			

subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Infections and infestations			
Acute sinusitis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
BK virus infection			
subjects affected / exposed	3 / 7 (42.86%)	10 / 34 (29.41%)	6 / 18 (33.33%)
occurrences (all)	3	14	7
Bronchitis			
subjects affected / exposed	0 / 7 (0.00%)	4 / 34 (11.76%)	0 / 18 (0.00%)
occurrences (all)	0	4	0
Conjunctivitis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Cytomegalovirus infection			
subjects affected / exposed	0 / 7 (0.00%)	6 / 34 (17.65%)	2 / 18 (11.11%)
occurrences (all)	0	7	2
Cytomegalovirus viraemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Diarrhoea infectious			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Epstein-Barr virus infection			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Folliculitis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Fungal skin infection			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	2
Gastroenteritis			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	3	0



Gastroenteritis Escherichia coli subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Gastroenteritis norovirus subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Gastroenteritis viral subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Gastrointestinal infection subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	1 / 18 (5.56%) 1
Herpes zoster subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	2 / 34 (5.88%) 3	0 / 18 (0.00%) 0
Human polyomavirus infection subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	2 / 34 (5.88%) 3	0 / 18 (0.00%) 0
Infection subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	1 / 18 (5.56%) 1
Influenza subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	2 / 34 (5.88%) 2	1 / 18 (5.56%) 1
Laryngitis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	1 / 34 (2.94%) 1	0 / 18 (0.00%) 0
Latent tuberculosis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Lung infection subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1
Mucocutaneous candidiasis subjects affected / exposed occurrences (all)	0 / 7 (0.00%) 0	0 / 34 (0.00%) 0	1 / 18 (5.56%) 1

Nasopharyngitis			
subjects affected / exposed	1 / 7 (14.29%)	10 / 34 (29.41%)	4 / 18 (22.22%)
occurrences (all)	1	13	5
Oral candidiasis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Oral herpes			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Oral infection			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Otitis media			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Pharyngitis streptococcal			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Pneumocystis jirovecii pneumonia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Pneumonia			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Polyomavirus-associated nephropathy			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	1 / 18 (5.56%)
occurrences (all)	0	3	2
Pyelonephritis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Pyuria			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Respiratory tract infection			

subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Rhinitis			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Sinusitis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Skin infection			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	2
Soft tissue infection			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Subcutaneous abscess			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Tinea versicolour			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Tooth infection			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Tracheobronchitis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Upper respiratory tract infection			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	0 / 18 (0.00%)
occurrences (all)	0	2	0
Urinary tract infection			
subjects affected / exposed	1 / 7 (14.29%)	8 / 34 (23.53%)	7 / 18 (38.89%)
occurrences (all)	1	9	9
Urinary tract infection viral			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Viral infection			

subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Wound infection bacterial			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	0 / 7 (0.00%)	4 / 34 (11.76%)	1 / 18 (5.56%)
occurrences (all)	0	4	1
Diabetes mellitus			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	3 / 18 (16.67%)
occurrences (all)	0	3	3
Dyslipidaemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Fluid overload			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	1 / 18 (5.56%)
occurrences (all)	0	1	1
Folate deficiency			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Hypercalcaemia			
subjects affected / exposed	0 / 7 (0.00%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	0	2	1
Hypercholesterolaemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2
Hyperglycaemia			
subjects affected / exposed	3 / 7 (42.86%)	4 / 34 (11.76%)	4 / 18 (22.22%)
occurrences (all)	3	4	4
Hyperkalaemia			
subjects affected / exposed	1 / 7 (14.29%)	9 / 34 (26.47%)	5 / 18 (27.78%)
occurrences (all)	1	14	6
Hyperlipidaemia			
subjects affected / exposed	1 / 7 (14.29%)	2 / 34 (5.88%)	1 / 18 (5.56%)
occurrences (all)	1	2	1

Hyperphosphataemia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	1 / 18 (5.56%)
occurrences (all)	0	0	1
Hypertriglyceridaemia			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Hyperuricaemia			
subjects affected / exposed	0 / 7 (0.00%)	4 / 34 (11.76%)	1 / 18 (5.56%)
occurrences (all)	0	4	1
Hypervolaemia			
subjects affected / exposed	0 / 7 (0.00%)	0 / 34 (0.00%)	2 / 18 (11.11%)
occurrences (all)	0	0	2
Hypocalcaemia			
subjects affected / exposed	0 / 7 (0.00%)	4 / 34 (11.76%)	1 / 18 (5.56%)
occurrences (all)	0	4	1
Hypokalaemia			
subjects affected / exposed	1 / 7 (14.29%)	6 / 34 (17.65%)	5 / 18 (27.78%)
occurrences (all)	1	8	5
Hypomagnesaemia			
subjects affected / exposed	2 / 7 (28.57%)	0 / 34 (0.00%)	3 / 18 (16.67%)
occurrences (all)	2	0	3
Hyponatraemia			
subjects affected / exposed	0 / 7 (0.00%)	3 / 34 (8.82%)	1 / 18 (5.56%)
occurrences (all)	0	3	1
Hypophosphataemia			
subjects affected / exposed	5 / 7 (71.43%)	11 / 34 (32.35%)	5 / 18 (27.78%)
occurrences (all)	5	12	5
Increased appetite			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Magnesium deficiency			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	0 / 18 (0.00%)
occurrences (all)	0	1	0
Metabolic acidosis			
subjects affected / exposed	0 / 7 (0.00%)	1 / 34 (2.94%)	2 / 18 (11.11%)
occurrences (all)	0	1	2

Vitamin D deficiency subjects affected / exposed occurrences (all)	2 / 7 (28.57%) 2	2 / 34 (5.88%) 2	1 / 18 (5.56%) 1
--	---------------------	---------------------	---------------------

<b>Non-serious adverse events</b>	Total		
Total subjects affected by non-serious adverse events subjects affected / exposed	58 / 59 (98.31%)		
Neoplasms benign, malignant and unspecified (incl cysts and polyps) Basal cell carcinoma subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Vascular disorders Deep vein thrombosis subjects affected / exposed occurrences (all)  Haematoma subjects affected / exposed occurrences (all)  Hot flush subjects affected / exposed occurrences (all)  Hypertension subjects affected / exposed occurrences (all)  Hypotension subjects affected / exposed occurrences (all)  Lymphocele subjects affected / exposed occurrences (all)  Orthostatic hypotension subjects affected / exposed occurrences (all)  Poor venous access subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1  2 / 59 (3.39%) 2  2 / 59 (3.39%) 2  20 / 59 (33.90%) 21  5 / 59 (8.47%) 5  2 / 59 (3.39%) 2  1 / 59 (1.69%) 1  2 / 59 (3.39%) 2		
General disorders and administration			

site conditions			
Asthenia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Catheter site pain			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Chills			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Cyst			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Fatigue			
subjects affected / exposed	11 / 59 (18.64%)		
occurrences (all)	11		
Generalised oedema			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Impaired healing			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Influenza like illness			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Infusion site swelling			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Malaise			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Oedema peripheral			
subjects affected / exposed	15 / 59 (25.42%)		
occurrences (all)	22		
Pain			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Peripheral swelling			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Pyrexia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Secretion discharge			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Swelling			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Immune system disorders			
Drug hypersensitivity			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Kidney transplant rejection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Reproductive system and breast disorders			
Benign prostatic hyperplasia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Dysmenorrhoea			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Erectile dysfunction			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Menorrhagia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Penile oedema			



subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Penile pain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Prostatomegaly			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Scrotal swelling			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Vulvovaginal pain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Respiratory, thoracic and mediastinal disorders			
Cough			
subjects affected / exposed	12 / 59 (20.34%)		
occurrences (all)	15		
Dyspnoea			
subjects affected / exposed	8 / 59 (13.56%)		
occurrences (all)	9		
Dyspnoea exertional			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Lung infiltration			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Nasal congestion			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Oropharyngeal pain			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Pleural effusion			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Productive cough			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Respiratory distress			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Rhinorrhoea			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Sleep apnoea syndrome			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Wheezing			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Psychiatric disorders			
Anxiety			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Delirium			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Insomnia			
subjects affected / exposed	17 / 59 (28.81%)		
occurrences (all)	18		
Mood swings			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Phonophobia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Restlessness			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		

Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Amylase increased			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	4		
Aspartate aminotransferase increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Blood creatine phosphokinase increased			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Blood creatinine increased			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	4		
Blood glucose increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Blood lactate dehydrogenase increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Blood phosphorus decreased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Blood phosphorus increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
C-reactive protein increased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Cardiac murmur			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Cytomegalovirus test positive			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Drug level decreased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Electrocardiogram ST segment abnormal			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Electrocardiogram T wave abnormal			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gamma-glutamyltransferase increased			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Haemoglobin decreased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Heart rate irregular			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Lipase increased			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Polyomavirus test positive			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Vitamin D decreased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Weight decreased			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Weight increased			

subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
White blood cell count decreased			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
White blood cell count increased			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Injury, poisoning and procedural complications			
Animal bite			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Arterial injury			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Arteriovenous fistula site complication			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Arthropod bite			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Complications of transplant surgery			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Complications of transplanted kidney			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	8		
Delayed graft function			
subjects affected / exposed	6 / 59 (10.17%)		
occurrences (all)	6		
Fall			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Graft complication			

subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Incision site complication			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Incision site erythema			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Incision site haemorrhage			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Incision site pain			
subjects affected / exposed	11 / 59 (18.64%)		
occurrences (all)	11		
Incisional hernia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Joint injury			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Ligament sprain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Lip injury			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	2		
Post procedural complication			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Post procedural haemorrhage			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Post procedural swelling			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Postoperative wound complication			

subjects affected / exposed	6 / 59 (10.17%)		
occurrences (all)	7		
Procedural pain			
subjects affected / exposed	9 / 59 (15.25%)		
occurrences (all)	11		
Radius fracture			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Seroma			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Transplant dysfunction			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		
Wound complication			
subjects affected / exposed	19 / 59 (32.20%)		
occurrences (all)	19		
Wound dehiscence			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Wound haematoma			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Congenital, familial and genetic disorders			
Hydrocele			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Cardiac disorders			
Angina pectoris			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Arrhythmia			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Atrial fibrillation			

subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	4		
Bradycardia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Extrasystoles			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Myocardial infarction			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Palpitations			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Sinus tachycardia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	2		
Tachycardia			
subjects affected / exposed	7 / 59 (11.86%)		
occurrences (all)	7		
Tricuspid valve incompetence			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Nervous system disorders			
Ataxia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Burning sensation			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Dizziness			
subjects affected / exposed	6 / 59 (10.17%)		
occurrences (all)	6		
Dizziness postural			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		



Headache			
subjects affected / exposed	11 / 59 (18.64%)		
occurrences (all)	12		
Hypoaesthesia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Migraine			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Paraesthesia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Peroneal nerve palsy			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Polyneuropathy			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Tremor			
subjects affected / exposed	11 / 59 (18.64%)		
occurrences (all)	13		
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	8 / 59 (13.56%)		
occurrences (all)	8		
Iron deficiency anaemia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Leukocytosis			
subjects affected / exposed	6 / 59 (10.17%)		
occurrences (all)	7		
Leukopenia			
subjects affected / exposed	17 / 59 (28.81%)		
occurrences (all)	22		
Lymphopenia			

subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Microcytic anaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Nephrogenic anaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Neutropenia			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Normocytic anaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Pancytopenia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Polycythaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Thrombocytopenia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Thrombocytosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Ear and labyrinth disorders			
Ear discomfort			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Vertigo			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Eye disorders			
Chalazion			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Dry eye			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Eye movement disorder			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Ocular hyperaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Retinal vein occlusion			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gastrointestinal disorders			
Abdominal discomfort			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Abdominal distension			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Abdominal pain			
subjects affected / exposed	7 / 59 (11.86%)		
occurrences (all)	7		
Abdominal pain lower			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Abdominal pain upper			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	6		
Anal fissure			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Aphthous ulcer			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		

Colitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Constipation			
subjects affected / exposed	23 / 59 (38.98%)		
occurrences (all)	26		
Diarrhoea			
subjects affected / exposed	20 / 59 (33.90%)		
occurrences (all)	26		
Duodenogastric reflux			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Dyspepsia			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	5		
Dysphagia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Flatulence			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Gastric polyps			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gastritis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gastritis haemorrhagic			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gingival pain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gingival recession			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		

Gingival swelling			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Haemorrhoids			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Ileus			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Inguinal hernia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	2		
Mouth ulceration			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	2		
Nausea			
subjects affected / exposed	23 / 59 (38.98%)		
occurrences (all)	27		
Odynophagia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Oesophagitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Paraesthesia oral			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Stomatitis			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Tongue discomfort			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Vomiting			
subjects affected / exposed	15 / 59 (25.42%)		
occurrences (all)	16		

Hepatobiliary disorders	Hepatic function abnormal			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
	Hepatitis			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
	Hepatomegaly			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
Skin and subcutaneous tissue disorders	Acne			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
	Alopecia			
	subjects affected / exposed	5 / 59 (8.47%)		
	occurrences (all)	5		
	Decubitus ulcer			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
	Dermatitis			
	subjects affected / exposed	2 / 59 (3.39%)		
	occurrences (all)	2		
	Hyperhidrosis			
	subjects affected / exposed	3 / 59 (5.08%)		
	occurrences (all)	3		
	Lipohypertrophy			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
	Night sweats			
	subjects affected / exposed	3 / 59 (5.08%)		
	occurrences (all)	3		
	Pityriasis			
	subjects affected / exposed	1 / 59 (1.69%)		
	occurrences (all)	1		
	Pruritus			

subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Rash			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Skin lesion			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Urticaria			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Renal and urinary disorders			
Bladder pain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Bladder spasm			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Chronic kidney disease			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Dysuria			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Haematuria			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Leukocyturia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Micturition urgency			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Nocturia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		

Perinephric collection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Perinephric oedema			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Polyuria			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		
Proteinuria			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	5		
Renal impairment			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Renal tubular acidosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Renal tubular injury			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Renal tubular necrosis			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Sterile pyuria			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Tubulointerstitial nephritis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Urethral pain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Urinary incontinence			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		



Urinary retention subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Urinary tract disorder subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Urinary tract obstruction subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Endocrine disorders Hyperparathyroidism subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Hyperparathyroidism secondary subjects affected / exposed occurrences (all)	3 / 59 (5.08%) 3		
Musculoskeletal and connective tissue disorders Arthralgia subjects affected / exposed occurrences (all)	2 / 59 (3.39%) 2		
Back pain subjects affected / exposed occurrences (all)	6 / 59 (10.17%) 6		
Bursitis subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Flank pain subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Groin pain subjects affected / exposed occurrences (all)	5 / 59 (8.47%) 8		
Hypercreatinaemia subjects affected / exposed occurrences (all)	1 / 59 (1.69%) 1		
Joint effusion			

subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Muscle spasms			
subjects affected / exposed	8 / 59 (13.56%)		
occurrences (all)	10		
Muscle twitching			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Muscular weakness			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Musculoskeletal discomfort			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Myalgia			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	4		
Neck pain			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Osteochondrosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Pain in extremity			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	7		
Pain in jaw			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Infections and infestations			
Acute sinusitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
BK virus infection			
subjects affected / exposed	19 / 59 (32.20%)		
occurrences (all)	24		

Bronchitis			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	4		
Conjunctivitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Cytomegalovirus infection			
subjects affected / exposed	8 / 59 (13.56%)		
occurrences (all)	9		
Cytomegalovirus viraemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Diarrhoea infectious			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	2		
Epstein-Barr virus infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Folliculitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Fungal skin infection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Gastroenteritis			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Gastroenteritis Escherichia coli			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gastroenteritis norovirus			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Gastroenteritis viral			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		

Gastrointestinal infection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Herpes zoster			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Human polyomavirus infection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Infection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Influenza			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Laryngitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Latent tuberculosis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Lung infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Mucocutaneous candidiasis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Nasopharyngitis			
subjects affected / exposed	15 / 59 (25.42%)		
occurrences (all)	19		
Oral candidiasis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Oral herpes			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		

Oral infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Otitis media			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Pharyngitis streptococcal			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Pneumocystis jirovecii pneumonia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	2		
Pneumonia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Polyomavirus-associated nephropathy			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	5		
Pyelonephritis			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Pyuria			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Respiratory tract infection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Rhinitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Sinusitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Skin infection			

subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	3		
Soft tissue infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Subcutaneous abscess			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Tinea versicolour			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Tooth infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Tracheobronchitis			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Upper respiratory tract infection			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Urinary tract infection			
subjects affected / exposed	16 / 59 (27.12%)		
occurrences (all)	19		
Urinary tract infection viral			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Viral infection			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Wound infection bacterial			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Metabolism and nutrition disorders			
Decreased appetite			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		

Diabetes mellitus			
subjects affected / exposed	6 / 59 (10.17%)		
occurrences (all)	6		
Dyslipidaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Fluid overload			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Folate deficiency			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Hypercalcaemia			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Hypercholesterolaemia			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Hyperglycaemia			
subjects affected / exposed	11 / 59 (18.64%)		
occurrences (all)	11		
Hyperkalaemia			
subjects affected / exposed	15 / 59 (25.42%)		
occurrences (all)	21		
Hyperlipidaemia			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	4		
Hyperphosphataemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Hypertriglyceridaemia			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Hyperuricaemia			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		

Hypervolaemia			
subjects affected / exposed	2 / 59 (3.39%)		
occurrences (all)	2		
Hypocalcaemia			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		
Hypokalaemia			
subjects affected / exposed	12 / 59 (20.34%)		
occurrences (all)	14		
Hypomagnesaemia			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		
Hyponatraemia			
subjects affected / exposed	4 / 59 (6.78%)		
occurrences (all)	4		
Hypophosphataemia			
subjects affected / exposed	21 / 59 (35.59%)		
occurrences (all)	22		
Increased appetite			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Magnesium deficiency			
subjects affected / exposed	1 / 59 (1.69%)		
occurrences (all)	1		
Metabolic acidosis			
subjects affected / exposed	3 / 59 (5.08%)		
occurrences (all)	3		
Vitamin D deficiency			
subjects affected / exposed	5 / 59 (8.47%)		
occurrences (all)	5		



## More information

### Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? Yes

Date	Amendment
07 July 2015	Removal of the 3 mg/kg CFZ533 SC arm (former treatment arm 2A) and introduction of a more frequent dosing regimen during the first 2 months in the 10 mg/kg CFZ533 intravenous (IV) arm in Part 2
11 April 2016	Introduction of a new CFZ533 presentation, a concentrate for solution for infusion/solution for injection (also referred to as liquid in vial in the protocol). Initially, CFZ533 was developed as a lyophilized powder for solution for infusion/injection requiring reconstitution with water for injection prior to infusion or injection.
20 September 2017	Introduced by the open-label design in Part 2, to centrally evaluate all biopsies taken for suspected rejection reactions and other kidney disease related events in an unbiased, standardized and blinded manner. The decision was taken not to pursue CFZ533 exposure-response profiling (Part 3) in the scope of the present study, but to open a separate study. Therefore, Part 3 is being removed from this study protocol and the protocol is adapted accordingly including adaptation of the statistical analysis section.

Notes:

---

### Interruptions (globally)

Were there any global interruptions to the trial? No

### Limitations and caveats

None reported