

**Table 14.2.2.7.1.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (PPS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Mobility	Episode 1		N	25	17
		I have no problems walking	n (%)	21 (91.3)	9 (90.0)
		I have slight problems walking	n (%)	2 (8.7)	1 (10.0)
		Missing	n (%)	2	7
	Episode 2		N	13	12
		I have no problems walking	n (%)	11 (84.6)	5 (83.3)
		I have slight problems walking	n (%)	2 (15.4)	1 (16.7)
		Missing	n (%)		6
	Episode 3		N	4	6
		I have no problems walking	n (%)	4 (100)	5 (83.3)
		I have slight problems walking	n (%)		1 (16.7)
	Episode 4		N	2	3
		I have no problems walking	n (%)	2 (100)	2 (66.7)
		I have slight problems walking	n (%)		1 (33.3)
	Episode 5		N	1	
		I have no problems walking	n (%)	1 (100)	
	Episode 6		N	1	
		I have no problems walking	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; PPS = Per Protocol Set; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 1 of 5

**Table 14.2.2.7.1.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (PPS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Self-care	Episode 1		N	25	17
		I have no problems washing or dressing myself	n (%)	23 (100)	9 (90.0)
		I have slight problems washing or dressing myself	n (%)		1 (10.0)
	Episode 2	Missing	n (%)	2	7
			N	13	12
		I have no problems washing or dressing myself	n (%)	13 (100)	6 (100)
	Episode 3	Missing	n (%)		6
			N	4	6
	Episode 4	I have no problems washing or dressing myself	n (%)	4 (100)	6 (100)
			N	2	3
	Episode 5	I have no problems washing or dressing myself	n (%)	2 (100)	3 (100)
			N	1	
	Episode 6	I have no problems washing or dressing myself	n (%)	1 (100)	
			N	1	

% = Percentage of subjects out of corresponding N; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; PPS = Per Protocol Set; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 2 of 5

**Table 14.2.2.7.1.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (PPS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Usual activities	Episode 1		N	25	17
		I have no problems doing my usual activities	n (%)	21 (91.3)	8 (80.0)
		I have slight problems doing my usual activities	n (%)	2 (8.7)	2 (20.0)
	Episode 2	Missing	n (%)	2	7
			N	13	12
		I have no problems doing my usual activities	n (%)	13 (100)	4 (66.7)
	Episode 3	I have slight problems doing my usual activities	n (%)		2 (33.3)
		Missing	n (%)		6
			N	4	6
	Episode 4	I have no problems doing my usual activities	n (%)	3 (75.0)	2 (33.3)
		I have slight problems doing my usual activities	n (%)	1 (25.0)	3 (50.0)
		I have moderate problems doing my usual activities	n (%)		1 (16.7)
	Episode 5		N	2	3
		I have no problems doing my usual activities	n (%)	2 (100)	2 (66.7)
		I have slight problems doing my usual activities	n (%)		1 (33.3)
	Episode 6		N	1	
		I have no problems doing my usual activities	n (%)	1 (100)	
			N	1	
		I have no problems doing my usual activities	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; PPS = Per Protocol Set; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 3 of 5

**Table 14.2.2.7.1.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (PPS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Pain/discomfort	Episode 1		N	25	17
		I have no pain or discomfort	n (%)	12 (52.2)	6 (60.0)
		I have slight pain or discomfort	n (%)	9 (39.1)	2 (20.0)
		I have moderate pain or discomfort	n (%)	2 (8.7)	2 (20.0)
		Missing	n (%)	2	7
	Episode 2		N	13	12
		I have no pain or discomfort	n (%)	7 (53.8)	3 (60.0)
		I have slight pain or discomfort	n (%)	5 (38.5)	2 (40.0)
		I have moderate pain or discomfort	n (%)	1 (7.7)	
		Missing	n (%)		7
	Episode 3		N	4	6
		I have no pain or discomfort	n (%)	1 (25.0)	3 (50.0)
		I have slight pain or discomfort	n (%)	2 (50.0)	2 (33.3)
		I have moderate pain or discomfort	n (%)	1 (25.0)	1 (16.7)
	Episode 4		N	2	3
		I have no pain or discomfort	n (%)	1 (50.0)	1 (33.3)
		I have slight pain or discomfort	n (%)	1 (50.0)	1 (33.3)
		I have moderate pain or discomfort	n (%)		1 (33.3)
	Episode 5		N	1	
		I have slight pain or discomfort	n (%)	1 (100)	
	Episode 6		N	1	
		I have slight pain or discomfort	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; PPS = Per Protocol Set; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 4 of 5

**Table 14.2.2.7.1.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (PPS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Anxiety/depression	Episode 1		N	25	17
		I am not anxious or depressed	n (%)	20 (87.0)	7 (70.0)
		I am slightly anxious or depressed	n (%)	2 (8.7)	1 (10.0)
		I am moderately anxious or depressed	n (%)		2 (20.0)
		I am severely anxious or depressed	n (%)	1 (4.3)	
		Missing	n (%)	2	7
	Episode 2		N	13	12
		I am not anxious or depressed	n (%)	11 (84.6)	3 (50.0)
		I am slightly anxious or depressed	n (%)	2 (15.4)	1 (16.7)
		I am moderately anxious or depressed	n (%)		1 (16.7)
		I am severely anxious or depressed	n (%)		1 (16.7)
		Missing	n (%)		6
	Episode 3		N	4	6
		I am not anxious or depressed	n (%)	3 (75.0)	3 (50.0)
		I am slightly anxious or depressed	n (%)	1 (25.0)	1 (16.7)
		I am moderately anxious or depressed	n (%)		2 (33.3)
	Episode 4		N	2	3
		I am not anxious or depressed	n (%)	2 (100)	2 (66.7)
		I am moderately anxious or depressed	n (%)		1 (33.3)
	Episode 5		N	1	
		I am not anxious or depressed	n (%)	1 (100)	
	Episode 6		N	1	
		I am not anxious or depressed	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; PPS = Per Protocol Set; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 5 of 5

**Table 14.2.2.7.2.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (FAS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Mobility	Episode 1		N	45	33
		I have no problems walking	n (%)	39 (92.9)	20 (87.0)
		I have slight problems walking	n (%)	3 (7.1)	3 (13.0)
		Missing	n (%)	3	10
	Episode 2		N	20	18
		I have no problems walking	n (%)	17 (85.0)	7 (87.5)
		I have slight problems walking	n (%)	3 (15.0)	1 (12.5)
		Missing	n (%)		10
	Episode 3		N	7	11
		I have no problems walking	n (%)	7 (100)	7 (77.8)
		I have slight problems walking	n (%)		2 (22.2)
		Missing	n (%)		2
	Episode 4		N	4	7
		I have no problems walking	n (%)	4 (100)	4 (80.0)
		I have slight problems walking	n (%)		1 (20.0)
		Missing	n (%)		2
	Episode 5		N	1	
		I have no problems walking	n (%)	1 (100)	
	Episode 6		N	1	
		I have no problems walking	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; FAS = Full Analysis Set; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 1 of 5

**Table 14.2.2.7.2.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (FAS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Self-care	Episode 1		N	45	33
		I have no problems washing or dressing myself	n (%)	42 (100)	20 (87.0)
		I have slight problems washing or dressing myself	n (%)		3 (13.0)
	Episode 2	Missing	n (%)	3	10
			N	20	18
		I have no problems washing or dressing myself	n (%)	20 (100)	8 (100)
		Missing	n (%)		10
	Episode 3		N	7	11
		I have no problems washing or dressing myself	n (%)	7 (100)	8 (88.9)
		I have slight problems washing or dressing myself	n (%)		1 (11.1)
	Episode 4	Missing	n (%)		2
			N	4	7
		I have no problems washing or dressing myself	n (%)	4 (100)	5 (100)
	Episode 5	Missing	n (%)		2
			N	1	
	Episode 6	I have no problems washing or dressing myself	n (%)	1 (100)	
			N	1	
		I have no problems washing or dressing myself	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; FAS = Full Analysis Set; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 2 of 5

**Table 14.2.2.7.2.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (FAS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Usual activities	Episode 1		N	45	33
		I have no problems doing my usual activities	n (%)	38 (90.5)	18 (78.3)
		I have slight problems doing my usual activities	n (%)	3 (7.1)	5 (21.7)
		I have moderate problems doing my usual activities	n (%)	1 (2.4)	
		Missing	n (%)	3	10
	Episode 2		N	20	18
		I have no problems doing my usual activities	n (%)	17 (85.0)	6 (75.0)
		I have slight problems doing my usual activities	n (%)	2 (10.0)	2 (25.0)
		I have moderate problems doing my usual activities	n (%)	1 (5.0)	
		Missing	n (%)		10
	Episode 3		N	7	11
		I have no problems doing my usual activities	n (%)	5 (71.4)	4 (44.4)
		I have slight problems doing my usual activities	n (%)	2 (28.6)	4 (44.4)
		I have moderate problems doing my usual activities	n (%)		1 (11.1)
		Missing	n (%)		2
	Episode 4		N	4	7
		I have no problems doing my usual activities	n (%)	3 (75.0)	3 (60.0)
		I have slight problems doing my usual activities	n (%)		2 (40.0)
		I have moderate problems doing my usual activities	n (%)	1 (25.0)	
		Missing	n (%)		2
	Episode 5		N	1	
		I have no problems doing my usual activities	n (%)	1 (100)	
	Episode 6		N	1	
		I have no problems doing my usual activities	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; FAS = Full Analysis Set; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 3 of 5



**Table 14.2.2.7.2.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (FAS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Pain/discomfort	Episode 1		N	45	33
		I have no pain or discomfort	n (%)	18 (42.9)	12 (52.2)
		I have slight pain or discomfort	n (%)	17 (40.5)	7 (30.4)
		I have moderate pain or discomfort	n (%)	7 (16.7)	4 (17.4)
		Missing	n (%)	3	10
	Episode 2		N	20	18
		I have no pain or discomfort	n (%)	8 (40.0)	4 (57.1)
		I have slight pain or discomfort	n (%)	8 (40.0)	3 (42.9)
		I have moderate pain or discomfort	n (%)	3 (15.0)	
		I have severe pain or discomfort	n (%)	1 (5.0)	
	Episode 3		N	7	11
		I have no pain or discomfort	n (%)	1 (14.3)	5 (55.6)
		I have slight pain or discomfort	n (%)	4 (57.1)	2 (22.2)
		I have moderate pain or discomfort	n (%)	2 (28.6)	2 (22.2)
		Missing	n (%)		2
	Episode 4		N	4	7
		I have no pain or discomfort	n (%)	1 (25.0)	1 (20.0)
		I have slight pain or discomfort	n (%)	1 (25.0)	3 (60.0)
		I have moderate pain or discomfort	n (%)	1 (25.0)	1 (20.0)
		I have severe pain or discomfort	n (%)	1 (25.0)	
	Episode 5		N	1	
		I have slight pain or discomfort	n (%)	1 (100)	
	Episode 6		N	1	
		I have slight pain or discomfort	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; FAS = Full Analysis Set; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 4 of 5

**Table 14.2.2.7.2.4 Summary of EQ-5D dimensions by order of vulvovaginitis episode and treatment (FAS)**

EQ-5D Dimension	VV episode order	Option	Statistics	IMUNOR	PLACEBO
Anxiety/depression	Episode 1		N	45	33
		I am not anxious or depressed	n (%)	34 (81.0)	14 (60.9)
		I am slightly anxious or depressed	n (%)	7 (16.7)	6 (26.1)
		I am moderately anxious or depressed	n (%)		3 (13.0)
		I am severely anxious or depressed	n (%)	1 (2.4)	
		Missing	n (%)	3	10
	Episode 2		N	20	18
		I am not anxious or depressed	n (%)	15 (75.0)	4 (50.0)
		I am slightly anxious or depressed	n (%)	4 (20.0)	2 (25.0)
		I am moderately anxious or depressed	n (%)		1 (12.5)
		I am severely anxious or depressed	n (%)	1 (5.0)	1 (12.5)
		Missing	n (%)		10
	Episode 3		N	7	11
		I am not anxious or depressed	n (%)	4 (57.1)	5 (55.6)
		I am slightly anxious or depressed	n (%)	3 (42.9)	2 (22.2)
		I am moderately anxious or depressed	n (%)		2 (22.2)
		Missing	n (%)		2
	Episode 4		N	4	7
		I am not anxious or depressed	n (%)	3 (75.0)	3 (60.0)
		I am slightly anxious or depressed	n (%)	1 (25.0)	1 (20.0)
		I am moderately anxious or depressed	n (%)		1 (20.0)
		Missing	n (%)		2
	Episode 5		N	1	
		I am not anxious or depressed	n (%)	1 (100)	
	Episode 6		N	1	
		I am not anxious or depressed	n (%)	1 (100)	

% = Percentage of subjects out of corresponding N; FAS = Full Analysis Set; N = Total number of patients with specified VV episode; n = Number of subjects within specified category; VV = Vulvovaginitis.

Produced on 07-NOV-2024

Page 5 of 5