

Treatment	Visit	Number of simultaneous symptoms	Number of patients with simultaneous symptoms	%
Gerdoff®+ omeprazole	Visit 1 Baseline/Screening (T0)	1	2	5.7
		2	5	14.3
		3	9	25.7
		4	11	31.4
		5	5	14.3
		6	2	5.7
		7	1	2.9
	Visit 2 (T1): after 1 weeks from baseline ± 1 day	1	4	13.3
		2	6	20.0
		3	12	40.0
		4	4	13.3
		5	4	13.3
	Visit 3 (T3): after 3 weeks from baseline ± 2 days	Missing	2	
		1	3	11.5
		2	8	30.8
		3	6	23.1
		4	9	34.6
	Visit 4 (T6): after 6 weeks from baseline ± 2 days	Missing	1	
		1	7	23.3
		2	6	20.0
		3	13	43.3
		4	4	13.3
	Visit 5 (Follow-up T12): after 12 weeks from baseline ± 3 days	Missing	3	
		1	3	21.4
		2	5	35.7
		3	2	14.3
		4	4	28.6
	Visit 6 (Follow-up T18): after 18 weeks from baseline ± 3 days	Missing	5	
		1	1	8.3
		2	3	25.0
		3	5	41.7
		4	2	16.7
		5	1	8.3

Treatment	Visit	Number of simultaneous symptoms	Number of patients with simultaneous symptoms	%
	Visit 1 Baseline/Screening (T0)	1	3	8.3
		2	1	2.8
		3	6	16.7
		4	17	47.2
		5	5	13.9
		6	3	8.3
		7	1	2.8
	Visit 2 (T1): after 1 weeks	1	2	5.7

Omeprazole	from baseline \pm 1 day	2	5	14.3
		3	10	28.6
		4	12	34.3
		5	5	14.3
		6	1	2.9
		1	4	11.4
	Visit 3 (T3): after 3 weeks from baseline \pm 2 days	2	5	14.3
		3	15	42.9
		4	7	20.0
		5	3	8.6
		6	1	2.9
		Missing	4	
	Visit 4 (T6): after 6 weeks from baseline \pm 2 days	1	2	6.3
		2	9	28.1
		3	11	34.4
		4	7	21.9
		5	2	6.3
		6	1	3.1