

Demographic and baseline values of individual patients at the screening visit

Patient ID	SCR	Group	Age (y)	DD (y)	Sex	Education (y)	CCI	H&Y	MoCA	MDS-UPDRS				Total Score	Motor Sum	PDQ-39 SI
										Part I	Part II	Part III	Part IV			
002		1.00	74.33	11.83	0	18.0	0	2	29	15.00	18.00	37.00	5.00	75.00	55.00	21.04
003		.00	73.25	13.00	0	21.0	0	2	29	14.00	10.00	27.00	2.00	53.00	37.00	16.88
004		1.00	58.33	13.00	1	14.0	0	2	30	6.00	8.00	21.00	5.00	40.00	29.00	27.08
005		.00	66.42	5.00	0	11.0	0	2	26	10.00	5.00	19.00	.00	34.00	24.00	16.41
006		.00	70.92	6.00	0	16.0	2	2	30	18.00	21.00	23.00	.00	62.00	44.00	29.74
007		NA	56.17	7.00	1	11.0	1	2	31	10.00	7.00	12.00	6.00	35.00	19.00	16.67
008		1.00	50.17	2.08	1	14.0	1	1	28	17.00	.00	1.00	.00	18.00	1.00	11.46
009		.00	63.17	16.08	1	11.0	0	2	29	26.00	13.00	12.00	1.00	52.00	25.00	49.64
010		1.00	65.92	4.08	0	16.0	1	2	28	9.00	10.00	29.00	.00	48.00	39.00	22.60
011		NA	74.17	10.00	0	12.0	0	2	27	10.00	3.00	18.00	.00	31.00	21.00	16.67
012		.00	56.67	3.17	1	11.0	2	2	31	8.00	6.00	19.00	.00	33.00	25.00	21.25
013		1.00	68.25	20.25	1	11.0	1	3	28	19.00	16.00	32.00	2.00	69.00	48.00	32.50
014		NA	59.08	1.00	0	15.0	0	2	28	13.00	7.00	24.00	.00	44.00	31.00	.00
015		1.00	65.17	2.33	1	12.0	0	2	28	18.00	6.00	25.00	.00	49.00	31.00	25.89
016		.00	65.92	8.33	0	9.0	0	3	27	8.00	17.00	36.00	3.00	64.00	53.00	18.23

017	.00	71.67	17.42	0	10.0	0	2	28	15.00	12.00	34.00	4.00	65.00	46.00	60.00
018	.00	70.67	8.50	0	19.0	0	2	26	22.00	18.00	33.00	5.00	78.00	51.00	54.74
019	1.00	71.00	8.58	0	14.0	0	2	29	12.00	9.00	31.00	.00	52.00	40.00	13.65
020	.00	59.92	4.58	0	15.0	0	2	28	5.00	7.00	11.00	.00	23.00	18.00	5.21
021	1.00	78.33	13.58	1	13.0	0	2	26	19.00	22.00	52.00	6.00	99.00	74.00	33.02
022	1.00	64.00	4.67	1	12.5	0	2	28	16.00	12.00	22.00	.00	50.00	34.00	41.98
023	NA	50.17	8.00	1	12.0	1	2	30	17.00	4.00	18.00	.00	39.00	22.00	58.33
024	NA	67.58	6.00	1	12.0	0	2	29	7.00	8.00	44.00	.00	59.00	52.00	33.33
025	NA	72.00	10.00	0	12.0	0	2	27	10.00	13.00	29.00	.00	52.00	42.00	8.33
026	.00	57.08	5.75	0	15.0	2	2	26	12.00	11.00	19.00	.00	42.00	30.00	21.93
027	1.00	67.25	.75	0	11.5	0	1	30	13.00	4.00	14.00	.00	31.00	18.00	9.79
028	.00	71.17	8.75	0	16.0	0	2	29	8.00	8.00	35.00	5.00	56.00	43.00	6.41
029	.00	68.25	3.83	0	11.0	0	2	27	12.00	9.00	47.00	.00	68.00	56.00	18.80
030	1.00	78.25	3.83	0	11.0	3	2	27	15.00	15.00	25.00	3.00	58.00	40.00	25.47
031	1.00	58.33	1.92	0	9.0	0	2	26	9.00	2.00	9.00	.00	20.00	11.00	6.77
032	.00	59.25	6.00	0	13.0	0	2	29	10.00	12.00	37.00	.00	59.00	49.00	45.16
033	NA	75.33	9.00	0	14.0	2	2	29	7.00	6.00	33.00	.00	46.00	39.00	16.67
034	1.00	53.75	7.00	0	8.5	0	2	30	9.00	14.00	23.00	3.00	49.00	37.00	20.94
035	NA	74.50	20.00	1	11.0	1	2	27	9.00	10.00	33.00	3.00	55.00	43.00	50.00
036	.00	48.00	4.08	0	13.5	1	2	28	13.00	8.00	26.00	3.00	50.00	34.00	16.77

037	NA	71.25	9.00	1	12.0	0	1	20	8.00	8.00	20.00	2.00	96.00	28.00	.00
038	.00	69.33	18.08	0	12.0	0	2	26	5.00	9.00	30.00	.00	44.00	39.00	29.22
039	1.00	66.83	10.08	1	11.0	0	2	27	19.00	22.00	43.00	5.00	89.00	65.00	44.43
040	1.00	70.83	14.08	1	10.5	0	2	28	15.00	8.00	43.00	5.00	71.00	51.00	12.29
041	1.00	56.08	2.08	0	19.0	0	1	27	12.00	6.00	14.00	2.00	34.00	20.00	26.20
042	.00	76.75	3.08	1	10.5	2	2	29	10.00	12.00	41.00	.00	63.00	53.00	13.85
043	.00	55.42	1.17	1	11.0	0	1	27	5.00	4.00	26.00	.00	35.00	30.00	2.92
044	1.00	69.83	14.17	0	12.0	0	1	30	6.00	6.00	10.00	.00	22.00	16.00	3.49
045	1.00	68.17	7.25	1	12.0	0	2	28	10.00	7.00	23.00	.00	40.00	30.00	7.08
046	.00	60.33	2.25	1	12.5	0	2	27	20.00	11.00	37.00	.00	68.00	48.00	26.30
047	.00	50.83	5.25	0	11.0	0	1	29	12.00	6.00	18.00	4.00	40.00	24.00	25.00
048	1.00	57.33	7.25	0	15.5	0	2	27	18.00	12.00	40.00	5.00	75.00	52.00	15.31

Individual patient data at the screening visit. Groups: 0, placebo; 1, nabilone;; NA, non-responder and drop-outs.

Abbreviations: SCR, Screening, DD, disease duration; y, years; CCI, Charlson Comorbidity Index, H&Y, Hoehn and Yahr; MDS-UPDRS, Movement Disorders Society- Unified Parkinson's Disease Rating Scale; MoCA, Montreal Cognitive Assessment; PDQ-39, Parkinson's Disease Questionnaire-39; SI, Summary Index. Higher Score values indicate worse outcome in all scales and questionnaires but in the MoCA.