

**Clinical trial results:**

A 24-week, randomized, double-blind, placebo-controlled, multicenter study to evaluate the efficacy and safety of secukinumab in controlling spinal pain in patients with axial spondyloarthritis

Summary

EudraCT number	2017-000401-21
Trial protocol	ES CZ FI GB LV LT GR BE SE BG PL HR IT
Global end of trial date	15 February 2019

Results information

Result version number	v2 (current)
This version publication date	28 August 2021
First version publication date	21 February 2020
Version creation reason	<ul style="list-style-type: none">• New data added to full data set Updates to align with amended clinical study report

Trial information**Trial identification**

Sponsor protocol code	CAIN457H3301
-----------------------	--------------

Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT03136861
WHO universal trial number (UTN)	-

Notes:

Sponsors

Sponsor organisation name	Novartis Pharma AG
Sponsor organisation address	CH-4002, Basel, Switzerland,
Public contact	Clinical Disclosure Office, Novartis Pharma AG, 41 613241111, Novartis.email@novartis.com
Scientific contact	Clinical Disclosure Office, Novartis Pharma AG, 41 613241111, Novartis.email@novartis.com

Notes:

Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

Results analysis stage

Analysis stage	Final
Date of interim/final analysis	15 February 2019
Is this the analysis of the primary completion data?	Yes
Primary completion date	15 February 2019
Global end of trial reached?	Yes
Global end of trial date	15 February 2019
Was the trial ended prematurely?	No

Notes:

General information about the trial

Main objective of the trial:

The primary objective of this study was to assess the superiority of secukinumab 150 mg compared to placebo in achieving a spinal pain score of < 4 on a 0-10 numerical rating scale (NRS) at Week 8.

Protection of trial subjects:

The study was in compliance with the ethical principles derived from the Declaration of Helsinki and the International Conference on Harmonization (ICH) Good Clinical Practice (GCP) guidelines. All the local regulatory requirements pertinent to safety of trial subjects were also followed during the conduct of the trial.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	30 June 2017
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	No

Notes:

Population of trial subjects

Subjects enrolled per country

Country: Number of subjects enrolled	Belgium: 10
Country: Number of subjects enrolled	Bulgaria: 17
Country: Number of subjects enrolled	Croatia: 11
Country: Number of subjects enrolled	Czech Republic: 21
Country: Number of subjects enrolled	Estonia: 24
Country: Number of subjects enrolled	Finland: 8
Country: Number of subjects enrolled	United Kingdom: 11
Country: Number of subjects enrolled	Greece: 21
Country: Number of subjects enrolled	Ireland: 6
Country: Number of subjects enrolled	Italy: 1
Country: Number of subjects enrolled	Latvia: 16
Country: Number of subjects enrolled	Lithuania: 26
Country: Number of subjects enrolled	Poland: 116
Country: Number of subjects enrolled	Russian Federation: 38
Country: Number of subjects enrolled	Spain: 42
Country: Number of subjects enrolled	Sweden: 6
Country: Number of subjects enrolled	Switzerland: 6
Worldwide total number of subjects	380
EEA total number of subjects	336

Notes:

Subjects enrolled per age group	
In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	368
From 65 to 84 years	12
85 years and over	0

Subject disposition

Recruitment

Recruitment details:

This study was conducted at 66 centers in 17 countries worldwide: Spain(14), Czech Republic(3), Finland(2), Lithuania(2), Estonia(3), Latvia(3), Switzerland(1), Russia(4), Sweden(4), United Kingdom(5), Belgium(2), Ireland(2), Poland(7), Croatia(3), Bulgaria(5), Greece(5), Italy(1).

Pre-assignment

Screening details:

At Baseline, patients were randomized to either secukinumab 150 mg or placebo (Group A or B). At Week 8, patients were re-randomized or re-assigned respectively to 1 of 5 treatment arms to receive either secukinumab 150 mg or secukinumab 300 mg (Arm A1 to B2).

Period 1

Period 1 title	Treatment Period 1 (TP1)(Baseline-Wk 8)
Is this the baseline period?	Yes
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Carer, Assessor

Arms

Are arms mutually exclusive?	Yes
Arm title	Secukinumab 150 mg (Group A)

Arm description:

Treatment Period 1: Secukinumab 150 mg (1 x 1.0 mL) s.c. administered at Baseline, Week 1, 2, 3 and 4

Arm type	Experimental
Investigational medicinal product name	AIN457
Investigational medicinal product code	
Other name	Secukinumab
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use

Dosage and administration details:

Secukinumab sc injections weekly up to week 4.

Arm title	Placebo (Group B)
------------------	-------------------

Arm description:

Treatment Period 1: Placebo (1 x 1.0 mL) s.c. administered at Baseline and Week 1, 2, 3 and 4

Arm type	Placebo
Investigational medicinal product name	Placebo
Investigational medicinal product code	
Other name	Placebo
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use

Dosage and administration details:

Placebo sc injections weekly up to week 4.

Number of subjects in period 1	Secukinumab 150 mg (Group A)	Placebo (Group B)
Started	285	95
Completed	278	89
Not completed	7	6
Adverse event, non-fatal	3	2
Protocol Deviation	2	1
Subject/Guardian Decision	-	1
Lost to follow-up	1	1
Withdrawal of Informed Consent	1	1

Period 2

Period 2 title	Treatment Period 2 (TP2) (Wk 8-Wk 24)
Is this the baseline period?	No
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Carer, Assessor

Arms

Are arms mutually exclusive?	Yes
Arm title	Arm A1

Arm description:

Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20

Arm type	Active comparator
Investigational medicinal product name	AIN457
Investigational medicinal product code	
Other name	Secukinumab
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use

Dosage and administration details:

Secukinumab sc injections every 4 weeks between week 8 and week 20.

Investigational medicinal product name	Placebo
Investigational medicinal product code	
Other name	Placebo
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use

Dosage and administration details:

Placebo sc injections every 4 weeks between week 8 and week 20.

Arm title	Arm A2
------------------	--------

Arm description:

Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20

Arm type	Active comparator
----------	-------------------

Investigational medicinal product name	AIN457
Investigational medicinal product code	
Other name	Secukinumab
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use
Dosage and administration details:	
Secukinumab sc injections every 4 weeks between week 8 and week 20.	
Investigational medicinal product name	Placebo
Investigational medicinal product code	
Other name	Placebo
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use
Dosage and administration details:	
Placebo sc injections every 4 weeks between week 8 and week 20.	
Arm title	Arm A3
Arm description:	
Treatment Period 2: Secukinumab 300 mg (2 x 1.0 mL) administered at Week 8, 12, 16, and 20	
Arm type	Active comparator
Investigational medicinal product name	AIN457
Investigational medicinal product code	
Other name	Secukinumab
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use
Dosage and administration details:	
2 secukinumab sc injections every 4 weeks between week 8 and week 20.	
Arm title	Arm B1
Arm description:	
Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20	
Arm type	Active comparator
Investigational medicinal product name	AIN457
Investigational medicinal product code	
Other name	Secukinumab
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use
Dosage and administration details:	
Secukinumab sc injections every 4 weeks between week 8 and week 20.	
Investigational medicinal product name	Placebo
Investigational medicinal product code	
Other name	Placebo
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use
Dosage and administration details:	
Placebo sc injections every 4 weeks between week 8 and week 20.	
Arm title	Arm B2
Arm description:	
Treatment Period 2: Secukinumab 300 mg (2 x 1.0 mL) administered at Week 8, 12, 16, and 20	
Arm type	Active comparator

Investigational medicinal product name	AIN457
Investigational medicinal product code	
Other name	Secukinumab
Pharmaceutical forms	Solution for injection in pre-filled syringe
Routes of administration	Subcutaneous use

Dosage and administration details:

2 secukinumab sc injections every 4 weeks between week 8 and week 20.

Number of subjects in period 2	Arm A1	Arm A2	Arm A3
Started	90	94	94
Completed	88	93	92
Not completed	2	1	2
Adverse event, non-fatal	-	1	2
Lost to follow-up	1	-	-
Withdrawal of Informed Consent	1	-	-

Number of subjects in period 2	Arm B1	Arm B2
Started	45	44
Completed	45	43
Not completed	0	1
Adverse event, non-fatal	-	1
Lost to follow-up	-	-
Withdrawal of Informed Consent	-	-

Baseline characteristics

Reporting groups

Reporting group title	Secukinumab 150 mg (Group A)
Reporting group description:	
Treatment Period 1: Secukinumab 150 mg (1 x 1.0 mL) s.c. administered at Baseline, Week 1, 2, 3 and 4	
Reporting group title	Placebo (Group B)
Reporting group description:	
Treatment Period 1: Placebo (1 x 1.0 mL) s.c. administered at Baseline and Week 1, 2, 3 and 4	

Reporting group values	Secukinumab 150 mg (Group A)	Placebo (Group B)	Total
Number of subjects	285	95	380
Age categorical			
Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	274	94	368
From 65-84 years	11	1	12
85 years and over	0	0	0
Age Continuous			
Age continuous at Baseline Treatment Period 1			
Units: Years			
arithmetic mean	42.3	40.9	
standard deviation	± 11.88	± 12.20	-
Sex: Female, Male			
Gender at Baseline Treatment Period 1			
Units: Participants			
Female	106	39	145
Male	179	56	235
Race/Ethnicity, Customized			
Race at Baseline Treatment Period 1			
Units: Subjects			
Caucasian	267	93	360
Asian	2	1	3
Other	16	1	17

End points

End points reporting groups

Reporting group title	Secukinumab 150 mg (Group A)
Reporting group description:	
Treatment Period 1: Secukinumab 150 mg (1 x 1.0 mL) s.c. administered at Baseline, Week 1, 2, 3 and 4	
Reporting group title	Placebo (Group B)
Reporting group description:	
Treatment Period 1: Placebo (1 x 1.0 mL) s.c. administered at Baseline and Week 1, 2, 3 and 4	
Reporting group title	Arm A1
Reporting group description:	
Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20	
Reporting group title	Arm A2
Reporting group description:	
Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20	
Reporting group title	Arm A3
Reporting group description:	
Treatment Period 2: Secukinumab 300 mg (2 x 1.0 mL) administered at Week 8, 12, 16, and 20	
Reporting group title	Arm B1
Reporting group description:	
Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20	
Reporting group title	Arm B2
Reporting group description:	
Treatment Period 2: Secukinumab 300 mg (2 x 1.0 mL) administered at Week 8, 12, 16, and 20	

Primary: Percentage of participants with a spinal pain numerical rating scale (NRS) score below 4 at Week 8

End point title	Percentage of participants with a spinal pain numerical rating scale (NRS) score below 4 at Week 8
End point description:	
The spinal pain numerical rating scale (NRS) is an 11-point scale to assess pain intensity in patients who are able to self-report. To calculate the average spinal pain, the patient is asked to answer 2 questions to get 2 pain ratings, the total spinal pain corresponding to the intensity of spinal pain experienced on an average over 24 hours during the previous week and the nocturnal back pain corresponding to the intensity of spinal pain experienced on an average over the night during the previous week.	
End point type	Primary
End point timeframe:	
Week 8	

End point values	Secukinumab 150 mg (Group A)	Placebo (Group B)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	279	92		
Units: Participants				
Average Spinal Pain Score Yes	91	19		
Total Spinal Pain Score Yes	77	17		
Nocturnal Spinal Pain Score Yes	92	16		
Average Spinal Pain Score No	188	73		
Total Spinal Pain Score No	202	75		
Nocturnal Spinal Pain Score No	187	76		

Statistical analyses

Statistical analysis title	Average Spinal Pain Score <4 at Week 8
Comparison groups	Placebo (Group B) v Secukinumab 150 mg (Group A)
Number of subjects included in analysis	371
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.0264
Method	Regression, Logistic
Parameter estimate	Odds ratio (OR)
Point estimate	1.89
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.08
upper limit	3.33

Statistical analysis title	Total Spinal Pain Score <4 at Week 8
Comparison groups	Secukinumab 150 mg (Group A) v Placebo (Group B)
Number of subjects included in analysis	371
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.072
Method	Regression, Logistic
Parameter estimate	Odds ratio (OR)
Point estimate	1.72
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.95
upper limit	3.1

Statistical analysis title	Nocturnal Spinal Pain Score
Comparison groups	Secukinumab 150 mg (Group A) v Placebo (Group B)
Number of subjects included in analysis	371
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.0043
Method	Regression, Logistic
Parameter estimate	Odds ratio (OR)
Point estimate	2.38
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.31
upper limit	4.31

Secondary: Percentage of participants with a Bath ankylosing spondylitis disease activity index score below 4 at Week 8

End point title	Percentage of participants with a Bath ankylosing spondylitis disease activity index score below 4 at Week 8
End point description: The Bath ankylosing spondylitis disease activity index (BASDAI) consists of a 0 through 10 scale, which is used to answer 6 questions pertaining to the 5 major symptoms of ankylosing spondylitis. To give each symptom equal weighting, the mean (average) of the 2 scores relating to morning stiffness (questions 5 and 6) is taken. The mean of questions 5 and 6 is added to the scores from questions 1-4. The resulting 0 to 50 score is divided by 5 to give a final 0 – 10 BASDAI score.	
End point type	Secondary
End point timeframe: Week 8	

End point values	Secukinumab 150 mg (Group A)	Placebo (Group B)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	280	92		
Units: Participants				
Yes (n=95,22)	95	22		
No (n=185,70)	185	70		

Statistical analyses

Statistical analysis title	BASDAI Score <4 at Week 8
Comparison groups	Secukinumab 150 mg (Group A) v Placebo (Group B)

Number of subjects included in analysis	372
Analysis specification	Pre-specified
Analysis type	
P-value	= 0.0466
Method	Regression, Logistic
Parameter estimate	Odds ratio (OR)
Point estimate	1.75
Confidence interval	
level	95 %
sides	2-sided
lower limit	1.01
upper limit	3.04

Adverse events

Adverse events information

Timeframe for reporting adverse events:

Treatment emergent adverse events were collected from first dose of study treatment until end of study treatment plus 12 weeks, up to a maximum duration of 32 weeks.

Adverse event reporting additional description:

Consistent with EudraCT disclosure specifications, Novartis has reported under the Serious adverse events field "number of deaths resulting from adverse events" all those deaths, resulting from serious adverse events that are deemed to be causally related to treatment by the investigator.

Assessment type	Systematic
-----------------	------------

Dictionary used

Dictionary name	MedDRA
-----------------	--------

Dictionary version	21.0
--------------------	------

Reporting groups

Reporting group title	Secukinumab 150 mg
-----------------------	--------------------

Reporting group description:

Treatment Period 1: Secukinumab 150 mg (1 x 1.0 mL) s.c. administered at Baseline, Week 1, 2, 3 and 4

Reporting group title	Placebo
-----------------------	---------

Reporting group description:

Treatment Period 1: Placebo (1 x 1.0 mL) s.c. administered at Baseline and Week 1, 2, 3 and 4

Reporting group title	Arm A1
-----------------------	--------

Reporting group description:

Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20

Reporting group title	Arm A2
-----------------------	--------

Reporting group description:

Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20

Reporting group title	Arm A3
-----------------------	--------

Reporting group description:

Treatment Period 2: Secukinumab 300 mg (2 x 1.0 mL) administered at Week 8, 12, 16, and 20

Reporting group title	Arm B1
-----------------------	--------

Reporting group description:

Treatment Period 2: Secukinumab 150 mg (1 x 1.0 mL) plus placebo (1 x 1.0 mL) administered at Week 8, 12, 16 and 20

Reporting group title	Arm B2
-----------------------	--------

Reporting group description:

Treatment Period 2: Secukinumab 300 mg (2 x 1.0 mL) administered at Week 8, 12, 16, and 20

Serious adverse events	Secukinumab 150 mg	Placebo	Arm A1
Total subjects affected by serious adverse events			
subjects affected / exposed	4 / 285 (1.40%)	0 / 95 (0.00%)	3 / 90 (3.33%)
number of deaths (all causes)	0	0	0
number of deaths resulting from adverse events	0	0	0
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			

Malignant melanoma			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications			
Facial bones fracture			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cardiac disorders			
Acute myocardial infarction			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Myocardial infarction			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nervous system disorders			
Hemiparesis			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Colitis ulcerative			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	1 / 90 (1.11%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	1 / 90 (1.11%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal and urinary disorders			
Renal impairment			

subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	1 / 90 (1.11%)
occurrences causally related to treatment / all	0 / 0	0 / 0	1 / 1
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal mass			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Infections and infestations			
Anal abscess			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0

Serious adverse events	Arm A2	Arm A3	Arm B1
Total subjects affected by serious adverse events			
subjects affected / exposed	1 / 94 (1.06%)	1 / 94 (1.06%)	0 / 45 (0.00%)
number of deaths (all causes)	0	0	0
number of deaths resulting from adverse events	0	0	0
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Malignant melanoma			
subjects affected / exposed	0 / 94 (0.00%)	1 / 94 (1.06%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Injury, poisoning and procedural complications			
Facial bones fracture			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Cardiac disorders			
Acute myocardial infarction			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Myocardial infarction			

subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Nervous system disorders			
Hemiparesis			
subjects affected / exposed	1 / 94 (1.06%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Gastrointestinal disorders			
Colitis ulcerative			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Pancreatitis			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal and urinary disorders			
Renal impairment			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Renal mass			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Infections and infestations			
Anal abscess			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences causally related to treatment / all	0 / 0	0 / 0	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0	0 / 0
Serious adverse events			
Arm B2			
Total subjects affected by serious adverse events			
subjects affected / exposed	0 / 44 (0.00%)		

number of deaths (all causes)	0		
number of deaths resulting from adverse events	0		
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Malignant melanoma			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Injury, poisoning and procedural complications			
Facial bones fracture			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Cardiac disorders			
Acute myocardial infarction			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Myocardial infarction			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Nervous system disorders			
Hemiparesis			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Gastrointestinal disorders			
Colitis ulcerative			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Pancreatitis			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		

Renal and urinary disorders			
Renal impairment			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Renal mass			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		
Infections and infestations			
Anal abscess			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences causally related to treatment / all	0 / 0		
deaths causally related to treatment / all	0 / 0		

Frequency threshold for reporting non-serious adverse events: 2 %

Non-serious adverse events	Secukinumab 150 mg	Placebo	Arm A1
Total subjects affected by non-serious adverse events			
subjects affected / exposed	59 / 285 (20.70%)	23 / 95 (24.21%)	21 / 90 (23.33%)
Vascular disorders			
Hypertension			
subjects affected / exposed	3 / 285 (1.05%)	1 / 95 (1.05%)	0 / 90 (0.00%)
occurrences (all)	3	1	0
General disorders and administration site conditions			
Fatigue			
subjects affected / exposed	6 / 285 (2.11%)	0 / 95 (0.00%)	1 / 90 (1.11%)
occurrences (all)	6	0	1
Injection site pain			
subjects affected / exposed	2 / 285 (0.70%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	2	0	0
Reproductive system and breast disorders			
Vulvovaginal pruritus			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0

Respiratory, thoracic and mediastinal disorders			
Bronchospasm			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0
Cough			
subjects affected / exposed	2 / 285 (0.70%)	0 / 95 (0.00%)	3 / 90 (3.33%)
occurrences (all)	2	0	3
Oropharyngeal pain			
subjects affected / exposed	8 / 285 (2.81%)	1 / 95 (1.05%)	4 / 90 (4.44%)
occurrences (all)	9	1	4
Rhinorrhoea			
subjects affected / exposed	1 / 285 (0.35%)	1 / 95 (1.05%)	0 / 90 (0.00%)
occurrences (all)	1	1	0
Psychiatric disorders			
Insomnia			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0
Investigations			
Alanine aminotransferase increased			
subjects affected / exposed	1 / 285 (0.35%)	1 / 95 (1.05%)	0 / 90 (0.00%)
occurrences (all)	1	2	0
Blood creatinine increased			
subjects affected / exposed	4 / 285 (1.40%)	0 / 95 (0.00%)	3 / 90 (3.33%)
occurrences (all)	4	0	3
Injury, poisoning and procedural complications			
Arthropod bite			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0
Foot fracture			
subjects affected / exposed	0 / 285 (0.00%)	1 / 95 (1.05%)	0 / 90 (0.00%)
occurrences (all)	0	1	0
Limb injury			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	2 / 90 (2.22%)
occurrences (all)	1	0	2
Nervous system disorders			

Headache subjects affected / exposed occurrences (all)	10 / 285 (3.51%) 12	1 / 95 (1.05%) 1	2 / 90 (2.22%) 2
Blood and lymphatic system disorders Neutropenia subjects affected / exposed occurrences (all)	1 / 285 (0.35%) 1	1 / 95 (1.05%) 1	1 / 90 (1.11%) 1
Ear and labyrinth disorders Deafness subjects affected / exposed occurrences (all)	0 / 285 (0.00%) 0	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Eye disorders Blepharitis subjects affected / exposed occurrences (all)	0 / 285 (0.00%) 0	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Iritis subjects affected / exposed occurrences (all)	0 / 285 (0.00%) 0	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Vitreous haemorrhage subjects affected / exposed occurrences (all)	0 / 285 (0.00%) 0	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Gastrointestinal disorders Abdominal pain subjects affected / exposed occurrences (all)	3 / 285 (1.05%) 3	1 / 95 (1.05%) 1	0 / 90 (0.00%) 0
Diarrhoea subjects affected / exposed occurrences (all)	6 / 285 (2.11%) 9	1 / 95 (1.05%) 1	0 / 90 (0.00%) 0
Frequent bowel movements subjects affected / exposed occurrences (all)	0 / 285 (0.00%) 0	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Toothache subjects affected / exposed occurrences (all)	0 / 285 (0.00%) 0	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Hepatobiliary disorders Hypertransaminasaemia			

subjects affected / exposed occurrences (all)	1 / 285 (0.35%) 1	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Skin and subcutaneous tissue disorders Pruritus subjects affected / exposed occurrences (all)	2 / 285 (0.70%) 2	0 / 95 (0.00%) 0	0 / 90 (0.00%) 0
Renal and urinary disorders Haematuria subjects affected / exposed occurrences (all) Proteinuria subjects affected / exposed occurrences (all)	1 / 285 (0.35%) 1 3 / 285 (1.05%) 3	0 / 95 (0.00%) 0 1 / 95 (1.05%) 1	1 / 90 (1.11%) 1 0 / 90 (0.00%) 0
Musculoskeletal and connective tissue disorders Ankylosing spondylitis subjects affected / exposed occurrences (all) Arthralgia subjects affected / exposed occurrences (all) Back pain subjects affected / exposed occurrences (all) Bursitis subjects affected / exposed occurrences (all) Foot deformity subjects affected / exposed occurrences (all) Muscle contracture subjects affected / exposed occurrences (all) Osteoarthritis subjects affected / exposed occurrences (all) Pain in extremity	0 / 285 (0.00%) 0 4 / 285 (1.40%) 4 1 / 285 (0.35%) 1 1 / 285 (0.35%) 1 0 / 285 (0.00%) 0 0 / 285 (0.00%) 0 0 / 285 (0.00%) 0 0 / 285 (0.00%) 0	0 / 95 (0.00%) 0 2 / 95 (2.11%) 2 3 / 95 (3.16%) 5 0 / 95 (0.00%) 0 0 / 95 (0.00%) 0 0 / 95 (0.00%) 0 0 / 95 (0.00%) 0	0 / 90 (0.00%) 0 0 / 90 (0.00%) 0 0 / 90 (0.00%) 0 1 / 90 (1.11%) 1 0 / 90 (0.00%) 0 0 / 90 (0.00%) 0 0 / 90 (0.00%) 0

subjects affected / exposed occurrences (all)	6 / 285 (2.11%) 6	0 / 95 (0.00%) 0	1 / 90 (1.11%) 1
Infections and infestations			
Bronchitis			
subjects affected / exposed	0 / 285 (0.00%)	1 / 95 (1.05%)	1 / 90 (1.11%)
occurrences (all)	0	1	1
Conjunctivitis			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	2 / 90 (2.22%)
occurrences (all)	0	0	2
Herpes simplex			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	1	0	0
Nasopharyngitis			
subjects affected / exposed	6 / 285 (2.11%)	1 / 95 (1.05%)	1 / 90 (1.11%)
occurrences (all)	7	1	1
Otitis externa			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	1 / 90 (1.11%)
occurrences (all)	1	0	2
Pharyngitis			
subjects affected / exposed	3 / 285 (1.05%)	0 / 95 (0.00%)	2 / 90 (2.22%)
occurrences (all)	3	0	2
Rhinitis			
subjects affected / exposed	1 / 285 (0.35%)	0 / 95 (0.00%)	2 / 90 (2.22%)
occurrences (all)	1	0	2
Tooth infection			
subjects affected / exposed	0 / 285 (0.00%)	2 / 95 (2.11%)	0 / 90 (0.00%)
occurrences (all)	0	2	0
Upper respiratory tract infection			
subjects affected / exposed	4 / 285 (1.40%)	5 / 95 (5.26%)	1 / 90 (1.11%)
occurrences (all)	4	5	1
Viral pharyngitis			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0
Viral upper respiratory tract infection			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0

Metabolism and nutrition disorders			
Hypercholesterolaemia			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0
Lactose intolerance			
subjects affected / exposed	0 / 285 (0.00%)	0 / 95 (0.00%)	0 / 90 (0.00%)
occurrences (all)	0	0	0

Non-serious adverse events	Arm A2	Arm A3	Arm B1
Total subjects affected by non-serious adverse events			
subjects affected / exposed	24 / 94 (25.53%)	23 / 94 (24.47%)	9 / 45 (20.00%)
Vascular disorders			
Hypertension			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
General disorders and administration site conditions			
Fatigue			
subjects affected / exposed	1 / 94 (1.06%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	1	0	0
Injection site pain			
subjects affected / exposed	0 / 94 (0.00%)	3 / 94 (3.19%)	0 / 45 (0.00%)
occurrences (all)	0	4	0
Reproductive system and breast disorders			
Vulvovaginal pruritus			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Respiratory, thoracic and mediastinal disorders			
Bronchospasm			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Cough			
subjects affected / exposed	1 / 94 (1.06%)	1 / 94 (1.06%)	0 / 45 (0.00%)
occurrences (all)	1	1	0
Oropharyngeal pain			
subjects affected / exposed	2 / 94 (2.13%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	2	0	0
Rhinorrhoea			

subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	2 / 94 (2.13%) 2	0 / 45 (0.00%) 0
Psychiatric disorders Insomnia subjects affected / exposed occurrences (all)	2 / 94 (2.13%) 2	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0
Investigations Alanine aminotransferase increased subjects affected / exposed occurrences (all) Blood creatinine increased subjects affected / exposed occurrences (all)	1 / 94 (1.06%) 1 1 / 94 (1.06%) 1	2 / 94 (2.13%) 2 0 / 94 (0.00%) 0	1 / 45 (2.22%) 1 0 / 45 (0.00%) 0
Injury, poisoning and procedural complications Arthropod bite subjects affected / exposed occurrences (all) Foot fracture subjects affected / exposed occurrences (all) Limb injury subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0 0 / 94 (0.00%) 0 0 / 94 (0.00%) 0	0 / 94 (0.00%) 0 0 / 94 (0.00%) 0 0 / 94 (0.00%) 0	0 / 45 (0.00%) 0 1 / 45 (2.22%) 1 0 / 45 (0.00%) 0
Nervous system disorders Headache subjects affected / exposed occurrences (all)	2 / 94 (2.13%) 2	3 / 94 (3.19%) 3	0 / 45 (0.00%) 0
Blood and lymphatic system disorders Neutropenia subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0
Ear and labyrinth disorders Deafness subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	0 / 94 (0.00%) 0	1 / 45 (2.22%) 1
Eye disorders			

Blepharitis subjects affected / exposed occurrences (all)	2 / 94 (2.13%) 2	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0
Iritis subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	0 / 94 (0.00%) 0	1 / 45 (2.22%) 1
Vitreous haemorrhage subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0
Gastrointestinal disorders			
Abdominal pain subjects affected / exposed occurrences (all)	1 / 94 (1.06%) 1	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0
Diarrhoea subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	1 / 94 (1.06%) 1	0 / 45 (0.00%) 0
Frequent bowel movements subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0
Toothache subjects affected / exposed occurrences (all)	2 / 94 (2.13%) 2	1 / 94 (1.06%) 1	0 / 45 (0.00%) 0
Hepatobiliary disorders			
Hypertransaminasaemia subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	1 / 94 (1.06%) 1	1 / 45 (2.22%) 1
Skin and subcutaneous tissue disorders			
Pruritus subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	0 / 94 (0.00%) 0	1 / 45 (2.22%) 1
Renal and urinary disorders			
Haematuria subjects affected / exposed occurrences (all)	0 / 94 (0.00%) 0	3 / 94 (3.19%) 3	1 / 45 (2.22%) 1
Proteinuria subjects affected / exposed occurrences (all)	2 / 94 (2.13%) 3	0 / 94 (0.00%) 0	0 / 45 (0.00%) 0

Musculoskeletal and connective tissue disorders			
Ankylosing spondylitis			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	1 / 45 (2.22%)
occurrences (all)	0	0	1
Arthralgia			
subjects affected / exposed	3 / 94 (3.19%)	1 / 94 (1.06%)	0 / 45 (0.00%)
occurrences (all)	3	1	0
Back pain			
subjects affected / exposed	2 / 94 (2.13%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	2	0	0
Bursitis			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Foot deformity			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Muscle contracture			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Osteoarthritis			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Pain in extremity			
subjects affected / exposed	1 / 94 (1.06%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	2	0	0
Infections and infestations			
Bronchitis			
subjects affected / exposed	1 / 94 (1.06%)	0 / 94 (0.00%)	1 / 45 (2.22%)
occurrences (all)	1	0	1
Conjunctivitis			
subjects affected / exposed	2 / 94 (2.13%)	1 / 94 (1.06%)	0 / 45 (0.00%)
occurrences (all)	2	1	0
Herpes simplex			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Nasopharyngitis			

subjects affected / exposed	3 / 94 (3.19%)	4 / 94 (4.26%)	2 / 45 (4.44%)
occurrences (all)	3	4	2
Otitis externa			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Pharyngitis			
subjects affected / exposed	2 / 94 (2.13%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	2	0	0
Rhinitis			
subjects affected / exposed	2 / 94 (2.13%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	2	0	0
Tooth infection			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Upper respiratory tract infection			
subjects affected / exposed	0 / 94 (0.00%)	3 / 94 (3.19%)	0 / 45 (0.00%)
occurrences (all)	0	3	0
Viral pharyngitis			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Viral upper respiratory tract infection			
subjects affected / exposed	1 / 94 (1.06%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	1	0	0
Metabolism and nutrition disorders			
Hypercholesterolaemia			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0
Lactose intolerance			
subjects affected / exposed	0 / 94 (0.00%)	0 / 94 (0.00%)	0 / 45 (0.00%)
occurrences (all)	0	0	0

Non-serious adverse events	Arm B2		
Total subjects affected by non-serious adverse events			
subjects affected / exposed	13 / 44 (29.55%)		
Vascular disorders			

Hypertension subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1		
General disorders and administration site conditions Fatigue subjects affected / exposed occurrences (all) Injection site pain subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0 0 / 44 (0.00%) 0		
Reproductive system and breast disorders Vulvovaginal pruritus subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1		
Respiratory, thoracic and mediastinal disorders Bronchospasm subjects affected / exposed occurrences (all) Cough subjects affected / exposed occurrences (all) Oropharyngeal pain subjects affected / exposed occurrences (all) Rhinorrhoea subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1 0 / 44 (0.00%) 0 0 / 44 (0.00%) 0 0 / 44 (0.00%) 0		
Psychiatric disorders Insomnia subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0		
Investigations Alanine aminotransferase increased subjects affected / exposed occurrences (all) Blood creatinine increased	0 / 44 (0.00%) 0		

subjects affected / exposed occurrences (all)	2 / 44 (4.55%) 2		
Injury, poisoning and procedural complications Arthropod bite subjects affected / exposed occurrences (all) Foot fracture subjects affected / exposed occurrences (all) Limb injury subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1 0 / 44 (0.00%) 0 0 / 44 (0.00%) 0		
Nervous system disorders Headache subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 2		
Blood and lymphatic system disorders Neutropenia subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1		
Ear and labyrinth disorders Deafness subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0		
Eye disorders Blepharitis subjects affected / exposed occurrences (all) Iritis subjects affected / exposed occurrences (all) Vitreous haemorrhage subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0 0 / 44 (0.00%) 0 1 / 44 (2.27%) 1		
Gastrointestinal disorders			

Abdominal pain subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1		
Diarrhoea subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0		
Frequent bowel movements subjects affected / exposed occurrences (all)	1 / 44 (2.27%) 1		
Toothache subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0		
Hepatobiliary disorders Hypertransaminasaemia subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0		
Skin and subcutaneous tissue disorders Pruritus subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0		
Renal and urinary disorders Haematuria subjects affected / exposed occurrences (all) Proteinuria subjects affected / exposed occurrences (all)	0 / 44 (0.00%) 0 0 / 44 (0.00%) 0		
Musculoskeletal and connective tissue disorders Ankylosing spondylitis subjects affected / exposed occurrences (all) Arthralgia subjects affected / exposed occurrences (all) Back pain	0 / 44 (0.00%) 0 0 / 44 (0.00%) 0		

subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Bursitis			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Foot deformity			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Muscle contracture			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Osteoarthritis			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Pain in extremity			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Infections and infestations			
Bronchitis			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Conjunctivitis			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Herpes simplex			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Nasopharyngitis			
subjects affected / exposed	2 / 44 (4.55%)		
occurrences (all)	2		
Otitis externa			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Pharyngitis			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		

Rhinitis			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Tooth infection			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Upper respiratory tract infection			
subjects affected / exposed	0 / 44 (0.00%)		
occurrences (all)	0		
Viral pharyngitis			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Viral upper respiratory tract infection			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Metabolism and nutrition disorders			
Hypercholesterolaemia			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		
Lactose intolerance			
subjects affected / exposed	1 / 44 (2.27%)		
occurrences (all)	1		

More information

Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? No

Interruptions (globally)

Were there any global interruptions to the trial? No

Limitations and caveats

Limitations of the trial such as small numbers of subjects analysed or technical problems leading to unreliable data.

Due to EudraCT system limitations, which EMA is aware of, data using 999 as data points in this record are not an accurate representation of the clinical trial results. Please use https://www.novctrd.com/CtrdWeb/home.nov for complete trial results.

Notes: