



Clinical trial results: PeriOperative ISchemic Evaluation-3 (POISE-3) Trial Summary

EudraCT number	2018-000539-29
Trial protocol	BE DK AT NL IT
Global end of trial date	03 February 2023

Results information

Result version number	v1 (current)
This version publication date	15 February 2025
First version publication date	15 February 2025

Trial information

Trial identification

Sponsor protocol code	2018.02.08
-----------------------	------------

Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT03505723
WHO universal trial number (UTN)	-

Notes:

Sponsors

Sponsor organisation name	Population Health Research Institute
Sponsor organisation address	20 Copeland Avenue, Hamilton, Canada,
Public contact	POISE-3 Project Office, Population Health Research Institute, 001 905-521-2100x4063, poise3@phri.ca
Scientific contact	POISE-3 Project Office, Population Health Research Institute, 001 905-521-2100x4063, poise3@phri.ca

Notes:

Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

Results analysis stage

Analysis stage	Final
Date of interim/final analysis	28 February 2022
Is this the analysis of the primary completion data?	Yes
Primary completion date	08 November 2021
Global end of trial reached?	Yes
Global end of trial date	03 February 2023
Was the trial ended prematurely?	No

Notes:

General information about the trial

Main objective of the trial:

To determine if TXA is superior to placebo for the occurrence of life-threatening, major, and critical organ bleeding, and non-inferior to placebo for the occurrence of major arterial and venous thrombotic events; and to determine the impact of a hypotension-avoidance strategy versus a hypertension-avoidance strategy on the risk of major vascular events in patients who are followed for 30 days after noncardiac surgery.

Protection of trial subjects:

An independent data and safety monitoring committee reviewed interim analyses when 25%, 50%, and 75% of the 30-day data were available.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	27 June 2018
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	Yes

Notes:

Population of trial subjects

Subjects enrolled per country

Country: Number of subjects enrolled	Netherlands: 172
Country: Number of subjects enrolled	Poland: 143
Country: Number of subjects enrolled	Spain: 753
Country: Number of subjects enrolled	United Kingdom: 76
Country: Number of subjects enrolled	Austria: 84
Country: Number of subjects enrolled	Belgium: 152
Country: Number of subjects enrolled	Denmark: 130
Country: Number of subjects enrolled	France: 7
Country: Number of subjects enrolled	Germany: 133
Country: Number of subjects enrolled	Italy: 284
Country: Number of subjects enrolled	Australia: 573
Country: Number of subjects enrolled	Brazil: 71
Country: Number of subjects enrolled	Canada: 1916
Country: Number of subjects enrolled	Chile: 107
Country: Number of subjects enrolled	China: 425
Country: Number of subjects enrolled	India: 631
Country: Number of subjects enrolled	Malaysia: 654
Country: Number of subjects enrolled	New Zealand: 167
Country: Number of subjects enrolled	Pakistan: 128

Country: Number of subjects enrolled	Russian Federation: 1859
Country: Number of subjects enrolled	South Africa: 25
Country: Number of subjects enrolled	United States: 1045
Worldwide total number of subjects	9535
EEA total number of subjects	1858

Notes:

Subjects enrolled per age group

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	2790
From 65 to 84 years	6314
85 years and over	431

Subject disposition

Recruitment

Recruitment details:

We recruited patients from June 2018 through July 2021 at 114 hospitals in 22 countries. We randomly assigned 9535 patients to receive tranexamic acid (4757 patients) or placebo (4778 patients) The 30-day follow-up visit was completed for 99.9% of the patients.

Pre-assignment

Screening details:

26,581 were screened and eligible patients. Out of this number 17,046 eligible patients were not randomized. 5970 Patients did not consent; 3544 Physician declined to have patient participate; 4453 Research or staff unavailable; 925 not eligible for BP management arm; 520 Language barrier and 1634 were classified as other.

Period 1

Period 1 title	Overall Trial (overall period)
Is this the baseline period?	Yes
Allocation method	Randomised - controlled
Blinding used	Double blind
Roles blinded	Subject, Investigator, Monitor, Data analyst

Blinding implementation details:

Randomization was performed by a central computerized system with the use of block randomization, with stratification according to center. Patients were assigned in a 1:1 ratio to receive tranexamic acid or placebo at the start and end of surgery and, in a 1:1 ratio with the use of a partial factorial design, to a hypotension-avoidance strategy or a hypertension-avoidance strategy. Patients, providers, data collectors, and outcome adjudicators were unaware of the trial-group assignments.

Arms

Are arms mutually exclusive?	Yes
Arm title	Tranexamic acid (active)

Arm description:

1g bolus/infusion within 20 minutes preceding anticipated skin incision, 1g bolus/infusion at surgery end when closing the wound

Arm type	Active comparator
Investigational medicinal product name	Tranexamic acid (active)
Investigational medicinal product code	
Other name	TXA
Pharmaceutical forms	Injection/infusion
Routes of administration	Intravenous bolus use

Dosage and administration details:

1g bolus/infusion within 20 minutes preceding anticipated skin incision, 1g bolus/infusion at surgery end when closing the wound

Arm title	Tranexamic acid (placebo)
------------------	---------------------------

Arm description:

0.9% normal saline bolus/infusion within 20 minutes preceding anticipated skin incision, at surgery end when closing the wound

Arm type	Placebo
Investigational medicinal product name	Tranexamic acid (placebo)
Investigational medicinal product code	
Other name	
Pharmaceutical forms	Injection/infusion
Routes of administration	Intravenous bolus use

Dosage and administration details:

0.9% normal saline bolus/infusion within 20 minutes preceding anticipated skin incision, at surgery end

when closing the wound

Number of subjects in period 1	Tranexamic acid (active)	Tranexamic acid (placebo)
Started	4757	4778
Completed	4757	4778

Baseline characteristics

Reporting groups

Reporting group title	Tranexamic acid (active)
-----------------------	--------------------------

Reporting group description:

1g bolus/infusion within 20 minutes preceding anticipated skin incision, 1g bolus/infusion at surgery end when closing the wound

Reporting group title	Tranexamic acid (placebo)
-----------------------	---------------------------

Reporting group description:

0.9% normal saline bolus/infusion within 20 minutes preceding anticipated skin incision, at surgery end when closing the wound

Reporting group values	Tranexamic acid (active)	Tranexamic acid (placebo)	Total
Number of subjects	4757	4778	9535
Age categorical Units: Subjects			
In utero	0	0	0
Preterm newborn infants (gestational age < 37 wks)	0	0	0
Newborns (0-27 days)	0	0	0
Infants and toddlers (28 days-23 months)	0	0	0
Children (2-11 years)	0	0	0
Adolescents (12-17 years)	0	0	0
Adults (18-64 years)	1387	1403	2790
From 65-84 years	3140	3174	6314
85 years and over	230	201	431
Age continuous Units: years			
arithmetic mean	69.49	69.29	
standard deviation	± 9.45	± 9.36	-
Gender categorical Units: Subjects			
Female	2088	2097	4185
Male	2669	2681	5350
Eligibility criteria met: History of coronary artery disease Units: Subjects			
Yes	1410	1466	2876
No	3347	3312	6659
Eligibility criteria met: History of peripheral artery disease Units: Subjects			
Yes	714	722	1436
No	4043	4056	8099
Eligibility criteria met: History of stroke Units: Subjects			
Yes	400	388	788
No	4357	4390	8747
Eligibility criteria met: Undergoing major vascular surgery			

Units: Subjects			
Yes	541	544	1085
No	4216	4234	8450
Risk criteria: Met ≥ 3 of 9 criteria			
Units: Subjects			
Yes	3988	4003	7991
No	769	775	1544
Risk criteria: Undergoing major surgery			
Units: Subjects			
Yes	3741	3798	7539
No	1016	980	1996
Risk criteria: Undergoing urgent or emergency surgery			
Units: Subjects			
Yes	555	540	1095
No	4202	4238	8440
Risk criteria: Age ≥ 70 yr			
Units: Subjects			
Yes	2611	2588	5199
No	2146	2190	4336
Risk criteria: Current diabetes for which medication is taken			
Units: Subjects			
Yes	1749	1812	3561
No	3008	2966	5974
Risk criteria: Preoperative serum creatinine level >175 $\mu\text{mol/liter}$			
Units: Subjects			
Yes	57	73	130
No	4700	4705	9405
Risk criteria: History of congestive heart failure			
Units: Subjects			
Yes	674	671	1345
No	4083	4107	8190
Risk criteria: History of transient ischemic attack			
Units: Subjects			
Yes	282	247	529
No	4475	4531	9006
Risk criteria: History of hypertension			
Units: Subjects			
Yes	4293	4321	8614
No	464	457	921
Risk criteria: History of smoking within 2 yr before surgery			
Units: Subjects			
Yes	1131	1128	2259
No	3626	3650	7276
Other medical history: Atrial fibrillation			
Units: Subjects			
Yes	478	445	923
No	4279	4333	8612

Other medical history: Active cancer Units: Subjects			
Yes	1311	1360	2671
No	3446	3418	6864

End points

End points reporting groups

Reporting group title	Tranexamic acid (active)
Reporting group description: 1g bolus/infusion within 20 minutes preceding anticipated skin incision, 1g bolus/infusion at surgery end when closing the wound	
Reporting group title	Tranexamic acid (placebo)
Reporting group description: 0.9% normal saline bolus/infusion within 20 minutes preceding anticipated skin incision, at surgery end when closing the wound	

Primary: Primary End Point

End point title	Primary End Point
End point description:	
End point type	Primary
End point timeframe: >	

End point values	Tranexamic acid (active)	Tranexamic acid (placebo)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4757	4778		
Units: Subjects				
Primary efficacy outcome: composite bleeding	433	561		
Primary safety outcome: composite cardiovascular MINS	649	639		
Nonhemorrhagic stroke	24	16		
Peripheral arterial thrombosis	22	23		
Symptomatic proximal venous thromboembolism	32	28		

Statistical analyses

Statistical analysis title	Primary efficacy outcome
Statistical analysis description: Composite bleeding outcome	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)

Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
P-value	< 0.001
Method	Regression, Cox
Parameter estimate	Hazard ratio (HR)
Point estimate	0.76
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.67
upper limit	0.87

Statistical analysis title	Primary safety outcome
Statistical analysis description:	
Composite cardiovascular outcome	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	non-inferiority
P-value	= 0.04
Method	Regression, Cox
Parameter estimate	Hazard ratio (HR)
Point estimate	1.02
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.92
upper limit	1.14

Statistical analysis title	Components of composite cardiovascular outcome 1
Statistical analysis description:	
Individual components of composite cardiovascular outcome: MINS	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	non-inferiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.02
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.91
upper limit	1.14

Statistical analysis title	Components of composite cardiovascular outcome 2
Statistical analysis description:	
Individual components of composite cardiovascular outcome: Nonhemorrhagic stroke	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	non-inferiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.51
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.8
upper limit	2.84

Statistical analysis title	Components of composite cardiovascular outcome 3
Statistical analysis description:	
Individual components of composite cardiovascular outcome: Peripheral arterial thrombosis	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	non-inferiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.96
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.53
upper limit	1.72

Statistical analysis title	Components of composite cardiovascular outcome 4
Statistical analysis description:	
Individual components of composite cardiovascular outcome: Symptomatic proximal venous thromboembolism	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	non-inferiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.15

Confidence interval	
level	95 %
sides	2-sided
lower limit	0.69
upper limit	1.91

Secondary: Secondary End Point

End point title	Secondary End Point
End point description:	
End point type	Secondary
End point timeframe:	
>	

End point values	Tranexamic acid (active)	Tranexamic acid (placebo)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4757	4778		
Units: Subjects				
Bleeding independently assoc w death after NC Surg	416	541		
MINS not fulfilling the universal def of MI	549	549		
Myocardial infarction	67	53		
Net risk-benefit outcome	983	1046		
Life-threatening bleeding	78	79		
Major bleeding	363	496		
Bleeding into a critical organ	12	21		

Statistical analyses

Statistical analysis title	Other secondary outcomes 1
Statistical analysis description:	
Bleeding independently associated with death after noncardiac surgery	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.76
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.67
upper limit	0.87

Statistical analysis title	Other secondary outcomes 2
Statistical analysis description: MINS not fulfilling the universal definition of myocardial infarction	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.01
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.89
upper limit	1.13

Statistical analysis title	Other secondary outcomes 3
Statistical analysis description: Myocardial infarction	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.27
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.89
upper limit	1.82

Statistical analysis title	Other secondary outcomes 4
Statistical analysis description: Net risk-benefit outcome	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.94

Confidence interval	
level	95 %
sides	2-sided
lower limit	0.86
upper limit	1.02

Statistical analysis title	Indiv. components of composite bleeding outcome 1
Statistical analysis description: Life-threatening bleeding	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.99
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.73
upper limit	1.36

Statistical analysis title	Indiv. components of composite bleeding outcome 1
Statistical analysis description: Major bleeding	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.72
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.63
upper limit	0.83

Statistical analysis title	Indiv. components of composite bleeding outcome 3
Statistical analysis description: Bleeding into a critical organ	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)

Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.57
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.28
upper limit	1.16

Other pre-specified: Tertiary Outcomes

End point title	Tertiary Outcomes
End point description:	
End point type	Other pre-specified
End point timeframe:	
>	

End point values	Tranexamic acid (active)	Tranexamic acid (placebo)		
Subject group type	Reporting group	Reporting group		
Number of subjects analysed	4757	4778		
Units: Subjects				
Major bleeding according to ISTH criteria	315	415		
Transfusion of ≥ 1 unit of packed red cells	449	574		
Death from any cause	52	57		
Death from cardiovascular cause	25	30		
Hemorrhagic stroke	2	0		
Amputation	14	21		
Symptomatic pulmonary embolism	24	17		
Symptomatic proximal deep venous thrombosis	11	13		
(a)symptomatic proximal venous thromboembolism	32	28		
Cardiac revascularization	12	13		
Acute kidney injury	672	655		
New renal-replacement therapy	19	16		
Rehospitalization for cardiovascular reasons	84	75		
Seizure	10	3		
Infection	499	487		
Sepsis	68	63		
Disability	1408	1407		

Statistical analyses

Statistical analysis title	Tertiary outcome 1
Statistical analysis description: Major bleeding according to ISTH criteria	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.75
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.65
upper limit	0.87

Statistical analysis title	Tertiary outcome 2
Statistical analysis description: Transfusion of ≥ 1 unit of packed red cells	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Odds ratio (OR)
Point estimate	0.77
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.68
upper limit	0.88

Statistical analysis title	Tertiary outcome 3
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)

Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.92
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.63
upper limit	1.33

Statistical analysis title	Tertiary outcome 4
Statistical analysis description: Death from cardiovascular cause	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.84
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.49
upper limit	1.42

Statistical analysis title	Tertiary outcome 6
Statistical analysis description: Amputation	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.67
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.34
upper limit	1.31

Statistical analysis title	Tertiary outcome 7
Statistical analysis description: Symptomatic pulmonary embolism	

Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.42
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.76
upper limit	2.64

Statistical analysis title	Tertiary outcome 8
Statistical analysis description: Symptomatic proximal deep venous thrombosis	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.85
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.38
upper limit	1.9

Statistical analysis title	Tertiary outcome 9
Statistical analysis description: Any symptomatic or asymptomatic proximal venous thromboembolism	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.15
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.69
upper limit	1.91

Statistical analysis title	Tertiary outcome 10
-----------------------------------	---------------------

Statistical analysis description:

Cardiac revascularization

Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	0.93
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.42
upper limit	2.03

Statistical analysis title Tertiary outcome 11

Statistical analysis description:

Acute kidney injury

Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.03
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.93
upper limit	1.15

Statistical analysis title Tertiary outcome 13

Statistical analysis description:

Rehospitalization for cardiovascular reasons

Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.13
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.82
upper limit	1.54

Statistical analysis title	Tertiary outcome 14
Statistical analysis description:	
Seizure	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	3.35
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.92
upper limit	12.2

Statistical analysis title	Tertiary outcome 15
Statistical analysis description:	
Infection	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.03
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.91
upper limit	1.17

Statistical analysis title	Tertiary outcome 16
Statistical analysis description:	
Sepsis	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.08
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.77
upper limit	1.53

Statistical analysis title	Tertiary outcome 19
Statistical analysis description:	
Disability	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Odds ratio (OR)
Point estimate	1.02
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.92
upper limit	1.13

Statistical analysis title	Tertiary outcome 12
Statistical analysis description:	
New renal-replacement therapy	
Comparison groups	Tranexamic acid (active) v Tranexamic acid (placebo)
Number of subjects included in analysis	9535
Analysis specification	Pre-specified
Analysis type	superiority
Parameter estimate	Hazard ratio (HR)
Point estimate	1.19
Confidence interval	
level	95 %
sides	2-sided
lower limit	0.61
upper limit	2.32

Adverse events

Adverse events information^[1]

Timeframe for reporting adverse events:

There are no non-serious adverse events recorded for these results.

Assessment type	Systematic
-----------------	------------

Dictionary used

Dictionary name	MedDRA
Dictionary version	27

Reporting groups

Reporting group title	Tranexamic acid (active)
-----------------------	--------------------------

Reporting group description:

1g bolus/infusion within 20 minutes preceding anticipated skin incision, 1g bolus/infusion at surgery end when closing the wound

Reporting group title	Placebo (active)
-----------------------	------------------

Reporting group description:

0.9% normal saline bolus/infusion within 20 minutes preceding anticipated skin incision, at surgery end when closing the wound

Notes:

[1] - There are no non-serious adverse events recorded for these results. It is expected that there will be at least one non-serious adverse event reported.

Justification: Given the well-established safety profile of the study drug and the primary focus on evaluating serious adverse events, this clinical trial did not systematically collect data on non-serious adverse events, as they are unlikely to provide significant information regarding the drug's safety concerns in this study population.

Serious adverse events	Tranexamic acid (active)	Placebo (active)	
Total subjects affected by serious adverse events			
subjects affected / exposed	263 / 4757 (5.53%)	242 / 4778 (5.06%)	
number of deaths (all causes)	52	57	
number of deaths resulting from adverse events	0	0	
Neoplasms benign, malignant and unspecified (incl cysts and polyps)			
Adenocarcinoma gastric			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma of colon			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
B-cell lymphoma			

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Bladder cancer		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Breast cancer		
subjects affected / exposed	3 / 4757 (0.06%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 3	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Bronchial carcinoma		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Chronic myelomonocytic leukemia		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Colon cancer		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Endometrial cancer		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Laryngeal cancer		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lung adenocarcinoma		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Metastases to liver		
subjects affected / exposed	1 / 4757 (0.02%)	3 / 4778 (0.06%)
occurrences causally related to treatment / all	0 / 1	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Metastases to lung		
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Neoplasm		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Neoplasm malignant		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Rectal cancer		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Squamous cell carcinoma of the hypopharynx		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Adrenal gland cancer metastatic		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lung neoplasm malignant		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Brain neoplasm		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Metastatic neoplasm		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Colorectal cancer		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Metastasis		
subjects affected / exposed	1 / 4757 (0.02%)	3 / 4778 (0.06%)
occurrences causally related to treatment / all	0 / 1	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Thyroid cancer stage I		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hepatocellular carcinoma		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Intraductal proliferative breast lesion		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Papillary renal cell carcinoma		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Adenocarcinoma metastatic			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vascular disorders			
Hematoma			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertension			
subjects affected / exposed	5 / 4757 (0.11%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 5	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypertensive crisis			
subjects affected / exposed	1 / 4757 (0.02%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hypotension			
subjects affected / exposed	4 / 4757 (0.08%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Orthostatic hypotension			
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peripheral ischemia			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vena cava thrombosis			

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Dry gangrene		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hemodynamic instability		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Aortic occlusion		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Brachiocephalic vein thrombosis		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Lymphatic fistula		
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Granulomatosis with polyangiitis		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Peripheral venous disease		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Subclavian vein stenosis		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atheroembolism			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Surgical and medical procedures			
Pituitary tumor removal			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sarcoma excision			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small intestinal anastomosis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Small intestinal resection			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transurethral prostatectomy			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nephrostomy			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ureteral stent removal			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Catheter placement		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Catheter removal		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Ileocolostomy		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal anastomosis		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hernia repair		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Mitral valve repair		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Central venous catheter removal		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Drain removal		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eventration repair			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
General disorders and administration site conditions			
Asthenia			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chest pain			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Generalized edema			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hernia			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Edema			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Edema peripheral			
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pain			

subjects affected / exposed	4 / 4757 (0.08%)	5 / 4778 (0.10%)	
occurrences causally related to treatment / all	0 / 4	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Swelling			
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
General physical health deterioration			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Polyp			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Non-cardiac chest pain			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Medical device site discharge			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Stenosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dehiscence			
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Immune system disorders			
Hypersensitivity			

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Reproductive system and breast disorders			
Ovarian cyst			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Female genital tract fistula			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory, thoracic and mediastinal disorders			
Acute respiratory failure			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Asthma			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Atelectasis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic obstructive pulmonary disease			
subjects affected / exposed	3 / 4757 (0.06%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 3	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dyspnea			

subjects affected / exposed	3 / 4757 (0.06%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 3	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hemoptysis		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hypoxia		
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Interstitial lung disease		
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Laryngeal edema		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pleural effusion		
subjects affected / exposed	5 / 4757 (0.11%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 5	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pleurisy		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumonia aspiration		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumothorax		

subjects affected / exposed	4 / 4757 (0.08%)	4 / 4778 (0.08%)	
occurrences causally related to treatment / all	0 / 4	0 / 4	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory acidosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory depression			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory distress			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Respiratory failure			
subjects affected / exposed	2 / 4757 (0.04%)	5 / 4778 (0.10%)	
occurrences causally related to treatment / all	0 / 2	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pulmonary mass			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Negative pressure pulmonary edema			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Psychiatric disorders			
Confusional state			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Delirium			

subjects affected / exposed	4 / 4757 (0.08%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suicidal ideation			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Suicide attempt			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mental status changes			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Product issues			
Device leakage			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device dislocation			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device occlusion			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Device loosening			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatobiliary disorders			

Autoimmune hepatitis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bile duct stone			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary colic			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis acute			
subjects affected / exposed	4 / 4757 (0.08%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 4	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cholecystitis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hepatitis alcoholic			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Portal vein thrombosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Liver injury			

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Biliary obstruction			
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Investigations			
Blood glucose increased			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood pressure abnormal			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood glucose fluctuation			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ejection fraction decreased			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coagulation test abnormal			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nutritional condition abnormal			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
SARS-CoV-2 test positive			

subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Injury, poisoning and procedural complications			
Ankle fracture			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Burns third degree			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Clavicle fracture			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fall			
subjects affected / exposed	5 / 4757 (0.11%)	3 / 4778 (0.06%)	
occurrences causally related to treatment / all	0 / 5	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Femur fracture			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fibula fracture			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Foot fracture			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Head injury			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hip fracture		
subjects affected / exposed	2 / 4757 (0.04%)	3 / 4778 (0.06%)
occurrences causally related to treatment / all	0 / 2	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Humerus fracture		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Incisional hernia		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Injury		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Joint dislocation		
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Multiple fractures		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Peroneal nerve injury		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Rib fracture		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Seroma		
subjects affected / exposed	1 / 4757 (0.02%)	3 / 4778 (0.06%)
occurrences causally related to treatment / all	0 / 1	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Spinal compression fracture		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Spinal fracture		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Ulna fracture		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ureteric injury		
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Wound dehiscence		
subjects affected / exposed	6 / 4757 (0.13%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 6	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Wrist fracture		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Suture rupture		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Anastomotic leak		
subjects affected / exposed	3 / 4757 (0.06%)	4 / 4778 (0.08%)
occurrences causally related to treatment / all	0 / 3	0 / 4
deaths causally related to treatment / all	0 / 0	0 / 0
Prescribed overdose		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Wound complication		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Postoperative ileus		
subjects affected / exposed	37 / 4757 (0.78%)	30 / 4778 (0.63%)
occurrences causally related to treatment / all	0 / 37	0 / 30
deaths causally related to treatment / all	0 / 0	0 / 0
Post procedural diarrhea		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pelvic fracture		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Postoperative wound complication		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Lower limb fracture		

subjects affected / exposed	1 / 4757 (0.02%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 1	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Procedural hypotension		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pancreatic leak		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Dural tear		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Procedural pain		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Incision site inflammation		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrointestinal stoma complication		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrointestinal anastomotic leak		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Radiation sickness syndrome		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Periprosthetic fracture			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Traumatic lung injury			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fascial rupture			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Postoperative delirium			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Scrotal injury			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Incarcerated parastomal hernia			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diversion colitis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Congenital, familial and genetic disorders			
11-beta-hydroxylase deficiency			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Tracheo-esophageal fistula			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hyperglycinemia			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac disorders			
Atrial fibrillation			
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 2	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac arrest			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cardiac failure congestive			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Mitral valve incompetence			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nodal arrhythmia			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pericarditis			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Sinus tachycardia			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Supraventricular tachycardia			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ventricular tachycardia			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bradycardia			
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nervous system disorders			
Carotid artery thrombosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cerebrospinal fluid leakage			
subjects affected / exposed	1 / 4757 (0.02%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dementia			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dizziness			

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Encephalopathy		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hemiparesis		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hypoglycemic encephalopathy		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Peroneal nerve palsy		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Presyncope		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Syncope		
subjects affected / exposed	7 / 4757 (0.15%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 7	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Toxic encephalopathy		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Transient ischemic attack		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Visual field defect			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Vocal cord paralysis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Cervical radiculopathy			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolic encephalopathy			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blood and lymphatic system disorders			
Anemia			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Disseminated intravascular coagulation			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Febrile neutropenia			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Iron deficiency anemia			

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Lymphadenopathy			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pancytopenia			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ear and labyrinth disorders			
Vertigo			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Eye disorders			
Amaurosis fugax			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Blindness transient			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastrointestinal disorders			
Abdominal pain			
subjects affected / exposed	6 / 4757 (0.13%)	5 / 4778 (0.10%)	
occurrences causally related to treatment / all	0 / 6	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Anal stenosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	

Ascites			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Colitis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Constipation			
subjects affected / exposed	4 / 4757 (0.08%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 4	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diarrhea			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulum intestinal			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenal obstruction			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dysphagia			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Enteritis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Enterocoele			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Enterocolitis		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Food poisoning		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Gastric polyps		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Gastric ulcer		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Gastric ulcer perforation		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrointestinal fistula		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrointestinal hemorrhage		
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 2	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hematemesis		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ileal stenosis		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Ileus		
subjects affected / exposed	1 / 4757 (0.02%)	3 / 4778 (0.06%)
occurrences causally related to treatment / all	0 / 1	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Ileus paralytic		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Impaired gastric emptying		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Inguinal hernia		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal ischemia		
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 2	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal obstruction		
subjects affected / exposed	10 / 4757 (0.21%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 10	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal perforation		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal pseudo-obstruction		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Intestinal stenosis		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Malabsorption		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Melaena		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Mesenteric artery thrombosis		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Nausea		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Obstruction gastric		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Esophageal stenosis		

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Esophagitis		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pancreatitis		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Pancreatitis acute		
subjects affected / exposed	2 / 4757 (0.04%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 2	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Rectal prolapse		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Small intestinal obstruction		
subjects affected / exposed	13 / 4757 (0.27%)	3 / 4778 (0.06%)
occurrences causally related to treatment / all	0 / 13	0 / 3
deaths causally related to treatment / all	0 / 0	0 / 0
Small intestinal perforation		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Upper gastrointestinal hemorrhage		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Vomiting		

subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pneumoperitoneum		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Enterocutaneous fistula		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Large intestine polyp		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Gastrointestinal edema		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Abdominal hernia		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Incarcerated umbilical hernia		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Pharyngo-esophageal diverticulum		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Intra-abdominal fluid collection		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Duodenal stenosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rectal hemorrhage			
subjects affected / exposed	1 / 4757 (0.02%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 1	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Skin and subcutaneous tissue disorders			
Decubitus ulcer			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Subcutaneous emphysema			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Transient acantholytic dermatosis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Renal and urinary disorders			
Hematuria			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hydronephrosis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Nephrolithiasis			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Nephropathy		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Renal failure		
subjects affected / exposed	1 / 4757 (0.02%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 1	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Ureteric stenosis		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Urinary bladder hemorrhage		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Urinary retention		
subjects affected / exposed	7 / 4757 (0.15%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 7	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Tubulointerstitial nephritis		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Urinoma		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Renal mass		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Chronic kidney disease			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Acute kidney injury			
subjects affected / exposed	16 / 4757 (0.34%)	9 / 4778 (0.19%)	
occurrences causally related to treatment / all	0 / 16	0 / 9	
deaths causally related to treatment / all	0 / 0	0 / 0	
Ureterolithiasis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Endocrine disorders			
Inappropriate antidiuretic hormone secretion			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal and connective tissue disorders			
Arthralgia			
subjects affected / exposed	3 / 4757 (0.06%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Back pain			
subjects affected / exposed	3 / 4757 (0.06%)	5 / 4778 (0.10%)	
occurrences causally related to treatment / all	0 / 3	0 / 5	
deaths causally related to treatment / all	0 / 0	0 / 0	
Bursitis			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	

Compartment syndrome			
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Fistula			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Hemarthrosis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Joint effusion			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Muscle atrophy			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Musculoskeletal pain			
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Neck pain			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Osteoarthritis			
subjects affected / exposed	2 / 4757 (0.04%)	3 / 4778 (0.06%)	
occurrences causally related to treatment / all	0 / 2	0 / 3	
deaths causally related to treatment / all	0 / 0	0 / 0	
Rhabdomyolysis			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Pseudarthrosis			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Intervertebral disc degeneration			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Spinal stenosis			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Infections and infestations			
Abscess			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diverticulitis			
subjects affected / exposed	3 / 4757 (0.06%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 3	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Empyema			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gastroenteritis			
subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)	
occurrences causally related to treatment / all	0 / 0	0 / 2	
deaths causally related to treatment / all	0 / 0	0 / 0	
Herpes simplex encephalitis			

subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Peritonitis			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Coronavirus infection			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Metabolism and nutrition disorders			
Abnormal loss of weight			
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)	
occurrences causally related to treatment / all	0 / 1	0 / 0	
deaths causally related to treatment / all	0 / 0	0 / 0	
Dehydration			
subjects affected / exposed	2 / 4757 (0.04%)	6 / 4778 (0.13%)	
occurrences causally related to treatment / all	0 / 2	0 / 6	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetes mellitus inadequate control			
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 0	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Diabetic ketoacidosis			
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 1	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Failure to thrive			
subjects affected / exposed	2 / 4757 (0.04%)	1 / 4778 (0.02%)	
occurrences causally related to treatment / all	0 / 2	0 / 1	
deaths causally related to treatment / all	0 / 0	0 / 0	
Gout			

subjects affected / exposed	0 / 4757 (0.00%)	2 / 4778 (0.04%)
occurrences causally related to treatment / all	0 / 0	0 / 2
deaths causally related to treatment / all	0 / 0	0 / 0
Hyperglycemia		
subjects affected / exposed	3 / 4757 (0.06%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 3	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hyperkalemia		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hypoglycemia		
subjects affected / exposed	1 / 4757 (0.02%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 1	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Hypokalemia		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Hyponatremia		
subjects affected / exposed	3 / 4757 (0.06%)	7 / 4778 (0.15%)
occurrences causally related to treatment / all	0 / 3	0 / 7
deaths causally related to treatment / all	0 / 0	0 / 0
Hyperglycemic hyperosmolar nonketotic syndrome		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Diabetic metabolic decompensation		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Feeding intolerance		

subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0
Adult failure to thrive		
subjects affected / exposed	1 / 4757 (0.02%)	0 / 4778 (0.00%)
occurrences causally related to treatment / all	0 / 1	0 / 0
deaths causally related to treatment / all	0 / 0	0 / 0
Starvation ketoacidosis		
subjects affected / exposed	0 / 4757 (0.00%)	1 / 4778 (0.02%)
occurrences causally related to treatment / all	0 / 0	0 / 1
deaths causally related to treatment / all	0 / 0	0 / 0

Frequency threshold for reporting non-serious adverse events: 5 %

Non-serious adverse events	Tranexamic acid (active)	Placebo (active)	
Total subjects affected by non-serious adverse events			
subjects affected / exposed	0 / 4757 (0.00%)	0 / 4778 (0.00%)	

More information

Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? No

Interruptions (globally)

Were there any global interruptions to the trial? No

Limitations and caveats

None reported