

**Clinical trial results:****A Phase 3 Study Evaluating the Pharmacokinetics, Safety, and Tolerability of VX-659/TEZ/IVA Triple Combination Therapy in Cystic Fibrosis Subjects 6 Through 11 Years of Age****Summary**

EudraCT number	2018-001711-67
Trial protocol	Outside EU/EEA
Global end of trial date	18 January 2019

**Results information**

Result version number	v2 (current)
This version publication date	29 April 2020
First version publication date	17 November 2019
Version creation reason	<ul style="list-style-type: none"><li>• New data added to full data set</li></ul> Updating for consistency with CT.gov Results

**Trial information****Trial identification**

Sponsor protocol code	VX18-659-106
-----------------------	--------------

**Additional study identifiers**

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT03633526
WHO universal trial number (UTN)	-

Notes:

**Sponsors**

Sponsor organisation name	Vertex Pharmaceuticals Incorporated
Sponsor organisation address	50 Northern Avenue, Boston, Massachusetts, United States,
Public contact	Medical Monitor, Vertex Pharmaceuticals Incorporated, +1 617 341 6777, medicalinfo@vrtx.com
Scientific contact	Medical Monitor, Vertex Pharmaceuticals Incorporated, +1 617 341 6777, medicalinfo@vrtx.com

Notes:

**Paediatric regulatory details**

Is trial part of an agreed paediatric investigation plan (PIP)	Yes
EMA paediatric investigation plan number(s)	EMA-002191-PIP02-17
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	Yes

Notes:

## Results analysis stage

Analysis stage	Final
Date of interim/final analysis	21 February 2019
Is this the analysis of the primary completion data?	Yes
Primary completion date	18 January 2019
Global end of trial reached?	Yes
Global end of trial date	18 January 2019
Was the trial ended prematurely?	Yes

Notes:

## General information about the trial

Main objective of the trial:

To evaluate the pharmacokinetics (PK) of VX-659 in triple combination (TC) with tezacaftor (TEZ) and ivacaftor (IVA) in subjects with cystic fibrosis (CF).

Protection of trial subjects:

The study was conducted in accordance with the ethical principles stated in the Declaration of Helsinki and the International Council on Harmonization (ICH) Guideline for Good Clinical Practice (GCP).

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	03 August 2018
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	No

Notes:

## Population of trial subjects

### Subjects enrolled per country

Country: Number of subjects enrolled	United States: 18
Worldwide total number of subjects	18
EEA total number of subjects	0

Notes:

### Subjects enrolled per age group

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	18
Adolescents (12-17 years)	0
Adults (18-64 years)	0
From 65 to 84 years	0
85 years and over	0

## Subject disposition

### Recruitment

Recruitment details: -

### Pre-assignment

Screening details:

This study was conducted in subjects with cystic fibrosis (CF) 6-11 years of age. The study was terminated before start of Part B at Sponsor's discretion.

### Period 1

Period 1 title	Triple Combination Treatment Period (overall period)
Is this the baseline period?	Yes
Allocation method	Not applicable
Blinding used	Not blinded

### Arms

Arm title	VX-659/TEZ/IVA TC
-----------	-------------------

Arm description:

Subjects who received VX-659/TEZ/IVA for 15 days in the TC treatment period.

Arm type	Experimental
Investigational medicinal product name	VX-659/TEZ/IVA
Investigational medicinal product code	VX-659/VX-661/VX-770
Other name	VX-659/Tezacaftor/Ivacaftor fixed dose combination
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

Subjects received VX-659/TEZ/IVA once daily in the morning.

Investigational medicinal product name	IVA
Investigational medicinal product code	VX-770
Other name	Ivacaftor
Pharmaceutical forms	Tablet
Routes of administration	Oral use

Dosage and administration details:

Subjects received IVA once daily in the evening.

<b>Number of subjects in period 1<sup>[1]</sup></b>	VX-659/TEZ/IVA TC
Started	16
Completed	16

Notes:

[1] - The number of subjects reported to be in the baseline period are not the same as the worldwide number enrolled in the trial. It is expected that these numbers will be the same.

Justification: In the above disposition summary, data are presented for 16 subjects dosed in the TC treatment period. Two subjects were enrolled but were not dosed in the TC treatment period. Therefore, the total number of enrolled subjects is 18 whereas the number of subjects reported in disposition and baseline is 16.

## Baseline characteristics

### Reporting groups

Reporting group title	VX-659/TEZ/IVA TC
-----------------------	-------------------

Reporting group description:

Subjects who received VX-659/TEZ/IVA for 15 days in the TC treatment period.

Reporting group values	VX-659/TEZ/IVA TC	Total	
Number of subjects	16	16	
Age categorical			
Units: Subjects			

Age continuous			
Units: years			
arithmetic mean	9.2		
standard deviation	± 1.4	-	
Gender categorical			
Units: Subjects			
Female	5	5	
Male	11	11	
Ethnicity			
Units: Subjects			
Hispanic or Latino	2	2	
Not Hispanic or Latino	14	14	
Unknown or Not Reported	0	0	
Race			
Units: Subjects			
American Indian or Alaska Native	0	0	
Asian	0	0	
Native Hawaiian or Other Pacific Islander	0	0	
Black or African American	0	0	
White	16	16	
More than one race	0	0	
Unknown or Not Reported	0	0	

## End points

### End points reporting groups

Reporting group title	VX-659/TEZ/IVA TC
Reporting group description:	
Subjects who received VX-659/TEZ/IVA for 15 days in the TC treatment period.	

### Primary: Maximum Observed Concentration (C<sub>max</sub>) of VX-659, TEZ, and IVA

End point title	Maximum Observed Concentration (C <sub>max</sub> ) of VX-659, TEZ, and IVA <sup>[1]</sup>
-----------------	---

End point description:

Pharmacokinetic (PK) set included subjects who received at least 1 dose of study drug and for whom the primary PK data were considered to be sufficient and interpretable.

End point type	Primary
----------------	---------

End point timeframe:

Day 1 and Day 15

Notes:

[1] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: Only descriptive statistics were planned. No statistical comparisons were planned for primary PK endpoint. PK set included subjects who received at least 1 dose of study drug and for whom the primary PK data were considered to be sufficient and interpretable. Here "n" signifies those subjects who were evaluable at the specified timepoint.

End point values	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: microgram per milliliter (µg/mL)				
arithmetic mean (standard deviation)				
VX-659: Day 1 (n=15)	1.81 (± 0.858)			
VX-659: Day 15 (n=15)	2.55 (± 1.21)			
TEZ: Day 1 (n=15)	4.53 (± 1.65)			
TEZ: Day 15 (n=15)	5.22 (± 1.69)			
IVA: Day 1 (n=15)	0.536 (± 0.208)			
IVA: Day 15 (n=15)	0.733 (± 0.256)			

### Statistical analyses

No statistical analyses for this end point

### Primary: Observed Pre-Dose Concentration (C<sub>trough</sub>) of VX-659, TEZ, and IVA

End point title	Observed Pre-Dose Concentration (C <sub>trough</sub> ) of VX-659, TEZ, and IVA <sup>[2]</sup>
-----------------	---

End point description:

PK set.

End point type	Primary
End point timeframe:	
Day 8 and Day 15	

Notes:

[2] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: Only descriptive statistics were planned. No statistical comparisons were planned for primary pharmacokinetic (PK) endpoint. PK set included subjects who received at least 1 dose of study drug and for whom the primary PK data were considered to be sufficient and interpretable. Here "n" signifies those subjects who were evaluable at the specified timepoint.

End point values	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: microgram per milliliter (µg/mL)				
arithmetic mean (standard deviation)				
VX-659: Day 8 (n=16)	0.358 (± 0.259)			
VX-659: Day 15 (n=15)	0.367 (± 0.283)			
TEZ: Day 8 (n=16)	0.897 (± 0.488)			
TEZ: Day 15 (n=15)	0.740 (± 0.421)			
IVA: Day 8 (n=16)	0.289 (± 0.195)			
IVA: Day 15 (n=15)	0.283 (± 0.241)			

## Statistical analyses

No statistical analyses for this end point

## Primary: Area Under the Concentration Versus Time Curve from time 0 to 6 Hours (AUC0-6h) of VX-659, TEZ, and IVA

End point title	Area Under the Concentration Versus Time Curve from time 0 to 6 Hours (AUC0-6h) of VX-659, TEZ, and IVA <sup>[3]</sup>
End point description:	
PK set.	
End point type	Primary
End point timeframe:	
Day 1 and Day 15	

Notes:

[3] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: Only descriptive statistics were planned. No statistical comparisons were planned for primary PK endpoint. PK set included subjects who received at least 1 dose of study drug and for whom the primary PK data were considered to be sufficient and interpretable. Here "n" signifies those subjects who were evaluable at the specified timepoint.

End point values	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: hour*microgram per milliliter (h*µg/mL)				
arithmetic mean (standard deviation)				
VX-659: Day 1 (n=15)	5.41 (± 3.65)			
VX-659: Day 15 (n=15)	8.55 (± 4.50)			
TEZ: Day 1 (n=15)	15.5 (± 5.36)			
TEZ: Day 15 (n=15)	19.3 (± 7.26)			
IVA: Day 1 (n=15)	1.64 (± 0.795)			
IVA: Day 15 (n=15)	2.95 (± 1.18)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Maximum Observed Concentration (Cmax) of TEZ Metabolite (M1-TEZ), and IVA Metabolite (M1-IVA)

End point title	Maximum Observed Concentration (Cmax) of TEZ Metabolite (M1-TEZ), and IVA Metabolite (M1-IVA)
End point description:	PK set. Here "n" signifies those subjects who were evaluable at the specified timepoint.
End point type	Secondary
End point timeframe:	Day 1 and Day 15

End point values	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: mcg/mL				
arithmetic mean (standard deviation)				
M1-TEZ: Day 1 (n=15)	1.63 (± 0.553)			
M1-TEZ: Day 15 (n=15)	5.04 (± 1.27)			
M1-IVA: Day 1 (n=15)	1.25 (± 0.449)			
M1-IVA: Day 15 (n=15)	1.73 (± 0.741)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Observed Pre-Dose Concentration (Ctrough) of TEZ Metabolite (M1-TEZ),

**and IVA Metabolite (M1-IVA)**

End point title	Observed Pre-Dose Concentration (C <sub>trough</sub> ) of TEZ Metabolite (M1-TEZ), and IVA Metabolite (M1-IVA)
-----------------	--

End point description:

PK set. Here "n" signifies those subjects who were evaluable at specified timepoints.

End point type	Secondary
----------------	-----------

End point timeframe:

Day 8 and Day 15

End point values	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: mcg/mL				
arithmetic mean (standard deviation)				
M1-TEZ: Day 8 (n=16)	3.56 (± 1.33)			
M1-TEZ: Day 15 (n=15)	3.35 (± 1.23)			
M1-IVA: Day 8 (n=16)	0.816 (± 0.491)			
M1-IVA: Day 15 (n=15)	0.858 (± 0.672)			

**Statistical analyses**

No statistical analyses for this end point

**Secondary: Area Under the Concentration Versus Time Curve From Time 0 to 6 Hours (AUC<sub>0-6h</sub>) of TEZ Metabolite (M1-TEZ), and IVA Metabolite (M1-IVA)**

End point title	Area Under the Concentration Versus Time Curve From Time 0 to 6 Hours (AUC <sub>0-6h</sub> ) of TEZ Metabolite (M1-TEZ), and IVA Metabolite (M1-IVA)
-----------------	--

End point description:

PK set. Here "n" signifies those subjects who were evaluable at specified timepoints.

End point type	Secondary
----------------	-----------

End point timeframe:

Day 1 and Day 15

End point values	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: h*mcg/mL				
arithmetic mean (standard deviation)				
M1-TEZ: Day 1 (n=15)	5.52 (± 2.87)			



M1-TEZ: Day 15 (n=15)	25.2 (± 7.70)			
M1-IVA: Day 1 (n=15)	3.60 (± 1.87)			
M1-IVA: Day 15 (n=15)	6.98 (± 2.94)			

### Statistical analyses

No statistical analyses for this end point

### Secondary: Number of Subjects With Treatment-Emergent Adverse Events (AEs) and Serious Adverse Events (SAEs)

End point title	Number of Subjects With Treatment-Emergent Adverse Events (AEs) and Serious Adverse Events (SAEs)
-----------------	---

End point description:

End point type	Secondary
----------------	-----------

End point timeframe:

From first dose of study drug in TC treatment period up to 28 days after last dose of study drug or to the completion of study participation date, whichever occurs first (up to 6 weeks)

<b>End point values</b>	VX-659/TEZ/IVA TC			
Subject group type	Reporting group			
Number of subjects analysed	16			
Units: subjects				
Subjects with AEs	13			
Subjects with SAEs	1			

### Statistical analyses

No statistical analyses for this end point

## Adverse events

### Adverse events information

Timeframe for reporting adverse events:

From first dose of study drug in TC treatment period up to 28 days after last dose of study drug or to the completion of study participation date, whichever occurs first (up to 6 weeks)

Assessment type	Systematic
-----------------	------------

### Dictionary used

Dictionary name	MedDRA
-----------------	--------

Dictionary version	21.1
--------------------	------

### Reporting groups

Reporting group title	VX-659/TEZ/IVA
-----------------------	----------------

Reporting group description:

Subjects who received VX-659/TEZ/IVA for 15 days in the TC treatment period.

Serious adverse events	VX-659/TEZ/IVA		
Total subjects affected by serious adverse events			
subjects affected / exposed	1 / 16 (6.25%)		
number of deaths (all causes)	0		
number of deaths resulting from adverse events			
Skin and subcutaneous tissue disorders			
Rash			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences causally related to treatment / all	1 / 1		
deaths causally related to treatment / all	0 / 0		

Frequency threshold for reporting non-serious adverse events: 5 %

Non-serious adverse events	VX-659/TEZ/IVA		
Total subjects affected by non-serious adverse events			
subjects affected / exposed	13 / 16 (81.25%)		
Investigations			
Activated partial thromboplastin time prolonged			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Alanine aminotransferase increased			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		

Bacterial test positive subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Human rhinovirus test positive subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
International normalised ratio increased subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Prothrombin time prolonged subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Pulmonary function test decreased subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Respirovirus test positive subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Injury, poisoning and procedural complications Ligament sprain subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Procedural anxiety subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Vascular disorders Hot flush subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Nervous system disorders Headache subjects affected / exposed occurrences (all)	6 / 16 (37.50%) 6		
General disorders and administration site conditions			

Chills			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Fatigue			
subjects affected / exposed	3 / 16 (18.75%)		
occurrences (all)	4		
Pyrexia			
subjects affected / exposed	2 / 16 (12.50%)		
occurrences (all)	2		
Gastrointestinal disorders			
Abdominal discomfort			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Post-tussive vomiting			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Vomiting			
subjects affected / exposed	2 / 16 (12.50%)		
occurrences (all)	2		
Respiratory, thoracic and mediastinal disorders			
Nasal discharge discolouration			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Cough			
subjects affected / exposed	7 / 16 (43.75%)		
occurrences (all)	8		
Oropharyngeal pain			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Paranasal sinus hypersecretion			
subjects affected / exposed	1 / 16 (6.25%)		
occurrences (all)	1		
Productive cough			
subjects affected / exposed	2 / 16 (12.50%)		
occurrences (all)	2		
Sputum increased			

subjects affected / exposed occurrences (all)	2 / 16 (12.50%) 2		
Skin and subcutaneous tissue disorders Rash subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Rash papular subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Rash vesicular subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Musculoskeletal and connective tissue disorders Musculoskeletal chest pain subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Infections and infestations Infective pulmonary exacerbation of cystic fibrosis subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		
Metabolism and nutrition disorders Decreased appetite subjects affected / exposed occurrences (all)	1 / 16 (6.25%) 1		

## **More information**

### **Substantial protocol amendments (globally)**

Were there any global substantial amendments to the protocol? No

---

### **Interruptions (globally)**

Were there any global interruptions to the trial? No

### **Limitations and caveats**

None reported