

Statistical Analysis 1 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Day 2 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.4447 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 2 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Day 2 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.3567 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 3 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Day 2 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.2315 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 4 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 1 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.0667 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 5 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 1 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | <0.001 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |

| | | |
|--|----------|-----------------|
| | Comments | [Not specified] |
|--|----------|-----------------|

Statistical Analysis 6 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 1 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | <0.001 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 7 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 2 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | <0.001 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 8 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 2 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |

| | | |
|--------------------------------|----------|------------------------------|
| Statistical Test of Hypothesis | P-Value | =0.2033 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 9 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 2 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |

| | | |
|--------------------------------|----------|------------------------------|
| Statistical Test of Hypothesis | P-Value | <0.001 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 10 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 3 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |

| | | |
|--------------------------------|----------|------------------------------|
| Statistical Test of Hypothesis | P-Value | =0.0012 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 11 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|-----------------------------|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 3 vs Baseline |
| | Type of Statistical Test | Superiority |

| | | |
|--------------------------------|----------|--|
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.0734 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 12 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 3 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | <0.001 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 13 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 4 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.0304 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 14 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 4 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | >0.999 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 15 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 4 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.0891 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 16 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 6 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.0832 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |

| | | |
|--|----------|-----------------|
| | Comments | [Not specified] |
|--|----------|-----------------|

Statistical Analysis 17 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 6 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.4941 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 18 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 6 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.2764 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 19 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 13 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |

| | | |
|--------------------------------|----------|------------------------------|
| Statistical Test of Hypothesis | P-Value | =0.3248 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 20 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 13 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |

| | | |
|--------------------------------|----------|------------------------------|
| Statistical Test of Hypothesis | P-Value | =0.2535 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 21 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 13 vs Baseline |
| | Type of Statistical Test | Other |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |

| | | |
|--------------------------------|----------|------------------------------|
| Statistical Test of Hypothesis | P-Value | =0.9274 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 22 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|-------------------------------|----------------------------|----------------------------|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 26 vs Baseline |
| | Type of Statistical Test | Superiority |

| | | |
|--------------------------------|----------|--|
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.3297 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 23 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 26 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.9722 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 24 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 26 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.4403 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 25 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 39 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.1946 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 26 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 39 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.2077 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 27 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 39 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.0692 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |

| | | |
|--|----------|-----------------|
| | Comments | [Not specified] |
|--|----------|-----------------|

Statistical Analysis 28 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 Low Dose Subgroup |
| | Comments | Week 52 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.2276 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 29 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 High Dose Subgroup |
| | Comments | Week 52 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | 0.3369 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |

Statistical Analysis 30 for Movement Disorder Society-Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III Score: Change From Baseline to End of Study

| | | |
|--------------------------------|----------------------------|--|
| Statistical Analysis Overview | Comparison Group Selection | ABBV-951 All Participants |
| | Comments | Week 52 vs Baseline |
| | Type of Statistical Test | Superiority |
| | Comments | A paired-sample t-test was performed to test the change from Baseline. |
| Statistical Test of Hypothesis | P-Value | =0.1218 |
| | Comments | [Not specified] |
| | Method | Other [paired-sample t-test] |
| | Comments | [Not specified] |