

FPS – Memory retention

Repeated measures ANOVA: Group (80 mg, 40mg, placebo) x Cue (CS+, CS-) x Time (last block of extinction day 2, first trial of retention day 3)

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η_p^2
Cue	0.886	1	0.886	2.264	0.137	0.032
Cue * Group	0.390	2	0.195	0.499	0.610	0.014
Residuals	26.988	69	0.391			
Time	116.380	1	116.380	123.859	< .001	0.642
Time * Group	0.700	2	0.350	0.373	0.690	0.011
Residuals	64.834	69	0.940			
Cue * Time	0.444	1	0.444	1.035	0.313	0.015
Cue * Time * Group	3.132	2	1.566	3.647	0.031	0.096
Residuals	29.629	69	0.429			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	η_p^2
Group	6.587	2	3.293	1.600	0.209	0.044
Residuals	142.004	69	2.058			

Note. Type III Sum of Squares


Descriptives

Descriptives


Cue	Time	Group	Mean	SD	N
CS+	Last block EXT	40mg	-0.746	1.146	24
		80mg	-1.149	0.619	24
		Placebo	-0.698	0.874	24
	First trial RET	40mg	0.593	1.072	24
		80mg	0.342	1.136	24
		Placebo	0.522	0.989	24
CS-	Last block EXT	40mg	-0.920	0.962	24
		80mg	-0.896	0.738	24
		Placebo	-0.875	0.861	24
	First trial RET	40mg	0.356	1.142	24
		80mg	-0.113	0.915	24
		Placebo	0.645	1.106	24

Descriptives plots

Group: 80mg



Group: 40mg



Group: Placebo

