



Clinical trial results:

An Open-Label, Multicenter Study to Evaluate the Safety and Effectiveness of Intravenous CR845 in Hemodialysis Patients with Moderate-to-Severe Pruritus

Summary

EudraCT number	2018-004572-35
Trial protocol	HU CZ PL ES
Global end of trial date	06 March 2020

Results information

Result version number	v1 (current)
This version publication date	10 October 2021
First version publication date	10 October 2021

Trial information

Trial identification

Sponsor protocol code	CR845-CLIN3105
-----------------------	----------------

Additional study identifiers

ISRCTN number	-
ClinicalTrials.gov id (NCT number)	NCT03998163
WHO universal trial number (UTN)	-

Notes:

Sponsors

Sponsor organisation name	Cara Therapeutics, Inc.
Sponsor organisation address	107 Elm Street, 9th Floor, Stamford, United States,
Public contact	Regulatory Affairs, ICON Clinical Research Limited, 44 07831653684, markas.marriott@iconplc.com
Scientific contact	Regulatory Affairs, ICON Clinical Research Limited, 44 07831653684, markas.marriott@iconplc.com
Sponsor organisation name	Cara Therapeutics, Inc.
Sponsor organisation address	107 Elm Street, 9th Floor, Stamford, United States,
Public contact	Cara Clinical Trials, Cara Therapeutics, Inc., 1 203-406-3700,
Scientific contact	Cara Clinical Trials, Cara Therapeutics, Inc., 1 203-406-3700,

Notes:

Paediatric regulatory details

Is trial part of an agreed paediatric investigation plan (PIP)	No
Does article 45 of REGULATION (EC) No 1901/2006 apply to this trial?	No
Does article 46 of REGULATION (EC) No 1901/2006 apply to this trial?	No

Notes:

Results analysis stage

Analysis stage	Final
Date of interim/final analysis	06 March 2020
Is this the analysis of the primary completion data?	Yes
Primary completion date	26 February 2020
Global end of trial reached?	Yes
Global end of trial date	06 March 2020
Was the trial ended prematurely?	No

Notes:

General information about the trial

Main objective of the trial:

To evaluate the safety of IV CR845 at a dose of 0.5 mcg/kg in hemodialysis patients with moderate-to-severe pruritus

Protection of trial subjects:

The study was in compliance with the ethical principles derived from the Declaration of Helsinki and in compliance with all International Conference for Harmonisation (ICH) Good Clinical Practice (GCP) Guidelines. All the local regulatory requirements pertinent to safety of trials subjects were followed.

Background therapy: -

Evidence for comparator: -

Actual start date of recruitment	06 May 2019
Long term follow-up planned	No
Independent data monitoring committee (IDMC) involvement?	Yes

Notes:

Population of trial subjects**Subjects enrolled per country**

Country: Number of subjects enrolled	Poland: 3
Country: Number of subjects enrolled	Czechia: 4
Country: Number of subjects enrolled	Hungary: 12
Country: Number of subjects enrolled	United States: 203
Worldwide total number of subjects	222
EEA total number of subjects	19

Notes:

Subjects enrolled per age group

In utero	0
Preterm newborn - gestational age < 37 wk	0
Newborns (0-27 days)	0
Infants and toddlers (28 days-23 months)	0
Children (2-11 years)	0
Adolescents (12-17 years)	0
Adults (18-64 years)	150

From 65 to 84 years	71
85 years and over	1

Subject disposition

Recruitment

Recruitment details: -

Pre-assignment

Screening details:

The study was conducted in a total of 222 subjects.

Period 1

Period 1 title	Overall Study (overall period)
Is this the baseline period?	Yes
Allocation method	Non-randomised - controlled
Blinding used	Not blinded

Arms

Arm title	CR845
Arm description: -	
Arm type	Experimental
Investigational medicinal product name	CR845
Investigational medicinal product code	
Other name	Difelikefalin
Pharmaceutical forms	Solution for solution for injection
Routes of administration	Intravenous use

Dosage and administration details:

IV CR845 0.5 mcg/kg administered after each dialysis session (3 times/week)

Number of subjects in period 1	CR845
Started	222
Completed	197
Not completed	25
Adverse event, serious fatal	2
Consent withdrawn by subject	7
Administrative	1
Adverse event, non-fatal	11
other	2
Lost to follow-up	1
Lack of efficacy	1

Baseline characteristics

Reporting groups

Reporting group title	Overall Study (overall period)
-----------------------	--------------------------------

Reporting group description: -

Reporting group values	Overall Study (overall period)	Total	
Number of subjects	222	222	
Age categorical Units: Subjects			
Age continuous Units: years arithmetic mean standard deviation	58.1 ± 12.81	-	
Gender categorical Units: Subjects			
Female	101	101	
Male	121	121	

End points

End points reporting groups

Reporting group title	CR845
-----------------------	-------

Reporting group description: -

Primary: Number of Participants With AEs

End point title	Number of Participants With AEs ^[1]
-----------------	--

End point description:

Assessed by monitoring of adverse events.

End point type	Primary
----------------	---------

End point timeframe:

Up to Follow-Up Visit (Week 13-14)

Notes:

[1] - No statistical analyses have been specified for this primary end point. It is expected there is at least one statistical analysis for each primary end point.

Justification: No statistical analyses have been specified for this primary end point.

End point values	CR845			
Subject group type	Reporting group			
Number of subjects analysed	222			
Units: Participants	143			

Statistical analyses

No statistical analyses for this end point
--

Adverse events

Adverse events information

Timeframe for reporting adverse events:

Up to Follow-Up Visit (Week 13-14)

Assessment type	Systematic
-----------------	------------

Dictionary used

Dictionary name	MedDRA
-----------------	--------

Dictionary version	22.0
--------------------	------

Reporting groups

Reporting group title	CR845
-----------------------	-------

Reporting group description: -

Serious adverse events	CR845		
Total subjects affected by serious adverse events			
subjects affected / exposed	45 / 222 (20.27%)		
number of deaths (all causes)	3		
number of deaths resulting from adverse events	0		
Vascular disorders			
Hypertensive urgency			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Hypertensive crisis			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Hypertensive emergency			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Hypotension			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
General disorders and administration site conditions			

Asthenia	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Death	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	1 / 1		
	deaths causally related to treatment / all	0 / 1		
Non-cardiac chest pain	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Respiratory, thoracic and mediastinal disorders				
Respiratory failure	subjects affected / exposed	2 / 222 (0.90%)		
	occurrences causally related to treatment / all	0 / 2		
	deaths causally related to treatment / all	0 / 0		
Acute pulmonary oedema	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Acute respiratory failure	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Bronchospasm	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Chronic obstructive pulmonary disease	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		

Hypoxia			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Pulmonary oedema			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Psychiatric disorders			
Mental status changes			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Investigations			
Corynebacterium test positive			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Injury, poisoning and procedural complications			
Arteriovenous fistula thrombosis			
subjects affected / exposed	3 / 222 (1.35%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Fall			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Arteriovenous fistula aneurysm			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Head injury			

subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Lumbar vertebral fracture			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Procedural hypotension			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Cardiac disorders			
Cardio-respiratory arrest			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 1		
Acute myocardial infarction			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Angina pectoris			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Atrial flutter			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Chronic left ventricular failure			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Palpitations			

subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Nervous system disorders			
Syncope			
subjects affected / exposed	3 / 222 (1.35%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Cerebral haemorrhage			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Presyncope			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Radiculopathy			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Blood and lymphatic system disorders			
Anaemia			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Gastrointestinal disorders			
Gastrointestinal haemorrhage			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Enterocolitis			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		

Faecaloma	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Haematemesis	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Intestinal ischaemia	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Upper gastrointestinal haemorrhage	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Vomiting	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Skin and subcutaneous tissue disorders				
Erythema nodosum	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Endocrine disorders				
Primary adrenal insufficiency	subjects affected / exposed	1 / 222 (0.45%)		
	occurrences causally related to treatment / all	0 / 1		
	deaths causally related to treatment / all	0 / 0		
Musculoskeletal and connective tissue disorders				
Diffuse idiopathic skeletal hyperostosis				

subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Muscular weakness			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Tenosynovitis			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Thoracic spinal stenosis			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Infections and infestations			
Clostridium difficile colitis			
subjects affected / exposed	3 / 222 (1.35%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 1		
Sepsis			
subjects affected / exposed	3 / 222 (1.35%)		
occurrences causally related to treatment / all	0 / 3		
deaths causally related to treatment / all	0 / 0		
Influenza			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Osteomyelitis			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		
Pneumonia			

subjects affected / exposed	2 / 222 (0.90%)			
occurrences causally related to treatment / all	0 / 2			
deaths causally related to treatment / all	0 / 0			
Bronchitis				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Cystitis				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Endocarditis				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Localised infection				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Orchitis				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Pneumococcal sepsis				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Pneumonia respiratory syncytial viral				
subjects affected / exposed	1 / 222 (0.45%)			
occurrences causally related to treatment / all	0 / 1			
deaths causally related to treatment / all	0 / 0			
Pneumonia viral				

subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Pseudomonas infection			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Rhinovirus infection			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Septic shock			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Upper respiratory tract infection			
subjects affected / exposed	1 / 222 (0.45%)		
occurrences causally related to treatment / all	0 / 1		
deaths causally related to treatment / all	0 / 0		
Metabolism and nutrition disorders			
Hyperkalaemia			
subjects affected / exposed	5 / 222 (2.25%)		
occurrences causally related to treatment / all	0 / 6		
deaths causally related to treatment / all	0 / 0		
Fluid overload			
subjects affected / exposed	2 / 222 (0.90%)		
occurrences causally related to treatment / all	0 / 2		
deaths causally related to treatment / all	0 / 0		

Frequency threshold for reporting non-serious adverse events: 5 %

Non-serious adverse events	CR845		
Total subjects affected by non-serious adverse events			
subjects affected / exposed	11 / 222 (4.95%)		
Gastrointestinal disorders			
Diarrhoea			
subjects affected / exposed	11 / 222 (4.95%)		
occurrences (all)	12		

More information

Substantial protocol amendments (globally)

Were there any global substantial amendments to the protocol? Yes

Date	Amendment
12 February 2019	Modify the Inclusion criteria to add an upper age limit and clarify the acceptable hemodialysis modality Update the study procedures

Notes:

Interruptions (globally)

Were there any global interruptions to the trial? No

Limitations and caveats

None reported