Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question		Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
1. – I felt that the Treating Investigator could focus on me and my treatment at all time during the treatment session					
	Strongly agree	n (%)	88 (88.9%)	43 (84.3%)	131 (87.3%)
		95% CI	(0.827, 0.951)	(0.743, 0.943)	(0.820, 0.927)
	Agree	n (%)	11 (11.1%)	7 (13.7%)	18 (12.0%)
		95% CI	(0.049, 0.173)	(0.043, 0.232)	(0.068, 0.172)
	Neither agree nor disagree	n (%)	0	1 (2.0%)	1 (0.7%)
		95% CI	(NA, NA)	(0.000, 0.058)	(0.000, 0.020)
	Disagree	n (%)	0	0	0
		95% CI	(NA, NA)	(NA, NA)	(NA, NA)
	Strongly disagree	n (%)	0	0	0
		95% CI	(NA, NA)	(NA, NA)	(NA, NA)
		P-value [1]			0.3269
2. – The treatment session was good and exceeded my expectations					
	Strongly agree	n (%)	67 (67.7%)	39 (76.5%)	106 (70.7%)
		95% CI	(0.585, 0.769)	(0.648, 0.881)	(0.634, 0.780)
	Agree	n (%)	26 (26.3%)	10 (19.6%)	36 (24.0%)
		95% CI	(0.176, 0.349)	(0.087, 0.305)	(0.172, 0.308)
	Neither agree nor disagree	n (%)	4 (4.0%)	2 (3.9%)	6 (4.0%)
		95% CI	(0.002, 0.079)	(0.000, 0.092)	(0.009, 0.071)
	Disagree	n (%)	1 (1.0%)	0	1 (0.7%)
		95% CI	(0.000, 0.030)	(NA, NA)	(0.000, 0.020)
	Strongly disagree	n (%)	1 (1.0%)	0	1 (0.7%)
		95% CI	(0.000, 0.030)	(NA, NA)	(0.000, 0.020)
		P-value [1]			0.8498

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
3. – I felt comfortable with the injection procedure				
Strongly agree	n (%)	71 (71.7%)	48 (94.1%)	119 (79.3%)
	95% CI	(0.628, 0.806)	(0.877, 1.000)	(0.729, 0.858)
Agree	n (%)	19 (19.2%)	3 (5.9%)	22 (14.7%)
	95% CI	(0.114, 0.269)	(0.000, 0.123)	(0.090, 0.203)
Neither agree nor disagree	n (%)	4 (4.0%)	0	4 (2.7%)
	95% CI	(0.002, 0.079)	(NA, NA)	(0.001, 0.052)
Disagree	n (%)	1 (1.0%)	0	1 (0.7%)
	95% CI	(0.000, 0.030)	(NA, NA)	(0.000, 0.020)
Strongly disagree	n (%)	4 (4.0%)	0	4 (2.7%)
	95% CI	(0.002, 0.079)	(NA, NA)	(0.001, 0.052)
	P-value [1]			0.0193
4. – I like when the Treating Investigator suggests a modern and innovative ready to use botulinum toxin to treat my glabellar lines				
Strongly agree	n (%)	64 (64.6%)		
	95% CI	(0.552, 0.741)		
Agree	n (%)	23 (23.2%)		
	95% CI	(0.149, 0.316)		
Neither agree nor disagree	n (%)	11 (11.1%)		
	95% CI	(0.049, 0.173)		
Disagree	n (%)	1 (1.0%)		
	95% CI	(0.000, 0.030)		
Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
5. - I feel great about being injected with a new ready to use toxin				
Strongly agree	n (%)	49 (49.5%)		
	95% CI	(0.396, 0.593)		
Agree	n (%)	29 (29.3%)		
	95% CI	(0.203, 0.383)		
Neither agree nor disagree	n (%)	19 (19.2%)		
	95% CI	(0.114, 0.269)		
Disagree	n (%)	2 (2.0%)		
	95% CI	(0.000, 0.048)		
Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		
6. - I would suggest a treatment with new ready to use product to my friends				
Strongly agree	n (%)	45 (45.5%)		
	95% CI	(0.356, 0.553)		
Agree	n (%)	32 (32.3%)		
	95% CI	(0.231, 0.415)		
Neither agree nor disagree	n (%)	12 (12.1%)		
	95% CI	(0.057, 0.186)		
Disagree	n (%)	4 (4.0%)		
	95% CI	(0.002, 0.079)		
Strongly disagree	n (%)	6 (6.1%)		
	95% CI	(0.014, 0.108)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
7. – I felt more self-esteemed after injection with the new innovative ready to use toxin				
Strongly agree	n (%)	35 (35.4%)		
	95% CI	(0.259, 0.448)		
Agree	n (%)	19 (19.2%)		
	95% CI	(0.114, 0.269)		
Neither agree nor disagree	n (%)	41 (41.4%)		
	95% CI	(0.317, 0.511)		
Disagree	n (%)	3 (3.0%)		
	95% CI	(0.000, 0.064)		
Strongly disagree	n (%)	1 (1.0%)		
	95% CI	(0.000, 0.030)		

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
8. – I feel good when being injected with an animal and human origin free toxin				
Strongly agree	n (%)	70 (70.7%)		
	95% CI	(0.617, 0.797)		
Agree	n (%)	19 (19.2%)		
	95% CI	(0.114, 0.269)		
Neither agree nor disagree	n (%)	9 (9.1%)		
	95% CI	(0.034, 0.148)		
Disagree	n (%)	1 (1.0%)		
	95% CI	(0.000, 0.030)		
Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
9. - I appreciate that the product is manufactured in an environmentally friendly manufacturing facility				
Strongly agree	n (%)	76 (76.8%)		
	95% CI	(0.684, 0.851)		
Agree	n (%)	21 (21.2%)		
	95% CI	(0.132, 0.293)		
Neither agree nor disagree	n (%)	2 (2.0%)		
	95% CI	(0.000, 0.048)		
Disagree	n (%)	0		
	95% CI	(NA, NA)		
Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
9. - I feel good when being injected with an animal and human origin free toxin				
Strongly agree	n (%)	70 (70.7%)		
	95% CI	(0.617, 0.797)		
Agree	n (%)	19 (19.2%)		
	95% CI	(0.114, 0.269)		
Neither agree nor disagree	n (%)	9 (9.1%)		
	95% CI	(0.034, 0.148)		
Disagree	n (%)	1 (1.0%)		
	95% CI	(0.000, 0.030)		
Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		
10. - I appreciate that the product is manufactured in an environmentally friendly manufacturing facility				
Strongly agree	n (%)	76 (76.8%)		
	95% CI	(0.684, 0.851)		
Agree	n (%)	21 (21.2%)		
	95% CI	(0.132, 0.293)		
Neither agree nor disagree	n (%)	2 (2.0%)		
	95% CI	(0.000, 0.048)		
Disagree	n (%)	0		
	95% CI	(NA, NA)		
Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
1. – I felt that the Treating Investigator could focus on me and my treatment at all time during the treatment session				
Strongly agree/Agree	n (%)	99 (100%)	50 (98.0%)	149 (99.3%)
	95% CI	(1.000, 1.000)	(0.942, 1.000)	(0.980, 1.000)
Neither agree nor disagree	n (%)	0	1 (2.0%)	1 (0.7%)
	95% CI	(NA, NA)	(0.000, 0.058)	(0.000, 0.020)
Disagree/Strongly disagree	n (%)	0	0	0
	95% CI	(NA, NA)	(NA, NA)	(NA, NA)
	P-value [1]			0.3400
2. – The treatment session was good and exceeded my expectations				
Strongly agree/Agree	n (%)	93 (93.9%)	49 (96.1%)	142 (94.7%)
	95% CI	(0.892, 0.986)	(0.908, 1.000)	(0.911, 0.983)
Neither agree nor disagree	n (%)	4 (4.0%)	2 (3.9%)	6 (4.0%)
	95% CI	(0.002, 0.079)	(0.000, 0.092)	(0.009, 0.071)
Disagree/Strongly disagree	n (%)	2 (2.0%)	0	2 (1.3%)
	95% CI	(0.000, 0.048)	(NA, NA)	(0.000, 0.032)
	P-value [1]			0.8482
3. – I felt comfortable with the injection procedure				
Strongly agree/Agree	n (%)	90 (90.9%)	51 (100%)	141 (94.0%)
	95% CI	(0.852, 0.966)	(1.000, 1.000)	(0.902, 0.978)
Neither agree nor disagree	n (%)	4 (4.0%)	0	4 (2.7%)
	95% CI	(0.002, 0.079)	(NA, NA)	(0.001, 0.052)
Disagree/Strongly disagree	n (%)	5 (5.1%)	0	5 (3.3%)
	95% CI	(0.007, 0.094)	(NA, NA)	(0.005, 0.062)
	P-value [1]			0.1081

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
4. - I like when the Treating Investigator suggests a modern and innovative ready to use botulinum toxin to treat my glabellar lines				
Strongly agree/Agree	n (%)	87 (87.9%)		
	95% CI	(0.814, 0.943)		
Neither agree nor disagree	n (%)	11 (11.1%)		
	95% CI	(0.049, 0.173)		
Disagree/Strongly disagree	n (%)	1 (1.0%)		
	95% CI	(0.000, 0.030)		
5. - I feel great about being injected with a new ready to use toxin				
Strongly agree/Agree	n (%)	78 (78.8%)		
	95% CI	(0.707, 0.868)		
Neither agree nor disagree	n (%)	19 (19.2%)		
	95% CI	(0.114, 0.269)		
Disagree/Strongly disagree	n (%)	2 (2.0%)		
	95% CI	(0.000, 0.048)		
6. - I would suggest a treatment with new ready to use product to my friends				
Strongly agree/Agree	n (%)	77 (77.8%)		
	95% CI	(0.696, 0.860)		
Neither agree nor disagree	n (%)	12 (12.1%)		
	95% CI	(0.057, 0.186)		
Disagree/Strongly disagree	n (%)	10 (10.1%)		
	95% CI	(0.042, 0.160)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas

Table 14.2.5.1
Subject Treatment Session Questionnaire
FAS Population

_____

Question	Statistics	Alluzience (N=99)	Powder BoNT-A (N=51)	Overall (N=150)
7. - I felt more self-esteemed after injection with the new innovative ready to use toxin				
Strongly agree/Agree	n (%)	54 (54.5%)		
	95% CI	(0.447, 0.644)		
Neither agree nor disagree	n (%)	41 (41.4%)		
	95% CI	(0.317, 0.511)		
Disagree/Strongly disagree	n (%)	4 (4.0%)		
	95% CI	(0.002, 0.079)		
8. - I feel good when being injected with an animal and human origin free toxin				
Strongly agree/Agree	n (%)	69 (69.7%)		
	95% CI	(0.606, 0.787)		
Neither agree nor disagree	n (%)	22 (22.2%)		
	95% CI	(0.140, 0.304)		
Disagree/Strongly disagree	n (%)	8 (8.1%)		
	95% CI	(0.027, 0.134)		
9. - I appreciate that the product is manufactured in an environmentally friendly manufacturing facility				
Strongly agree/Agree	n (%)	97 (98.0%)		
	95% CI	(0.952, 1.000)		
Neither agree nor disagree	n (%)	2 (2.0%)		
	95% CI	(0.000, 0.048)		
Disagree/Strongly disagree	n (%)	0		
	95% CI	(NA, NA)		

_____

Abbreviation: FAS=Full Analysis Set;
Notes: Percentages are based on the FAS population.
The FAS population is defined as all randomized and treated subjects.
[1] P-value is from Fisher's exact test.

Program Name: S:\Statistics\GAL\GAL2102\CSR\Programs\Production\TLFs\T2102_STSQ.sas